## Tim Olde Hartman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8175894/publications.pdf

Version: 2024-02-01

73 papers 1,500 citations

21 h-index

331259

35 g-index

98 all docs 98 docs citations

98 times ranked 1606 citing authors

#	Article	IF	CITATIONS
1	Medically unexplained symptoms, somatisation disorder and hypochondriasis: Course and prognosis. A systematic review. Journal of Psychosomatic Research, 2009, 66, 363-377.	1.2	214
2	The reassuring value of diagnostic tests: A systematic review. Patient Education and Counseling, 2012, 86, 3-8.	1.0	73
3	Experts' opinions on the management of medically unexplained symptoms in primary care. A qualitative analysis of narrative reviews and scientific editorials. Family Practice, 2011, 28, 444-455.	0.8	67
4	Abdominal symptoms: do they disappear after cholecystectomy?. Surgical Endoscopy and Other Interventional Techniques, 2003, 17, 1723-1728.	1.3	59
5	Consequences of the presence and absence of empathy during consultations in primary care: A focus group study with patients. Patient Education and Counseling, 2017, 100, 987-993.	1.0	54
6	Course and prognosis of myasthenia gravis: a systematic review. European Journal of Neurology, 2010, 17, 913-921.	1.7	45
7	How patients and family physicians communicate about persistent medically unexplained symptoms. A qualitative study of video-recorded consultations. Patient Education and Counseling, 2013, 90, 354-360.	1.0	44
8	Do unexplained symptoms predict anxiety or depression? Ten-year data from a practice-based research network. British Journal of General Practice, 2011, 61, e316-e325.	0.7	43
9	Mindfulness-based cognitive therapy for patients with medically unexplained symptoms: A cost-effectiveness study. Journal of Psychosomatic Research, 2013, 74, 197-205.	1.2	41
10	What we talk about when we talk about depression: doctor-patient conversations and treatment decision outcomes. British Journal of General Practice, 2012, 62, e55-e63.	0.7	40
11	Prodromal symptoms and early detection of Parkinson's disease in general practice: a nested case-control study. Family Practice, 2014, 31, 373-378.	0.8	38
12	Training residents in patient-centred communication and empathy: evaluation from patients, observers and residents. BMC Medical Education, 2019, 19, 128.	1.0	38
13	Medically unexplained symptoms: evidence, guidelines, and beyond. British Journal of General Practice, 2013, 63, 625-626.	0.7	36
14	Improving GP communication in consultations on medically unexplained symptoms: a qualitative interview study with patients in primary care. British Journal of General Practice, 2017, 67, e716-e723.	0.7	36
15	Medically unexplained symptoms: the person, the symptoms and the dialogue. Family Practice, 2017, 34, cmw132.	0.8	35
16	The COVID-19 Pandemic in Nijmegen, the Netherlands: Changes in Presented Health Problems and Demand for Primary Care. Annals of Family Medicine, 2021, 19, 44-47.	0.9	33
17	Managing barriers to empathy in the clinical encounter: a qualitative interview study with GPs. British Journal of General Practice, 2016, 66, e887-e895.	0.7	32
18	Explaining symptoms after negative tests: towards a rational explanation. Journal of the Royal Society of Medicine, 2015, 108, 84-88.	1.1	30

#	Article	IF	Citations
19	Challenges in the management of patients with medically unexplained symptoms in Poland: a qualitative study. Family Practice, 2012, 29, 228-234.	0.8	28
20	Why the †reason for encounter†should be incorporated in the analysis of outcome of care. British Journal of General Practice, 2011, 61, e839-e841.	0.7	24
21	A randomised controlled trial testing the efficacy of Fit after COVID, a cognitive behavioural therapy targeting severe post-infectious fatigue following COVID-19 (ReCOVer): study protocol. Trials, 2021, 22, 867.	0.7	23
22	Quantifying positive communication: Doctorâ $\in$ <sup>™</sup> s language and patient anxiety in primary care consultations. Patient Education and Counseling, 2018, 101, 1577-1584.	1.0	20
23	Empathy in general practiceâ€"the gap between wishes and reality: comparing the views of patients and physicians. Family Practice, 2018, 35, 203-208.	0.8	20
24	Reliability and validity of the Dutch version of the Consultation and Relational Empathy Measure in primary care. Family Practice, 2017, 34, 119-124.	0.8	19
25	The development of an ICF-based questionnaire for patients with chronic conditions in primary care. Journal of Clinical Epidemiology, 2018, 103, 92-100.	2.4	19
26	Differences between GP perception of delivered empathy and patient-perceived empathy: a cross-sectional study in primary care. British Journal of General Practice, 2018, 68, e621-e626.	0.7	18
27	Brief multimodal psychosomatic therapy in patients with medically unexplained symptoms: feasibility and treatment effects. Family Practice, 2016, 33, 346-353.	0.8	17
28	Stigma perceived by patients with functional somatic syndromes and its effect on health outcomes $\hat{a} \in A$ systematic review. Journal of Psychosomatic Research, 2022, 154, 110715.	1.2	17
29	Parkinson's disease: patient and general practitioner perspectives on the role of primary care. Family Practice, 2017, 34, 227-233.	0.8	16
30	Cost-effectiveness of interventions for medically unexplained symptoms: A systematic review. PLoS ONE, 2018, 13, e0205278.	1.1	16
31	The European Training Network ETUDE (Encompassing Training in functional Disorders across) Tj ETQq1 1 0.78 researchers. Journal of Psychosomatic Research, 2021, 141, 110345.	4314 rgBT 1.2	/Overlock 10 15
32	Health assessment instruments for people with intellectual disabilitiesâ€"A systematic review. Research in Developmental Disabilities, 2017, 64, 12-24.	1.2	14
33	Linguistic and interactional aspects that characterize consultations about medically unexplained symptoms: A systematic review. Journal of Psychosomatic Research, 2020, 132, 109994.	1.2	14
34	Mental health problems and the presentation of minor illnesses: Data from a 30-year follow-up in general practice. European Journal of General Practice, 2008, 14, 38-43.	0.9	13
35	Purposeful Incorporation of Patient Narratives in the Medical Record in the Netherlands. Journal of the American Board of Family Medicine, 2021, 34, 709-723.	0.8	13
36	GPs' opinions of health assessment instruments for people with intellectual disabilities: a qualitative study. British Journal of General Practice, 2017, 67, e41-e48.	0.7	12

#	Article	IF	Citations
37	Time intervals in diagnosing Parkinson's disease: The patients' views. Patient Education and Counseling, 2015, 98, 777-782.	1.0	11
38	Shared decision-making in general practice: an observational study comparing 2007 with 2015. Family Practice, 2018, 36, 357-364.	0.8	11
39	Sex differences in the trajectories to diagnosis of patients presenting with common somatic symptoms in primary care: an observational cohort study. Journal of Psychosomatic Research, 2021, 149, 110589.	1.2	11
40	Being in control of Parkinson's disease: A qualitative study of community-dwelling patients' coping with changes in care. European Journal of General Practice, 2018, 24, 138-145.	0.9	10
41	Symptom management for medically unexplained symptoms in primary care: a qualitative study. British Journal of General Practice, 2019, 69, e254-e261.	0.7	10
42	Substitution scenario in follow-up of chronic cancer patients in primary care: prevalence, disease duration and estimated extra consultation time. Family Practice, 2016, 33, 4-9.	0.8	9
43	Changes in the Diagnosis of Stroke and Cardiovascular Conditions in Primary Care During the First 2 COVID-19 Waves in the Netherlands. Neurology, 2022, 98, e564-e572.	1.5	9
44	Quantifying implicit uncertainty in primary care consultations: A systematic comparison of communication about medically explained versus unexplained symptoms. Patient Education and Counseling, 2019, 102, 2349-2352.	1.0	8
45	Explaining placebo effects in an online survey study: Does â€~Pavlov' ring a bell?. PLoS ONE, 2021, 16, e0247103.	1.1	8
46	Addressing the needs of patients with medically unexplained symptoms: 10 key messages. British Journal of General Practice, 2018, 68, 442-443.	0.7	7
47	The association between patients' expectations and experiences of taskâ€; affect―and therapyâ€oriented communication and their anxiety in medically unexplained symptoms consultations. Health Expectations, 2019, 22, 338-347.	1.1	7
48	Developing measures to capture the true value of primary care. BJGP Open, 2021, 5, BJGPO.2020.0152.	0.9	7
49	Transitions in Parkinson's disease in primary care: protocol of a longitudinal mixed methods study. BMJ Open, 2015, 5, e007171-e007171.	0.8	6
50	Explanations for medically unexplained symptoms: a qualitative study on GPs in daily practice consultations. Family Practice, 2020, 37, 124-130.	0.8	6
51	Patients' experiences with fluctuations in persistent physical symptoms: a qualitative study. BMJ Open, 2020, 10, e035833.	0.8	6
52	The human encounter, attention, and equality: the value of doctor–patient contact. British Journal of General Practice, 2020, 70, 254-255.	0.7	6
53	Shifts in patients' question-asking behaviour between 2007 and 2016: An observational study of video-recorded general practice consultations. Patient Education and Counseling, 2020, 103, 1168-1175.	1.0	5
54	How General Practitioners Raise Psychosocial Concerns as a Potential Cause of Medically Unexplained Symptoms: A Conversation Analysis. Health Communication, 2022, 37, 696-707.	1.8	5

#	Article	IF	CITATIONS
55	Influence of Spirometry on Patient Management in Diagnostic Studies Unknown. Chest, 2006, 129, 1733-1734.	0.4	4
56	A new approach to psychopathology: the example of depression. British Journal of General Practice, 2019, 69, 146-147.	0.7	4
57	Clinical empathy in GP-training: Experiences and needs among Dutch GP-trainees. "Empathy as an element of personal growth― Patient Education and Counseling, 2021, 104, 3016-3022.	1.0	4
58	Unexplained versus explained symptoms: The difference is not in patients' language use. A quantitative analysis of linguistic markers. Journal of Psychosomatic Research, 2022, 152, 110667.	1.2	4
59	Development of a health assessment instrument for people with intellectual disabilities: a Delphi study. Family Practice, 2018, 35, 599-606.	0.8	3
60	Exploring the psychometric properties of the Working Alliance Inventory in general practice: a cross-sectional study. BJGP Open, 2021, 5, bjgpopen20X101131.	0.9	3
61	'Well doctor, it is all about how life is lived': cues as a tool in the medical consultation. Mental Health in Family Medicine, 2008, 5, 183-7.	0.2	3
62	Coding linguistic elements in clinical interactions: a step-by-step guide for analyzing communication form. BMC Medical Research Methodology, 2022, 22, .	1.4	3
63	Problem-solving treatment in general practice residency: A focus group study of registrars' views. Patient Education and Counseling, 2011, 85, 106-112.	1.0	2
64	Empathie, de hoeksteen voor effectieve persoonsgerichte zorg. Bijblijven (Amsterdam, Netherlands), 2015, 31, 632-641.	0.0	2
65	Social characteristics and care needs of older persons with medically unexplained symptoms: a case–control study. Family Practice, 2016, 33, 617-625.	0.8	2
66	Psychiatric characteristics of older persons with medically unexplained symptoms: A comparison with older patients suffering from medically explained symptoms. European Psychiatry, 2020, 63, e56.	0.1	2
67	Comment on †Pain patients in a randomized trial did not show a significant effect of a positive consultation'. Journal of Clinical Epidemiology, 2006, 59, 868.	2.4	1
68	Food Intolerance not Related to Gallstones. Journal of Clinical Gastroenterology, 2000, 30, 101-102.	1.1	1
69	Symptoms in family practice. Canadian Family Physician, 2021, 67, 803-804.	0.1	1
70	Assessment of functioning in Dutch primary care: Development study of a consultation tool for patients with chronic conditions and multimorbidity. Health Expectations, 0, , .	1.1	1
71	Family Physicians' Training Programs Are Useful for Surgeons. Archives of Surgery, 2006, 141, 515.	2.3	0
72	SOLK hoeft niet naar de psycholoog. Huisarts En Wetenschap, 2015, 58, 663-663.	0.0	0

#	Article	IF	CITATIONS
73	Feeling blue, sad, or depressed: how to manage these patients. British Journal of General Practice, 2018, 68, 330-331.	0.7	0