

# Tim Olde Hartman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8175894/publications.pdf>

Version: 2024-02-01

73  
papers

1,500  
citations

331259

21  
h-index

360668

35  
g-index

98  
all docs

98  
docs citations

98  
times ranked

1606  
citing authors

#	ARTICLE	IF	CITATIONS
1	How General Practitioners Raise Psychosocial Concerns as a Potential Cause of Medically Unexplained Symptoms: A Conversation Analysis. <i>Health Communication</i> , 2022, 37, 696-707.	1.8	5
2	Unexplained versus explained symptoms: The difference is not in patients' language use. A quantitative analysis of linguistic markers. <i>Journal of Psychosomatic Research</i> , 2022, 152, 110667.	1.2	4
3	Stigma perceived by patients with functional somatic syndromes and its effect on health outcomes – A systematic review. <i>Journal of Psychosomatic Research</i> , 2022, 154, 110715.	1.2	17
4	Changes in the Diagnosis of Stroke and Cardiovascular Conditions in Primary Care During the First 2 COVID-19 Waves in the Netherlands. <i>Neurology</i> , 2022, 98, e564-e572.	1.5	9
5	Coding linguistic elements in clinical interactions: a step-by-step guide for analyzing communication form. <i>BMC Medical Research Methodology</i> , 2022, 22, .	1.4	3
6	The European Training Network ETUDE (Encompassing Training in fUnctional Disorders across) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54 researchers. <i>Journal of Psychosomatic Research</i> , 2021, 141, 110345.	1.2	15
7	Developing measures to capture the true value of primary care. <i>BJGP Open</i> , 2021, 5, BJGPO.2020.0152.	0.9	7
8	Clinical empathy in GP-training: Experiences and needs among Dutch GP-trainees. –Empathy as an element of personal growth–. <i>Patient Education and Counseling</i> , 2021, 104, 3016-3022.	1.0	4
9	Explaining placebo effects in an online survey study: Does –Pavlov– ring a bell?. <i>PLoS ONE</i> , 2021, 16, e0247103.	1.1	8
10	Purposeful Incorporation of Patient Narratives in the Medical Record in the Netherlands. <i>Journal of the American Board of Family Medicine</i> , 2021, 34, 709-723.	0.8	13
11	Sex differences in the trajectories to diagnosis of patients presenting with common somatic symptoms in primary care: an observational cohort study. <i>Journal of Psychosomatic Research</i> , 2021, 149, 110589.	1.2	11
12	The COVID-19 Pandemic in Nijmegen, the Netherlands: Changes in Presented Health Problems and Demand for Primary Care. <i>Annals of Family Medicine</i> , 2021, 19, 44-47.	0.9	33
13	Exploring the psychometric properties of the Working Alliance Inventory in general practice: a cross-sectional study. <i>BJGP Open</i> , 2021, 5, bjgopen20X101131.	0.9	3
14	A randomised controlled trial testing the efficacy of Fit after COVID, a cognitive behavioural therapy targeting severe post-infectious fatigue following COVID-19 (ReCOVer): study protocol. <i>Trials</i> , 2021, 22, 867.	0.7	23
15	Symptoms in family practice. <i>Canadian Family Physician</i> , 2021, 67, 803-804.	0.1	1
16	Explanations for medically unexplained symptoms: a qualitative study on GPs in daily practice consultations. <i>Family Practice</i> , 2020, 37, 124-130.	0.8	6
17	Shifts in patients– question-asking behaviour between 2007 and 2016: An observational study of video-recorded general practice consultations. <i>Patient Education and Counseling</i> , 2020, 103, 1168-1175.	1.0	5
18	Patients– experiences with fluctuations in persistent physical symptoms: a qualitative study. <i>BMJ Open</i> , 2020, 10, e035833.	0.8	6

#	ARTICLE	IF	CITATIONS
19	Psychiatric characteristics of older persons with medically unexplained symptoms: A comparison with older patients suffering from medically explained symptoms. <i>European Psychiatry</i> , 2020, 63, e56.	0.1	2
20	The human encounter, attention, and equality: the value of doctor-patient contact. <i>British Journal of General Practice</i> , 2020, 70, 254-255.	0.7	6
21	Linguistic and interactional aspects that characterize consultations about medically unexplained symptoms: A systematic review. <i>Journal of Psychosomatic Research</i> , 2020, 132, 109994.	1.2	14
22	Quantifying implicit uncertainty in primary care consultations: A systematic comparison of communication about medically explained versus unexplained symptoms. <i>Patient Education and Counseling</i> , 2019, 102, 2349-2352.	1.0	8
23	Training residents in patient-centred communication and empathy: evaluation from patients, observers and residents. <i>BMC Medical Education</i> , 2019, 19, 128.	1.0	38
24	A new approach to psychopathology: the example of depression. <i>British Journal of General Practice</i> , 2019, 69, 146-147.	0.7	4
25	Symptom management for medically unexplained symptoms in primary care: a qualitative study. <i>British Journal of General Practice</i> , 2019, 69, e254-e261.	0.7	10
26	The association between patients' expectations and experiences of task-, affect- and therapy-oriented communication and their anxiety in medically unexplained symptoms consultations. <i>Health Expectations</i> , 2019, 22, 338-347.	1.1	7
27	Development of a health assessment instrument for people with intellectual disabilities: a Delphi study. <i>Family Practice</i> , 2018, 35, 599-606.	0.8	3
28	Quantifying positive communication: Doctor's language and patient anxiety in primary care consultations. <i>Patient Education and Counseling</i> , 2018, 101, 1577-1584.	1.0	20
29	Being in control of Parkinson's disease: A qualitative study of community-dwelling patients' coping with changes in care. <i>European Journal of General Practice</i> , 2018, 24, 138-145.	0.9	10
30	Empathy in general practice—the gap between wishes and reality: comparing the views of patients and physicians. <i>Family Practice</i> , 2018, 35, 203-208.	0.8	20
31	Cost-effectiveness of interventions for medically unexplained symptoms: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0205278.	1.1	16
32	Addressing the needs of patients with medically unexplained symptoms: 10 key messages. <i>British Journal of General Practice</i> , 2018, 68, 442-443.	0.7	7
33	Shared decision-making in general practice: an observational study comparing 2007 with 2015. <i>Family Practice</i> , 2018, 36, 357-364.	0.8	11
34	Feeling blue, sad, or depressed: how to manage these patients. <i>British Journal of General Practice</i> , 2018, 68, 330-331.	0.7	0
35	Differences between GP perception of delivered empathy and patient-perceived empathy: a cross-sectional study in primary care. <i>British Journal of General Practice</i> , 2018, 68, e621-e626.	0.7	18
36	The development of an ICF-based questionnaire for patients with chronic conditions in primary care. <i>Journal of Clinical Epidemiology</i> , 2018, 103, 92-100.	2.4	19

#	ARTICLE	IF	CITATIONS
37	Consequences of the presence and absence of empathy during consultations in primary care: A focus group study with patients. <i>Patient Education and Counseling</i> , 2017, 100, 987-993.	1.0	54
38	GPs' opinions of health assessment instruments for people with intellectual disabilities: a qualitative study. <i>British Journal of General Practice</i> , 2017, 67, e41-e48.	0.7	12
39	Medically unexplained symptoms: the person, the symptoms and the dialogue. <i>Family Practice</i> , 2017, 34, cmw132.	0.8	35
40	Health assessment instruments for people with intellectual disabilities – A systematic review. <i>Research in Developmental Disabilities</i> , 2017, 64, 12-24.	1.2	14
41	Reliability and validity of the Dutch version of the Consultation and Relational Empathy Measure in primary care. <i>Family Practice</i> , 2017, 34, 119-124.	0.8	19
42	Parkinson's disease: patient and general practitioner perspectives on the role of primary care. <i>Family Practice</i> , 2017, 34, 227-233.	0.8	16
43	Improving GP communication in consultations on medically unexplained symptoms: a qualitative interview study with patients in primary care. <i>British Journal of General Practice</i> , 2017, 67, e716-e723.	0.7	36
44	Managing barriers to empathy in the clinical encounter: a qualitative interview study with GPs. <i>British Journal of General Practice</i> , 2016, 66, e887-e895.	0.7	32
45	Brief multimodal psychosomatic therapy in patients with medically unexplained symptoms: feasibility and treatment effects. <i>Family Practice</i> , 2016, 33, 346-353.	0.8	17
46	Social characteristics and care needs of older persons with medically unexplained symptoms: a case-control study. <i>Family Practice</i> , 2016, 33, 617-625.	0.8	2
47	Substitution scenario in follow-up of chronic cancer patients in primary care: prevalence, disease duration and estimated extra consultation time. <i>Family Practice</i> , 2016, 33, 4-9.	0.8	9
48	SOLK hoeft niet naar de psycholoog. <i>Huisarts En Wetenschap</i> , 2015, 58, 663-663.	0.0	0
49	Empathie, de hoeksteen voor effectieve persoonsgerichte zorg. <i>Bijblijven (Amsterdam, Netherlands)</i> , 2015, 31, 632-641.	0.0	2
50	Transitions in Parkinson's disease in primary care: protocol of a longitudinal mixed methods study. <i>BMJ Open</i> , 2015, 5, e007171-e007171.	0.8	6
51	Time intervals in diagnosing Parkinson's disease: The patients' views. <i>Patient Education and Counseling</i> , 2015, 98, 777-782.	1.0	11
52	Explaining symptoms after negative tests: towards a rational explanation. <i>Journal of the Royal Society of Medicine</i> , 2015, 108, 84-88.	1.1	30
53	Prodromal symptoms and early detection of Parkinson's disease in general practice: a nested case-control study. <i>Family Practice</i> , 2014, 31, 373-378.	0.8	38
54	How patients and family physicians communicate about persistent medically unexplained symptoms. A qualitative study of video-recorded consultations. <i>Patient Education and Counseling</i> , 2013, 90, 354-360.	1.0	44

#	ARTICLE	IF	CITATIONS
55	Mindfulness-based cognitive therapy for patients with medically unexplained symptoms: A cost-effectiveness study. <i>Journal of Psychosomatic Research</i> , 2013, 74, 197-205.	1.2	41
56	Medically unexplained symptoms: evidence, guidelines, and beyond. <i>British Journal of General Practice</i> , 2013, 63, 625-626.	0.7	36
57	Challenges in the management of patients with medically unexplained symptoms in Poland: a qualitative study. <i>Family Practice</i> , 2012, 29, 228-234.	0.8	28
58	What we talk about when we talk about depression: doctor-patient conversations and treatment decision outcomes. <i>British Journal of General Practice</i> , 2012, 62, e55-e63.	0.7	40
59	The reassuring value of diagnostic tests: A systematic review. <i>Patient Education and Counseling</i> , 2012, 86, 3-8.	1.0	73
60	Do unexplained symptoms predict anxiety or depression? Ten-year data from a practice-based research network. <i>British Journal of General Practice</i> , 2011, 61, e316-e325.	0.7	43
61	Why the "reason for encounter"™ should be incorporated in the analysis of outcome of care. <i>British Journal of General Practice</i> , 2011, 61, e839-e841.	0.7	24
62	Problem-solving treatment in general practice residency: A focus group study of registrars'™ views. <i>Patient Education and Counseling</i> , 2011, 85, 106-112.	1.0	2
63	Experts' opinions on the management of medically unexplained symptoms in primary care. A qualitative analysis of narrative reviews and scientific editorials. <i>Family Practice</i> , 2011, 28, 444-455.	0.8	67
64	Course and prognosis of myasthenia gravis: a systematic review. <i>European Journal of Neurology</i> , 2010, 17, 913-921.	1.7	45
65	Medically unexplained symptoms, somatisation disorder and hypochondriasis: Course and prognosis. A systematic review. <i>Journal of Psychosomatic Research</i> , 2009, 66, 363-377.	1.2	214
66	Mental health problems and the presentation of minor illnesses: Data from a 30-year follow-up in general practice. <i>European Journal of General Practice</i> , 2008, 14, 38-43.	0.9	13
67	'Well doctor, it is all about how life is lived': cues as a tool in the medical consultation. <i>Mental Health in Family Medicine</i> , 2008, 5, 183-7.	0.2	3
68	Comment on "Pain patients in a randomized trial did not show a significant effect of a positive consultation"™. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 868.	2.4	1
69	Influence of Spirometry on Patient Management in Diagnostic Studies Unknown. <i>Chest</i> , 2006, 129, 1733-1734.	0.4	4
70	Family Physicians' Training Programs Are Useful for Surgeons. <i>Archives of Surgery</i> , 2006, 141, 515.	2.3	0
71	Abdominal symptoms: do they disappear after cholecystectomy?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2003, 17, 1723-1728.	1.3	59
72	Food Intolerance not Related to Gallstones. <i>Journal of Clinical Gastroenterology</i> , 2000, 30, 101-102.	1.1	1

#	ARTICLE	IF	CITATIONS
73	Assessment of functioning in Dutch primary care: Development study of a consultation tool for patients with chronic conditions and multimorbidity. Health Expectations, 0, , .	1.1	1