Tim Olde Hartman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8175894/publications.pdf

Version: 2024-02-01

73 papers 1,500 citations

331670 21 h-index 35 g-index

98 all docs 98 docs citations 98 times ranked 1606 citing authors

| # | Article | IF | CITATIONS |
|----|--|------------------|-------------------|
| 1 | How General Practitioners Raise Psychosocial Concerns as a Potential Cause of Medically Unexplained Symptoms: A Conversation Analysis. Health Communication, 2022, 37, 696-707. | 3.1 | 5 |
| 2 | Unexplained versus explained symptoms: The difference is not in patients' language use. A quantitative analysis of linguistic markers. Journal of Psychosomatic Research, 2022, 152, 110667. | 2.6 | 4 |
| 3 | Stigma perceived by patients with functional somatic syndromes and its effect on health outcomes $\hat{a} \in A$ systematic review. Journal of Psychosomatic Research, 2022, 154, 110715. | 2.6 | 17 |
| 4 | Changes in the Diagnosis of Stroke and Cardiovascular Conditions in Primary Care During the First 2 COVID-19 Waves in the Netherlands. Neurology, 2022, 98, e564-e572. | 1.1 | 9 |
| 5 | Coding linguistic elements in clinical interactions: a step-by-step guide for analyzing communication form. BMC Medical Research Methodology, 2022, 22, . | 3.1 | 3 |
| 6 | The European Training Network ETUDE (Encompassing Training in fUnctional Disorders across) Tj ETQq0 0 0 rgBT researchers. Journal of Psychosomatic Research, 2021, 141, 110345. | /Overlock 2.6 | 10 Tf 50 54 15 |
| 7 | Developing measures to capture the true value of primary care. BJGP Open, 2021, 5, BJGPO.2020.0152. | 1.8 | 7 |
| 8 | Clinical empathy in GP-training: Experiences and needs among Dutch GP-trainees. "Empathy as an element of personal growthâ€, Patient Education and Counseling, 2021, 104, 3016-3022. | 2.2 | 4 |
| 9 | Explaining placebo effects in an online survey study: Does †Pavlov' ring a bell?. PLoS ONE, 2021, 16, e0247103. | 2.5 | 8 |
| 10 | Purposeful Incorporation of Patient Narratives in the Medical Record in the Netherlands. Journal of the American Board of Family Medicine, 2021, 34, 709-723. | 1.5 | 13 |
| 11 | Sex differences in the trajectories to diagnosis of patients presenting with common somatic symptoms in primary care: an observational cohort study. Journal of Psychosomatic Research, 2021, 149, 110589. | 2.6 | 11 |
| 12 | The COVID-19 Pandemic in Nijmegen, the Netherlands: Changes in Presented Health Problems and Demand for Primary Care. Annals of Family Medicine, 2021, 19, 44-47. | 1.9 | 33 |
| 13 | Exploring the psychometric properties of the Working Alliance Inventory in general practice: a cross-sectional study. BJGP Open, 2021, 5, bjgpopen20X101131. | 1.8 | 3 |
| 14 | A randomised controlled trial testing the efficacy of Fit after COVID, a cognitive behavioural therapy targeting severe post-infectious fatigue following COVID-19 (ReCOVer): study protocol. Trials, 2021, 22, 867. | 1.6 | 23 |
| 15 | Symptoms in family practice. Canadian Family Physician, 2021, 67, 803-804. | 0.4 | 1 |
| 16 | Explanations for medically unexplained symptoms: a qualitative study on GPs in daily practice consultations. Family Practice, 2020, 37, 124-130. | 1.9 | 6 |
| 17 | Shifts in patients' question-asking behaviour between 2007 and 2016: An observational study of video-recorded general practice consultations. Patient Education and Counseling, 2020, 103, 1168-1175. | 2.2 | 5 |
| 18 | Patients' experiences with fluctuations in persistent physical symptoms: a qualitative study. BMJ Open, 2020, 10, e035833. | 1.9 | 6 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Psychiatric characteristics of older persons with medically unexplained symptoms: A comparison with older patients suffering from medically explained symptoms. European Psychiatry, 2020, 63, e56. | 0.2 | 2 |
| 20 | The human encounter, attention, and equality: the value of doctor–patient contact. British Journal of General Practice, 2020, 70, 254-255. | 1.4 | 6 |
| 21 | Linguistic and interactional aspects that characterize consultations about medically unexplained symptoms: A systematic review. Journal of Psychosomatic Research, 2020, 132, 109994. | 2.6 | 14 |
| 22 | Quantifying implicit uncertainty in primary care consultations: A systematic comparison of communication about medically explained versus unexplained symptoms. Patient Education and Counseling, 2019, 102, 2349-2352. | 2.2 | 8 |
| 23 | Training residents in patient-centred communication and empathy: evaluation from patients, observers and residents. BMC Medical Education, 2019, 19, 128. | 2.4 | 38 |
| 24 | A new approach to psychopathology: the example of depression. British Journal of General Practice, 2019, 69, 146-147. | 1.4 | 4 |
| 25 | Symptom management for medically unexplained symptoms in primary care: a qualitative study. British Journal of General Practice, 2019, 69, e254-e261. | 1.4 | 10 |
| 26 | The association between patients' expectations and experiences of taskâ€; affect―and therapyâ€oriented communication and their anxiety in medically unexplained symptoms consultations. Health Expectations, 2019, 22, 338-347. | 2.6 | 7 |
| 27 | Development of a health assessment instrument for people with intellectual disabilities: a Delphi study. Family Practice, 2018, 35, 599-606. | 1.9 | 3 |
| 28 | Quantifying positive communication: Doctor's language and patient anxiety in primary care consultations. Patient Education and Counseling, 2018, 101, 1577-1584. | 2,2 | 20 |
| 29 | Being in control of Parkinson's disease: A qualitative study of community-dwelling patients' coping with changes in care. European Journal of General Practice, 2018, 24, 138-145. | 2.0 | 10 |
| 30 | Empathy in general practiceâ€"the gap between wishes and reality: comparing the views of patients and physicians. Family Practice, 2018, 35, 203-208. | 1.9 | 20 |
| 31 | Cost-effectiveness of interventions for medically unexplained symptoms: A systematic review. PLoS ONE, 2018, 13, e0205278. | 2.5 | 16 |
| 32 | Addressing the needs of patients with medically unexplained symptoms: 10 key messages. British Journal of General Practice, 2018, 68, 442-443. | 1.4 | 7 |
| 33 | Shared decision-making in general practice: an observational study comparing 2007 with 2015. Family Practice, 2018, 36, 357-364. | 1.9 | 11 |
| 34 | Feeling blue, sad, or depressed: how to manage these patients. British Journal of General Practice, 2018, 68, 330-331. | 1.4 | 0 |
| 35 | Differences between GP perception of delivered empathy and patient-perceived empathy: a cross-sectional study in primary care. British Journal of General Practice, 2018, 68, e621-e626. | 1.4 | 18 |
| 36 | The development of an ICF-based questionnaire for patients with chronic conditions in primary care. Journal of Clinical Epidemiology, 2018, 103, 92-100. | 5.0 | 19 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Consequences of the presence and absence of empathy during consultations in primary care: A focus group study with patients. Patient Education and Counseling, 2017, 100, 987-993. | 2.2 | 54 |
| 38 | GPs' opinions of health assessment instruments for people with intellectual disabilities: a qualitative study. British Journal of General Practice, 2017, 67, e41-e48. | 1.4 | 12 |
| 39 | Medically unexplained symptoms: the person, the symptoms and the dialogue. Family Practice, 2017, 34, cmw132. | 1.9 | 35 |
| 40 | Health assessment instruments for people with intellectual disabilitiesâ€"A systematic review. Research in Developmental Disabilities, 2017, 64, 12-24. | 2.2 | 14 |
| 41 | Reliability and validity of the Dutch version of the Consultation and Relational Empathy Measure in primary care. Family Practice, 2017, 34, 119-124. | 1.9 | 19 |
| 42 | Parkinsonâ \in ™s disease: patient and general practitioner perspectives on the role of primary care. Family Practice, 2017, 34, 227-233. | 1.9 | 16 |
| 43 | Improving GP communication in consultations on medically unexplained symptoms: a qualitative interview study with patients in primary care. British Journal of General Practice, 2017, 67, e716-e723. | 1.4 | 36 |
| 44 | Managing barriers to empathy in the clinical encounter: a qualitative interview study with GPs. British Journal of General Practice, 2016, 66, e887-e895. | 1.4 | 32 |
| 45 | Brief multimodal psychosomatic therapy in patients with medically unexplained symptoms: feasibility and treatment effects. Family Practice, 2016, 33, 346-353. | 1.9 | 17 |
| 46 | Social characteristics and care needs of older persons with medically unexplained symptoms: a case–control study. Family Practice, 2016, 33, 617-625. | 1.9 | 2 |
| 47 | Substitution scenario in follow-up of chronic cancer patients in primary care: prevalence, disease duration and estimated extra consultation time. Family Practice, 2016, 33, 4-9. | 1.9 | 9 |
| 48 | SOLK hoeft niet naar de psycholoog. Huisarts En Wetenschap, 2015, 58, 663-663. | 0.0 | 0 |
| 49 | Empathie, de hoeksteen voor effectieve persoonsgerichte zorg. Bijblijven (Amsterdam, Netherlands), 2015, 31, 632-641. | 0.0 | 2 |
| 50 | Transitions in Parkinson's disease in primary care: protocol of a longitudinal mixed methods study. BMJ Open, 2015, 5, e007171-e007171. | 1.9 | 6 |
| 51 | Time intervals in diagnosing Parkinson's disease: The patients' views. Patient Education and Counseling, 2015, 98, 777-782. | 2.2 | 11 |
| 52 | Explaining symptoms after negative tests: towards a rational explanation. Journal of the Royal Society of Medicine, 2015, 108, 84-88. | 2.0 | 30 |
| 53 | Prodromal symptoms and early detection of Parkinson's disease in general practice: a nested case-control study. Family Practice, 2014, 31, 373-378. | 1.9 | 38 |
| 54 | How patients and family physicians communicate about persistent medically unexplained symptoms. A qualitative study of video-recorded consultations. Patient Education and Counseling, 2013, 90, 354-360. | 2.2 | 44 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Mindfulness-based cognitive therapy for patients with medically unexplained symptoms: A cost-effectiveness study. Journal of Psychosomatic Research, 2013, 74, 197-205. | 2.6 | 41 |
| 56 | Medically unexplained symptoms: evidence, guidelines, and beyond. British Journal of General Practice, 2013, 63, 625-626. | 1.4 | 36 |
| 57 | Challenges in the management of patients with medically unexplained symptoms in Poland: a qualitative study. Family Practice, 2012, 29, 228-234. | 1.9 | 28 |
| 58 | What we talk about when we talk about depression: doctor-patient conversations and treatment decision outcomes. British Journal of General Practice, 2012, 62, e55-e63. | 1.4 | 40 |
| 59 | The reassuring value of diagnostic tests: A systematic review. Patient Education and Counseling, 2012, 86, 3-8. | 2.2 | 73 |
| 60 | Do unexplained symptoms predict anxiety or depression? Ten-year data from a practice-based research network. British Journal of General Practice, 2011, 61, e316-e325. | 1.4 | 43 |
| 61 | Why the â€reason for encounter' should be incorporated in the analysis of outcome of care. British Journal of General Practice, 2011, 61, e839-e841. | 1.4 | 24 |
| 62 | Problem-solving treatment in general practice residency: A focus group study of registrars' views. Patient Education and Counseling, 2011, 85, 106-112. | 2.2 | 2 |
| 63 | Experts' opinions on the management of medically unexplained symptoms in primary care. A qualitative analysis of narrative reviews and scientific editorials. Family Practice, 2011, 28, 444-455. | 1.9 | 67 |
| 64 | Course and prognosis of myasthenia gravis: a systematic review. European Journal of Neurology, 2010, 17, 913-921. | 3.3 | 45 |
| 65 | Medically unexplained symptoms, somatisation disorder and hypochondriasis: Course and prognosis. A systematic review. Journal of Psychosomatic Research, 2009, 66, 363-377. | 2.6 | 214 |
| 66 | Mental health problems and the presentation of minor illnesses: Data from a 30-year follow-up in general practice. European Journal of General Practice, 2008, 14, 38-43. | 2.0 | 13 |
| 67 | 'Well doctor, it is all about how life is lived': cues as a tool in the medical consultation. Mental Health in Family Medicine, 2008, 5 , $183-7$. | 0.2 | 3 |
| 68 | Comment on †Pain patients in a randomized trial did not show a significant effect of a positive consultation†M. Journal of Clinical Epidemiology, 2006, 59, 868. | 5.0 | 1 |
| 69 | Influence of Spirometry on Patient Management in Diagnostic Studies Unknown. Chest, 2006, 129, 1733-1734. | 0.8 | 4 |
| 70 | Family Physicians' Training Programs Are Useful for Surgeons. Archives of Surgery, 2006, 141, 515. | 2.2 | 0 |
| 71 | Abdominal symptoms: do they disappear after cholecystectomy?. Surgical Endoscopy and Other Interventional Techniques, 2003, 17, 1723-1728. | 2.4 | 59 |
| 72 | Food Intolerance not Related to Gallstones. Journal of Clinical Gastroenterology, 2000, 30, 101-102. | 2.2 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Assessment of functioning in Dutch primary care: Development study of a consultation tool for patients with chronic conditions and multimorbidity. Health Expectations, 0, , . | 2.6 | 1 |