

Xiaopeng Xu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8175970/publications.pdf>

Version: 2024-02-01

91
papers

5,729
citations

81743

39
h-index

76769

74
g-index

93
all docs

93
docs citations

93
times ranked

3439
citing authors

#	ARTICLE	IF	CITATIONS
1	Polymer Solar Cells with 18.74% Efficiency: From Bulk Heterojunction to Interdigitated Bulk Heterojunction. <i>Advanced Functional Materials</i> , 2022, 32, 2108797.	7.8	116
2	Ternary Blend Organic Solar Cells: Understanding the Morphology from Recent Progress. <i>Advanced Materials</i> , 2022, 34, e2107476.	11.1	100
3	Realizing 19.05% Efficiency Polymer Solar Cells by Progressively Improving Charge Extraction and Suppressing Charge Recombination. <i>Advanced Materials</i> , 2022, 34, e2109516.	11.1	394
4	Aâ€“Dâ€“A-Type Oligomer versus Aâ€“Dâ€“A-Type Small Molecule: Synthesis and Advanced Effect of the Dâ€“A Repeat Unit on Morphology and Photovoltaic Properties. <i>ACS Applied Energy Materials</i> , 2022, 5, 3146-3155.	2.5	5
5	Hole/Electron Transporting Materials for Nonfullerene Organic Solar Cells. <i>Chemistry - A European Journal</i> , 2022, 28, .	1.7	20
6	Unique W-Shape Y6 isomer as effective solid additive for High-Performance PM6:Y6 polymer solar cells. <i>Chemical Engineering Journal</i> , 2022, 440, 135975.	6.6	12
7	Highly Semitransparent Indoor Nonfullerene Organic Solar Cells Based on Benzodithiopheneâ€“Bridged Porphyrin Dimers. <i>Energy Technology</i> , 2022, 10, .	1.8	9
8	Structure evolution from D-A-D type small molecule toward D-A-D-A-D type oligomer for high-efficiency photovoltaic donor materials. <i>Dyes and Pigments</i> , 2021, 186, 108950.	2.0	13
9	Recent Advances in Wide Bandgap Polymer Donors and Their Applications in Organic Solar Cells. <i>Chinese Journal of Chemistry</i> , 2021, 39, 243-254.	2.6	43
10	Fine-tuning of side-chain orientations on nonfullerene acceptors enables organic solar cells with 17.7% efficiency. <i>Energy and Environmental Science</i> , 2021, 14, 3469-3479.	15.6	158
11	Achieving Efficient Ternary Organic Solar Cells Using Structurally Similar Nonâ€“Fullerene Acceptors with Varying Flanking Side Chains. <i>Advanced Energy Materials</i> , 2021, 11, 2100079.	10.2	80
12	Highly Efficient Non-Fused-Ring Electron Acceptors Enabled by the Conformational Lock and Structural Isomerization Effects. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 25214-25223.	4.0	30
13	Benzotriazacycle Cored Perylene Diimide Non-fullerene Acceptors for High-performance Organic Solar Cells. <i>Current Applied Materials</i> , 2021, 01, .	0.4	1
14	Molecular packing modulation enabling optimized blend morphology and efficient all small molecule organic solar cells. <i>Dyes and Pigments</i> , 2021, 191, 109387.	2.0	10
15	Efficient wide-band-gap copolymer donors for organic solar cells with perpendicularly placed benzodithiophene units. <i>Journal of Power Sources</i> , 2021, 499, 229961.	4.0	6
16	Core effect on indacenodithieno[3,2-b]thiophene dimer based small molecule acceptors for non-fullerene polymer solar cells. <i>Synthetic Metals</i> , 2021, 278, 116812.	2.1	6
17	Wide Bandgap Perylene Diimide Derivatives as an Effective Third Component for Parallel Connected Ternary Blend Polymer Solar Cells. <i>Chemistry of Materials</i> , 2021, 33, 7396-7407.	3.2	15
18	18.77â€“% Efficiency Organic Solar Cells Promoted by Aqueous Solution Processed Cobalt(II) Acetate Hole Transporting Layer. <i>Angewandte Chemie</i> , 2021, 133, 22728-22735.	1.6	28

#	ARTICLE	IF	CITATIONS
19	18.77% Efficiency Organic Solar Cells Promoted by Aqueous Solution Processed Cobalt(II) Acetate Hole Transporting Layer. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 22554-22561.	7.2	152
20	Noncovalent interaction enables planar and efficient propeller-like perylene diimide acceptors for polymer solar cells. <i>Chemical Engineering Journal</i> , 2021, 426, 131910.	6.6	12
21	Regioisomer-Free Chlorinated Thiophene-Based End Group for Thieno[3,2-b]thiophene Central Unit-Based Acceptor Enabling Highly Efficient Nonfullerene Polymer Solar Cells with High Voc Simultaneously. <i>Solar Rrl</i> , 2020, 4, 1900446.	3.1	4
22	Subtle Polymer Donor and Molecular Acceptor Design Enable Efficient Polymer Solar Cells with a Very Small Energy Loss. <i>Advanced Functional Materials</i> , 2020, 30, 1907570.	7.8	89
23	Tuning terminal units to improve the photovoltaic performance of small molecules based on a large planar fused-ring core in solution-processed organic solar cells. <i>Organic Electronics</i> , 2020, 78, 105566.	1.4	6
24	Highly efficient non-fullerene organic solar cells enabled by a delayed processing method using a non-halogenated solvent. <i>Energy and Environmental Science</i> , 2020, 13, 4381-4388.	15.6	150
25	Recent Advances Toward Highly Efficient Tandem Organic Solar Cells. <i>Small Structures</i> , 2020, 1, 2000016.	6.9	23
26	Diketopyrrolopyrrole linked porphyrin dimers for visible-near-infrared photoresponsive nonfullerene organic solar cells. <i>Materials Advances</i> , 2020, 1, 2520-2525.	2.6	11
27	Fine regulation of crystallisation tendency to optimize the BHJ nanostructure and performance of polymer solar cells. <i>Nanoscale</i> , 2020, 12, 12928-12941.	2.8	9
28	Propeller-Like All-Fused Perylene Diimide Based Electron Acceptors With Chalcogen Linkage for Efficient Polymer Solar Cells. <i>Frontiers in Chemistry</i> , 2020, 8, 350.	1.8	6
29	Asymmetric Siloxane Functional Side Chains Enable High-Performance Donor Copolymers for Photovoltaic Applications. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 17760-17768.	4.0	27
30	Fluorinated pyrazine-based D-A conjugated polymers for efficient non-fullerene polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 7083-7089.	5.2	17
31	Recent advances in morphology optimizations towards highly efficient ternary organic solar cells. <i>Nano Select</i> , 2020, 1, 30-58.	1.9	56
32	Highly Efficient All-Polymer Solar Cells Enabled by p-Doping of the Polymer Donor. <i>ACS Energy Letters</i> , 2020, 5, 2434-2443.	8.8	53
33	A bromine and chlorine concurrently functionalized end group for benzo[1,2-b:4,5-b']diselenophene-based non-fluorinated acceptors: a new hybrid strategy to balance the crystallinity and miscibility of blend films for enabling highly efficient polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 4856-4867.	5.2	51
34	Developing Wide Bandgap Polymers Based on Sole Benzodithiophene Units for Efficient Polymer Solar Cells. <i>Chemistry - A European Journal</i> , 2020, 26, 11241-11249.	1.7	9
35	Fused ring non-fullerene acceptors with benzothiophene dioxide end groups and their side chain effect investigations. <i>Dyes and Pigments</i> , 2020, 180, 108452.	2.0	9
36	P3HT-Based Polymer Solar Cells with 8.25% Efficiency Enabled by a Matched Molecular Acceptor and Smart Green Solvent Processing Technology. <i>Advanced Materials</i> , 2019, 31, e1906045.	11.1	118

#	ARTICLE	IF	CITATIONS
37	Perylene Diimide-Based Nonfullerene Polymer Solar Cells with over 11% Efficiency Fabricated by Smart Molecular Design and Supramolecular Morphology Optimization. <i>Advanced Functional Materials</i> , 2019, 29, 1906587.	7.8	63
38	Low-Energy-Loss Polymer Solar Cells with 14.52% Efficiency Enabled by Wide-Band-Gap Copolymers. <i>IScience</i> , 2019, 12, 1-12.	1.9	62
39	Panchromatic Ternary Organic Solar Cells with Porphyrin Dimers and Absorption-Complementary Benzodithiophene-based Small Molecules. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 6283-6291.	4.0	49
40	Green solvent-processed efficient non-fullerene organic solar cells enabled by low-bandgap copolymer donors with EDOT side chains. <i>Journal of Materials Chemistry A</i> , 2019, 7, 716-726.	5.2	45
41	Single-Junction Polymer Solar Cells with 16.35% Efficiency Enabled by a Platinum(II) Complexation Strategy. <i>Advanced Materials</i> , 2019, 31, e1901872.	11.1	498
42	Achieving a High Fill Factor and Stability in Perylene Diimide-Based Polymer Solar Cells Using the Molecular Lock Effect between 4,4'-Bipyridine and a Tri(8-hydroxyquinoline)aluminum(III) Core. <i>Advanced Functional Materials</i> , 2019, 29, 1902079.	7.8	33
43	Stable large area organic solar cells realized by using random terpolymers donors combined with a ternary blend. <i>Journal of Materials Chemistry A</i> , 2019, 7, 14199-14208.	5.2	45
44	Benzo[1,2-b:4,5-b']diselenophene-fused nonfullerene acceptors with alternative aromatic ring-based and monochlorinated end groups: a new synergistic strategy to simultaneously achieve highly efficient organic solar cells with the energy loss of 0.49 eV. <i>Journal of Materials Chemistry A</i> , 2019, 7, 11802-11813.	5.2	38
45	The recent progress of wide bandgap donor polymers towards non-fullerene organic solar cells. <i>Chinese Chemical Letters</i> , 2019, 30, 809-825.	4.8	69
46	Achieving high-performance non-halogenated nonfullerene acceptor-based organic solar cells with 13.7% efficiency via a synergistic strategy of an indacenodithieno[3,2-b]selenophene core unit and non-halogenated thiophene-based terminal group. <i>Journal of Materials Chemistry A</i> , 2019, 7, 24389-24399.	5.2	47
47	Realizing high-efficiency Multiple blend polymer solar cells via a unique parallel-series working mechanism. <i>Journal of Materials Chemistry A</i> , 2019, 7, 24937-24946.	5.2	18
48	Modeling Copper Plastic Deformation and Liner Viscoelastic Flow Effects on Performance and Reliability in Through Silicon Via (TSV) Fabrication Processes. <i>IEEE Transactions on Device and Materials Reliability</i> , 2019, 19, 642-653.	1.5	11
49	Dithienothiapyran: An Excellent Donor Block for Building High-Performance Copolymers in Nonfullerene Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 3308-3316.	4.0	23
50	Amino-Functionalized Graphene Quantum Dots as Cathode Interlayer for Efficient Organic Solar Cells: Quantum Dot Size on Interfacial Modification Ability and Photovoltaic Performance. <i>Advanced Materials Interfaces</i> , 2019, 6, 1801480.	1.9	42
51	Rationalizing device performance of perylene diimide derivatives as acceptors for bulk-heterojunction organic solar cells. <i>Organic Electronics</i> , 2019, 65, 156-161.	1.4	23
52	Wide Bandgap Molecular Acceptors with a Truxene Core for Efficient Nonfullerene Polymer Solar Cells: Linkage Position on Molecular Configuration and Photovoltaic Properties. <i>Advanced Functional Materials</i> , 2018, 28, 1707493.	7.8	83
53	Efficient Nonfullerene Polymer Solar Cells Enabled by Small-Molecular Acceptors with a Decreased Fused-Ring Core. <i>Small Methods</i> , 2018, 2, 1700373.	4.6	22
54	Tuning the central donor core via intramolecular noncovalent interactions based on D(A-Ar) ₂ type small molecules for high performance organic solar cells. <i>Solar Energy</i> , 2018, 161, 138-147.	2.9	20

#	ARTICLE	IF	CITATIONS
55	Fluorinated and Alkylthiolated Polymeric Donors Enable both Efficient Fullerene and Nonfullerene Polymer Solar Cells. <i>Advanced Functional Materials</i> , 2018, 28, 1706404.	7.8	63
56	High-Performance Wide Bandgap Copolymers Using an EDOT Modified Benzodithiophene Donor Block with 10.11% Efficiency. <i>Advanced Energy Materials</i> , 2018, 8, 1602773.	10.2	35
57	Realizing Over 13% Efficiency in Green-Solvent-Processed Nonfullerene Organic Solar Cells Enabled by 1,3,4-Thiadiazole-Based Wide-Bandgap Copolymers. <i>Advanced Materials</i> , 2018, 30, 1703973.	11.1	387
58	Self-doping small molecular conjugated electrolytes enabled by n-type side chains for highly efficient non-fullerene polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 22503-22507.	5.2	31
59	Phenylene-bridged perylene diimide-porphyrin acceptors for non-fullerene organic solar cells. <i>Sustainable Energy and Fuels</i> , 2018, 2, 2616-2624.	2.5	30
60	Highly Efficient Nonfullerene Polymer Solar Cells Enabled by a Copper(I) Coordination Strategy Employing a 1,3,4-Oxadiazole-Containing Wide-Bandgap Copolymer Donor. <i>Advanced Materials</i> , 2018, 30, e1800737.	11.1	77
61	A comprehensively theoretical and experimental study of carrier generation and transport for achieving high performance ternary blend organic solar cells. <i>Nano Energy</i> , 2018, 51, 206-215.	8.2	14
62	Highly efficient polymer solar cells via multiple cascade energy level engineering. <i>Journal of Materials Chemistry C</i> , 2018, 6, 9119-9129.	2.7	16
63	Highly Efficient Non-Fullerene Polymer Solar Cells Enabled by Wide Bandgap Copolymers With Conjugated Selenyl Side Chains. <i>Solar Rrl</i> , 2018, 2, 1800186.	3.1	21
64	Tris(8-hydroxyquinoline)aluminum(III)-Cored Molecular Cathode Interlayer: Improving Electron Mobility and Photovoltaic Efficiency of Polymer Solar Cells. <i>Solar Rrl</i> , 2018, 2, 1800182.	3.1	22
65	Naphthobistriazole-based wide bandgap donor polymers for efficient non-fullerene organic solar cells: Significant fine-tuning absorption and energy level by backbone fluorination. <i>Nano Energy</i> , 2018, 53, 258-269.	8.2	37
66	Efficient Nonfullerene Polymer Solar Cells Enabled by a Novel Wide Bandgap Small Molecular Acceptor. <i>Advanced Materials</i> , 2017, 29, 1606054.	11.1	181
67	Side-Chain Influence of Wide-Bandgap Copolymers Based on Naphtho[1,2-b:5,6-b']bispyrazine and Benzo[1,2-b:4,5-b']dithiophene for Efficient Photovoltaic Applications. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 18142-18150.	4.0	17
68	Wide Bandgap Copolymers Based on Quinoxalino[6,5-f]quinoxaline for Highly Efficient Nonfullerene Polymer Solar Cells. <i>Advanced Functional Materials</i> , 2017, 27, 1701491.	7.8	85
69	Improving photovoltaic performance of the linear benzothienoindeole-terminated molecules by tuning molecular framework and substituted position of terminals. <i>Dyes and Pigments</i> , 2017, 142, 406-415.	2.0	5
70	Pronounced Effects of a Triazine Core on Photovoltaic Performance—Efficient Organic Solar Cells Enabled by a PDI Trimer-Based Small Molecular Acceptor. <i>Advanced Materials</i> , 2017, 29, 1605115.	11.1	235
71	Highly Efficient Ternary Blend Polymer Solar Cells Enabled by a Nonfullerene Acceptor and Two Polymer Donors with a Broad Composition Tolerance. <i>Advanced Materials</i> , 2017, 29, 1704271.	11.1	221
72	Efficient strategies to improve photovoltaic performance of A-D-A type small molecules by introducing rigidly fluorinated central cores. <i>Dyes and Pigments</i> , 2017, 147, 505-513.	2.0	16

#	ARTICLE	IF	CITATIONS
73	Recent development of perylene diimide-based small molecular non-fullerene acceptors in organic solar cells. <i>Chinese Chemical Letters</i> , 2017, 28, 2105-2115.	4.8	67
74	Chalcogen-Atom-Annulated Perylene Diimide Trimers for Highly Efficient Nonfullerene Polymer Solar Cells. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1700405.	2.0	23
75	Synergistic effect of halogenation on molecular energy level and photovoltaic performance modulations of highly efficient small molecular materials. <i>Nano Energy</i> , 2017, 40, 214-223.	8.2	39
76	Highly efficient halogen-free solvent processed small-molecule organic solar cells enabled by material design and device engineering. <i>Energy and Environmental Science</i> , 2017, 10, 1739-1745.	15.6	285
77	Recent progress towards fluorinated copolymers for efficient photovoltaic applications. <i>Chinese Chemical Letters</i> , 2016, 27, 1241-1249.	4.8	56
78	10.20% Efficiency polymer solar cells via employing bilaterally hole-cascade diazaphenanthrobisthiadiazole polymer donors and electron-cascade indene-C70 bisadduct acceptor. <i>Nano Energy</i> , 2016, 25, 170-183.	8.2	68
79	Novel D(A-Ar) 2 type small molecules with oligothiophene, diketopyrrolopyrrole and benzo[4,5]thieno[2,3-b]indole units: investigation on relationship between structure and property for organic solar cells. <i>Tetrahedron</i> , 2016, 72, 7430-7437.	1.0	6
80	Design and preparation of D-A conjugated copolymers for polymer solar cells. , 2016, , .		0
81	Polymer Solar Cells: Polymer Solar Cells Exceeding 10% Efficiency Enabled via a Facile Star-Shaped Molecular Cathode Interlayer with Variable Counterions (<i>Adv. Funct. Mater.</i> 26/2016). <i>Advanced Functional Materials</i> , 2016, 26, 4803-4803.	7.8	1
82	Polymer Solar Cells Exceeding 10% Efficiency Enabled via a Facile Star-Shaped Molecular Cathode Interlayer with Variable Counterions. <i>Advanced Functional Materials</i> , 2016, 26, 4643-4652.	7.8	67
83	Solution-Processed Organic Solar Cells with 9.8% Efficiency Based on a New Small Molecule Containing a 2D Fluorinated Benzodithiophene Central Unit. <i>Advanced Electronic Materials</i> , 2016, 2, 1600061.	2.6	58
84	Enhancing the photovoltaic properties of low bandgap terpolymers based on benzodithiophene and phenanthrophenazine by introducing different second acceptor units. <i>Polymer Chemistry</i> , 2016, 7, 1747-1755.	1.9	20
85	The enhanced performance of fluorinated quinoxaline-containing polymers by replacing carbon with silicon bridging atoms on the dithiophene donor skeleton. <i>Polymer Chemistry</i> , 2015, 6, 2337-2347.	1.9	21
86	Low band gap benzothiophene-thienothiophene copolymers with conjugated alkylthiothieryl and alkoxy carbonyl cyanovinyl side chains for photovoltaic applications. <i>Chemical Communications</i> , 2015, 51, 6290-6292.	2.2	29
87	Two-dimensional photovoltaic copolymers with spatial D-A-D structures: synthesis, characterization and hetero-atom effect. <i>Science China Chemistry</i> , 2015, 58, 276-285.	4.2	12
88	Synthesis and photovoltaic properties of two-dimensional benzodithiophene-thiophene copolymers with pendent rational naphtho[1,2-c:5,6-c']bis[1,2,5]thiadiazole side chains. <i>Journal of Materials Chemistry A</i> , 2015, 3, 23149-23161.	5.2	31
89	Isoindigo fluorination to enhance photovoltaic performance of donor-acceptor conjugated copolymers. <i>Chemical Communications</i> , 2014, 50, 439-441.	2.2	79
90	Side-Chain Engineering of Benzodithiophene-Fluorinated Quinoxaline Low-Band-Gap Copolymers for High-Performance Polymer Solar Cells. <i>Chemistry - A European Journal</i> , 2014, 20, 13259-13271.	1.7	44

#	ARTICLE	IF	CITATIONS
91	Development of Large Band-Gap Conjugated Copolymers for Efficient Regular Single and Tandem Organic Solar Cells. <i>Journal of the American Chemical Society</i> , 2013, 135, 13549-13557.	6.6	289