

Caigang Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8178293/publications.pdf>

Version: 2024-02-01

87
papers

1,868
citations

279798

23
h-index

302126

39
g-index

94
all docs

94
docs citations

94
times ranked

3641
citing authors

#	ARTICLE	IF	CITATIONS
1	Oct-4 and Nanog promote the epithelial-mesenchymal transition of breast cancer stem cells and are associated with poor prognosis in breast cancer patients. <i>Oncotarget</i> , 2014, 5, 10803-10815.	1.8	136
2	Nestin positively regulates the Wnt/ β 2-catenin pathway and the proliferation, survival and invasiveness of breast cancer stem cells. <i>Breast Cancer Research</i> , 2014, 16, 408.	5.0	126
3	The expression of stem cell protein Piwil2 and piR-932 in breast cancer. <i>Surgical Oncology</i> , 2013, 22, 217-223.	1.6	111
4	Lymph Node Ratio Is an Independent Prognostic Factor in Gastric Cancer After Curative Resection (R0) Regardless of the Examined Number of Lymph Nodes. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2013, 36, 325-330.	1.3	76
5	Clinical Implications of Stem Cell Gene Oct-4 Expression in Breast Cancer. <i>Annals of Surgery</i> , 2011, 253, 1165-1171.	4.2	72
6	Cancer Stem Cell-Related Gene Periostin: A Novel Prognostic Marker for Breast Cancer. <i>PLoS ONE</i> , 2012, 7, e46670.	2.5	63
7	MicroRNA-1 down-regulates proliferation and migration of breast cancer stem cells by inhibiting the Wnt/ β 2-catenin pathway. <i>Oncotarget</i> , 2015, 6, 41638-41649.	1.8	62
8	Clinical implications of metastatic lymph node ratio in gastric cancer. <i>BMC Cancer</i> , 2007, 7, 200.	2.6	59
9	Clinical implications for nestin protein expression in breast cancer. <i>Cancer Science</i> , 2010, 101, 815-819.	3.9	55
10	Galectin-3 as a Marker and Potential Therapeutic Target in Breast Cancer. <i>PLoS ONE</i> , 2014, 9, e103482.	2.5	51
11	Vascular Endothelial Growth Factor Receptor-1 Activation Promotes Migration and Invasion of Breast Cancer Cells through Epithelial-Mesenchymal Transition. <i>PLoS ONE</i> , 2013, 8, e65217.	2.5	45
12	Serum soluble ST2 is associated with ER-positive breast cancer. <i>BMC Cancer</i> , 2014, 14, 198.	2.6	45
13	Co-expression of Oct-4 and Nestin in human breast cancers. <i>Molecular Biology Reports</i> , 2012, 39, 5875-5881.	2.3	41
14	Predictive factors of lymph node metastasis in undifferentiated early gastric cancers and application of endoscopic mucosal resection. <i>Surgical Oncology</i> , 2010, 19, 221-226.	1.6	36
15	Prognostic role of lymphatic vessel invasion in early gastric cancer: A retrospective study of 188 cases. <i>Surgical Oncology</i> , 2010, 19, 4-10.	1.6	35
16	Girdin protein: a new potential distant metastasis predictor of breast cancer. <i>Medical Oncology</i> , 2012, 29, 1554-1560.	2.5	33
17	XAB2 functions in mitotic cell cycle progression via transcriptional regulation of CENPE. <i>Cell Death and Disease</i> , 2016, 7, e2409-e2409.	6.3	33
18	ARID1A: a potential prognostic factor for breast cancer. <i>Tumor Biology</i> , 2014, 35, 4813-4819.	1.8	32

#	ARTICLE	IF	CITATIONS
19	Traditional herbal medicine-derived sulforaphene promotes mitophagic cell death in lymphoma cells through CRM1-mediated p62/SQSTM1 accumulation and AMPK activation. <i>Chemico-Biological Interactions</i> , 2018, 281, 11-23.	4.0	31
20	Clinical Implications of the Interleukin 27 Serum Level in Breast Cancer. <i>Journal of Investigative Medicine</i> , 2014, 62, 627-631.	1.6	27
21	FSIP1 regulates autophagy in breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 13075-13080.	7.1	27
22	Fatal Bilateral Dioctophymatosis. <i>Journal of Parasitology</i> , 2010, 96, 1152-1154.	0.7	24
23	Predictive factors for lymph node metastasis in poorly differentiated early gastric cancer and their impact on the surgical strategy. <i>World Journal of Gastroenterology</i> , 2008, 14, 4222.	3.3	24
24	Impact of total retrieved lymph nodes on staging and survival of patients with gastric cancer invading the subserosa. <i>Surgical Oncology</i> , 2009, 18, 379-384.	1.6	23
25	High throughput screening of cytokines, chemokines and matrix metalloproteinases in wound fluid induced by mammary surgery. <i>Oncotarget</i> , 2015, 6, 29296-29310.	1.8	23
26	Correlations among <i>Helicobacter pylori</i> infection and the expression of cyclooxygenase-2 and vascular endothelial growth factor in gastric mucosa with intestinal metaplasia or dysplasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010, 25, 795-799.	2.8	22
27	Tension-free vaginal tape-obturator in the treatment of stress urinary incontinence: a prospective study with five-year follow-up. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 161, 228-231.	1.1	22
28	FSIP1 binds HER2 directly to regulate breast cancer growth and invasiveness. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 7683-7688.	7.1	22
29	Antitumor Activity of Antimicrobial Peptides Containing CisoDGRC in CD13 Negative Breast Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e53491.	2.5	21
30	BAG2 Promotes Proliferation and Metastasis of Gastric Cancer via ERK1/2 Signaling and Partially Regulated by miR186. <i>Frontiers in Oncology</i> , 2020, 10, 31.	2.8	21
31	Expression and clinicopathological significance of FSIP1 in breast cancer. <i>Oncotarget</i> , 2015, 6, 10658-10666.	1.8	21
32	Alternations of ER, PR, HER-2/neu, and P53 protein expression in ductal breast carcinomas and clinical implications. <i>Medical Oncology</i> , 2010, 27, 747-752.	2.5	19
33	Does D3 surgery offer a better survival outcome compared to D1 surgery for gastric cancer? A result based on a hospital population of two decades as taking D2 surgery for reference. <i>BMC Cancer</i> , 2010, 10, 308.	2.6	19
34	Establishment and Verification of a Bagged-Trees-Based Model for Prediction of Sentinel Lymph Node Metastasis for Early Breast Cancer Patients. <i>Frontiers in Oncology</i> , 2019, 9, 282.	2.8	19
35	Prognostic significance of subclassification of pT2 gastric cancer: A retrospective study of 847 patients. <i>Surgical Oncology</i> , 2008, 17, 317-322.	1.6	18
36	Clinical Implications of CD44+/CD24 ⁻ Tumor Cell Ratio in Breast Cancer. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2012, 27, 324-328.	1.0	16

#	ARTICLE	IF	CITATIONS
37	Clinical implications of Girdin and PI3K protein expression in breast cancer. <i>Oncology Letters</i> , 2013, 5, 1549-1553.	1.8	16
38	Primary small-cell neuroendocrine carcinoma of the male breast: a rare case report with review of the literature. <i>OncoTargets and Therapy</i> , 2014, 7, 663.	2.0	16
39	SND1 expression in breast cancer tumors is associated with poor prognosis. <i>Annals of the New York Academy of Sciences</i> , 2018, 1433, 53-60.	3.8	16
40	Clinical implications of cancer stem cell-like side population cells in human laryngeal cancer. <i>Tumor Biology</i> , 2013, 34, 3603-3610.	1.8	15
41	Nestin: predicting specific survival factors for breast cancer. <i>Tumor Biology</i> , 2014, 35, 1751-1755.	1.8	15
42	The effect of elemene on lung adenocarcinoma A549 cell radiosensitivity and elucidation of its mechanism. <i>Clinics</i> , 2015, 70, 556-562.	1.5	15
43	Modulation of Immune Components on Stem Cell and Dormancy in Cancer. <i>Cells</i> , 2021, 10, 2826.	4.1	15
44	LIPH promotes metastasis by enriching stem-like cells in triple-negative breast cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 9125-9134.	3.6	14
45	Is optimal timing of sentinel lymph node biopsy before neoadjuvant chemotherapy in patients with breast cancer? A literature review. <i>Surgical Oncology</i> , 2012, 21, 252-256.	1.6	13
46	Alterations in Hormonal Receptor Expression and HER2 Status between Primary Breast Tumors and Paired Nodal Metastases: Discordance Rates and Prognosis. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 9233-9239.	1.2	13
47	Clinical implications of GRHL3 protein expression in breast cancer. <i>Tumor Biology</i> , 2014, 35, 1827-1831.	1.8	12
48	Contrast-enhanced ultrasonography of the rabbit VX2 tumor model: Analysis of vascular pathology. <i>Oncology Letters</i> , 2012, 4, 685-690.	1.8	11
49	Clinical implications of SPRR1A expression in diffuse large B-cell lymphomas: a prospective, observational study. <i>BMC Cancer</i> , 2014, 14, 333.	2.6	11
50	Clinical significance of SPRR1A expression in progesterone receptor-positive breast cancer. <i>Tumor Biology</i> , 2015, 36, 2601-2605.	1.8	11
51	Knockdown of fibrous sheath interacting protein 1 expression reduces bladder urothelial carcinoma cell proliferation and induces apoptosis via inhibition of the PI3K/AKT pathway. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 1961-1971.	2.0	11
52	Knockdown of endothelin receptor B inhibits the progression of triple-negative breast cancer. <i>Annals of the New York Academy of Sciences</i> , 2019, 1448, 5-18.	3.8	10
53	Binding blockade between TLN1 and integrin β 1 represses triple-negative breast cancer. <i>ELife</i> , 2022, 11, .	6.0	10
54	Malignant Inflammatory Myofibroblastic Tumor of the Prostate. <i>Journal of Clinical Oncology</i> , 2013, 31, e144-e147.	1.6	9

#	ARTICLE	IF	CITATIONS
55	Is concomitant splenectomy beneficial for the long-term survival of patients with gastric cancer undergoing curative gastrectomy? A single-institution study. <i>World Journal of Surgical Oncology</i> , 2014, 12, 193.	1.9	9
56	Surgical Outcomes of Implant-based Breast Reconstruction Using TiLoop Bra Mesh Combined With Pectoralis Major Disconnection. <i>Annals of Plastic Surgery</i> , 2019, 83, 396-400.	0.9	9
57	Association of human breast cancer CD44-/CD24- cells with delayed distant metastasis. <i>ELife</i> , 2021, 10, .	6.0	9
58	Fibrous sheath interacting protein 1 overexpression is associated with unfavorable prognosis in bladder cancer: a potential therapeutic target. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 3949-3956.	2.0	8
59	Clinical implications of AGL2 expression and its inhibitor latexin in breast cancer. <i>World Journal of Surgical Oncology</i> , 2014, 12, 142.	1.9	7
60	Clinical Implications of T ₁ R ₁ Expression in Breast Cancer. <i>PLoS ONE</i> , 2015, 10, e0141412.	2.5	7
61	Clinical implications of ER ² methylation on sporadic breast cancers in Chinese women. <i>Medical Oncology</i> , 2012, 29, 1569-1575.	2.5	6
62	Prognostic significance of GSTP1 in patients with triple negative breast cancer. <i>Oncotarget</i> , 2017, 8, 68675-68680.	1.8	6
63	Primary malignant fibrous histiocytoma of the breast: report of one case. <i>OncoTargets and Therapy</i> , 2013, 6, 315.	2.0	5
64	Downregulation of GLYAT Facilitates Tumor Growth and Metastasis and Poor Clinical Outcomes Through the PI3K/AKT/Snail Pathway in Human Breast Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 641399.	2.8	5
65	Influence of wound fluid on chemotherapy sensitivity in primary breast cancer cells. <i>Oncotarget</i> , 2016, 7, 65034-65041.	1.8	5
66	Rational operation for primary gastric carcinoma with liver metastasis. <i>Chinese Journal of Clinical Oncology</i> , 2007, 4, 89-92.	0.0	4
67	Comparison of surgical methods and prognostic factors in T4 gastric cancer. <i>Chinese-German Journal of Clinical Oncology</i> , 2010, 9, 391-395.	0.1	4
68	Clinical Implications of HSC70 Expression in Clear Cell Renal Cell Carcinoma. <i>International Journal of Medical Sciences</i> , 2021, 18, 239-244.	2.5	4
69	Surgical outcomes in patients with T4 gastric carcinoma: a retrospective study of 162 patients. <i>Chinese-German Journal of Clinical Oncology</i> , 2009, 8, 599-602.	0.1	3
70	Family history of cancer in Chinese gastric cancer patients. <i>Chinese-German Journal of Clinical Oncology</i> , 2010, 9, 321-326.	0.1	3
71	Overexpression of epithelial cell transforming 2 protein in colorectal carcinoma predicts a poor prognosis. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 4862-4868.	1.8	3
72	Predicting level 2 axillary lymph node metastasis in a Chinese breast cancer population post-neoadjuvant chemotherapy: development and assessment of a new predictive nomogram. <i>Oncotarget</i> , 2017, 8, 79147-79156.	1.8	3

#	ARTICLE	IF	CITATIONS
73	Nomogram for prediction of level 2 axillary lymph node metastasis in proven level 1 node-positive breast cancer patients. <i>Oncotarget</i> , 2017, 8, 72389-72399.	1.8	3
74	Relationship between preoperative clinicopathologic characteristics and lymph node metastasis in early gastric cancer. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2007, 19, 89-93.	2.2	2
75	Discovery and biological evaluation of a small molecule inhibitor of CRM1 that suppresses the growth of triple-negative breast cancer cells. <i>Traffic</i> , 2021, 22, 221-229.	2.7	2
76	Distribution pattern of solitary lymph node in middle third gastric cancer. <i>Chinese-German Journal of Clinical Oncology</i> , 2007, 6, 444-446.	0.1	1
77	Prognostic factors of gastric cancer tumours of less than 2 cm in diameter. <i>Chinese-German Journal of Clinical Oncology</i> , 2011, 10, 88-91.	0.1	1
78	Improvements to the gastric cancer tumor-node-metastasis staging system based on computer-aided unsupervised clustering. <i>BMC Cancer</i> , 2018, 18, 706.	2.6	1
79	Clinicopathological characteristics as predictive factors for lymph node metastasis in submucosal gastric cancer. <i>Chinese Journal of Clinical Oncology</i> , 2007, 4, 237-240.	0.0	0
80	Clinicopathological analysis as predictive factors for recurrence in early gastric cancer. <i>Chinese Journal of Clinical Oncology</i> , 2008, 5, 122-124.	0.0	0
81	Protection of a cytidine deaminase gene against toxicity of high dose chemotherapy in mice. <i>Chinese-German Journal of Clinical Oncology</i> , 2008, 7, 358-360.	0.1	0
82	The relationship between PDGF and angiogenesis in endometrial cancer. <i>Chinese-German Journal of Clinical Oncology</i> , 2008, 7, 597-599.	0.1	0
83	Expression of ER protein from DCIS to IDC in ductal breast cancer. <i>Chinese-German Journal of Clinical Oncology</i> , 2009, 8, 324-325.	0.1	0
84	Clinicopathological characteristics of synchronous multiple gastric cancers in Chinese: An analysis of 44 cases. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2009, 21, 130-134.	2.2	0
85	Recurrent patterns and factors involved in node-negative advanced gastric cancer. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2010, 22, 285-290.	2.2	0
86	HuR antagonizes the effect of an intronic pyrimidine-rich sequence in regulating WT1 \pm KTS isoforms. <i>RNA Biology</i> , 2015, 12, 1364-1371.	3.1	0
87	Screening of serum proteomic patterns and tissue-specific genes for early liver metastasis of colorectal cancer. <i>Academic Journal of Second Military Medical University</i> , 2011, 31, 856-859.	0.0	0