

James Mugisha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8179091/publications.pdf>

Version: 2024-02-01

100
papers

3,567
citations

172207

29
h-index

155451

55
g-index

100
all docs

100
docs citations

100
times ranked

4845
citing authors

#	ARTICLE	IF	CITATIONS
1	Sedentary behavior and physical activity levels in people with schizophrenia, bipolar disorder and major depressive disorder: a global systematic review and meta-analysis. <i>World Psychiatry</i> , 2017, 16, 308-315.	4.8	600
2	Physical activity and anxiety: A perspective from the World Health Survey. <i>Journal of Affective Disorders</i> , 2017, 208, 545-552.	2.0	211
3	Service user and caregiver involvement in mental health system strengthening in low- and middle-income countries: systematic review. <i>BMC Health Services Research</i> , 2016, 16, 79.	0.9	175
4	Cardiorespiratory Fitness in Severe Mental Illness: A Systematic Review and Meta-analysis. <i>Sports Medicine</i> , 2017, 47, 343-352.	3.1	170
5	Physical activity and suicidal ideation: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018, 225, 438-448.	2.0	140
6	Assessing quality of life in older adults: psychometric properties of the OPQoL-brief questionnaire in a nursing home population. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 1.	1.0	140
7	Strengthening mental health system governance in six low- and middle-income countries in Africa and South Asia: challenges, needs and potential strategies. <i>Health Policy and Planning</i> , 2017, 32, 699-709.	1.0	127
8	The epidemiology of back pain and its relationship with depression, psychosis, anxiety, sleep disturbances, and stress sensitivity: Data from 43 low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2016, 43, 63-70.	1.2	122
9	Physical multimorbidity and psychosis: comprehensive cross sectional analysis including 242,952 people across 48 low- and middle-income countries. <i>BMC Medicine</i> , 2016, 14, 189.	2.3	119
10	Chronic physical conditions, multimorbidity and physical activity across 46 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 6.	2.0	115
11	Physical activity and sedentary behavior in people with bipolar disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 201, 145-152.	2.0	109
12	Global physical activity levels among people living with HIV: a systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , 2018, 40, 388-397.	0.9	100
13	The Prevalence of Metabolic Syndrome in Alcohol Use Disorders: A Systematic Review and Meta-analysis. <i>Alcohol and Alcoholism</i> , 2016, 51, 515-521.	0.9	72
14	Physical activity correlates in people living with HIV/AIDS: a systematic review of 45 studies. <i>Disability and Rehabilitation</i> , 2018, 40, 1618-1629.	0.9	65
15	Perceived Stress and Its Relationship With Chronic Medical Conditions and Multimorbidity Among 229,293 Community-Dwelling Adults in 44 Low- and Middle-Income Countries. <i>American Journal of Epidemiology</i> , 2017, 186, 979-989.	1.6	62
16	Towards understanding governance issues in integration of mental health into primary health care in Uganda. <i>International Journal of Mental Health Systems</i> , 2016, 10, 25.	1.1	58
17	Health systems context(s) for integrating mental health into primary health care in six Emerald countries: a situation analysis. <i>International Journal of Mental Health Systems</i> , 2017, 11, 7.	1.1	55
18	Scaling up integrated primary mental health in six low- and middle-income countries: obstacles, synergies and implications for systems reform. <i>BJPsych Open</i> , 2019, 5, e69.	0.3	51

#	ARTICLE	IF	CITATIONS
19	Physical Activity Levels and Psychosis: A Mediation Analysis of Factors Influencing Physical Activity Target Achievement Among 204 186 People Across 46 Low- and Middle-Income Countries. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw111.	2.3	49
20	Prevalence and factors associated with Posttraumatic Stress Disorder seven years after the conflict in three districts in northern Uganda (The Wayo-Nero Study). <i>BMC Psychiatry</i> , 2015, 15, 170.	1.1	47
21	Mental health financing challenges, opportunities and strategies in low- and middle-income countries: findings from the Emerald project. <i>BJPsych Open</i> , 2019, 5, e68.	0.3	41
22	Major depressive disorder seven years after the conflict in northern Uganda: burden, risk factors and impact on outcomes (The Wayo-Nero Study). <i>BMC Psychiatry</i> , 2015, 15, 48.	1.1	39
23	Indicators for routine monitoring of effective mental healthcare coverage in low- and middle-income settings: a Delphi study. <i>Health Policy and Planning</i> , 2016, 31, 1100-1106.	1.0	36
24	Cardiorespiratory fitness levels and moderators in people with HIV: A systematic review and meta-analysis. <i>Preventive Medicine</i> , 2016, 93, 106-114.	1.6	36
25	The experiences of caregivers of children living with HIV and AIDS in Uganda: a qualitative study. <i>Globalization and Health</i> , 2017, 13, 72.	2.4	35
26	The efficacy of meditation-based mind-body interventions for mental disorders: A meta-review of 17 meta-analyses of randomized controlled trials. <i>Journal of Psychiatric Research</i> , 2021, 134, 181-191.	1.5	35
27	Distancing: A traditional mechanism of dealing with suicide among the Baganda, Uganda. <i>Transcultural Psychiatry</i> , 2011, 48, 624-642.	0.9	34
28	Sedentary behavior and anxiety-induced sleep disturbance among 181,093 adolescents from 67 countries: a global perspective. <i>Sleep Medicine</i> , 2019, 58, 19-26.	0.8	33
29	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). <i>Journal of Affective Disorders</i> , 2022, 299, 367-376.	2.0	33
30	Physical activity as a vital sign in patients with schizophrenia: Evidence and clinical recommendations. <i>Schizophrenia Research</i> , 2016, 170, 336-340.	1.1	32
31	Leisure-time sedentary behavior and suicide attempt among 126,392 adolescents in 43 countries. <i>Journal of Affective Disorders</i> , 2019, 250, 346-353.	2.0	32
32	The prevalence of diabetes mellitus type 2 in people with alcohol use disorders: a systematic review and large scale meta-analysis. <i>Psychiatry Research</i> , 2016, 246, 394-400.	1.7	27
33	Physical activity is associated with the physical, psychological, social and environmental quality of life in people with mental health problems in a low resource setting. <i>Psychiatry Research</i> , 2017, 258, 250-254.	1.7	25
34	Sedentary Behavior in People Living With HIV: A Systematic Review and Meta-Analysis. <i>Journal of Physical Activity and Health</i> , 2017, 14, 571-577.	1.0	22
35	Correlates of sedentary behavior in 2,375 people with depression from 6 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2018, 234, 97-104.	2.0	22
36	Physical activity correlates among 24,230 people with depression across 46 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2017, 221, 81-88.	2.0	21

#	ARTICLE	IF	CITATIONS
37	Stock-outs, uncertainty and improvisation in access to healthcare in war-torn Northern Uganda. <i>Social Science and Medicine</i> , 2015, 146, 316-323.	1.8	20
38	A systematic review of physical activity policy recommendations and interventions for people with mental health problems in Sub-Saharan African countries. <i>Pan African Medical Journal</i> , 2017, 26, 104.	0.3	20
39	Prevalence of suicidal ideation and attempt: associations with psychiatric disorders and HIV/AIDS in post-conflict Northern Uganda. <i>African Health Sciences</i> , 2017, 16, 1027.	0.3	18
40	Doing Qualitative Research on Suicide in a Developing Country. <i>Crisis</i> , 2011, 32, 15-23.	0.9	18
41	Religious Views on Suicide Among the Baganda, Uganda: A Qualitative Study. <i>Death Studies</i> , 2013, 37, 343-361.	1.8	17
42	Growing up HIV-positive in Uganda: "psychological immunodeficiency" A qualitative study. <i>BMC Psychology</i> , 2017, 5, 30.	0.9	15
43	Correlates of physical activity among depressed older people in six low-income and middle-income countries: A community-based cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e314-e322.	1.3	15
44	Physical activity and HIV in sub-Saharan Africa: a systematic review of correlates and levels. <i>African Health Sciences</i> , 2018, 18, 394-406.	0.3	15
45	Pain and severe sleep disturbance in the general population: Primary data and meta-analysis from 240,820 people across 45 low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2018, 53, 52-58.	1.2	14
46	Physical health policies and metabolic screening in mental health care systems of sub-Saharan African countries: a systematic review. <i>International Journal of Mental Health Systems</i> , 2017, 11, 31.	1.1	13
47	Evaluation of performance and perceived utility of mental healthcare indicators in routine health information systems in five low- and middle-income countries. <i>BJPsych Open</i> , 2019, 5, e70.	0.3	13
48	Experience of implementing new mental health indicators within information systems in six low- and middle-income countries. <i>BJPsych Open</i> , 2019, 5, e71.	0.3	12
49	Prevalence of behavioral disorders and attention deficit/hyperactive disorder among school going children in Southwestern Uganda. <i>BMC Psychiatry</i> , 2019, 19, 105.	1.1	12
50	Health care professionals' perspectives on physical activity within the Ugandan mental health care system. <i>Mental Health and Physical Activity</i> , 2019, 16, 1-7.	0.9	12
51	Lifetime self-reported arthritis is associated with elevated levels of mental health burden: A multi-national cross sectional study across 46 low- and middle-income countries. <i>Scientific Reports</i> , 2017, 7, 7138.	1.6	11
52	Adherence to physical activity recommendations and physical and mental health risk in people with severe mental illness in Uganda. <i>Psychiatry Research</i> , 2018, 260, 236-240.	1.7	11
53	The experience of mental health service users in health system strengthening: lessons from Uganda. <i>International Journal of Mental Health Systems</i> , 2019, 13, 60.	1.1	11
54	Associations of the Built Environment With Physical Activity and Sedentary Time in Ugandan Outpatients With Mental Health Problems. <i>Journal of Physical Activity and Health</i> , 2019, 16, 243-250.	1.0	11

#	ARTICLE	IF	CITATIONS
55	Correlates of physical activity among community-dwelling individuals aged 65 years or older with anxiety in six low- and middle-income countries. <i>International Psychogeriatrics</i> , 2018, 30, 705-714.	0.6	10
56	Livelihood Risk, Culture, and the HIV Interface: Evidence from Lakeshore Border Communities in Buliisa District, Uganda. <i>Journal of Tropical Medicine</i> , 2019, 2019, 1-10.	0.6	10
57	Peer support for frequent users of inpatient mental health care in Uganda: protocol of a quasi-experimental study. <i>BMC Psychiatry</i> , 2019, 19, 374.	1.1	10
58	The efficacy of a lay health workers " led physical activity counselling program in patients with HIV and mental health problems: a real-world intervention from Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, 33, 1189-1195.	0.6	10
59	Motives for physical activity in the adoption and maintenance of physical activity in men with alcohol use disorders. <i>Psychiatry Research</i> , 2018, 261, 522-526.	1.7	9
60	A quantitative assessment of the views of mental health professionals on exercise for people with mental illness: perspectives from a low-resource setting. <i>African Health Sciences</i> , 2019, 19, 2172.	0.3	9
61	Physiotherapy for people with mental health problems in Sub-Saharan African countries: a systematic review. <i>Archives of Physiotherapy</i> , 2018, 8, 2.	0.7	8
62	Test "retest reliability, validity, and correlates of the 2-min walk test in outpatients with depression. <i>Physiotherapy Research International</i> , 2020, 25, e1821.	0.7	8
63	Suubi4Stigma study protocol: a pilot cluster randomized controlled trial to address HIV-associated stigma among adolescents living with HIV in Uganda. <i>Pilot and Feasibility Studies</i> , 2022, 8, 95.	0.5	8
64	Explaining the slow transition of child-appropriate dosage formulations from the global to national level in the context of Uganda: a qualitative study. <i>Journal of Pharmaceutical Policy and Practice</i> , 2015, 8, 19.	1.1	7
65	The Functional Exercise Capacity Is Associated With Global Functioning in People With Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 673-677.	0.5	7
66	The internal dialogue between the individual and the community: A discourse analysis of public views on suicide among the Baganda, Uganda. <i>International Journal of Culture and Mental Health</i> , 2014, 7, 122-136.	0.6	6
67	Interest, competence, appearance, fitness and social relatedness as motives for physical activity in Ugandan outpatients with psychosis. <i>Mental Health and Physical Activity</i> , 2017, 13, 94-99.	0.9	6
68	Associations between physical inactivity, major depressive disorder, and alcohol use disorder in people living with HIV in a Ugandan fishing community. <i>International Journal of STD and AIDS</i> , 2019, 30, 1177-1184.	0.5	6
69	The efficacy of physical activity counseling in Ugandan patients with HIV and a co-morbid mental disorder: a pilot study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, 32, 758-761.	0.6	6
70	Re-conceptualizing sustainable urban sanitation in Uganda: why the roots of "Slumification" must be dealt with. <i>BMC Public Health</i> , 2021, 21, 992.	1.2	6
71	Moderate to severe generalized anxiety disorder symptoms are associated with physical inactivity in people with HIV/AIDS: a study from Uganda. <i>International Journal of STD and AIDS</i> , 2021, 32, 170-175.	0.5	6
72	Correlates of Physical Activity Among Middle-Aged and Older Adults With Hazardous Drinking Habits in Six Low- and Middle-Income Countries. <i>Journal of Aging and Physical Activity</i> , 2018, 26, 589-598.	0.5	5

#	ARTICLE	IF	CITATIONS
73	Exercise self-efficacy correlates in people with psychosis. <i>Psychiatry Research</i> , 2018, 262, 359-362.	1.7	5
74	Test-retest reliability, concurrent validity and correlates of the two-minute walk test in outpatients with psychosis. <i>Psychiatry Research</i> , 2019, 282, 112619.	1.7	5
75	Motives for physical activity in the adoption and maintenance of physical activity in middle-aged and old age outpatients with a mental disorder: A cross-sectional study from a low-income country. <i>Psychiatry Research</i> , 2019, 282, 112620.	1.7	5
76	Health care professionalsâ€™ perspectives on barriers to treatment seeking for formal health services among orphan children and adolescents with HIV/AIDS and mental distress in a rural district in central, Uganda. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2020, 14, 26.	1.2	5
77	A 10-hours workshop improves physical activity prescription for mental illness knowledge and confidence in health care professionals: a nation-wide multicentre study from Uganda. <i>Disability and Rehabilitation</i> , 2021, , 1-6.	0.9	5
78	Mental contrasting and implementation of physical activity intentions in Ugandan primary care patients with mental health problems: A real-world intervention involving support partners. <i>Psychiatry Research</i> , 2022, 307, 114335.	1.7	5
79	Physical activity participation is associated with higher quality of life scores in men with alcohol use disorders: a study from Uganda. <i>African Health Sciences</i> , 2020, 20, 1407-1415.	0.3	5
80	Gender differences in motives for physical activity across the stages of change in Ugandan outpatients with psychosis. <i>Schizophrenia Research</i> , 2018, 197, 568-569.	1.1	4
81	Cultural responses towards the aftermath of suicide among the Acholi in Northern Uganda. <i>International Journal of Social Psychiatry</i> , 2018, 64, 545-553.	1.6	4
82	Correlates of physical activity stages of change in people living with HIV in a Ugandan community. <i>Disability and Rehabilitation</i> , 2020, , 1-6.	0.9	4
83	Effectiveness and cost-effectiveness of integrating the management of depression into routine HIV Care in Uganda (the HIV+D trial): A protocol for a cluster-randomised trial. <i>International Journal of Mental Health Systems</i> , 2021, 15, 45.	1.1	4
84	Religion as Meaning-Making Resource in Understanding Suicidal Behavior in Ghana and Uganda. <i>Frontiers in Psychology</i> , 2021, 12, 549404.	1.1	4
85	Physical activity, physical fitness and quality of life in outpatients with major depressive disorder versus matched healthy controls: Data from a low-income country. <i>Journal of Affective Disorders</i> , 2021, 294, 802-804.	2.0	4
86	Barriers, attitudes, confidence, and knowledge of nurses regarding metabolic health screening and intervention in people with mental illness: a pilot study from Uganda. <i>African Health Sciences</i> , 2019, 19, 2546-2554.	0.3	4
87	Internalised HIV-related stigma associated with physical inactivity in people with HIV and AIDS: A cross-sectional study from Uganda. <i>African Journal of AIDS Research</i> , 2021, 20, 238-243.	0.3	4
88	Test-retest reliability and correlates of the Simple Physical Activity Questionnaire in Ugandan out-patients with psychosis. <i>African Health Sciences</i> , 2020, 20, 1438-1445.	0.3	4
89	Physical activity, physical fitness and quality of life in outpatients with a psychotic disorder versus healthy matched controls in a low-income country. <i>Schizophrenia Research</i> , 2021, 229, 1-2.	1.1	3
90	Test-retest reliability, concurrent validity and correlates of the two-minute walk test in outpatients with alcohol use disorder. <i>Alcohol</i> , 2021, 90, 74-79.	0.8	2

#	ARTICLE	IF	CITATIONS
91	Stakeholdersâ€™ perspectives on integrating the management of depression into routine HIV care in Uganda: qualitative findings from a feasibility study. <i>International Journal of Mental Health Systems</i> , 2021, 15, 63.	1.1	2
92	Sedentary Behavior and Quality of Life in People with Psychotic Disorders from a Low Income Country: A Study from Uganda. <i>Community Mental Health Journal</i> , 2019, 55, 714-720.	1.1	1
93	Sociocultural Aspects of Health Promotion in Palliative Care in Uganda. , 2021, , 303-312.		1
94	â€œWhen will the doctor be around so that I come by?!â€™ Geo-socio effects on health care supply, access and utilisation: experiences from Kalangala Islands, Uganda. <i>BMC Health Services Research</i> , 2021, 21, 1163.	0.9	1
95	Test-retest reliability and correlates of the Simple Physical Activity Questionnaire in Ugandan out-patients with psychosis. <i>African Health Sciences</i> , 2020, 20, 1438-1445.	0.3	1
96	Correlates of missed HIV appointments in low-resource settings: a study from Uganda. <i>African Journal of AIDS Research</i> , 2021, 20, 125-131.	0.3	0
97	A Struggle for Survival: Meaning of Late Life in a Rural District in Uganda: A Qualitative Study. <i>Frontiers in Psychology</i> , 2021, 12, 699485.	1.1	0
98	Physical activity participation is associated with higher quality of life scores in men with alcohol use disorders: a study from Uganda. <i>African Health Sciences</i> , 2020, 20, 1407-1415.	0.3	0
99	Towards Entrapment: An Escalating Reality for Children and Adolescents Living with HIV/AIDS in Uganda. , 2022, , 145-153.		0
100	Less time spent walking and depressive symptoms are associated with more self-perceived disability in primary care patients: a cross-sectional study from Uganda. <i>Pan African Medical Journal</i> , 2022, 41, 173.	0.3	0