

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8183628/xijin-xu-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

4,375
citations

39
h-index

62
g-index

107
ext. papers

5,128
ext. citations

7.7
avg, IF

5.7
L-index

#	Paper	IF	Citations
104	Elevated blood lead levels of children in Guiyu, an electronic waste recycling town in China. <i>Environmental Health Perspectives</i> , 2007 , 115, 1113-7	8.4	385
103	Blood lead and cadmium levels and relevant factors among children from an e-waste recycling town in China. <i>Environmental Research</i> , 2008 , 108, 15-20	7.9	216
102	Monitoring of lead, cadmium, chromium and nickel in placenta from an e-waste recycling town in China. <i>Science of the Total Environment</i> , 2010 , 408, 3113-7	10.2	155
101	Polybrominated diphenyl ethers in umbilical cord blood and relevant factors in neonates from Guiyu, China. <i>Environmental Science & Technology</i> , 2010 , 44, 813-9	10.3	151
100	Children with health impairments by heavy metals in an e-waste recycling area. <i>Chemosphere</i> , 2016 , 148, 408-15	8.4	136
99	The hazard of chromium exposure to neonates in Guiyu of China. <i>Science of the Total Environment</i> , 2008 , 403, 99-104	10.2	127
98	Heavy metals in PM2.5 and in blood, and children's respiratory symptoms and asthma from an e-waste recycling area. <i>Environmental Pollution</i> , 2016 , 210, 346-53	9.3	113
97	Comparative evaluation of environmental contamination and DNA damage induced by electronic-waste in Nigeria and China. <i>Science of the Total Environment</i> , 2012 , 423, 62-72	10.2	107
96	Association between maternal exposure to perfluorooctanoic acid (PFOA) from electronic waste recycling and neonatal health outcomes. <i>Environment International</i> , 2012 , 48, 1-8	12.9	105
95	Birth outcomes related to informal e-waste recycling in Guiyu, China. <i>Reproductive Toxicology</i> , 2012 , 33, 94-8	3.4	104
94	Association between lung function in school children and exposure to three transition metals from an e-waste recycling area. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2013 , 23, 67-72	6.7	102
93	Effects of lead and cadmium exposure from electronic waste on child physical growth. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 4441-7	5.1	96
92	Carcinogenic polycyclic aromatic hydrocarbons in umbilical cord blood of human neonates from Guiyu, China. <i>Science of the Total Environment</i> , 2012 , 427-428, 35-40	10.2	85
91	Monitoring of lead load and its effect on neonatal behavioral neurological assessment scores in Guiyu, an electronic waste recycling town in China. <i>Journal of Environmental Monitoring</i> , 2008 , 10, 1233-8		83
90	Association between lead exposure from electronic waste recycling and child temperament alterations. <i>NeuroToxicology</i> , 2011 , 32, 458-64	4.4	76
89	Assessment of health risk of trace metal pollution in surface soil and road dust from e-waste recycling area in China. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 17511-24	5.1	75
88	Ambient Air Heavy Metals in PM2.5 and Potential Human Health Risk Assessment in an Informal Electronic-Waste Recycling Site of China. <i>Aerosol and Air Quality Research</i> , 2016 , 16, 388-397	4.6	72

87	Polybrominated diphenyl ethers in residential and agricultural soils from an electronic waste polluted region in South China: distribution, compositional profile, and sources. <i>Chemosphere</i> , 2014 , 102, 55-60	8.4	69
86	Decreased blood hepatitis B surface antibody levels linked to e-waste lead exposure in preschool children. <i>Journal of Hazardous Materials</i> , 2015 , 298, 122-8	12.8	59
85	Placental IGF-1 and IGFBP-3 expression correlate with umbilical cord blood PAH and PBDE levels from prenatal exposure to electronic waste. <i>Environmental Pollution</i> , 2013 , 182, 63-9	9.3	55
84	A 3D titanate aerogel with cellulose as the adsorption-aggregator for highly efficient water purification. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 5813-5819	13	52
83	Elevated lead levels and adverse effects on natural killer cells in children from an electronic waste recycling area. <i>Environmental Pollution</i> , 2016 , 213, 143-150	9.3	48
82	Decreased lung function with mediation of blood parameters linked to e-waste lead and cadmium exposure in preschool children. <i>Environmental Pollution</i> , 2017 , 230, 838-848	9.3	48
81	Association of MDR1 and ERCC1 polymorphisms with response and toxicity to cisplatin-based chemotherapy in non-small-cell lung cancer patients. <i>International Journal of Hygiene and Environmental Health</i> , 2010 , 213, 140-5	6.9	48
80	Sources, distribution, and toxicity of polycyclic aromatic hydrocarbons. <i>Journal of Environmental Health</i> , 2011 , 73, 22-5	0.4	47
79	Elevated lead levels and changes in blood morphology and erythrocyte CR1 in preschool children from an e-waste area. <i>Science of the Total Environment</i> , 2017 , 592, 51-59	10.2	44
78	Heavy metal exposure has adverse effects on the growth and development of preschool children. <i>Environmental Geochemistry and Health</i> , 2019 , 41, 309-321	4.7	44
77	E-waste environmental contamination and harm to public health in China. <i>Frontiers of Medicine</i> , 2015 , 9, 220-8	12	43
76	Assessment of cadmium exposure for neonates in Guiyu, an electronic waste pollution site of China. <i>Environmental Monitoring and Assessment</i> , 2011 , 177, 343-51	3.1	43
75	Cardiovascular endothelial inflammation by chronic coexposure to lead (Pb) and polycyclic aromatic hydrocarbons from preschool children in an e-waste recycling area. <i>Environmental Pollution</i> , 2019 , 246, 587-596	9.3	43
74	Association of polycyclic aromatic hydrocarbons (PAHs) and lead co-exposure with child physical growth and development in an e-waste recycling town. <i>Chemosphere</i> , 2015 , 139, 295-302	8.4	42
73	Hearing loss in children with e-waste lead and cadmium exposure. <i>Science of the Total Environment</i> , 2018 , 624, 621-627	10.2	42
72	Elevated inflammatory Lp-PLA2 and IL-6 link e-waste Pb toxicity to cardiovascular risk factors in preschool children. <i>Environmental Pollution</i> , 2018 , 234, 601-609	9.3	42
71	Associations of cadmium, bisphenol A and polychlorinated biphenyl co-exposure in utero with placental gene expression and neonatal outcomes. <i>Reproductive Toxicology</i> , 2015 , 52, 62-70	3.4	42
70	Associations between maternal phenolic exposure and cord sex hormones in male newborns. <i>Human Reproduction</i> , 2016 , 31, 648-56	5.7	40

69	Decreased vaccine antibody titers following exposure to multiple metals and metalloids in e-waste-exposed preschool children. <i>Environmental Pollution</i> , 2017 , 220, 354-363	9.3	40
68	Early-life Exposure to Widespread Environmental Toxicants and Health Risk: A Focus on the Immune and Respiratory Systems. <i>Annals of Global Health</i> , 2016 , 82, 119-31	3.3	39
67	Blood concentrations of lead, cadmium, mercury and their association with biomarkers of DNA oxidative damage in preschool children living in an e-waste recycling area. <i>Environmental Geochemistry and Health</i> , 2018 , 40, 1481-1494	4.7	39
66	S100 β heavy metal-related child attention-deficit hyperactivity disorder in an informal e-waste recycling area. <i>NeuroToxicology</i> , 2014 , 45, 185-91	4.4	39
65	In utero exposure to polychlorinated biphenyls and reduced neonatal physiological development from Guiyu, China. <i>Ecotoxicology and Environmental Safety</i> , 2011 , 74, 2141-7	7	39
64	Anogenital distance and its application in environmental health research. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 5457-64	5.1	38
63	Polybrominated diphenyl ethers in human placenta associated with neonatal physiological development at a typical e-waste recycling area in China. <i>Environmental Pollution</i> , 2015 , 196, 414-22	9.3	37
62	Short placental telomere was associated with cadmium pollution in an electronic waste recycling town in China. <i>PLoS ONE</i> , 2013 , 8, e60815	3.7	35
61	Maternal urinary cadmium levels during pregnancy associated with risk of sex-dependent birth outcomes from an e-waste pollution site in China. <i>Reproductive Toxicology</i> , 2018 , 75, 49-55	3.4	33
60	Maternal urinary metabolites of PAHs and its association with adverse birth outcomes in an intensive e-waste recycling area. <i>Environmental Pollution</i> , 2019 , 245, 453-461	9.3	32
59	Downregulation of placental S100P is associated with cadmium exposure in Guiyu, an e-waste recycling town in China. <i>Science of the Total Environment</i> , 2011 , 410-411, 53-8	10.2	31
58	Differential DNA methylation in newborns with maternal exposure to heavy metals from an e-waste recycling area. <i>Environmental Research</i> , 2019 , 171, 536-545	7.9	30
57	E-waste lead exposure and children's health in China. <i>Science of the Total Environment</i> , 2020 , 734, 139286	10.2	30
56	Temperature drop and the risk of asthma: a systematic review and meta-analysis. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 22535-22546	5.1	30
55	Ambient fine particulate matter inhibits innate airway antimicrobial activity in preschool children in e-waste areas. <i>Environment International</i> , 2019 , 123, 535-542	12.9	30
54	Blood lead levels and associated factors among children in Guiyu of China: a population-based study. <i>PLoS ONE</i> , 2014 , 9, e105470	3.7	29
53	MicroRNAs and their role in environmental chemical carcinogenesis. <i>Environmental Geochemistry and Health</i> , 2019 , 41, 225-247	4.7	28
52	Proteomic evaluation of human umbilical cord tissue exposed to polybrominated diphenyl ethers in an e-waste recycling area. <i>Environment International</i> , 2018 , 111, 362-371	12.9	27

51	Differential proteomic expression of human placenta and fetal development following e-waste lead and cadmium exposure in utero. <i>Science of the Total Environment</i> , 2016 , 550, 1163-1170	10.2	26
50	Blood lead and cadmium levels associated with hematological and hepatic functions in patients from an e-waste-polluted area. <i>Chemosphere</i> , 2019 , 220, 531-538	8.4	26
49	Severe dioxin-like compound (DLC) contamination in e-waste recycling areas: An under-recognized threat to local health. <i>Environment International</i> , 2020 , 139, 105731	12.9	25
48	Elevated biomarkers of sympatho-adrenomedullary activity linked to e-waste air pollutant exposure in preschool children. <i>Environment International</i> , 2018 , 115, 117-126	12.9	25
47	Elevated lead levels from e-waste exposure are linked to decreased olfactory memory in children. <i>Environmental Pollution</i> , 2017 , 231, 1112-1121	9.3	25
46	Lead and cadmium synergistically enhance the expression of divalent metal transporter 1 protein in central nervous system of developing rats. <i>Neurochemical Research</i> , 2009 , 34, 1150-6	4.6	25
45	Chromium exposure among children from an electronic waste recycling town of China. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 1778-85	5.1	24
44	Birth outcomes associated with maternal exposure to metals from informal electronic waste recycling in Guiyu, China. <i>Environment International</i> , 2020 , 137, 105580	12.9	24
43	Metal concentrations in pregnant women and neonates from informal electronic waste recycling. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2019 , 29, 406-415	6.7	24
42	Alteration of the number and percentage of innate immune cells in preschool children from an e-waste recycling area. <i>Ecotoxicology and Environmental Safety</i> , 2017 , 145, 615-622	7	24
41	Elevated serum polybrominated diphenyl ethers and alteration of thyroid hormones in children from Guiyu, China. <i>PLoS ONE</i> , 2014 , 9, e113699	3.7	24
40	Increased memory T cell populations in Pb-exposed children from an e-waste-recycling area. <i>Science of the Total Environment</i> , 2018 , 616-617, 988-995	10.2	22
39	Exposure to multiple heavy metals associate with aberrant immune homeostasis and inflammatory activation in preschool children. <i>Chemosphere</i> , 2020 , 257, 127257	8.4	21
38	Alterations in platelet indices link polycyclic aromatic hydrocarbons toxicity to low-grade inflammation in preschool children. <i>Environment International</i> , 2019 , 131, 105043	12.9	21
37	Lead affects apoptosis and related gene XIAP and Smac expression in the hippocampus of developing rats. <i>Neurochemical Research</i> , 2010 , 35, 473-9	4.6	21
36	Thyroid disruption and reduced mental development in children from an informal e-waste recycling area: A mediation analysis. <i>Chemosphere</i> , 2018 , 193, 498-505	8.4	21
35	Hearing loss risk and DNA methylation signatures in preschool children following lead and cadmium exposure from an electronic waste recycling area. <i>Chemosphere</i> , 2020 , 246, 125829	8.4	20
34	Elevated lead levels from e-waste exposure are linked to sensory integration difficulties in preschool children. <i>NeuroToxicology</i> , 2019 , 71, 150-158	4.4	19

33	Increase male genital diseases morbidity linked to informal electronic waste recycling in Guiyu, China. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 3540-5	5.1	19
32	The role of the PM2.5-associated metals in pathogenesis of child Mycoplasma Pneumoniae infections: a systematic review. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 10604-10614	5.1	18
31	Decreased erythrocyte CD44 and CD58 expression link e-waste Pb toxicity to changes in erythrocyte immunity in preschool children. <i>Science of the Total Environment</i> , 2019 , 664, 690-697	10.2	17
30	ALAD genotypes and blood lead levels of neonates and children from e-waste exposure in Guiyu, China. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 6744-50	5.1	17
29	Association of prenatal exposure to PAHs with anti-Müllerian hormone (AMH) levels and birth outcomes of newborns. <i>Science of the Total Environment</i> , 2020 , 723, 138009	10.2	17
28	Considerable decrease of antibody titers against measles, mumps, and rubella in preschool children from an e-waste recycling area. <i>Science of the Total Environment</i> , 2016 , 573, 760-766	10.2	16
27	PM-bound PAHs exposure linked with low plasma insulin-like growth factor 1 levels and reduced child height. <i>Environment International</i> , 2020 , 138, 105660	12.9	15
26	Lead exposure is associated with risk of impaired coagulation in preschool children from an e-waste recycling area. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 20670-20679	5.1	15
25	Association between blood erythrocyte lead concentrations and hemoglobin levels in preschool children. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 9233-40	5.1	15
24	Elevated expression of AhR and NLRP3 link polycyclic aromatic hydrocarbon exposure to cytokine storm in preschool children. <i>Environment International</i> , 2020 , 139, 105720	12.9	14
23	Lead (Pb) exposure and heart failure risk. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 28833-28847	12.9	13
22	Connecting gastrointestinal cancer risk to cadmium and lead exposure in the Chaoshan population of Southeast China. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 17611-17619	5.1	12
21	Chest circumference and birth weight are good predictors of lung function in preschool children from an e-waste recycling area. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 22613-22621	5.1	12
20	Early-life exposure to widespread environmental toxicants and maternal-fetal health risk: A focus on metabolomic biomarkers. <i>Science of the Total Environment</i> , 2020 , 739, 139626	10.2	11
19	PAH exposure is associated with enhanced risk for pediatric dyslipidemia through serum SOD reduction. <i>Environment International</i> , 2020 , 145, 106132	12.9	10
18	Air pollution and body burden of persistent organic pollutants at an electronic waste recycling area of China. <i>Environmental Geochemistry and Health</i> , 2019 , 41, 93-123	4.7	10
17	Genome-wide interaction study of gene-by-occupational exposures on respiratory symptoms. <i>Environment International</i> , 2019 , 122, 263-269	12.9	10
16	The association of PM with airway innate antimicrobial activities of salivary agglutinin and surfactant protein D. <i>Chemosphere</i> , 2019 , 226, 915-923	8.4	9

15	Assessment of association between the dopamine D2 receptor (DRD2) polymorphism and neurodevelopment of children exposed to lead. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 1786-93	5.1	9
14	Antioxidant alterations link polycyclic aromatic hydrocarbons to blood pressure in children. <i>Science of the Total Environment</i> , 2020 , 732, 138944	10.2	9
13	Elevated lead levels in relation to low serum neuropeptide Y and adverse behavioral effects in preschool children with e-waste exposure. <i>Chemosphere</i> , 2021 , 269, 129380	8.4	9
12	Thyroid Hormone Status in Umbilical Cord Serum Is Positively Associated with Male Anogenital Distance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 3378-85	5.6	7
11	Interactions between polycyclic aromatic hydrocarbons and epoxide hydrolase 1 play roles in asthma. <i>Environmental Geochemistry and Health</i> , 2019 , 41, 191-210	4.7	7
10	Relations of blood lead levels to echocardiographic left ventricular structure and function in preschool children. <i>Chemosphere</i> , 2021 , 268, 128793	8.4	6
9	High serum IgG subclass concentrations in children with e-waste Pb and Cd exposure. <i>Science of the Total Environment</i> , 2021 , 764, 142806	10.2	5
8	Environmental contamination and public health effects of electronic waste: an overview. <i>Journal of Environmental Health Science & Engineering</i> , 2021 , 19, 1209-1227	2.9	3
7	Increased intestinal permeability with elevated peripheral blood endotoxin and inflammatory indices for e-waste lead exposure in children. <i>Chemosphere</i> , 2021 , 279, 130862	8.4	3
6	Oral antimicrobial activity weakened in children with electronic waste lead exposure. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 14763-14770	5.1	2
5	No convincing association between genetic markers and respiratory symptoms: results of a GWA study. <i>Respiratory Research</i> , 2017 , 18, 11	7.3	2
4	Pb and Cd exposure linked with IL-10 and IL-13 gene polymorphisms in asthma risk relevant immunomodulation in children.. <i>Chemosphere</i> , 2022 , 133656	8.4	1
3	E-waste polycyclic aromatic hydrocarbon (PAH) exposure leads to child gut-mucosal inflammation and adaptive immune response. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 53267-53281	5.1	0
2	Metabolomics insights into the prenatal exposure effects of polybrominated diphenyl ethers on neonatal birth outcomes.. <i>Science of the Total Environment</i> , 2022 , 155601	10.2	0
1	Combined toxicity of air pollutants related to e-waste on inflammatory cytokines linked with neurotransmitters and pediatric behavioral problems. <i>Ecotoxicology and Environmental Safety</i> , 2022 , 239, 113657	7	