

Hope S Rugo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/818381/publications.pdf>

Version: 2024-02-01

382
papers

48,988
citations

2538

96
h-index

1895

208
g-index

391
all docs

391
docs citations

391
times ranked

42869
citing authors

#	ARTICLE	IF	CITATIONS
1	Atezolizumab and Nab-Paclitaxel in Advanced Triple-Negative Breast Cancer. <i>New England Journal of Medicine</i> , 2018, 379, 2108-2121.	13.9	3,097
2	Everolimus in Postmenopausal Hormone-Receptor-Positive Advanced Breast Cancer. <i>New England Journal of Medicine</i> , 2012, 366, 520-529.	13.9	2,474
3	Palbociclib and Letrozole in Advanced Breast Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 1925-1936.	13.9	1,943
4	Alpelisib for PIK3CA-Mutated, Hormone Receptor-Positive Advanced Breast Cancer. <i>New England Journal of Medicine</i> , 2019, 380, 1929-1940.	13.9	1,582
5	Leukocyte Complexity Predicts Breast Cancer Survival and Functionally Regulates Response to Chemotherapy. <i>Cancer Discovery</i> , 2011, 1, 54-67.	7.7	1,486
6	Talazoparib in Patients with Advanced Breast Cancer and a Germline BRCA Mutation. <i>New England Journal of Medicine</i> , 2018, 379, 753-763.	13.9	1,472
7	Pembrolizumab plus chemotherapy versus placebo plus chemotherapy for previously untreated locally recurrent inoperable or metastatic triple-negative breast cancer (KEYNOTE-355): a randomised, placebo-controlled, double-blind, phase 3 clinical trial. <i>Lancet</i> , The, 2020, 396, 1817-1828.	6.3	992
8	Effect of interleukin-1 β inhibition with canakinumab on incident lung cancer in patients with atherosclerosis: exploratory results from a randomised, double-blind, placebo-controlled trial. <i>Lancet</i> , The, 2017, 390, 1833-1842.	6.3	948
9	Trastuzumab Deruxtecan in Previously Treated HER2-Low Advanced Breast Cancer. <i>New England Journal of Medicine</i> , 2022, 387, 9-20.	13.9	854
10	Breast Cancer, Version 3.2020, NCCN Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020, 18, 452-478.	2.3	848
11	Atezolizumab plus nab-paclitaxel as first-line treatment for unresectable, locally advanced or metastatic triple-negative breast cancer (IMpassion130): updated efficacy results from a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2020, 21, 44-59.	5.1	826
12	Macrophage IL-10 Blocks CD8+ T Cell-Dependent Responses to Chemotherapy by Suppressing IL-12 Expression in Intratumoral Dendritic Cells. <i>Cancer Cell</i> , 2014, 26, 623-637.	7.7	751
13	T-Cell-Inflamed Gene-Expression Profile, Programmed Death Ligand 1 Expression, and Tumor Mutational Burden Predict Efficacy in Patients Treated With Pembrolizumab Across 20 Cancers: KEYNOTE-028. <i>Journal of Clinical Oncology</i> , 2019, 37, 318-327.	0.8	656
14	Breast Cancer-Major changes in the American Joint Committee on Cancer eighth edition cancer staging manual. <i>Ca-A Cancer Journal for Clinicians</i> , 2017, 67, 290-303.	157.7	649
15	Phase II Study of the Antibody Drug Conjugate Trastuzumab-DM1 for the Treatment of Human Epidermal Growth Factor Receptor 2 (HER2)-Positive Breast Cancer After Prior HER2-Directed Therapy. <i>Journal of Clinical Oncology</i> , 2011, 29, 398-405.	0.8	647
16	The cancer glycoalyx mechanically primes integrin-mediated growth and survival. <i>Nature</i> , 2014, 511, 319-325.	13.7	610
17	Sacituzumab Govitecan in Metastatic Triple-Negative Breast Cancer. <i>New England Journal of Medicine</i> , 2021, 384, 1529-1541.	13.9	601
18	Adjuvant Paclitaxel and Trastuzumab for Node-Negative, HER2-Positive Breast Cancer. <i>New England Journal of Medicine</i> , 2015, 372, 134-141.	13.9	598

#	ARTICLE	IF	CITATIONS
19	Phase II Trial of Bicalutamide in Patients with Androgen Receptor-Positive, Estrogen Receptor-Negative Metastatic Breast Cancer. <i>Clinical Cancer Research</i> , 2013, 19, 5505-5512.	3.2	592
20	Phase II Randomized Study of Neoadjuvant Everolimus Plus Letrozole Compared With Placebo Plus Letrozole in Patients With Estrogen Receptor-Positive Breast Cancer. <i>Journal of Clinical Oncology</i> , 2009, 27, 2630-2637.	0.8	582
21	Cancer-Related Fatigue, Version 2.2015. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015, 13, 1012-1039.	2.3	581
22	Sacituzumab Govitecan-hziy in Refractory Metastatic Triple-Negative Breast Cancer. <i>New England Journal of Medicine</i> , 2019, 380, 741-751.	13.9	542
23	Addition of the PARP inhibitor veliparib plus carboplatin or carboplatin alone to standard neoadjuvant chemotherapy in triple-negative breast cancer (BrighTNess): a randomised, phase 3 trial. <i>Lancet Oncology</i> , The, 2018, 19, 497-509.	5.1	530
24	MONARCH 1, A Phase II Study of Abemaciclib, a CDK4 and CDK6 Inhibitor, as a Single Agent, in Patients with Refractory HR+/HER2- Metastatic Breast Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 5218-5224.	3.2	492
25	Phase II Study of Sunitinib Malate, an Oral Multitargeted Tyrosine Kinase Inhibitor, in Patients With Metastatic Breast Cancer Previously Treated With an Anthracycline and a Taxane. <i>Journal of Clinical Oncology</i> , 2008, 26, 1810-1816.	0.8	475
26	Phase I Trial of the Oral Antiangiogenesis Agent AG-013736 in Patients With Advanced Solid Tumors: Pharmacokinetic and Clinical Results. <i>Journal of Clinical Oncology</i> , 2005, 23, 5474-5483.	0.8	470
27	Adaptive Randomization of Veliparib-Carboplatin Treatment in Breast Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 23-34.	13.9	467
28	Endocrine Therapy for Hormone Receptor-Positive Metastatic Breast Cancer: American Society of Clinical Oncology Guideline. <i>Journal of Clinical Oncology</i> , 2016, 34, 3069-3103.	0.8	456
29	Everolimus Plus Exemestane in Postmenopausal Patients with HR+ Breast Cancer: BOLERO-2 Final Progression-Free Survival Analysis. <i>Advances in Therapy</i> , 2013, 30, 870-884.	1.3	430
30	Effect of Pembrolizumab Plus Neoadjuvant Chemotherapy on Pathologic Complete Response in Women With Early-Stage Breast Cancer. <i>JAMA Oncology</i> , 2020, 6, 676.	3.4	419
31	TBCRC 001: Randomized Phase II Study of Cetuximab in Combination With Carboplatin in Stage IV Triple-Negative Breast Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 2615-2623.	0.8	413
32	Leukocyte composition of human breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 2796-2801.	3.3	393
33	Safety and Antitumor Activity of Pembrolizumab in Advanced Programmed Death Ligand 1-Positive Endometrial Cancer: Results From the KEYNOTE-028 Study. <i>Journal of Clinical Oncology</i> , 2017, 35, 2535-2541.	0.8	383
34	RIBBON-2: A Randomized, Double-Blind, Placebo-Controlled, Phase III Trial Evaluating the Efficacy and Safety of Bevacizumab in Combination With Chemotherapy for Second-Line Treatment of Human Epidermal Growth Factor Receptor 2-Negative Metastatic Breast Cancer. <i>Journal of Clinical Oncology</i> , 2011, 29, 4286-4293.	0.8	379
35	Pathologic Complete Response Predicts Recurrence-Free Survival More Effectively by Cancer Subset: Results From the I-SPY 1 TRIAL-CALGB 150007/150012, ACRIN 6657. <i>Journal of Clinical Oncology</i> , 2012, 30, 3242-3249.	0.8	379
36	Safety and Efficacy of Pembrolizumab in Advanced, Programmed Death Ligand 1-Positive Cervical Cancer: Results From the Phase Ib KEYNOTE-028 Trial. <i>Journal of Clinical Oncology</i> , 2017, 35, 4035-4041.	0.8	375

#	ARTICLE	IF	CITATIONS
37	Production of cytokines by mouse B cells: B lymphomas and normal B cells produce interleukin 10. <i>International Immunology</i> , 1990, 2, 821-832.	1.8	357
38	Breast Cancer, Version 3.2022, NCCN Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2022, 20, 691-722.	2.3	357
39	Customizing local and systemic therapies for women with early breast cancer: the St. Gallen International Consensus Guidelines for treatment of early breast cancer 2021. <i>Annals of Oncology</i> , 2021, 32, 1216-1235.	0.6	354
40	TBCRC009: A Multicenter Phase II Clinical Trial of Platinum Monotherapy With Biomarker Assessment in Metastatic Triple-Negative Breast Cancer. <i>Journal of Clinical Oncology</i> , 2015, 33, 1902-1909.	0.8	351
41	A Phase II Study of Trastuzumab Emtansine in Patients With Human Epidermal Growth Factor Receptor 2-Positive Metastatic Breast Cancer Who Were Previously Treated With Trastuzumab, Lapatinib, an Anthracycline, a Taxane, and Capecitabine. <i>Journal of Clinical Oncology</i> , 2012, 30, 3234-3241.	0.8	319
42	Central Nervous System Metastases in Patients with HER2-Positive Metastatic Breast Cancer: Incidence, Treatment, and Survival in Patients from registHER. <i>Clinical Cancer Research</i> , 2011, 17, 4834-4843.	3.2	318
43	Phosphatidylinositol 3-Kinase Inhibitor Selective Inhibition With Alpelisib (BYL719) in PIK3CA-Altered Solid Tumors: Results From the First-in-Human Study. <i>Journal of Clinical Oncology</i> , 2018, 36, 1291-1299.	0.8	298
44	Management of Cancer Cachexia: ASCO Guideline. <i>Journal of Clinical Oncology</i> , 2020, 38, 2438-2453.	0.8	292
45	Efficacy and safety of pembrolizumab for the treatment of advanced biliary cancer: Results from the KEYNOTE-158 and KEYNOTE-028 studies. <i>International Journal of Cancer</i> , 2020, 147, 2190-2198.	2.3	288
46	Chemotherapy response and recurrence-free survival in neoadjuvant breast cancer depends on biomarker profiles: results from the I-SPY 1 TRIAL (CALGB 150007/150012; ACRIN 6657). <i>Breast Cancer Research and Treatment</i> , 2012, 132, 1049-1062.	1.1	286
47	Immune microenvironments in solid tumors: new targets for therapy. <i>Genes and Development</i> , 2011, 25, 2559-2572.	2.7	277
48	Dynamic Contrast-Enhanced Magnetic Resonance Imaging As a Pharmacodynamic Measure of Response After Acute Dosing of AG-013736, an Oral Angiogenesis Inhibitor, in Patients With Advanced Solid Tumors: Results From a Phase I Study. <i>Journal of Clinical Oncology</i> , 2005, 23, 5464-5473.	0.8	271
49	Targeting FGFR with Dovitinib (TKI258): Preclinical and Clinical Data in Breast Cancer. <i>Clinical Cancer Research</i> , 2013, 19, 3693-3702.	3.2	270
50	TIM-3 Regulates CD103+ Dendritic Cell Function and Response to Chemotherapy in Breast Cancer. <i>Cancer Cell</i> , 2018, 33, 60-74.e6.	7.7	270
51	Palbociclib plus letrozole as first-line therapy in estrogen receptor-positive/human epidermal growth factor receptor 2-negative advanced breast cancer with extended follow-up. <i>Breast Cancer Research and Treatment</i> , 2019, 174, 719-729.	1.1	265
52	Phase III Study of Iniparib Plus Gemcitabine and Carboplatin Versus Gemcitabine and Carboplatin in Patients With Metastatic Triple-Negative Breast Cancer. <i>Journal of Clinical Oncology</i> , 2014, 32, 3840-3847.	0.8	253
53	Safety and Antitumor Activity of Pembrolizumab in Patients with Estrogen Receptor-Positive/Human Epidermal Growth Factor Receptor 2-Negative Advanced Breast Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 2804-2811.	3.2	249
54	Seven-Year Follow-Up Analysis of Adjuvant Paclitaxel and Trastuzumab Trial for Node-Negative, Human Epidermal Growth Factor Receptor 2-Positive Breast Cancer. <i>Journal of Clinical Oncology</i> , 2019, 37, 1868-1875.	0.8	229

#	ARTICLE	IF	CITATIONS
55	Efficacy of Margetuximab vs Trastuzumab in Patients With Pretreated ERBB2-Positive Advanced Breast Cancer. <i>JAMA Oncology</i> , 2021, 7, 573.	3.4	217
56	Outcomes by Tumor Subtype and Treatment Pattern in Women With Small, Node-Negative Breast Cancer: A Multi-Institutional Study. <i>Journal of Clinical Oncology</i> , 2014, 32, 2142-2150.	0.8	207
57	Correlative Analysis of Genetic Alterations and Everolimus Benefit in Hormone Receptor-Positive, Human Epidermal Growth Factor Receptor 2-Negative Advanced Breast Cancer: Results From BOLERO-2. <i>Journal of Clinical Oncology</i> , 2016, 34, 419-426.	0.8	203
58	Cancer-Related Fatigue. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2010, 8, 904-931.	2.3	201
59	Randomized Phase III Trial of Paclitaxel Once Per Week Compared With Nanoparticle Albumin-Bound Nab-Paclitaxel Once Per Week or Ixabepilone With Bevacizumab As First-Line Chemotherapy for Locally Recurrent or Metastatic Breast Cancer: CALGB 40502/NCCTG N063H (Alliance). <i>Journal of Clinical Oncology</i> , 2015, 33, 2361-2369.	0.8	197
60	Alpelisib Plus Fulvestrant in PIK3CA-Altered and PIK3CA-Wild-Type Estrogen Receptor-Positive Advanced Breast Cancer. <i>JAMA Oncology</i> , 2019, 5, e184475.	3.4	187
61	NCCN Guidelines® Insights: Breast Cancer, Version 4.2021. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2021, 19, 484-493.	2.3	186
62	Purging of Autologous Peripheral-Blood Stem Cells Using CD34 Selection Does Not Improve Overall or Progression-Free Survival After High-Dose Chemotherapy for Multiple Myeloma: Results of a Multicenter Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2001, 19, 3771-3779.	0.8	185
63	MRI Phenotype Is Associated With Response to Doxorubicin and Cyclophosphamide Neoadjuvant Chemotherapy in Stage III Breast Cancer. <i>Annals of Surgical Oncology</i> , 2001, 8, 549-559.	0.7	185
64	Palbociclib in Combination With Fulvestrant in Women With Hormone Receptor-Positive/HER2-Negative Advanced Metastatic Breast Cancer: Detailed Safety Analysis From a Multicenter, Randomized, Placebo-Controlled, Phase III Study (PALOMA-3). <i>Oncologist</i> , 2016, 21, 1165-1175.	1.9	183
65	An Overview of PARP Inhibitors for the Treatment of Breast Cancer. <i>Targeted Oncology</i> , 2021, 16, 255-282.	1.7	182
66	Atezolizumab and nab-Paclitaxel in Advanced Triple-Negative Breast Cancer: Biomarker Evaluation of the IMpassion130 Study. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1005-1016.	3.0	171
67	Palbociclib with adjuvant endocrine therapy in early breast cancer (PALLAS): interim analysis of a multicentre, open-label, randomised, phase 3 study. <i>Lancet Oncology</i> , The, 2021, 22, 212-222.	5.1	169
68	Breast Cancer, Version 3.2018. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019, 17, 118-126.	2.3	158
69	Alpelisib plus fulvestrant in PIK3CA-mutated, hormone receptor-positive advanced breast cancer after a CDK4/6 inhibitor (BYLieve): one cohort of a phase 2, multicentre, open-label, non-comparative study. <i>Lancet Oncology</i> , The, 2021, 22, 489-498.	5.1	157
70	Prevention of everolimus-related stomatitis in women with hormone receptor-positive, HER2-negative metastatic breast cancer using dexamethasone mouthwash (SWISH): a single-arm, phase 2 trial. <i>Lancet Oncology</i> , The, 2017, 18, 654-662.	5.1	154
71	Palbociclib for Residual High-Risk Invasive HR-Positive and HER2-Negative Early Breast Cancer—The Penelope-B Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 1518-1530.	0.8	153
72	Image-Detected Breast Cancer: State-of-the-Art Diagnosis and Treatment. <i>Journal of the American College of Surgeons</i> , 2009, 209, 504-520.	0.2	147

#	ARTICLE	IF	CITATIONS
73	Final Efficacy Results of Neratinib in HER2-positive Hormone Receptor-positive Early-stage Breast Cancer From the Phase III ExteNET Trial. <i>Clinical Breast Cancer</i> , 2021, 21, 80-91.e7.	1.1	140
74	PIM1 kinase inhibition as a targeted therapy against triple-negative breast tumors with elevated MYC expression. <i>Nature Medicine</i> , 2016, 22, 1321-1329.	15.2	138
75	NCCN Guidelines Insights: Antiemesis, Version 2.2017. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017, 15, 883-893.	2.3	137
76	KEYNOTE-355: Randomized, double-blind, phase III study of pembrolizumab + chemotherapy versus placebo + chemotherapy for previously untreated locally recurrent inoperable or metastatic triple-negative breast cancer.. <i>Journal of Clinical Oncology</i> , 2020, 38, 1000-1000.	0.8	135
77	Cyclophosphamide, Epirubicin, and Fluorouracil Versus Dose-Dense Epirubicin and Cyclophosphamide Followed by Paclitaxel Versus Doxorubicin and Cyclophosphamide Followed by Paclitaxel in Node-Positive or High-Risk Node-Negative Breast Cancer. <i>Journal of Clinical Oncology</i> , 2010, 28, 77-82.	0.8	131
78	Effect of a Proposed Trastuzumab Biosimilar Compared With Trastuzumab on Overall Response Rate in Patients With ERBB2 (HER2)-Positive Metastatic Breast Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 37.	3.8	129
79	In Support of a Patient-Driven Initiative and Petition to Lower the High Price of Cancer Drugs. <i>Mayo Clinic Proceedings</i> , 2015, 90, 996-1000.	1.4	128
80	Association Between Use of a Scalp Cooling Device and Alopecia After Chemotherapy for Breast Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 606.	3.8	127
81	Quantitative and Clinical Description of Postural Instability in Women With Breast Cancer Treated With Taxane Chemotherapy. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 1002-1008.	0.5	123
82	Endocrine Treatment and Targeted Therapy for Hormone Receptor-Positive, Human Epidermal Growth Factor Receptor 2-Negative Metastatic Breast Cancer: ASCO Guideline Update. <i>Journal of Clinical Oncology</i> , 2021, 39, 3959-3977.	0.8	121
83	Biomarker Analyses of Response to Cyclin-Dependent Kinase 4/6 Inhibition and Endocrine Therapy in Women with Treatment-Naïve Metastatic Breast Cancer. <i>Clinical Cancer Research</i> , 2020, 26, 110-121.	3.2	120
84	Association of Event-Free and Distant Recurrence-Free Survival With Individual-Level Pathologic Complete Response in Neoadjuvant Treatment of Stages 2 and 3 Breast Cancer. <i>JAMA Oncology</i> , 2020, 6, 1355.	3.4	119
85	Senior Adult Oncology, Version 2.2014. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2014, 12, 82-126.	2.3	116
86	Vaginal Testosterone Cream vs Estradiol Vaginal Ring for Vaginal Dryness or Decreased Libido in Women Receiving Aromatase Inhibitors for Early-Stage Breast Cancer. <i>JAMA Oncology</i> , 2017, 3, 313.	3.4	115
87	Exhausted T cell signature predicts immunotherapy response in ER-positive breast cancer. <i>Nature Communications</i> , 2020, 11, 3584.	5.8	115
88	A Phase II Trial of Erlotinib in Combination with Bevacizumab in Patients with Metastatic Breast Cancer. <i>Clinical Cancer Research</i> , 2008, 14, 7878-7883.	3.2	109
89	Clinical and biomarker predictors of side effects from tamoxifen. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 1107-1118.	1.1	109
90	Senior Adult Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2012, 10, 162-209.	2.3	105

#	ARTICLE	IF	CITATIONS
91	Safety and Efficacy of Everolimus With Exemestane vs. Exemestane Alone in Elderly Patients With HER2-Negative, Hormone Receptor-Positive Breast Cancer in BOLERO-2. <i>Clinical Breast Cancer</i> , 2013, 13, 421-432.e8.	1.1	104
92	Myeloid Growth Factors, Version 2.2017, NCCN Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017, 15, 1520-1541.	2.3	104
93	Impact of palbociclib plus letrozole on patient-reported health-related quality of life: results from the PALOMA-2 trial. <i>Annals of Oncology</i> , 2018, 29, 888-894.	0.6	104
94	Second-line bevacizumab-containing therapy in patients with triple-negative breast cancer: subgroup analysis of the RIBBON-2 trial. <i>Breast Cancer Research and Treatment</i> , 2012, 133, 1067-1075.	1.1	103
95	A Phase II Study of Talazoparib after Platinum or Cytotoxic Nonplatinum Regimens in Patients with Advanced Breast Cancer and Germline <i>BRCA1/2</i> Mutations (ABRAZO). <i>Clinical Cancer Research</i> , 2019, 25, 2717-2724.	3.2	102
96	Phase III Trial Evaluating Letrozole As First-Line Endocrine Therapy With or Without Bevacizumab for the Treatment of Postmenopausal Women With Hormone Receptor-Positive Advanced-Stage Breast Cancer: CALGB 40503 (Alliance). <i>Journal of Clinical Oncology</i> , 2016, 34, 2602-2609.	0.8	101
97	Time to Adjuvant Chemotherapy for Breast Cancer in National Comprehensive Cancer Network Institutions. <i>Journal of the National Cancer Institute</i> , 2013, 105, 104-112.	3.0	100
98	Time course and management of key adverse events during the randomized phase III SOLAR-1 study of PI3K inhibitor alpelisib plus fulvestrant in patients with HR-positive advanced breast cancer. <i>Annals of Oncology</i> , 2020, 31, 1001-1010.	0.6	99
99	Phase 2 study of pembrolizumab (pembro) monotherapy for previously treated metastatic triple-negative breast cancer (mTNBC): KEYNOTE-086 cohort A. <i>Journal of Clinical Oncology</i> , 2017, 35, 1008-1008.	0.8	99
100	Feasibility Assessment of Patient Reporting of Symptomatic Adverse Events in Multicenter Cancer Clinical Trials. <i>JAMA Oncology</i> , 2017, 3, 1043.	3.4	98
101	Randomized, Placebo-Controlled, Double-Blind, Phase II Study of Axitinib Plus Docetaxel Versus Docetaxel Plus Placebo in Patients With Metastatic Breast Cancer. <i>Journal of Clinical Oncology</i> , 2011, 29, 2459-2465.	0.8	95
102	Patient perceptions of reproductive health counseling at the time of cancer diagnosis: a qualitative study of female California cancer survivors. <i>Journal of Cancer Survivorship</i> , 2012, 6, 324-332.	1.5	95
103	Overall survival (OS) with first-line palbociclib plus letrozole (PAL+LET) versus placebo plus letrozole (PBO+LET) in women with estrogen receptor-positive/human epidermal growth factor receptor 2-negative advanced breast cancer (ER+/HER2- ABC): Analyses from PALOMA-2. <i>Journal of Clinical Oncology</i> , 2022, 40, 1BA1003-1BA1003.	0.8	95
104	Risk of Marrow Neoplasms After Adjuvant Breast Cancer Therapy: The National Comprehensive Cancer Network Experience. <i>Journal of Clinical Oncology</i> , 2015, 33, 340-348.	0.8	94
105	Two phase I dose-escalation/pharmacokinetics studies of low temperature liposomal doxorubicin (LTLD) and mild local hyperthermia in heavily pretreated patients with local regionally recurrent breast cancer. <i>International Journal of Hyperthermia</i> , 2014, 30, 285-294.	1.1	93
106	Genomic Profiling of Isolated Circulating Tumor Cells from Metastatic Breast Cancer Patients. <i>Cancer Research</i> , 2013, 73, 30-40.	0.4	92
107	Redefining breast cancer subtypes to guide treatment prioritization and maximize response: Predictive biomarkers across 10 cancer therapies. <i>Cancer Cell</i> , 2022, 40, 609-623.e6.	7.7	92
108	A Phase 2 Trial of Dasatinib in Patients with Advanced HER2-Positive and/or Hormone Receptor-Positive Breast Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 6897-6904.	3.2	90

#	ARTICLE	IF	CITATIONS
109	Phase I trial and antitumor effects of BZL101 for patients with advanced breast cancer. <i>Breast Cancer Research and Treatment</i> , 2007, 105, 17-28.	1.1	89
110	Impact of Exploratory Biomarkers on the Treatment Effect of Bevacizumab in Metastatic Breast Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 372-381.	3.2	89
111	Effect of Everolimus on Bone Marker Levels and Progressive Disease in Bone in BOLERO-2. <i>Journal of the National Cancer Institute</i> , 2013, 105, 654-663.	3.0	88
112	Adjuvant Palbociclib for Early Breast Cancer: The PALLAS Trial Results (ABCSG-42/AFT-05/BIG-14-03). <i>Journal of Clinical Oncology</i> , 2022, 40, 282-293.	0.8	88
113	Phase Ib study of the combination of pexidartinib (PLX3397), a CSF-1R inhibitor, and paclitaxel in patients with advanced solid tumors. <i>Therapeutic Advances in Medical Oncology</i> , 2019, 11, 175883591985423.	1.4	87
114	PD-L1 Immunohistochemistry Assay Comparison in Atezolizumab Plus nab-Paclitaxel-Treated Advanced Triple-Negative Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1733-1743.	3.0	83
115	NCCN Guidelines Insights: Older Adult Oncology, Version 2.2016. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2016, 14, 1357-1370.	2.3	82
116	Health-related quality of life of patients with advanced breast cancer treated with everolimus plus exemestane versus placebo plus exemestane in the phase 3, randomized, controlled, BOLERO-2 trial. <i>Cancer</i> , 2013, 119, 1908-1915.	2.0	81
117	Breast Conservation After Neoadjuvant Chemotherapy for Triple-Negative Breast Cancer. <i>JAMA Surgery</i> , 2020, 155, e195410.	2.2	81
118	Etirinotecan pegol (NKTR-102) versus treatment of physician's choice in women with advanced breast cancer previously treated with an anthracycline, a taxane, and capecitabine (BEACON): a randomised, open-label, multicentre, phase 3 trial. <i>Lancet Oncology</i> , The, 2015, 16, 1556-1568.	5.1	79
119	Associations Between Pro- and Anti-Inflammatory Cytokine Genes and Breast Pain in Women Prior to Breast Cancer Surgery. <i>Journal of Pain</i> , 2012, 13, 425-437.	0.7	78
120	The Neoadjuvant Model Is Still the Future for Drug Development in Breast Cancer. <i>Clinical Cancer Research</i> , 2015, 21, 2911-2915.	3.2	77
121	Adjuvant Trastuzumab Emtansine Versus Paclitaxel in Combination With Trastuzumab for Stage I HER2-Positive Breast Cancer (ATEMPT): A Randomized Clinical Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 2375-2385.	0.8	76
122	Cyclin-Dependent Kinase 4/6 Inhibitors for the Treatment of Breast Cancer: A Review of Preclinical and Clinical Data. <i>Clinical Breast Cancer</i> , 2016, 16, 8-17.	1.1	75
123	Everolimus plus exemestane as first-line therapy in HR+, HER2+ advanced breast cancer in BOLERO-2. <i>Breast Cancer Research and Treatment</i> , 2014, 143, 459-467.	1.1	74
124	A clinician's guide to biosimilars in oncology. <i>Cancer Treatment Reviews</i> , 2016, 46, 73-79.	3.4	74
125	A population pharmacokinetic/pharmacodynamic model of thrombocytopenia characterizing the effect of trastuzumab emtansine (T-DM1) on platelet counts in patients with HER2-positive metastatic breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2012, 70, 591-601.	1.1	72
126	NCCN Guidelines Insights: Hematopoietic Growth Factors, Version 1.2020. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020, 18, 12-22.	2.3	70

#	ARTICLE	IF	CITATIONS
127	Management of breast cancer diagnosed during pregnancy. <i>Current Treatment Options in Oncology</i> , 2003, 4, 165-173.	1.3	69
128	The impact of adjuvant therapy for breast cancer on cognitive function: current evidence and directions for research. <i>Seminars in Oncology</i> , 2003, 30, 749-762.	0.8	69
129	Meta-analysis of stomatitis in clinical studies of everolimus: incidence and relationship with efficacy. <i>Annals of Oncology</i> , 2016, 27, 519-525.	0.6	68
130	Cardiac Outcomes of Patients Receiving Adjuvant Weekly Paclitaxel and Trastuzumab for Node-Negative, ERBB2-Positive Breast Cancer. <i>JAMA Oncology</i> , 2016, 2, 29.	3.4	68
131	Primary results from TROPiCS-02: A randomized phase 3 study of sacituzumab govitecan (SG) versus treatment of physician's choice (TPC) in patients (Pts) with hormone receptor-positive/HER2-negative (HR+/HER2-) advanced breast cancer.. <i>Journal of Clinical Oncology</i> , 2022, 40, LBA1001-LBA1001.	0.8	68
132	Brain metastases in breast cancer: clinical and pathologic characteristics associated with improvements in survival. <i>Journal of Neuro-Oncology</i> , 2008, 88, 359-365.	1.4	67
133	Treatment patterns and clinical outcomes for patients with de novo versus recurrent HER2-positive metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2014, 145, 725-734.	1.1	67
134	Immunotherapy for early triple negative breast cancer: research agenda for the next decade. <i>Npj Breast Cancer</i> , 2022, 8, 23.	2.3	67
135	Chemotherapy-related amenorrhea after adjuvant paclitaxel+trastuzumab (APT trial). <i>Breast Cancer Research and Treatment</i> , 2015, 151, 589-596.	1.1	65
136	DNA repair deficiency biomarkers and the 70-gene ultra-high risk signature as predictors of veliparib/carboplatin response in the I-SPY 2 breast cancer trial. <i>Npj Breast Cancer</i> , 2017, 3, 31.	2.3	64
137	Management of Abemaciclib-Associated Adverse Events in Patients with Hormone Receptor-Positive, Human Epidermal Growth Factor Receptor 2-Negative Advanced Breast Cancer: Safety Analysis of MONARCH 2 and MONARCH 3. <i>Oncologist</i> , 2021, 26, e53-e65.	1.9	64
138	First-Line Treatment Patterns and Clinical Outcomes in Patients With HER2-Positive and Hormone Receptor-Positive Metastatic Breast Cancer From registHER. <i>Oncologist</i> , 2013, 18, 501-510.	1.9	63
139	Sorafenib or Placebo with Either Gemcitabine or Capecitabine in Patients with HER2-Negative Advanced Breast Cancer That Progressed during or after Bevacizumab. <i>Clinical Cancer Research</i> , 2013, 19, 2745-2754.	3.2	62
140	Oral mucosal injury caused by mammalian target of rapamycin inhibitors: emerging perspectives on pathobiology and impact on clinical practice. <i>Cancer Medicine</i> , 2016, 5, 1897-1907.	1.3	62
141	Central Nervous System Metastasis in Patients with HER2-Positive Metastatic Breast Cancer: Patient Characteristics, Treatment, and Survival from SystHERs. <i>Clinical Cancer Research</i> , 2019, 25, 2433-2441.	3.2	62
142	TROPiCS-02: A Phase III study investigating sacituzumab govitecan in the treatment of HR+/HER2-metastatic breast cancer. <i>Future Oncology</i> , 2020, 16, 705-715.	1.1	62
143	The Transcription Factor ZNF217 Is a Prognostic Biomarker and Therapeutic Target during Breast Cancer Progression. <i>Cancer Discovery</i> , 2012, 2, 638-651.	7.7	61
144	Scalp cooling with adjuvant/neoadjuvant chemotherapy for breast cancer and the risk of scalp metastases: systematic review and meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2017, 163, 199-205.	1.1	61

#	ARTICLE	IF	CITATIONS
145	Talazoparib in Patients with a Germline <i>BRCA</i> -Mutated Advanced Breast Cancer: Detailed Safety Analyses from the Phase III EMBRACA Trial. <i>Oncologist</i> , 2020, 25, e439-e450.	1.9	61
146	The Promise for Histone Methyltransferase Inhibitors for Epigenetic Therapy in Clinical Oncology: A Narrative Review. <i>Advances in Therapy</i> , 2020, 37, 3059-3082.	1.3	61
147	Palbociclib plus endocrine therapy in older women with HR+/HER2 ⁺ advanced breast cancer: a pooled analysis of randomised PALOMA clinical studies. <i>European Journal of Cancer</i> , 2018, 101, 123-133.	1.3	59
148	Studying Cancer-Related Fatigue: Report of the NCCN Scientific Research Committee. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2010, 8, 1331-1339.	2.3	58
149	The cardiac safety of trastuzumab in the treatment of breast cancer. <i>Expert Opinion on Drug Safety</i> , 2010, 9, 335-346.	1.0	58
150	Detection of cerebrospinal fluid tumor cells and its clinical relevance in leptomeningeal metastasis of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015, 154, 339-349.	1.1	57
151	TBCRC 019: A Phase II Trial of Nanoparticle Albumin-Bound Paclitaxel with or without the Anti-Death Receptor 5 Monoclonal Antibody Tigatuzumab in Patients with Triple-Negative Breast Cancer. <i>Clinical Cancer Research</i> , 2015, 21, 2722-2729.	3.2	57
152	Scalp Hypothermia for Preventing Alopecia During Chemotherapy. A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Clinical Breast Cancer</i> , 2018, 18, 19-28.	1.1	57
153	Serial expression analysis of breast tumors during neoadjuvant chemotherapy reveals changes in cell cycle and immune pathways associated with recurrence and response. <i>Breast Cancer Research</i> , 2015, 17, 73.	2.2	55
154	Long-term Pooled Safety Analysis of Palbociclib in Combination With Endocrine Therapy for HR+/HER2-Advanced Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2019, 111, 419-430.	3.0	55
155	Patient and Physician Attitudes Toward Breast Cancer Clinical Trials: Developing Interventions Based on Understanding Barriers. <i>Clinical Breast Cancer</i> , 2005, 6, 45-54.	1.1	54
156	Triple-Negative Breast Cancer. <i>Cancer Journal (Sudbury, Mass)</i> , 2010, 16, 33-38.	1.0	54
157	Myeloid Growth Factors. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2013, 11, 1266-1290.	2.3	53
158	Autologous stem cell transplantation for acute myeloid leukemia in first remission. <i>Biology of Blood and Marrow Transplantation</i> , 2000, 6, 50-57.	2.0	52
159	Implementing decision and communication aids to facilitate patient-centered care in breast cancer: A case study. <i>Patient Education and Counseling</i> , 2009, 77, 360-368.	1.0	52
160	A randomized, phase II, dose-finding study of the pan-ErbB receptor tyrosine-kinase inhibitor CI-1033 in patients with pretreated metastatic breast cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009, 64, 1139-1148.	1.1	52
161	Alpelisib (ALP) + fulvestrant (FUL) in patients (pts) with PIK3CA-mutated (mut) hormone receptor-positive (HR+), human epidermal growth factor receptor 2-negative (HER2 ⁻) advanced breast cancer (ABC) previously treated with cyclin-dependent kinase 4/6 inhibitor (CDKi) + aromatase inhibitor (AI): BYLieve study results. <i>Journal of Clinical Oncology</i> , 2020, 38, 1006-1006.	0.8	52
162	Treatment patterns and clinical outcomes in elderly patients with HER2-positive metastatic breast cancer from the registHER observational study. <i>Breast Cancer Research and Treatment</i> , 2012, 135, 875-883.	1.1	51

#	ARTICLE	IF	CITATIONS
163	Accuracy of selective sentinel lymphadenectomy after neoadjuvant chemotherapy: Effect of clinical node status at presentation. <i>Journal of the American College of Surgeons</i> , 2004, 199, 856-862.	0.2	50
164	Prognostic and predictive investigation of PAM50 intrinsic subtypes in the NCIC CTG MA.21 phase III chemotherapy trial. <i>Breast Cancer Research and Treatment</i> , 2015, 149, 439-448.	1.1	50
165	Palbociclib with Letrozole in Postmenopausal Women with ER+/HER2 ⁻ Advanced Breast Cancer: Hematologic Safety Analysis of the Randomized PALOMA-2 Trial. <i>Oncologist</i> , 2019, 24, 1514-1525.	1.9	49
166	Correlation of molecular alterations with efficacy of everolimus in hormone receptor ⁺ positive, HER2-negative advanced breast cancer: Results from BOLERO-2. <i>Journal of Clinical Oncology</i> , 2013, 31, LBA509-LBA509.	0.8	49
167	A phase II study of lapatinib and bevacizumab as treatment for HER2-overexpressing metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 13-20.	1.1	48
168	The characterization, management, and future considerations for ErbB-family TKI-associated diarrhea. <i>Breast Cancer Research and Treatment</i> , 2019, 175, 5-15.	1.1	48
169	Assessing the discordance rate between local and central HER2 testing in women with locally determined HER2 ⁻ breast cancer. <i>Cancer</i> , 2014, 120, 2657-2664.	2.0	47
170	Fertility preservation with ovarian stimulation and time to treatment in women with stage II ⁻ III breast cancer receiving neoadjuvant therapy. <i>Breast Cancer Research and Treatment</i> , 2017, 165, 151-159.	1.1	47
171	Phase I/II Trial of Exemestane, Ribociclib, and Everolimus in Women with HR+/HER2 ⁻ Advanced Breast Cancer after Progression on CDK4/6 Inhibitors (TRINITI-1). <i>Clinical Cancer Research</i> , 2021, 27, 4177-4185.	3.2	47
172	Role of Fc γ receptors in HER2-targeted breast cancer therapy. , 2022, 10, e003171.		47
173	SIS.NET: A randomized controlled trial evaluating a web ⁻ based system for symptom management after treatment of breast cancer. <i>Cancer</i> , 2015, 121, 893-899.	2.0	46
174	Society for Immunotherapy of Cancer (SITC) clinical practice guideline on immunotherapy for the treatment of breast cancer. , 2021, 9, e002597.		45
175	Infectious disease management of adult leukemic patients undergoing chemotherapy: 1982 to 1986 experience at Stanford University Hospital. <i>American Journal of Medicine</i> , 1989, 87, 605-613.	0.6	44
176	Antiemesis. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2012, 10, 456-485.	2.3	44
177	Quantitative Whole Genome Sequencing of Circulating Tumor Cells Enables Personalized Combination Therapy of Metastatic Cancer. <i>Cancer Research</i> , 2017, 77, 4530-4541.	0.4	44
178	MYC Dysregulates Mitosis, Revealing Cancer Vulnerabilities. <i>Cell Reports</i> , 2020, 30, 3368-3382.e7.	2.9	44
179	Antiemesis. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2009, 7, 572-595.	2.3	43
180	Assessment of Residual Cancer Burden and Event-Free Survival in Neoadjuvant Treatment for High-risk Breast Cancer. <i>JAMA Oncology</i> , 2021, 7, 1654.	3.4	42

#	ARTICLE	IF	CITATIONS
181	Expanded Genomic Profiling of Circulating Tumor Cells in Metastatic Breast Cancer Patients to Assess Biomarker Status and Biology Over Time (CALGB 40502 and CALGB 40503, Alliance). <i>Clinical Cancer Research</i> , 2018, 24, 1486-1499.	3.2	41
182	Prolonged survival in patients with breast cancer and a history of brain metastases: results of a preplanned subgroup analysis from the randomized phase III BEACON trial. <i>Breast Cancer Research and Treatment</i> , 2017, 165, 329-341.	1.1	40
183	De Novo Versus Recurrent HER2-Positive Metastatic Breast Cancer: Patient Characteristics, Treatment, and Survival from the SystHERs Registry. <i>Oncologist</i> , 2020, 25, e214-e222.	1.9	39
184	New challenges and opportunities in the management of brain metastases in patients with ErbB2-positive metastatic breast cancer. <i>Nature Clinical Practice Oncology</i> , 2009, 6, 25-33.	4.3	38
185	Racial disparities in treatment patterns and clinical outcomes in patients with HER2-positive metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013, 141, 461-470.	1.1	38
186	Updated efficacy, safety, & PD-L1 status of patients with HR+, HER2- metastatic breast cancer administered abemaciclib plus pembrolizumab.. <i>Journal of Clinical Oncology</i> , 2018, 36, 1059-1059.	0.8	38
187	NEPA, a fixed oral combination of netupitant and palonosetron, improves control of chemotherapy-induced nausea and vomiting (CINV) over multiple cycles of chemotherapy: results of a randomized, double-blind, phase 3 trial versus oral palonosetron. <i>Supportive Care in Cancer</i> , 2017, 25, 1127-1135.	1.0	37
188	Association of Immunophenotype With Pathologic Complete Response to Neoadjuvant Chemotherapy for Triple-Negative Breast Cancer. <i>JAMA Oncology</i> , 2021, 7, 603.	3.4	37
189	The role of targeted therapy and biomarkers in breast cancer treatment. <i>Clinical and Experimental Metastasis</i> , 2012, 29, 807-819.	1.7	36
190	Human epidermal growth factor receptor 2 positive (HER2+) metastatic breast cancer: how the latest results are improving therapeutic options. <i>Therapeutic Advances in Medical Oncology</i> , 2015, 7, 321-339.	1.4	36
191	Neoadjuvant T-DM1/pertuzumab and paclitaxel/trastuzumab/pertuzumab for HER2+ breast cancer in the adaptively randomized I-SPY2 trial. <i>Nature Communications</i> , 2021, 12, 6428.	5.8	36
192	Circulating Tumor Cell Analysis in Metastatic Triple-Negative Breast Cancers. <i>Clinical Cancer Research</i> , 2015, 21, 1098-1105.	3.2	35
193	An open-label, phase 2 trial of RPI.4610 (angiozyme) in the treatment of metastatic breast cancer. <i>Cancer</i> , 2012, 118, 4098-4104.	2.0	33
194	Palbociclib has no clinically relevant effect on the QTc interval in patients with advanced breast cancer. <i>Anti-Cancer Drugs</i> , 2018, 29, 271-280.	0.7	33
195	Long-Term Pooled Safety Analysis of Palbociclib in Combination with Endocrine Therapy for Hormone Receptor-Positive/Human Epidermal Growth Factor Receptor 2-Negative Advanced Breast Cancer: Updated Analysis with up to 5 Years of Follow-Up. <i>Oncologist</i> , 2021, 26, e749-e755.	1.9	33
196	A randomized, double-blind, phase 2 study of ruxolitinib or placebo in combination with capecitabine in patients with advanced HER2-negative breast cancer and elevated C-reactive protein, a marker of systemic inflammation. <i>Breast Cancer Research and Treatment</i> , 2018, 170, 547-557.	1.1	32
197	Globo H-KLH vaccine adagloxad simolenin (OBI-822)/OBI-821 in patients with metastatic breast cancer: phase II randomized, placebo-controlled study. , 2020, 8, e000342.		32
198	Phase I Dose-Escalation Study of 5-Day Intermittent Oral Lapatinib Therapy in Patients With Human Epidermal Growth Factor Receptor 2-Overexpressing Breast Cancer. <i>Journal of Clinical Oncology</i> , 2014, 32, 1472-1479.	0.8	31

#	ARTICLE	IF	CITATIONS
199	Amelioration of sexual adverse effects in the early breast cancer patient. <i>Journal of Cancer Survivorship</i> , 2010, 4, 247-255.	1.5	30
200	Local/regional recurrence in women with small node-negative, HER2-positive breast cancer: results from a prospective multi-institutional study (the APT trial). <i>Breast Cancer Research and Treatment</i> , 2019, 176, 303-310.	1.1	30
201	The Role of Trastuzumab in Early Stage Breast Cancer: Current Data and Treatment Recommendations. <i>Current Treatment Options in Oncology</i> , 2007, 8, 47-60.	1.3	29
202	Improving Response to Hormone Therapy in Breast Cancer: New Targets, New Therapeutic Options. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2016, 35, e40-e54.	1.8	29
203	Oncological care organisation during COVID-19 outbreak. <i>ESMO Open</i> , 2020, 5, e000853.	2.0	29
204	A Feasibility Study of Bevacizumab plus Dose-Dense Doxorubicin/Cyclophosphamide (AC) Followed by Nanoparticle Albumin-Bound Paclitaxel in Early-Stage Breast Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 3398-3407.	3.2	28
205	Sacituzumab Govitecan for Metastatic Triple-Negative Breast Cancer: Clinical Overview and Management of Potential Toxicities. <i>Oncologist</i> , 2021, 26, 827-834.	1.9	28
206	A phase 1b study of the Akt-inhibitor MK-2206 in combination with weekly paclitaxel and trastuzumab in patients with advanced HER2-amplified solid tumor malignancies. <i>Breast Cancer Research and Treatment</i> , 2016, 155, 521-530.	1.1	27
207	Dose-Dense Adjuvant Doxorubicin and Cyclophosphamide Is Not Associated With Frequent Short-Term Changes in Left Ventricular Ejection Fraction. <i>Journal of Clinical Oncology</i> , 2009, 27, 6117-6123.	0.8	26
208	The evolution of cyclin dependent kinase inhibitors in the treatment of cancer. <i>Expert Review of Anticancer Therapy</i> , 2021, 21, 1105-1124.	1.1	26
209	Targeting growth factors and angiogenesis; using small molecules in malignancy. <i>Cancer and Metastasis Reviews</i> , 2006, 25, 279-292.	2.7	25
210	Emerging treatment options for the management of brain metastases in patients with HER2-positive metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 1-12.	1.1	25
211	A randomized phase II trial of ridaforolimus, dalotuzumab, and exemestane compared with ridaforolimus and exemestane in patients with advanced breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017, 165, 601-609.	1.1	25
212	Efficacy and Safety of Ixabepilone and Capecitabine in Patients With Advanced Triple-negative Breast Cancer: a Pooled Analysis From Two Large Phase III, Randomized Clinical Trials. <i>Clinical Breast Cancer</i> , 2018, 18, 489-497.	1.1	25
213	Genomewide Meta-Analysis Validates a Role for S1PR1 in Microtubule Targeting Agent-Induced Sensory Peripheral Neuropathy. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 108, 625-634.	2.3	25
214	Health-related quality of life and disease symptoms in postmenopausal women with HR ⁺ , HER2 ⁻ advanced breast cancer treated with everolimus plus exemestane versus exemestane monotherapy. <i>Current Medical Research and Opinion</i> , 2013, 29, 1463-1473.	0.9	24
215	Hematologic adverse events following palbociclib dose reduction in patients with hormone receptor ⁺ /human epidermal growth factor receptor ⁻ advanced breast cancer: pooled analysis from randomized phase 2 and 3 studies. <i>Breast Cancer Research</i> , 2020, 22, 27.	2.2	24
216	Outcomes in Clinically Relevant Patient Subgroups From the EMBRACA Study: Talazoparib vs Physician's Choice Standard-of-Care Chemotherapy. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkz085.	1.4	24

#	ARTICLE	IF	CITATIONS
217	A randomized, phase II, three-arm study of two schedules of ixabepilone or paclitaxel plus bevacizumab as first-line therapy for metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013, 139, 411-419.	1.1	23
218	Genomic and expression profiling reveal molecular heterogeneity of disseminated tumor cells in bone marrow of early breast cancer. <i>Npj Breast Cancer</i> , 2018, 4, 31.	2.3	23
219	Patient-Reported Outcomes in Patients With PIK3CA-Mutated Hormone Receptor-Positive, Human Epidermal Growth Factor Receptor 2-Negative Advanced Breast Cancer From SOLAR-1. <i>Journal of Clinical Oncology</i> , 2021, 39, 2005-2015.	0.8	23
220	NCCN Guidelines® Insights: Hematopoietic Growth Factors, Version 1.2022. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2022, 20, 436-442.	2.3	23
221	Bevacizumab for Advanced Breast Cancer. <i>Hematology/Oncology Clinics of North America</i> , 2007, 21, 303-319.	0.9	22
222	Dosing and Safety Implications for Oncologists When Administering Everolimus to Patients With Hormone Receptor-Positive Breast Cancer. <i>Clinical Breast Cancer</i> , 2016, 16, 18-22.	1.1	22
223	Serial Analysis of Circulating Tumor Cells in Metastatic Breast Cancer Receiving First-Line Chemotherapy. <i>Journal of the National Cancer Institute</i> , 2021, 113, 443-452.	3.0	22
224	A Novel Strategy for Detection and Enumeration of Circulating Rare Cell Populations in Metastatic Cancer Patients Using Automated Microfluidic Filtration and Multiplex Immunoassay. <i>PLoS ONE</i> , 2015, 10, e0141166.	1.1	22
225	Evidence-driven, patient-specific approaches for optimizing survival prolongation in breast cancer. <i>Clinical Advances in Hematology and Oncology</i> , 2014, 12, 3-21; quiz 22.	0.3	22
226	Developing Safety Criteria for Introducing New Agents into Neoadjuvant Trials. <i>Clinical Cancer Research</i> , 2013, 19, 2817-2823.	3.2	21
227	Progression-free Survival Outcome Is Independent of Objective Response in Patients With Estrogen Receptor-positive, Human Epidermal Growth Factor Receptor 2-negative Advanced Breast Cancer Treated With Palbociclib Plus Letrozole Compared With Letrozole: Analysis From PALOMA-2. <i>Clinical Breast Cancer</i> . 2020, 20, e173-e180.	1.1	21
228	Treatment effect of palbociclib plus endocrine therapy by prognostic and intrinsic subtype and biomarker analysis in patients with bone-only disease: a joint analysis of PALOMA-2 and PALOMA-3 clinical trials. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 23-35.	1.1	21
229	Abemaciclib plus fulvestrant in hormone receptor-positive, human epidermal growth factor receptor 2-negative advanced breast cancer in premenopausal women: subgroup analysis from the MONARCH 2 trial. <i>Breast Cancer Research</i> , 2021, 23, 87.	2.2	21
230	Combinatorial immunotherapies overcome MYC-driven immune evasion in triple negative breast cancer. <i>Nature Communications</i> , 2022, 13, .	5.8	21
231	Reducing the Long-term Effects of Chemotherapy in Young Women With Early-Stage Breast Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2011, 306, 312-4.	3.8	20
232	Trends in the use of mastectomy in women with small node-negative breast cancer treated at US academic centers. <i>Breast Cancer Research and Treatment</i> , 2016, 155, 569-578.	1.1	20
233	Registry study to assess hair loss prevention with the Penguin Cold Cap in breast cancer patients receiving chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2018, 167, 117-122.	1.1	20
234	Effect of Trastuzumab on Health-Related Quality of Life in Patients With HER2-Positive Metastatic Breast Cancer: Data From Three Clinical Trials. <i>Clinical Breast Cancer</i> , 2010, 10, 288-293.	1.1	19

#	ARTICLE	IF	CITATIONS
235	The impact of an electronic health questionnaire on symptom management and behavior reporting for breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 1327-1335.	1.1	19
236	Prognostic associations of 25 hydroxy vitamin D in NCIC CTG MA.21, a phase III adjuvant randomized clinical trial of three chemotherapy regimens in high-risk breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015, 150, 605-611.	1.1	19
237	A case report of vanishing bile duct syndrome after exposure to pexidartinib (PLX3397) and paclitaxel. <i>Npj Breast Cancer</i> , 2019, 5, 17.	2.3	19
238	Baseline Characteristics, Treatment Patterns, and Outcomes in Patients with HER2-Positive Metastatic Breast Cancer by Hormone Receptor Status from SystHERs. <i>Clinical Cancer Research</i> , 2020, 26, 1105-1113.	3.2	19
239	Understanding the Role of Comparative Clinical Studies in the Development of Oncology Biosimilars. <i>Journal of Clinical Oncology</i> , 2020, 38, 1070-1080.	0.8	19
240	Chemotherapy-related amenorrhea (CRA) after adjuvant ado-trastuzumab emtansine (T-DM1) compared to paclitaxel in combination with trastuzumab (TH) (TBCRC033: ATEMPT Trial). <i>Breast Cancer Research and Treatment</i> , 2021, 189, 103-110.	1.1	19
241	Progress Against Solid Tumors in Danger: The Metastatic Breast Cancer Example. <i>Journal of Clinical Oncology</i> , 2012, 30, 3444-3447.	0.8	18
242	Change in Topoisomerase 1α Positive Circulating Tumor Cells Affects Overall Survival in Patients with Advanced Breast Cancer after Treatment with Etirinotecan Pegol. <i>Clinical Cancer Research</i> , 2018, 24, 3348-3357.	3.2	18
243	Phase II study of irinotecan and temozolomide in breast cancer patients with progressing central nervous system disease. <i>Breast Cancer Research and Treatment</i> , 2019, 177, 401-408.	1.1	18
244	The efficacy and safety of enzalutamide with trastuzumab in patients with HER2+ and androgen receptor-positive metastatic or locally advanced breast cancer. <i>Breast Cancer Research and Treatment</i> , 2021, 187, 155-165.	1.1	18
245	Abstract CT011: Evaluation of durvalumab in combination with olaparib and paclitaxel in high-risk HER2 negative stage II/III breast cancer: Results from the I-SPY 2 TRIAL. <i>Cancer Research</i> , 2020, 80, CT011-CT011.	0.4	18
246	Phase I dose-escalation and expansion study of PARP inhibitor, fluzoparib (SHR3162), in patients with advanced solid tumors. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2020, 32, 370-382.	0.7	18
247	Association of tamoxifen use and ovarian function in patients with invasive or pre-invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015, 153, 173-181.	1.1	17
248	Demystifying biosimilars: development, regulation and clinical use. <i>Future Oncology</i> , 2019, 15, 777-790.	1.1	17
249	Effectiveness of Alpelisib + Fulvestrant Compared with Real-World Standard Treatment Among Patients with HR+, HER2-, PIK3CA-Mutated Breast Cancer. <i>Oncologist</i> , 2021, 26, e1133-e1142.	1.9	17
250	A phase II study of medroxyprogesterone acetate in patients with hormone receptor negative metastatic breast cancer: translational breast cancer research consortium trial 007. <i>Breast Cancer Research and Treatment</i> , 2014, 148, 99-106.	1.1	16
251	A phase II study of combined ridaforolimus and dalotuzumab compared with exemestane in patients with estrogen receptor-positive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017, 163, 535-544.	1.1	16
252	ATTAIN: Phase III study of etirinotecan pegol versus treatment of physician's choice in patients with metastatic breast cancer and brain metastases. <i>Future Oncology</i> , 2019, 15, 2211-2225.	1.1	16

#	ARTICLE	IF	CITATIONS
253	Abstract GS3-01: Additional efficacy endpoints from the phase 3 KEYNOTE-355 study of pembrolizumab plus chemotherapy vs placebo plus chemotherapy as first-line therapy for locally recurrent inoperable or metastatic triple-negative breast cancer. <i>Cancer Research</i> , 2021, 81, GS3-01-GS3-01.	0.4	16
254	Prognostic Factors for Overall Survival in Patients with Hormone Receptor-Positive Advanced Breast Cancer: Analyses From PALOMA-3. <i>Oncologist</i> , 2021, 26, e1339-e1346.	1.9	16
255	Improving Response to Hormone Therapy in Breast Cancer: New Targets, New Therapeutic Options. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2016, 36, e40-e54.	1.8	16
256	Practice Patterns in the Delivery of Radiation Therapy After Mastectomy Among the University of California Athena Breast Health Network. <i>Clinical Breast Cancer</i> , 2015, 15, 43-47.	1.1	15
257	Receptor activator of nuclear factor kappa B (RANK) expression in primary breast cancer correlates with recurrence-free survival and development of bone metastases in I-SPY1 (CALGB 150007/150012); Tj ETQq1 1 0.78431418 BT /Over	0.7	15
258	Stomatitis associated with mammalian target of rapamycin inhibition. <i>Journal of the American Dental Association</i> , 2018, 149, 291-298.	0.7	15
259	Achieving Improved Survival Outcomes in Advanced Breast Cancer. <i>New England Journal of Medicine</i> , 2019, 381, 371-372.	13.9	15
260	A Roundtable Discussion of the Breast Cancer Therapy Expert Group (BCTEG): Clinical Developments and Practice Guidance on Human Epidermal Growth Factor Receptor 2 (HER2)-positive Breast Cancer. <i>Clinical Breast Cancer</i> , 2020, 20, e251-e260.	1.1	15
261	Alpelisib (ALP) + endocrine therapy (ET) in patients (pts) with <i>PIK3CA</i>mutated hormone receptor-positive (HR+), human epidermal growth factor-2-negative (HER2-) advanced breast cancer (ABC): First interim BYLieve study results.. <i>Journal of Clinical Oncology</i> , 2019, 37, 1040-1040.	0.8	15
262	Emerging treatment strategies for metastatic triple-negative breast cancer. <i>Therapeutic Advances in Medical Oncology</i> , 2022, 14, 175883592210869.	1.4	15
263	Analysis of patients without and with an initial triple-negative breast cancer diagnosis in the phase 3 randomized ASCENT study of sacituzumab govitecan in metastatic triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2022, 195, 127-139.	1.1	15
264	Novel Taxane Formulations in the Treatment of Breast Cancer: A Thought Leader Discussion and Consensus Roundtable. <i>Clinical Breast Cancer</i> , 2008, 8, 33-37.	1.1	14
265	Combined peripheral natural killer cell and circulating tumor cell enumeration enhance prognostic efficiency in patients with metastatic triple-negative breast cancer. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2018, 30, 315-326.	0.7	14
266	Identification of a Genomic Region between <i>SLC29A1</i> and <i>HSP90AB1</i> Associated with Risk of Bevacizumab-Induced Hypertension: CALGB 80405 (Alliance). <i>Clinical Cancer Research</i> , 2018, 24, 4734-4744.	3.2	14
267	Fixed combination of oral NEPA (netupitant–palonosetron) for the prevention of acute and delayed chemotherapy–induced nausea and vomiting in patients receiving multiple cycles of chemotherapy: Efficacy data from 2 randomized, double–blind phase III studies. <i>Cancer Medicine</i> , 2019, 8, 2064-2073.	1.3	14
268	Clinical Significance of Circulating Tumor Cells in Hormone Receptor–positive Metastatic Breast Cancer Patients who Received Letrozole with or Without Bevacizumab. <i>Clinical Cancer Research</i> , 2020, 26, 4911-4920.	3.2	14
269	Bone Marrow Transplantation Retinopathy in the Absence of Radiation Therapy. <i>American Journal of Ophthalmology</i> , 1996, 122, 268-270.	1.7	13
270	Cytoreduction of Lymphoid Malignancies and Mobilization of Blood Hematopoietic Progenitor Cells with High Doses of Cyclophosphamide and Etoposide Plus Filgrastim. <i>Biology of Blood and Marrow Transplantation</i> , 2006, 12, 316-324.	2.0	13

#	ARTICLE	IF	CITATIONS
271	Hormone Therapy in Premenopausal Women with Early-Stage Breast Cancer. <i>New England Journal of Medicine</i> , 2014, 371, 175-176.	13.9	13
272	Comparative Effectiveness Analysis of Monotherapy With Cytotoxic Agents in Triple-negative Metastatic Breast Cancer in a Community Setting. <i>Clinical Therapeutics</i> , 2015, 37, 134-144.	1.1	13
273	Case-Based Review and Clinical Guidance on the Use of Genomic Assays for Early-Stage Breast Cancer: Breast Cancer Therapy Expert Group (BCTEG). <i>Clinical Breast Cancer</i> , 2020, 20, 183-193.	1.1	13
274	Everolimus and its role in hormone-resistant and trastuzumab-resistant metastatic breast cancer. <i>Future Oncology</i> , 2012, 8, 1383-1396.	1.1	12
275	Endocrine therapy and related issues in hormone receptor-positive early breast cancer: a roundtable discussion by the breast cancer therapy expert group (BCTEG). <i>Breast Cancer Research and Treatment</i> , 2018, 169, 1-7.	1.1	12
276	KEYLYNK-009: A phase II/III, open-label, randomized study of pembrolizumab (pembro) plus olaparib vs pembro plus chemotherapy after induction with first-line pembro plus chemotherapy in patients with locally recurrent inoperable or metastatic triple-negative breast cancer (TNBC).. <i>Journal of Clinical Oncology</i> , 2020, 38, TPS596-TPS596.	0.8	12
277	A multidisciplinary approach to optimizing care of patients treated with alpelisib. <i>Breast</i> , 2022, 61, 156-167.	0.9	12
278	A Pharmacogenetic Prediction Model of Progression-Free Survival in Breast Cancer using Genome-Wide Genotyping Data from CALGB 40502 (Alliance). <i>Clinical Pharmacology and Therapeutics</i> , 2019, 105, 738-745.	2.3	11
279	RASAL2 Confers Collateral MEK/EGFR Dependency in Chemoresistant Triple-Negative Breast Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 4883-4897.	3.2	11
280	The impact of 5-hydroxytryptamine-receptor antagonists on chemotherapy treatment adherence, treatment delay, and nausea and vomiting. <i>Cancer Management and Research</i> , 2015, 7, 175.	0.9	10
281	Planning for post-pandemic cancer care delivery: Recovery or opportunity for redesign?. <i>Ca-A Cancer Journal for Clinicians</i> , 2021, 71, 34-46.	157.7	10
282	Matching-adjusted indirect comparison of palbociclib versus ribociclib and abemaciclib in hormone receptor-positive/HER2-negative advanced breast cancer. <i>Journal of Comparative Effectiveness Research</i> , 2021, 10, 457-467.	0.6	10
283	Evaluation of disseminated tumor cells and circulating tumor cells in patients with breast cancer receiving adjuvant zoledronic acid. <i>Npj Breast Cancer</i> , 2021, 7, 113.	2.3	10
284	Harmonizing PD-L1 testing in metastatic triple negative breast cancer. <i>Expert Opinion on Biological Therapy</i> , 2022, 22, 345-348.	1.4	10
285	Strategies for the Prevention of Treatment-Related Bone Loss in Women Receiving Adjuvant Hormonal Therapy. <i>Clinical Breast Cancer</i> , 2007, 7, S21-S28.	1.1	9
286	Risk communication with patients with breast cancer: cautionary notes about printing Adjuvant! estimates. <i>Lancet Oncology</i> , The, 2008, 9, 602-603.	5.1	9
287	Targeting the host immune system: PD-1 and PD-L1 antibodies and breast cancer. <i>Current Opinion in Supportive and Palliative Care</i> , 2016, 10, 336-342.	0.5	9
288	The DigniCap Scalp Cooling System and its use in the treatment of chemotherapy-induced alopecia. <i>Future Oncology</i> , 2018, 14, 2461-2469.	1.1	9

#	ARTICLE	IF	CITATIONS
289	Most neoadjuvant chemotherapy for triple-negative breast cancer should include platinum. <i>Lancet Oncology</i> , The, 2021, 22, 27-28.	5.1	9
290	Breast-Gynaecological & Immuno-Oncology International Cancer Conference (BGICC) Consensus and Recommendations for the Management of Triple-Negative Breast Cancer. <i>Cancers</i> , 2021, 13, 2262.	1.7	9
291	A plain language summary of the ASCENT study: Sacituzumab Govitecan for metastatic triple-negative breast cancer. <i>Future Oncology</i> , 2021, 17, 3911-3924.	1.1	9
292	Variation in type of adjuvant chemotherapy received among patients with stage I breast cancer: A multi-institutional study. <i>Cancer</i> , 2015, 121, 1937-1948.	2.0	8
293	Efficacy of NEPA (netupitant/palonosetron) across multiple cycles of chemotherapy in breast cancer patients: A subanalysis from two phase III trials. <i>Breast</i> , 2017, 33, 76-82.	0.9	8
294	Efficacy and safety of palbociclib plus endocrine therapy in North American women with hormone receptor-positive/human epidermal growth factor receptor 2-negative metastatic breast cancer. <i>Breast Journal</i> , 2020, 26, 368-375.	0.4	8
295	Programmed cell death 1 (PD-1) receptor and programmed death ligand 1 (PD-L1) gene expression in primary breast cancer. <i>Breast Cancer Research and Treatment</i> , 2021, 187, 387-395.	1.1	8
296	Physical Activity, Weight, and Outcomes in Patients Receiving Chemotherapy for Metastatic Breast Cancer (C40502/Alliance). <i>JNCI Cancer Spectrum</i> , 2021, 5, pkab025.	1.4	8
297	Bevacizumab-induced hypertension and proteinuria: a genome-wide study of more than 1000 patients. <i>British Journal of Cancer</i> , 2022, 126, 265-274.	2.9	8
298	Cardiac outcomes of subjects on adjuvant trastuzumab emtansine vs paclitaxel in combination with trastuzumab for stage I HER2-positive breast cancer (ATEMPT) study (TBCRC033): a randomized controlled trial. <i>Npj Breast Cancer</i> , 2022, 8, 18.	2.3	8
299	Pathologic complete response (pCR) rates for HR+/HER2- breast cancer by molecular subtype in the I-SPY2 Trial. <i>Journal of Clinical Oncology</i> , 2022, 40, 504-504.	0.8	8
300	Treatment of acute leukemia with idarubicin, etoposide and cytarabine (IDEA). A randomized study of etoposide schedule. <i>Cancer Chemotherapy and Pharmacology</i> , 2004, 53, 468-474.	1.1	7
301	High-Dose Etoposide, Thiopeta, and Dose-Adjusted Carboplatin (TVCa) With Autologous Hematopoietic Stem Cell Rescue as Treatment of Relapsed or Refractory Germ Cell Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2005, 28, 130-137.	0.6	7
302	Kinetic-Pharmacodynamic Model of Chemotherapy-Induced Peripheral Neuropathy in Patients with Metastatic Breast Cancer Treated with Paclitaxel, Nab-Paclitaxel, or Ixabepilone: CALGB 40502 (Alliance). <i>AAPS Journal</i> , 2017, 19, 1411-1423.	2.2	7
303	Safety and Antitumor Activity of Pembrolizumab in Advanced Programmed Death Ligand 1-Positive Endometrial Cancer: Results From the KEYNOTE-028 Study. <i>Obstetrical and Gynecological Survey</i> , 2018, 73, 26-27.	0.2	7
304	Personalized Management of Chemotherapy-Induced Peripheral Neuropathy Based on a Patient Reported Outcome: CALGB 40502 (Alliance). <i>Journal of Clinical Pharmacology</i> , 2020, 60, 444-452.	1.0	7
305	Optimal Strategies for Successful Initiation of Neratinib in Patients with HER2-Positive Breast Cancer. <i>Clinical Breast Cancer</i> , 2021, 21, e575-e583.	1.1	7
306	A Neoadjuvant Chemotherapy Trial for Early Breast Cancer is Impacted by COVID-19: Addressing Vaccination and Cancer Trials Through Education, Equity, and Outcomes. <i>Clinical Cancer Research</i> , 2021, 27, 4486-4490.	3.2	7

#	ARTICLE	IF	CITATIONS
307	Abstract PD5-1: Results from the phase 2 trial of ridaforolimus, dalotuzumab, and exemestane compared to ridaforolimus and exemestane in advanced breast cancer. <i>Cancer Research</i> , 2015, 75, PD5-1-PD5-1.	0.4	7
308	The association of early toxicity and outcomes for patients treated with abemaciclib.. <i>Journal of Clinical Oncology</i> , 2018, 36, 1053-1053.	0.8	7
309	Sacituzumab govitecan (SG) versus treatment of physician's choice (TPC) in patients (pts) with previously treated, metastatic triple-negative breast cancer (mTNBC): Final results from the phase 3 ASCENT study.. <i>Journal of Clinical Oncology</i> , 2022, 40, 1071-1071.	0.8	7
310	Cost Comparison of Capecitabine in Patients With Breast Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2010, 33, 550-556.	0.6	6
311	Translating the Molecular Message of Triple-Negative Breast Cancer into Targeted Therapy. <i>Clinical Cancer Research</i> , 2015, 21, 1511-1513.	3.2	6
312	Geographic Variation in Postoperative Imaging for Low-Risk Breast Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018, 16, 829-837.	2.3	6
313	Advance Care Planning in Community: An Evaluation of a Pilot 2-Session, Nurse-Led Workshop. <i>American Journal of Hospice and Palliative Medicine</i> , 2019, 36, 143-146.	0.8	6
314	Clinical evaluation of germline polymorphisms associated with capecitabine toxicity in breast cancer: TBCRC-015. <i>Breast Cancer Research and Treatment</i> , 2020, 181, 623-633.	1.1	6
315	<p>Prognostic Value of Plasma HER2 Gene Copy Number in HER2-Positive Metastatic Breast Cancer Treated with First-Line Trastuzumab</p>. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 4385-4395.	1.0	6
316	Final overall survival analysis of the phase 3 HERITAGE study demonstrates equivalence of trastuzumab-dkst to trastuzumab in HER2-positive metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2021, 188, 369-377.	1.1	6
317	Risk-Based Screening for Cancer in Patients With Dermatomyositis. <i>JAMA Dermatology</i> , 2022, 158, 244.	2.0	6
318	Early assessment with magnetic resonance imaging for prediction of pathologic response to neoadjuvant chemotherapy in triple-negative breast cancer: Results from the phase III BrighTNess trial. <i>European Journal of Surgical Oncology</i> , 2020, 46, 223-228.	0.5	5
319	A 4-Month Whole-Systems Ayurvedic Medicine Nutrition and Lifestyle Intervention Is Feasible and Acceptable for Breast Cancer Survivors: Results of a Single-Arm Pilot Clinical Trial. <i>Global Advances in Health and Medicine</i> , 2020, 9, 216495612096471.	0.7	5
320	Methylome Variation Predicts Exemestane Resistance in Advanced ER⁺ Breast Cancer. <i>Technology in Cancer Research and Treatment</i> , 2020, 19, 153303381989633.	0.8	5
321	Baseline characteristics and first-line treatment patterns in patients with HER2-positive metastatic breast cancer in the SystHERs registry. <i>Breast Cancer Research and Treatment</i> , 2021, 188, 179-190.	1.1	5
322	Temporary amenorrhea predicts future infertility in young women treated with chemotherapy. <i>Journal of Cancer Therapeutics & Research</i> , 2013, 2, 16.	1.2	5
323	Plasma PIK3CA ctDNA specific mutation detected by next generation sequencing is associated with clinical outcome in advanced breast cancer. <i>American Journal of Cancer Research</i> , 2018, 8, 1873-1886.	1.4	5
324	Immunotherapy in Breast Cancer and the Potential Role of Liquid Biopsy. <i>Frontiers in Oncology</i> , 2022, 12, 802579.	1.3	5

#	ARTICLE	IF	CITATIONS
325	The clinical relevance of humoral immune responses to Globo H-KLH vaccine adagloxad simolenin (OBI-822)/OBI-821 and expression of Globo H in metastatic breast cancer. , 2022, 10, e004312.		5
326	Strategies and Progress of Endocrine Therapy for Patients with Metastatic Breast Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1026, 403-418.	0.8	4
327	Circulating Tumors Cells as a Biomarker of Radiation Benefit. <i>JAMA Oncology</i> , 2018, 4, e180194.	3.4	4
328	Assessing Clinical Equivalence in Oncology Biosimilar Trials With Time-to-Event Outcomes. <i>JNCI Cancer Spectrum</i> , 2019, 3, pkz058.	1.4	4
329	Biosimilar trastuzumab-dkst monotherapy versus trastuzumab monotherapy after combination therapy: Toxicity, efficacy, and immunogenicity from the phase 3 Heritage trial.. <i>Journal of Clinical Oncology</i> , 2018, 36, 110-110.	0.8	4
330	Utility of patient-derived lymphoblastoid cell lines as an <i>ex vivo</i> capecitabine sensitivity prediction model for breast cancer patients. <i>Oncotarget</i> , 2016, 7, 38359-38366.	0.8	4
331	OUP accepted manuscript. <i>Oncologist</i> , 2022, , .	1.9	4
332	Alpelisib (ALP) + fulvestrant (FUL) in patients (pts) with hormone receptorâ€‘positive (HR+), human epidermal growth factor receptor 2â€‘negative (HER2â€‘) advanced breast cancer (ABC): Biomarker (BM) analyses by next-generation sequencing (NGS) from the SOLAR-1 study.. <i>Journal of Clinical Oncology</i> , 2022, 40, 1006-1006.	0.8	4
333	Biomarkers for Cyclin-Dependent Kinase 4/6 Inhibitors in the Treatment of Hormone Receptor-Positive/Human Epidermal Growth Factor Receptor 2-Negative Advanced/Metastatic Breast Cancer: Translation to Clinical Practice. <i>JCO Precision Oncology</i> , 2022, , .	1.5	4
334	Hormonal Therapy for Advanced Breast Cancer. <i>Hematology/Oncology Clinics of North America</i> , 2007, 21, 273-291.	0.9	3
335	Real-world survival outcomes of heavily pretreated patients with refractory HR+, HER2â€‘metastatic breast cancer receiving single-agent chemotherapyâ€‘a comparison with MONARCH 1. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 161-172.	1.1	3
336	Strategic Combinations to Prevent and Overcome Resistance to Targeted Therapies in Oncology. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2020, 40, e292-e308.	1.8	3
337	Mitotic score and pleomorphic histology in invasive lobular carcinoma of the breast: impact on disease-free survival. <i>Breast Cancer Research and Treatment</i> , 2020, 181, 23-29.	1.1	3
338	Correlation between week 24 trastuzumab-dkst response and week 48 progression-free survival: the HERITAGE trial. <i>Breast</i> , 2021, 58, 18-26.	0.9	3
339	Decreased enrollment in breast cancer trials by histologic subtype: does invasive lobular carcinoma resist RECIST?. <i>Npj Breast Cancer</i> , 2021, 7, 139.	2.3	3
340	Paclitaxel poliglumex. <i>Cell Therapeutics/Chugai Pharmaceutical. IDrugs: the Investigational Drugs Journal</i> , 2005, 8, 739-54.	0.7	3
341	HER2-positive breast cancer: is more treatment better?. <i>Lancet Oncology</i> , The, 2016, 17, 268-270.	5.1	2
342	The new world of biosimilars in oncology: Translation of data to the clinic. <i>European Journal of Cancer</i> , 2018, 96, 125-127.	1.3	2

#	ARTICLE	IF	CITATIONS
343	Emerging data on improving response to hormone therapy: the role of novel targeted agents. <i>Expert Review of Anticancer Therapy</i> , 2018, 18, 3-18.	1.1	2
344	Geographic and Patient Characteristics Associated With Election of Prophylactic Mastectomy in Young Breast Cancer Patients With Early Disease. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2018, 41, 1037-1042.	0.6	2
345	Abstract GS4-08: Clinical utility of repeated circulating tumor cell (CTC) enumeration as early treatment monitoring tool in metastatic breast cancer (MBC) - a global pooled analysis with individual patient data. , 2021, , .		2
346	MRI Phenotype Is Associated With Response to Doxorubicin and Cyclophosphamide Neoadjuvant Chemotherapy in Stage III Breast Cancer. , 2001, 8, 549.		2
347	The role of percutaneous vertebral augmentation in patients with metastatic breast cancer: Literature review including report of two cases. <i>Breast</i> , 2022, 63, 149-156.	0.9	2
348	Phase 3 ENABLAR-2 study to evaluate enobosarm and abemaciclib combination compared to estrogen-blocking agent for the second-line treatment of AR+, ER+, HER2- metastatic breast cancer in patients who previously received palbociclib and estrogen-blocking agent combination therapy.. <i>Journal of Clinical Oncology</i> , 2022, 40, TPS1121-TPS1121.	0.8	2
349	Quality of life (QOL) with ribociclib (RIB) plus aromatase inhibitor (AI) versus abemaciclib (ABE) plus AI as first-line (1L) treatment (tx) of hormone receptor-positive/human epidermal growth factor receptor-â€œnegative (HR+/HER2-â€œ) advanced breast cancer (ABC), assessed via matching-adjusted indirect comparison (MAIC).. <i>Journal of Clinical Oncology</i> , 2022, 40, 1015-1015.	0.8	2
350	KEYNOTE-B49: A phase 3, randomized, double-blind, placebo-controlled study of pembrolizumab plus chemotherapy in patients with HR+/HER2- locally recurrent inoperable or metastatic breast cancer.. <i>Journal of Clinical Oncology</i> , 2022, 40, TPS1118-TPS1118.	0.8	2
351	Use of Neoadjuvant Platinum-â€œThe Ongoing Conundrum. <i>JAMA Oncology</i> , 2017, 3, 1312.	3.4	1
352	Dual HER2 Blockade. <i>Breast Care</i> , 2017, 12, 345-349.	0.8	1
353	Trials of Immunotherapy in Triple Negative Breast Cancer. <i>Current Breast Cancer Reports</i> , 2021, 13, 171-185.	0.5	1
354	Pembrolizumab plus chemotherapy in triple-negative breast cancer -â€œ Authors' reply. <i>Lancet, The</i> , 2021, 398, 24-25.	6.3	1
355	Stomatitis incidence and its relationship with efficacy: A meta-analysis of everolimus clinical studies.. <i>Journal of Clinical Oncology</i> , 2014, 32, 151-151.	0.8	1
356	Highlights in breast cancer from the 2017 American Society of Clinical Oncology Annual Meeting. <i>Clinical Advances in Hematology and Oncology</i> , 2017, 15, 607-614.	0.3	1
357	Cyclin-dependent kinase 4/6 inhibition in the treatment of hormone receptor-positive breast cancer. <i>Clinical Advances in Hematology and Oncology</i> , 2019, 17, 555-558.	0.3	1
358	A phase 3, randomized, open-label study of the anti-Globo H vaccine adagloxad simolenin/obi-821 in the adjuvant treatment of high-risk, early-stage, Globo H-positive triple-negative breast cancer.. <i>Journal of Clinical Oncology</i> , 2022, 40, TPS611-TPS611.	0.8	1
359	PO139 RECEPTOR ACTIVATOR OF NUCLEAR FACTOR KAPPA B (RANK) EXPRESSION IN PRIMARY BREAST CANCER CORRELATES WITH RECURRENCE FREE SURVIVAL AND DEVELOPMENT OF BONE METASTASES IN THE I-SPY 1 TRIAL (CALGB 150007/150012; ACRIN 6657). <i>Breast</i> , 2015, 24, S69-S70.	0.9	0
360	When to Treat, With What, and for How Long: That Is the Question!. <i>Journal of Oncology Practice</i> , 2016, 12, 1160-1162.	2.5	0

#	ARTICLE	IF	CITATIONS
361	Concerns About Methodology of a Trial Investigating Vaginal Health During Aromatase Inhibitor Therapy for Breast Cancerâ€™ Reply. JAMA Oncology, 2017, 3, 1142.	3.4	0
362	Efficacy + safety of palbociclib (P) in patients (pts) â%50 y with hormone receptorâ€™positive (HR+)/human epidermal growth factor receptor 2â€™negative (HER2â€™) advanced breast cancer (ABC): subgroup analysis of 2 randomized phase 3 studies. Breast, 2018, 41, S11-S12.	0.9	0
363	Reply to the letter to the editor â€Reporting of HRQoL results from the PALOMA-2 trial: unfounded conclusions due to highly biased analysesâ€™™ by Kaiser et al.. Annals of Oncology, 2018, 29, 1878.	0.6	0
364	Biosimilars for HER2-Positive Breast Cancer. , 2019, , 231-237.		0
365	A PLAIN-LANGUAGE SUMMARY OF THE SOLAR-1 TRIAL: STUDYING ALPELISIB WITH FULVESTRANT IN PATIENTS WITH HR+, HER2â€™ ADVANCED BREAST CANCER WHO HAD PREVIOUSLY RECEIVED AN AROMATASE INHIBITOR. Breast, 2019, 48, S48.	0.9	0
366	Corrigendum to â€Efficacy + safety of palbociclib (P) in patients (pts) â%50 y with hormone receptorâ€™positive (HR+)/human epidermal growth factor receptor 2â€™negative (HER2â€™) advanced breast cancer (ABC): Subgroup analysis of 2 randomized phase 3 studiesâ€™•[Breast 41S1 (2018) S11â€™12]. Breast, 2020, 49, 131.	0.9	0
367	Identifying tests related to breast cancer care in claims data. Breast Journal, 2020, 26, 1227-1230.	0.4	0
368	Using diagnosis codes in claims data to identify cohorts of breast cancer patients following initial treatment. Breast Journal, 2020, 26, 1472-1474.	0.4	0
369	Novel Therapeutic Interventions Early in the Disease Trajectory: Drug Development Beyond the Refractory Setting. Clinical Cancer Research, 2020, 26, 4743-4747.	3.2	0
370	Abstract OT-30-02: Phase II study of talazoparib, a PARP inhibitor, in somaticBRCA1/2mutant metastatic breast cancer. , 2021, , .		0
371	Answers Are in the Blood: cfDNA to Enhance Precision Medicine for Breast Cancer. Clinical Cancer Research, 2021, 27, 3275-3277.	3.2	0
372	In Reply. Oncologist, 2021, 26, e1286-e1287.	1.9	0
373	Expert Discussion: Predictive Markers. Breast Care, 2021, 16, 1-6.	0.8	0
374	THE ALPELISIB (ALP) EXPERIENCE IN THE SOLAR-1 AND BYLIEVE STUDIES: PERSPECTIVES FOR PRACTITIONERS CARING FOR PATIENTS (PTS) WITH HORMONE RECEPTOR-POSITIVE (HR+), HUMAN EPIDERMAL GROWTH FACTOR RECEPTOR 2-NEGATIVE (HER2â€™) ADVANCED BREAST CANCER (ABC). Breast, 2021, 59, S49.	0.9	0
375	Evaluation of the Pathways for Survivors Program to Address Breast Cancer Survivorshipâ€™Associated Distress: Survey Study. JMIR Cancer, 2022, 8, e31756.	0.9	0
376	Highlights in breast cancer from the 2018 American Society of Clinical Oncology annual meeting. Clinical Advances in Hematology and Oncology, 2018, 16, 533-537.	0.3	0
377	Phosphoinositide 3-kinase inhibition in the treatment of hormone receptor-positive breast cancer. Clinical Advances in Hematology and Oncology, 2019, 17, 486-489.	0.3	0
378	Longitudinal Trajectories of Memory Performance in Patients with Early-Stage Breast Cancer. Journal of Oncology, 2022, 2022, 1-9.	0.6	0

#	ARTICLE	IF	CITATIONS
379	Clinical and radiographic characteristics of patients with metastatic breast cancer and pseudocirrhosis: A single-center retrospective cohort study.. Journal of Clinical Oncology, 2022, 40, 1101-1101.	0.8	0
380	Molecular subtype to predict pathologic complete response in HER2-positive breast cancer in the I-SPY2 trial.. Journal of Clinical Oncology, 2022, 40, 510-510.	0.8	0
381	Efficacy and safety of initial five years of adjuvant endocrine therapy in postmenopausal hormone receptor-positive breast cancer: A systematic review and network meta-analysis.. Journal of Clinical Oncology, 2022, 40, 535-535.	0.8	0
382	Imaging of solid tumors using 68Ga-FAP-2286.. Journal of Clinical Oncology, 2022, 40, 3059-3059.	0.8	0