

# Anders Aneman

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8184689/anders-aneman-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95  
papers

5,827  
citations

24  
h-index

76  
g-index

119  
ext. papers

7,041  
ext. citations

6  
avg, IF

4.99  
L-index

#	Paper	IF	Citations
95	Target temperature management following cardiac arrest: a systematic review and Bayesian meta-analysis.. <i>Critical Care</i> , <b>2022</b> , 26, 58	10.8	1
94	A randomised trial of intracavitary electrocardiography versus surface landmark measurement for central venous access device placement.. <i>Journal of Vascular Access</i> , <b>2022</b> , 11297298221085228	1.8	0
93	Vasopressor Responsiveness Beyond Arterial Pressure: A Conceptual Systematic Review Using Venous Return Physiology. <i>Shock</i> , <b>2021</b> , 56, 352-359	3.4	5
92	New-onset atrial fibrillation in the intensive care unit: Protocol for an international inception cohort study (AFIB-ICU). <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 846-851	1.9	1
91	Evaluating the influence of data collector training for predictive risk of death models: an observational study. <i>BMJ Quality and Safety</i> , <b>2021</b> , 30, 202-207	5.4	
90	Interpreting the results of clinical trials, embracing uncertainty: A Bayesian approach. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 146-150	1.9	0
89	Associations between mean systemic filling pressure and acute kidney injury: An observational cohort study following cardiac surgery. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 373-380	1.9	4
88	Volume status and volume responsiveness in postoperative cardiac surgical patients: An observational, multicentre cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 320-328	1.9	2
87	Monitoring and Modifying Brain Oxygenation in Patients at Risk of Hypoxic Ischemic Brain Injury After Cardiac Arrest. <i>Annual Update in Intensive Care and Emergency Medicine</i> , <b>2021</b> , 253-265	0.2	
86	In reply: Association between mean systemic filling pressure and acute kidney injury. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 1520-1521	1.9	
85	Monitoring and modifying brain oxygenation in patients at risk of hypoxic ischaemic brain injury after cardiac arrest. <i>Critical Care</i> , <b>2021</b> , 25, 312	10.8	1
84	Association of deranged cerebrovascular reactivity with brain injury following cardiac arrest: a post-hoc analysis of the COMACARE trial. <i>Critical Care</i> , <b>2021</b> , 25, 350	10.8	0
83	Individualized blood pressure targets during postcardiac arrest intensive care. <i>Current Opinion in Critical Care</i> , <b>2020</b> , 26, 259-266	3.5	4
82	Airway management during in-hospital cardiac arrest: An international, multicentre, retrospective, observational cohort study. <i>Resuscitation</i> , <b>2020</b> , 153, 143-148	4	0
81	Comparison of echocardiographic and invasive measures of volaemia and cardiac performance in critically ill patients. <i>Scientific Reports</i> , <b>2020</b> , 10, 4863	4.9	5
80	In-hospital cardiac arrest in hospitals with mature rapid response systems - a multicentre, retrospective cohort study. <i>Resuscitation</i> , <b>2020</b> , 149, 109-116	4	7
79	Prospective, observational study of carbon dioxide gaps and free energy change and their association with fluid therapy following cardiac surgery. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2020</b> , 64, 202-210	1.9	2

78	Frailty, delirium and hospital mortality of older adults admitted to intensive care: the Delirium (Deli) in ICU study. <i>Critical Care</i> , <b>2020</b> , 24, 609	10.8	13
77	Tissue oxygenation indices of cerebrovascular autoregulation in healthy volunteers: a comparison of two NIRS devices. <i>Neurological Research</i> , <b>2020</b> , 42, 897-903	2.7	1
76	Post-operative renal failure management in mechanical circulatory support patients. <i>Annals of Translational Medicine</i> , <b>2020</b> , 8, 833	3.2	0
75	Afferent limb failure revisited - A retrospective, international, multicentre, cohort study of delayed rapid response team calls. <i>Resuscitation</i> , <b>2020</b> , 156, 6-14	4	3
74	The effect of systemic corticosteroids on the incidence of gastrointestinal bleeding in critically ill adults: a systematic review with meta-analysis. <i>Intensive Care Medicine</i> , <b>2019</b> , 45, 1540-1549	14.5	11
73	The stop-flow arm equilibrium pressure in preoperative patients: Stressed volume and correlations with echocardiography. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2019</b> , 63, 594-600	1.9	6
72	FentAnyl or placebo with KeTamine for emergency department rapid sequence intubation: The FAKT study protocol. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2019</b> , 63, 693-699	1.9	2
71	Trustworthy systematic reviews-Can journals do more?. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2019</b> , 63, 558-559	1.9	1
70	Associations between partial pressure of oxygen and neurological outcome in out-of-hospital cardiac arrest patients: an explorative analysis of a randomized trial. <i>Critical Care</i> , <b>2019</b> , 23, 30	10.8	16
69	Assessment of volume status and volume responsiveness in the ICU: Protocol for an observational, multicentre cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2019</b> , 63, 1102-1108	1.9	3
68	Ketamine use for rapid sequence intubation in Australian and New Zealand emergency departments from 2010 to 2015: A registry study. <i>EMA - Emergency Medicine Australasia</i> , <b>2019</b> , 31, 205-210	1.5	6
67	Is cerebrovascular autoregulation associated with outcomes after major noncardiac surgery? A prospective observational pilot study. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2019</b> , 63, 8-17	1.9	7
66	Storage time of red blood cells among ICU patients with septic shock. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2019</b> , 63, 1366-1377	1.9	0
65	Cerebrovascular autoregulation following cardiac arrest: Protocol for a post hoc analysis of the randomised COMACARE pilot trial. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2019</b> , 63, 1272-1277	1.9	4
64	Noninvasive Monitoring of Dynamic Cerebrovascular Autoregulation and Optimal Blood PressureT in Normal Adult Subjects. <i>Neurocritical Care</i> , <b>2019</b> , 30, 201-206	3.3	4
63	Does the addition of fentanyl to ketamine improve haemodynamics, intubating conditions or mortality in emergency department intubation: A systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2019</b> , 63, 587-593	1.9	1
62	A prospective, observational study of cerebrovascular autoregulation and its association with delirium following cardiac surgery. <i>Anaesthesia</i> , <b>2019</b> , 74, 33-44	6.6	21
61	Observational cohort study of outcomes in patients admitted to the intensive care unit for acute exacerbation of chronic obstructive pulmonary disease. <i>Internal Medicine Journal</i> , <b>2018</b> , 48, 944-950	1.6	2

60	Cerebrovascular autoregulation monitoring and patient-centred outcomes after cardiac surgery: a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2018</b> , 62, 588-599	1.9	2
59	Advances in critical care management of patients undergoing cardiac surgery. <i>Intensive Care Medicine</i> , <b>2018</b> , 44, 799-810	14.5	13
58	Time to awakening after cardiac arrest and the association with target temperature management. <i>Resuscitation</i> , <b>2018</b> , 126, 166-171	4	28
57	Understanding temperature goals after cardiac arrest. <i>Intensive Care Medicine</i> , <b>2018</b> , 44, 940-943	14.5	3
56	Fluid Responsiveness After CARDiac Surgery (FRACAS): A Prospective Observational Study Using Peripheral Near-Infrared Spectroscopy. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>2018</b> , 32, 197-204	2.1	4
55	Microvascular reactivity, assessed by near-infrared spectroscopy and a vascular occlusion test, is associated with patient outcomes following cardiac surgery: A prospective observational study. <i>European Journal of Anaesthesiology</i> , <b>2018</b> , 35, 356-364	2.3	6
54	Daily intra-abdominal pressure, Sequential Organ Failure Score and fluid balance predict duration of mechanical ventilation. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2018</b> , 62, 1421-1427	1.9	3
53	Carbon dioxide dynamics in relation to neurological outcome in resuscitated out-of-hospital cardiac arrest patients: an exploratory Target Temperature Management Trial substudy. <i>Critical Care</i> , <b>2018</b> , 22, 196	10.8	20
52	Volume responsiveness assessed by passive leg raising and a fluid challenge: a critical review focused on mean systemic filling pressure. <i>Anaesthesia</i> , <b>2018</b> , 73, 313-322	6.6	101
51	Corticosteroids and risk of gastrointestinal bleeding in critically ill adults: Protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2018</b> , 62, 1321-1326	1.9	4
50	Lactate, lactate clearance and outcome after cardiac arrest: A post-hoc analysis of the TTM-Trial. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2018</b> , 62, 1436-1442	1.9	17
49	Communication with Families Regarding Organ and Tissue Donation after Death in Intensive Care (COMFORT): a multicentre before-and-after study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , <b>2018</b> , 20, 268-276	2.8	3
48	Prognostic significance of clinical seizures after cardiac arrest and target temperature management. <i>Resuscitation</i> , <b>2017</b> , 114, 146-151	4	41
47	Infectious complications after out-of-hospital cardiac arrest-A comparison between two target temperatures. <i>Resuscitation</i> , <b>2017</b> , 113, 70-76	4	17
46	Serum tau and neurological outcome in cardiac arrest. <i>Annals of Neurology</i> , <b>2017</b> , 82, 665-675	9.4	55
45	Rational Clinical Pathology Assessment in the Intensive Care Unit. <i>Anaesthesia and Intensive Care</i> , <b>2017</b> , 45, 503-510	1.1	3
44	A pilot study using preoperative cerebral tissue oxygen saturation to stratify cardiovascular risk in major non-cardiac surgery. <i>Anaesthesia and Intensive Care</i> , <b>2017</b> , 45, 202-209	1.1	6
43	COMMunication with Families regarding ORgan and Tissue donation after death in intensive care (COMFORT): protocol for an intervention study. <i>BMC Health Services Research</i> , <b>2017</b> , 17, 42	2.9	16

42	Protein S100 as outcome predictor after out-of-hospital cardiac arrest and targeted temperature management at 33°C and 36°C. <i>Critical Care</i> , <b>2017</b> , 21, 153	10.8	46
41	Peripheral Near-Infrared Spectroscopy: Methodologic Aspects and a Systematic Review in Post-Cardiac Surgical Patients. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , <b>2017</b> , 31, 1407-1416	2.1	11
40	Carotid Doppler flowmetry correlates poorly with thermodilution cardiac output following cardiac surgery. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2017</b> , 61, 31-38	1.9	8
39	Single versus Serial Measurements of Neuron-Specific Enolase and Prediction of Poor Neurological Outcome in Persistently Unconscious Patients after Out-Of-Hospital Cardiac Arrest - A TTM-Trial Substudy. <i>PLoS ONE</i> , <b>2017</b> , 12, e0168894	3.7	48
38	Cardiac dysfunction in sepsis. <i>Intensive Care Medicine</i> , <b>2016</b> , 42, 2073-2076	14.5	18
37	Modern Intermittent Haemodialysis (IHD) is an Effective Method of Removing Salicylate in Chronic Topical Salicylate Toxicity. <i>Journal of Medical Toxicology</i> , <b>2016</b> , 12, 130-3	2.6	5
36	Standardized EEG interpretation accurately predicts prognosis after cardiac arrest. <i>Neurology</i> , <b>2016</b> , 86, 1482-90	6.5	194
35	Understanding the passive leg raising test. <i>Intensive Care Medicine</i> , <b>2016</b> , 42, 1493-5	14.5	6
34	Time to start of cardiopulmonary resuscitation and the effect of target temperature management at 33°C and 36°C. <i>Resuscitation</i> , <b>2016</b> , 99, 44-9	4	9
33	Predictive value of interleukin-6 in post-cardiac arrest patients treated with targeted temperature management at 33 °C or 36 °C. <i>Resuscitation</i> , <b>2016</b> , 98, 1-8	4	40
32	Non-invasive Monitoring of Dynamic Cerebrovascular Autoregulation Using Near Infrared Spectroscopy and the Finometer Photoplethysmograph. <i>Neurocritical Care</i> , <b>2016</b> , 24, 442-7	3.3	8
31	Shock treatment in a cohort of Scandinavian intensive care units in 2014. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2016</b> , 60, 945-57	1.9	4
30	Central venous pressure: soon an outcome-associated matter. <i>Current Opinion in Anaesthesiology</i> , <b>2016</b> , 29, 179-85	2.9	16
29	A low body temperature on arrival at hospital following out-of-hospital-cardiac-arrest is associated with increased mortality in the TTM-study. <i>Resuscitation</i> , <b>2016</b> , 107, 102-6	4	10
28	Usefulness of Serum B-Type Natriuretic Peptide Levels in Comatose Patients Resuscitated from Out-of-Hospital Cardiac Arrest to Predict Outcome. <i>American Journal of Cardiology</i> , <b>2016</b> , 118, 998-1005 <sup>3</sup>		9
27	Is impaired cerebrovascular autoregulation associated with outcome in patients admitted to the ICU with early septic shock?. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , <b>2016</b> , 18, 95-101	2.8	5
26	Mortality and neurological outcome in the elderly after target temperature management for out-of-hospital cardiac arrest. <i>Resuscitation</i> , <b>2015</b> , 91, 92-8	4	41
25	Target temperature management of 33°C and 36°C in patients with out-of-hospital cardiac arrest with initial non-shockable rhythm - a TTM sub-study. <i>Resuscitation</i> , <b>2015</b> , 89, 142-8	4	44

24	Neurologic Function and Health-Related Quality of Life in Patients Following Targeted Temperature Management at 33°C vs 36°C After Out-of-Hospital Cardiac Arrest: A Randomized Clinical Trial. <i>JAMA Neurology</i> , <b>2015</b> , 72, 634-41	17.2	126
23	Neuron-Specific Enolase as a Predictor of Death or Poor Neurological Outcome After Out-of-Hospital Cardiac Arrest and Targeted Temperature Management at 33°C and 36°C. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 65, 2104-14	15.1	182
22	Characteristics and outcomes of patients admitted to ICU following activation of the medical emergency team: impact of introducing a two-tier response system. <i>Critical Care Medicine</i> , <b>2015</b> , 43, 765-73	14	27
21	Does adding ICU data to the POSSUM score improve the prediction of outcomes following surgery for upper gastrointestinal malignancies?. <i>Anaesthesia and Intensive Care</i> , <b>2015</b> , 43, 490-6	1.1	1
20	Impact of time to return of spontaneous circulation on neuroprotective effect of targeted temperature management at 33 or 36 degrees in comatose survivors of out-of hospital cardiac arrest. <i>Resuscitation</i> , <b>2015</b> , 96, 310-6	4	35
19	No difference in mortality between men and women after out-of-hospital cardiac arrest. <i>Resuscitation</i> , <b>2015</b> , 96, 78-84	4	27
18	Are changes in cerebrovascular autoregulation following cardiac arrest associated with neurological outcome? Results of a pilot study. <i>Resuscitation</i> , <b>2015</b> , 96, 192-8	4	42
17	Central venous pressure: we need to bring clinical use into physiological context. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2015</b> , 59, 552-60	1.9	26
16	Applying mean systemic filling pressure to assess the response to fluid boluses in cardiac post-surgical patients. <i>Intensive Care Medicine</i> , <b>2015</b> , 41, 265-72	14.5	33
15	Hospital outcomes associated with introduction of a two-tiered response to the deteriorating patient. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , <b>2015</b> , 17, 77-82	2.8	2
14	Lower versus higher hemoglobin threshold for transfusion in septic shock. <i>New England Journal of Medicine</i> , <b>2014</b> , 371, 1381-91	59.2	553
13	Long term trends in medical emergency team activations and outcomes. <i>Resuscitation</i> , <b>2014</b> , 85, 1083-7	4	38
12	Early screening to identify patients at risk of developing intra-abdominal hypertension and abdominal compartment syndrome. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2014</b> , 58, 1267-75	1.9	23
11	Intra-abdominal hypertension and abdominal compartment syndrome: pathophysiological and non-operative management. <i>Minerva Anestesiologica</i> , <b>2014</b> , 80, 922-32	1.9	10
10	Improved consistency in interpretation and management of cardiovascular variables by intensive care staff using a computerised decision-support system. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , <b>2014</b> , 16, 48-53	2.8	1
9	Intra-abdominal hypertension in postoperative cardiac surgery patients. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , <b>2014</b> , 16, 214-9	2.8	4
8	Transfusion requirements in septic shock (TRISS) trial - comparing the effects and safety of liberal versus restrictive red blood cell transfusion in septic shock patients in the ICU: protocol for a randomised controlled trial. <i>Trials</i> , <b>2013</b> , 14, 150	2.8	37
7	Targeted temperature management at 33°C versus 36°C after cardiac arrest. <i>New England Journal of Medicine</i> , <b>2013</b> , 369, 2197-206	59.2	2207

6	Detailed statistical analysis plan for the target temperature management after out-of-hospital cardiac arrest trial. <i>Trials</i> , <b>2013</b> , 14, 300	2.8	21
5	Hydroxyethyl starch 130/0.42 versus Ringer's acetate in severe sepsis. <i>New England Journal of Medicine</i> , <b>2012</b> , 367, 124-34	59.2	1250
4	Target Temperature Management after out-of-hospital cardiac arrest--a randomized, parallel-group, assessor-blinded clinical trial--rationale and design. <i>American Heart Journal</i> , <b>2012</b> , 163, 541-8	4.9	114
3	Paediatric Rapid Response Systems: a literature review. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2008</b> , 52, 890-6	1.9	12
2	Medical emergency teams: a role for expanding intensive care?. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2006</b> , 50, 1255-65	1.9	17
1	Sources and Physiological Significance of Plasma Dopamine Sulfate		19