Kyoko Nishikimi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/81851/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | <i><scp>ARID</scp>1A</i> expression in ovarian clear cell carcinoma with an adenofibromatous component. Histopathology, 2015, 67, 866-871. | 2.9 | 21 |
| 2 | Survival and safety associated with aggressive surgery for stage III/IV epithelial ovarian cancer: A single institution observation study. Gynecologic Oncology, 2017, 147, 73-80. | 1.4 | 19 |
| 3 | Microscopic diseases remain in initial disseminated sites after neoadjuvant chemotherapy for stage III/IV ovarian, tubal, and primary peritoneal cancer. Journal of Gynecologic Oncology, 2020, 31, e34. | 2.2 | 17 |
| 4 | Bladder function after modified posterior exenteration for primary gynecological cancer. Gynecologic Oncology, 2013, 129, 229-233. | 1.4 | 16 |
| 5 | Bevacizumab in First-Line Chemotherapy Improves Progression-Free Survival for Advanced Ovarian Clear Cell Carcinoma. Cancers, 2021, 13, 3177. | 3.7 | 15 |
| 6 | Well-trained gynecologic oncologists can perform bowel resection and upper abdominal surgery safely. Journal of Gynecologic Oncology, 2020, 31, e3. | 2.2 | 13 |
| 7 | Learning curve of high-complexity surgery for advanced ovarian cancer. Gynecologic Oncology, 2020, 156, 54-61. | 1.4 | 11 |
| 8 | Histopathologic tumor spreading in primary ovarian cancer with modified posterior exenteration. World Journal of Surgical Oncology, 2015, 13, 230. | 1.9 | 9 |
| 9 | Aggressive surgery for advanced ovarian cancer decreases the risk of intraperitoneal recurrence. International Journal of Clinical Oncology, 2020, 25, 1726-1735. | 2.2 | 8 |
| 10 | Bevacizumab in first-line chemotherapy to improve the survival outcome for advanced ovarian clear cell carcinoma: A multicenter, retrospective analysis Journal of Clinical Oncology, 2022, 40, 5502-5502. | 1.6 | 7 |
| 11 | Uncommon Human Telomerase Reverse Transcriptase Promoter Mutations Are Associated With Poor Survival in Ovarian Clear Cell Carcinoma. American Journal of Clinical Pathology, 2018, 149, 352-361. | 0.7 | 6 |
| 12 | Efficacy of palonosetron plus aprepitant in preventing chemoradiotherapy-induced nausea and emesis in patients receiving daily low-dose cisplatin-based concurrent chemoradiotherapy for uterine cervical cancer: a phase II study. Supportive Care in Cancer, 2016, 24, 4633-4638. | 2.2 | 5 |
| 13 | Complete resection of locally advanced ovarian carcinoma fixed to the pelvic sidewall and involving external and internal iliac vessels. Gynecologic Oncology, 2017, 146, 436-437. | 1.4 | 5 |
| 14 | Successful diagnosis of an occult fallopian tube carcinoma detected from the diaphragm metastasis. General Thoracic and Cardiovascular Surgery, 2018, 66, 484-487. | 0.9 | 5 |
| 15 | Retroperitoneal lymphadenectomy for ovarian cancer with double inferior vena cava. Gynecologic Oncology, 2018, 148, 632-633. | 1.4 | 5 |
| 16 | Removal of the entire internal iliac vessel system is a feasible surgical procedure for locally advanced ovarian carcinoma adhered firmly to the pelvic sidewall. International Journal of Clinical Oncology, 2019, 24, 941-949. | 2.2 | 5 |
| 17 | Efficacy of soft coagulation in retroperitoneal lymphadenectomy for ovarian cancer. Gynecologic Oncology, 2018, 149, 430-431. | 1.4 | 4 |
| 18 | Metastatic cardiophrenic lymph node resection following full-thickness resection of right diaphragm for advanced ovarian carcinoma. Gynecologic Oncology, 2018, 150, 581-583. | 1.4 | 4 |

Куоко Nishikimi

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Aggressive surgery could overcome the extent of initial peritoneal dissemination for advanced ovarian, fallopian tube, and peritoneal carcinoma. Scientific Reports, 2020, 10, 21307. | 3.3 | 4 |
| 20 | Tailored-dose chemotherapy with gemcitabine and irinotecan in patients with platinum-refractory/resistant ovarian or primary peritoneal cancer: a phase II trial. Journal of Gynecologic Oncology, 2021, 32, e8. | 2.2 | 3 |
| 21 | Safety and Efficacy of Weekly Paclitaxel and Cisplatin Chemotherapy for Ovarian Cancer Patients with Hypersensitivity to Carboplatin. Cancers, 2021, 13, 640. | 3.7 | 3 |
| 22 | Bevacizumab-based Salvage Chemotherapy Improves Survival Outcomes for Patients With Brain Metastasis from Ovarian Cancer. Anticancer Research, 2022, 42, 2637-2644. | 1.1 | 3 |
| 23 | Resection of a metastatic bulky subphrenic tumor for the treatment of advanced ovarian cancer using liver mobilization and the Pringle maneuver. Gynecologic Oncology, 2018, 151, 176-177. | 1.4 | 2 |
| 24 | Introduction of rectosigmoid colectomy improves survival outcomes in early-stage ovarian cancer patients. International Journal of Clinical Oncology, 2021, 26, 986-994. | 2.2 | 2 |
| 25 | Predictors of postoperative pancreatic fistula after splenectomy with or without distal pancreatectomy performed as a component of cytoreductive surgery for advanced ovarian cancer. Journal of Gynecologic Oncology, 2022, 33, . | 2.2 | 2 |
| 26 | Metastatic peripancreatic lymph nodes resection during primary debulking surgery for primary peritoneal serous carcinoma. Gynecologic Oncology, 2020, 157, 555-557. | 1.4 | 1 |
| 27 | Left cardiophrenic lymph node resection for advanced ovarian cancer with adhesion to the thoracic cavity. Gynecologic Oncology, 2018, 151, 390-391. | 1.4 | Ο |
| 28 | Successful retroperitoneal lymphadenectomy for double inferior vena cava with preoperative assessment using contrast-enhanced and three-dimensional computed tomography. Gynecologic Oncology, 2018, 151, 180-181. | 1.4 | 0 |
| 29 | Does aggressive surgery only benefit patients with less advanced ovarian cancer?. Journal of Clinical Oncology, 2021, 39, 5556-5556. | 1.6 | ο |
| 30 | Surgical Techniques and Outcomes of Colorectal Anastomosis after Left Hemicolectomy with Low Anterior Rectal Resection for Advanced Ovarian Cancer. Cancers, 2021, 13, 4248. | 3.7 | 0 |
| 31 | Conversion of platinum-taxane resistant to sensitive ovarian cancer with a non-platinum-taxane regimen Journal of Clinical Oncology, 2014, 32, e16523-e16523. | 1.6 | Ο |
| 32 | Microscopic residual carcinoma at interval debulking surgery after neoadjuvant chemotherapy in patients with IIIc/IV Müllerian carcinoma Journal of Clinical Oncology, 2014, 32, 5567-5567. | 1.6 | 0 |
| 33 | Survival and safety in patients with advanced ovarian cancer undergoing aggressive primary and interval debulking surgery Journal of Clinical Oncology, 2018, 36, e17525-e17525. | 1.6 | 0 |
| 34 | Effect of bevacizumab in first-line chemotherapy on progression-free survival in advanced ovarian clear cell carcinoma Journal of Clinical Oncology, 2020, 38, e18086-e18086. | 1.6 | 0 |
| 35 | The safety and efficacy of weekly paclitaxel and cisplatin chemotherapy for patients with ovarian cancer who developed carboplatin hypersensitivity reaction in previous chemotherapy Journal of Clinical Oncology, 2020, 38, 6058-6058. | 1.6 | 0 |