Ward De Spiegelaere

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8185309/ward-de-spiegelaere-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,802 83 40 22 h-index g-index citations papers 2,229 4.57 95 3.9 L-index avg, IF ext. papers ext. citations

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 83 | The granulation (t)issue: A narrative and scoping review of basic and clinical research of the equine distal limb exuberant wound healing disorder <i>Veterinary Journal</i> , 2022 , 105790 | 2.5 | O |
| 82 | Comparison of Shifts in Skeletal Muscle Plasticity Parameters in Horses in Three Different Muscles, in Answer to 8 Weeks of Harness Training. <i>Frontiers in Veterinary Science</i> , 2021 , 8, 718866 | 3.1 | |
| 81 | Paternally expressed retrotransposon Gag-like 1 gene, RTL1, is one of the crucial elements for placental angiogenesis in horses. <i>Biology of Reproduction</i> , 2021 , 104, 1386-1399 | 3.9 | 2 |
| 80 | Digital Polymerase Chain Reaction for Assessment of Mutant Mitochondrial Carry-over after Nuclear Transfer for In Vitro Fertilization. <i>Clinical Chemistry</i> , 2021 , 67, 968-976 | 5.5 | 1 |
| 79 | Flexibility of equine bioenergetics and muscle plasticity in response to different types of training: An integrative approach, questioning existing paradigms. <i>PLoS ONE</i> , 2021 , 16, e0249922 | 3.7 | 2 |
| 78 | Triplex digital PCR assays for the quantification of intact proviral HIV-1 DNA. Methods, 2021, | 4.6 | 4 |
| 77 | Techniques used to assess intussusceptive angiogenesis: A systematic review. <i>Developmental Dynamics</i> , 2021 , 250, 1704-1716 | 2.9 | 1 |
| 76 | Equine Tenocyte Seeding on Gelatin Hydrogels Improves Elongated Morphology. <i>Polymers</i> , 2021 , 13, | 4.5 | 1 |
| 75 | Development of a 3S5Sdigital PCR assay to determine horse mRNA integrity. <i>Analytical Biochemistry</i> , 2021 , 626, 114217 | 3.1 | |
| 74 | Chorioallantoic Membrane Assay as Model for Angiogenesis in Tissue Engineering: Focus on Stem Cells. <i>Tissue Engineering - Part B: Reviews</i> , 2020 , 26, 519-539 | 7.9 | 15 |
| 73 | Corrosion casting of the cardiovascular structure in adult zebrafish for analysis by scanning electron microscopy and X-ray microtomography. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2020 , 49, 635-642 | 1.1 | 1 |
| 72 | Underestimated effect of intragenic HIV-1 DNA methylation on viral transcription in infected individuals. <i>Clinical Epigenetics</i> , 2020 , 12, 36 | 7.7 | 10 |
| 71 | Rapid viral rebound after analytical treatment interruption in patients with very small HIV reservoir and minimal on-going viral transcription. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25453 | 5.4 | 13 |
| 70 | The Digital MIQE Guidelines Update: Minimum Information for Publication of Quantitative Digital PCR Experiments for 2020. <i>Clinical Chemistry</i> , 2020 , 66, 1012-1029 | 5.5 | 85 |
| 69 | The complex TIE between macrophages and angiogenesis. <i>Journal of Veterinary Medicine Series C:</i> Anatomia Histologia Embryologia, 2020 , 49, 585-596 | 1.1 | 15 |
| 68 | Power Doppler ultrasound and contrast-enhanced ultrasound demonstrate non-invasive tumour vascular response to anti-vascular therapy in canine cancer patients. <i>Scientific Reports</i> , 2019 , 9, 9262 | 4.9 | 11 |
| 67 | Early treated HIV-1 positive individuals demonstrate similar restriction factor expression profile as long-term non-progressors. <i>EBioMedicine</i> , 2019 , 41, 443-454 | 8.8 | 5 |

(2016-2019)

| 66 | Evaluation of HIV-1 reservoir levels as possible markers for virological failure during boosted darunavir monotherapy. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 3030-3034 | 5.1 | 7 |
|----|--|-------|----|
| 65 | Long non-coding RNAs and latent HIV - Aßearch for novel targets for latency reversal. <i>PLoS ONE</i> , 2019 , 14, e0224879 | 3.7 | 11 |
| 64 | In-vitro viral suppressive capacity correlates with immune checkpoint marker expression on peripheral CD8+ T cells in treated HIV-positive patients. <i>Aids</i> , 2019 , 33, 387-398 | 3.5 | 5 |
| 63 | Evaluation of bisulfite kits for DNA methylation profiling in terms of DNA fragmentation and DNA recovery using digital PCR. <i>PLoS ONE</i> , 2018 , 13, e0199091 | 3.7 | 40 |
| 62 | In-depth validation of total HIV-1 DNA assays for quantification of various HIV-1 subtypes. <i>Scientific Reports</i> , 2018 , 8, 17274 | 4.9 | 17 |
| 61 | Intussusceptive Pillar Formation in Developing Porcine Glomeruli. <i>Journal of Vascular Research</i> , 2018 , 55, 278-286 | 1.9 | 4 |
| 60 | A single dose of intravenous combretastatin A4-phosphate is reasonably well tolerated and significantly reduces tumour vascularization in canine spontaneous cancers. <i>Veterinary and Comparative Oncology</i> , 2018 , 16, 467-477 | 2.5 | 4 |
| 59 | HIV integration sites in latently infected cell lines: evidence of ongoing replication. <i>Retrovirology</i> , 2017 , 14, 2 | 3.6 | 37 |
| 58 | Stereological and immunogold studies on TIE1 and TIE2 localization in glomeruli indicate angiopoietin signaling in podocytes. <i>Micron</i> , 2017 , 97, 6-10 | 2.3 | 3 |
| 57 | Utility of integrated HIV-1 DNA quantification in cure studies. Future Virology, 2017, 12, 215-225 | 2.4 | 3 |
| 56 | Short-Course Toll-Like Receptor 9 Agonist Treatment Impacts Innate Immunity and Plasma Viremia in Individuals With Human Immunodeficiency Virus Infection. <i>Clinical Infectious Diseases</i> , 2017 , 64, 1686 | -1695 | 82 |
| 55 | HIV Reservoir Characterization Symposium. <i>Journal of Virus Eradication</i> , 2017 , 3, 66-68 | 2.8 | 2 |
| 54 | Viral markers for HIV cure trials: are we getting any closer?. Journal of Virus Eradication, 2016, 2, 55-56 | 2.8 | 1 |
| 53 | Laser capture microdissection of intestinal tissue from sea bass larvae using an optimized RNA integrity assay and validated reference genes. <i>Scientific Reports</i> , 2016 , 6, 21092 | 4.9 | 4 |
| 52 | Differential expression of lncRNAs during the HIV replication cycle: an underestimated layer in the HIV-host interplay. <i>Scientific Reports</i> , 2016 , 6, 36111 | 4.9 | 20 |
| 51 | Modeling HIV-1 Latency in Primary T Cells Using a Replication-Competent Virus. <i>AIDS Research and Human Retroviruses</i> , 2016 , 32, 187-93 | 1.6 | 43 |
| 50 | Viral markers for HIV cure trials: are we getting any closer?. Journal of Virus Eradication, 2016, 2, 55-6 | 2.8 | 1 |
| 49 | Diagnostic utility of droplet digital PCR for HIV reservoir quantification. <i>Journal of Virus Eradication</i> , 2016 , 2, 162-9 | 2.8 | 22 |

| 48 | The use of HIV-1 integration site analysis information in clinical studies aiming at HIV cure. <i>Journal of Virus Eradication</i> , 2016 , 2, 175-6 | 2.8 | 1 |
|----|---|-----|-----|
| 47 | Quantitation of Tumor Angiogenesis In Vitro: An All-In-One Angiogenesis Assay. <i>Methods in Molecular Biology</i> , 2016 , 1464, 185-191 | 1.4 | 1 |
| 46 | Integrated and Total HIV-1 DNA Predict Ex Vivo Viral Outgrowth. <i>PLoS Pathogens</i> , 2016 , 12, e1005472 | 7.6 | 63 |
| 45 | The Future of Digital Polymerase Chain Reaction in Virology. <i>Molecular Diagnosis and Therapy</i> , 2016 , 20, 437-47 | 4.5 | 27 |
| 44 | Protein expression from unintegrated HIV-1 DNA introduces bias in primary in vitro post-integration latency models. <i>Scientific Reports</i> , 2016 , 6, 38329 | 4.9 | 4 |
| 43 | Minimal Requirements for Primary HIV Latency Models Based on a Systematic Review. <i>AIDS Reviews</i> , 2016 , 18, 171-183 | 1.5 | 3 |
| 42 | Robust regression methods for real-time polymerase chain reaction. <i>Analytical Biochemistry</i> , 2015 , 480, 34-6 | 3.1 | 4 |
| 41 | HIV-1 RNA and HIV-1 DNA persistence during suppressive ART with PI-based or nevirapine-based regimens. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 3311-6 | 5.1 | 14 |
| 40 | Fluoxetine suppresses calcium signaling in human T lymphocytes through depletion of intracellular calcium stores. <i>Cell Calcium</i> , 2015 , 58, 254-63 | 4 | 13 |
| 39 | During Stably Suppressive Antiretroviral Therapy Integrated HIV-1 DNA Load in Peripheral Blood is Associated with the Frequency of CD8 Cells Expressing HLA-DR/DP/DQ. <i>EBioMedicine</i> , 2015 , 2, 1153-9 | 8.8 | 29 |
| 38 | Comparison of digital PCR platforms and semi-nested qPCR as a tool to determine the size of the HIV reservoir. <i>Scientific Reports</i> , 2015 , 5, 13811 | 4.9 | 43 |
| 37 | Reference gene validation for RT-qPCR, a note on different available software packages. <i>PLoS ONE</i> , 2015 , 10, e0122515 | 3.7 | 140 |
| 36 | Comparison of methods for in-house screening of HLA-B*57:01 to prevent abacavir hypersensitivity in HIV-1 care. <i>PLoS ONE</i> , 2015 , 10, e0123525 | 3.7 | 9 |
| 35 | ddpcRquant: threshold determination for single channel droplet digital PCR experiments. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 5827-34 | 4.4 | 74 |
| 34 | Aviremia 10 Years Postdiscontinuation of Antiretroviral Therapy Initiated During Primary Human Immunodeficiency Virus-1 Infection and Association With Gag-Specific T-Cell Responses. <i>Open Forum Infectious Diseases</i> , 2015 , 2, ofv144 | 1 | 3 |
| 33 | Accurate quantification of episomal HIV-1 two-long terminal repeat circles by use of optimized DNA isolation and droplet digital PCR. <i>Journal of Clinical Microbiology</i> , 2015 , 53, 699-701 | 9.7 | 19 |
| 32 | Impact of a decade of successful antiretroviral therapy initiated at HIV-1 seroconversion on blood and rectal reservoirs. <i>ELife</i> , 2015 , 4, e09115 | 8.9 | 28 |
| 31 | Evaluation of normalization strategies used in real-time quantitative PCR experiments in HepaRG cell line studies. <i>Clinical Chemistry</i> , 2014 , 60, 451-4 | 5.5 | 17 |

(2011-2014)

| 30 | Replication competent virus as an important source of bias in HIV latency models utilizing single round viral constructs. <i>Retrovirology</i> , 2014 , 11, 70 | 3.6 | 7 |
|----|---|------------------|-----|
| 29 | Accurate episomal HIV 2-LTR circles quantification using optimized DNA isolation and droplet digital PCR. <i>Journal of the International AIDS Society</i> , 2014 , 17, 19674 | 5.4 | 3 |
| 28 | The impact of nevirapine- versus protease inhibitor-based regimens on virological markers of HIV-1 persistence during seemingly suppressive ART. <i>Journal of the International AIDS Society</i> , 2014 , 17, 1982 | 3 ^{5.4} | 3 |
| 27 | Comparison of droplet digital PCR and seminested real-time PCR for quantification of cell-associated HIV-1 RNA. <i>PLoS ONE</i> , 2014 , 9, e85999 | 3.7 | 116 |
| 26 | Antiretrovirals for HIV prevention: when should they be recommended?. <i>Expert Review of Anti-Infective Therapy</i> , 2014 , 12, 431-45 | 5.5 | 1 |
| 25 | Quantification of integrated HIV DNA by repetitive-sampling Alu-HIV PCR on the basis of poisson statistics. <i>Clinical Chemistry</i> , 2014 , 60, 886-95 | 5.5 | 32 |
| 24 | Angiogenesis and collagen type IV expression in different endothelial cell culture systems. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2014 , 43, 103-15 | 1.1 | 31 |
| 23 | Porcine reproductive and respiratory syndrome virus infection is associated with an increased number of Sn-positive and CD8-positive cells in the maternal-fetal interface. <i>Virus Research</i> , 2013 , 176, 285-91 | 6.4 | 17 |
| 22 | The need for transparency and good practices in the qPCR literature. <i>Nature Methods</i> , 2013 , 10, 1063-7 | 21.6 | 197 |
| 21 | Touchdown digital polymerase chain reaction for quantification of highly conserved sequences in the HIV-1 genome. <i>Analytical Biochemistry</i> , 2013 , 439, 201-3 | 3.1 | 12 |
| 20 | Differential microRNA expression analysis in blastocysts by whole mount in situ hybridization and reverse transcription quantitative polymerase chain reaction on laser capture microdissection samples. <i>Analytical Biochemistry</i> , 2012 , 423, 93-101 | 3.1 | 10 |
| 19 | Intussusceptive angiogenesis: a biologically relevant form of angiogenesis. <i>Journal of Vascular Research</i> , 2012 , 49, 390-404 | 1.9 | 119 |
| 18 | Characterization of LEDGF/p75 genetic variants and association with HIV-1 disease progression. <i>PLoS ONE</i> , 2012 , 7, e50204 | 3.7 | 10 |
| 17 | Laser capture microdissection for gene expression analysis of specific cell populations in single blastocysts. <i>Methods in Molecular Biology</i> , 2012 , 853, 29-37 | 1.4 | 4 |
| 16 | Distribution of the Shadoo protein in the ovine brain assessed by immunohistochemistry. <i>Research in Veterinary Science</i> , 2011 , 90, 372-8 | 2.5 | 3 |
| 15 | Stereology and computer assisted three-dimensional reconstruction as tools to study probiotic effects of Aeromonas hydrophila on the digestive tract of germ-free Artemia franciscana nauplii. <i>Journal of Applied Microbiology</i> , 2011 , 110, 98-105 | 4.7 | 5 |
| 14 | Critical selection of reliable reference genes for gene expression study in the HepaRG cell line. <i>Biochemical Pharmacology</i> , 2011 , 81, 1255-61 | 6 | 25 |
| 13 | Differences between the ovine tonsils based on an immunohistochemical quantification of the lymphocyte subpopulations. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2011 , 34, 217-25 | 2.6 | 6 |

| 12 | Immunohistochemical detection of the angiopoietins during porcine metanephric kidney development. <i>Acta Histochemica</i> , 2011 , 113, 585-90 | 2 | 5 |
|----|--|-----|----|
| 11 | Simple and quick method for whole-liver decellularization: a novel in vitro three-dimensional bioengineering tool?. <i>Archives of Toxicology</i> , 2011 , 85, 607-12 | 5.8 | 53 |
| 10 | Laser capture microdissection for gene expression analysis of inner cell mass and trophectoderm from blastocysts. <i>Analytical Biochemistry</i> , 2011 , 408, 169-71 | 3.1 | 10 |
| 9 | Angiopoietins differentially influence in vitro angiogenesis by endothelial cells of different origin. <i>Clinical Hemorheology and Microcirculation</i> , 2011 , 48, 15-27 | 2.5 | 11 |
| 8 | Quantitative mRNA expression analysis in kidney glomeruli using microdissection techniques. <i>Histology and Histopathology</i> , 2011 , 26, 267-75 | 1.4 | 18 |
| 7 | Detection of hypoxia inducible factors and angiogenic growth factors during foetal endochondral and intramembranous ossification. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2010 , 39, 376-84 | 1.1 | 25 |
| 6 | Quantitation of angiogenesis in vitro induced by VEGF-A and FGF-2 in two different human endothelial cultures - an all-in-one assay. <i>Clinical Hemorheology and Microcirculation</i> , 2010 , 46, 189-202 | 2.5 | 14 |
| 5 | Expression and localization of angiogenic growth factors in developing porcine mesonephric glomeruli. <i>Journal of Histochemistry and Cytochemistry</i> , 2010 , 58, 1045-56 | 3.4 | 12 |
| 4 | Localization of erythropoietin in and around growing cartilage. <i>Molecular and Cellular Biochemistry</i> , 2010 , 337, 287-91 | 4.2 | 9 |
| 3 | Electron microscopic study of the porcine choroid plexus epithelium. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2008 , 37, 458-63 | 1.1 | 19 |
| 2 | Elimination of amplification artifacts in real-time reverse transcription PCR using laser capture microdissected samples. <i>Analytical Biochemistry</i> , 2008 , 382, 72-4 | 3.1 | 12 |
| 1 | Zelotes balcanicus sp. n., a new and widespread species from the Balkan Peninsula (Araneae, Gnaphosidae). A new Zelotes species. <i>Revue Suisse De Zoologie</i> , 2006 , 113, 711-716 | 0.3 | 3 |