Matthew J Moscou

List of Publications by Citations

Source: https://exaly.com/author-pdf/8185735/matthew-j-moscou-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers3,260
citations21
h-index54
g-index54
ext. papers4,088
ext. citations8
avg, IF5.52
L-index

#	Paper	IF	Citations
46	A simple cipher governs DNA recognition by TAL effectors. <i>Science</i> , 2009 , 326, 1501	33.3	1443
45	Development and implementation of high-throughput SNP genotyping in barley. <i>BMC Genomics</i> , 2009 , 10, 582	4.5	477
44	Speed breeding in growth chambers and glasshouses for crop breeding and model plant research. Nature Protocols, 2018, 13, 2944-2963	18.8	168
43	Transcript profiling in host-pathogen interactions. <i>Annual Review of Phytopathology</i> , 2007 , 45, 329-69	10.8	136
42	Strategies for transferring resistance into wheat: from wide crosses to GM cassettes. <i>Frontiers in Plant Science</i> , 2014 , 5, 692	6.2	131
41	An Improved Consensus Linkage Map of Barley Based on Flow-Sorted Chromosomes and Single Nucleotide Polymorphism Markers. <i>Plant Genome</i> , 2011 , 4, 238-249	4.4	111
40	Engineering plant disease resistance based on TAL effectors. <i>Annual Review of Phytopathology</i> , 2013 , 51, 383-406	10.8	77
39	Dominant integration locus drives continuous diversification of plant immune receptors with exogenous domain fusions. <i>Genome Biology</i> , 2018 , 19, 23	18.3	61
38	Nonhost resistance to rust pathogens - a continuation of continua. <i>Frontiers in Plant Science</i> , 2014 , 5, 664	6.2	60
37	Blufensin1 negatively impacts basal defense in response to barley powdery mildew. <i>Plant Physiology</i> , 2009 , 149, 271-85	6.6	53
36	Quantitative and qualitative stem rust resistance factors in barley are associated with transcriptional suppression of defense regulons. <i>PLoS Genetics</i> , 2011 , 7, e1002208	6	45
35	Infection of Brachypodium distachyon with selected grass rust pathogens. <i>Molecular Plant-Microbe Interactions</i> , 2013 , 26, 946-57	3.6	41
34	Sequencing of 151622 gene-bearing BACs clarifies the gene-dense regions of the barley genome. <i>Plant Journal</i> , 2015 , 84, 216-27	6.9	31
33	Genome assembly and characterization of a complex zfBED-NLR gene-containing disease resistance locus in Carolina Gold Select rice with Nanopore sequencing. <i>PLoS Genetics</i> , 2020 , 16, e1008571	6	30
32	Colonization of Barley by the Broad-Host Hemibiotrophic Pathogen Phytophthora palmivora Uncovers a Leaf Development-Dependent Involvement of Mlo. <i>Molecular Plant-Microbe Interactions</i> , 2016, 29, 385-95	3.6	30
31	Isolation and fine mapping of Rps6: an intermediate host resistance gene in barley to wheat stripe rust. <i>Theoretical and Applied Genetics</i> , 2016 , 129, 831-843	6	30
30	Tissue-dependent limited pleiotropy affects gene expression in barley. <i>Plant Journal</i> , 2008 , 56, 287-296	6.9	26

29	Long-read sequence assembly: a technical evaluation in barley. Plant Cell, 2021, 33, 1888-1906	11.6	26
28	Differential accumulation of host mRNAs on polyribosomes during obligate pathogen-plant interactions. <i>Molecular BioSystems</i> , 2012 , 8, 2153-65		23
27	Discovery and characterization of two new stem rust resistance genes in Aegilops sharonensis. <i>Theoretical and Applied Genetics</i> , 2017 , 130, 1207-1222	6	22
26	Quantitative and temporal definition of the Mla transcriptional regulon during barley-powdery mildew interactions. <i>Molecular Plant-Microbe Interactions</i> , 2011 , 24, 694-705	3.6	22
25	Effects of Barley (Hordeum Vulgare L.) Variety and Growing Environment on Beer Flavor. <i>Journal of the American Society of Brewing Chemists</i> , 2017 , 75, 345-353	1.9	21
24	Natural Variation in Brachypodium Links Vernalization and Flowering Time Loci as Major Flowering Determinants. <i>Plant Physiology</i> , 2017 , 173, 256-268	6.6	21
23	Transcript-based cloning of RRP46, a regulator of rRNA processing and R gene-independent cell death in barley-powdery mildew interactions. <i>Plant Cell</i> , 2009 , 21, 3280-95	11.6	21
22	Stem rust resistance in wheat is suppressed by a subunit of the mediator complex. <i>Nature Communications</i> , 2020 , 11, 1123	17.4	18
21	What is the Molecular Basis of Nonhost Resistance?. <i>Molecular Plant-Microbe Interactions</i> , 2020 , 33, 12.	533.126	4 17
20	The development of quick, robust, quantitative phenotypic assays for describing the host-nonhost landscape to stripe rust. <i>Frontiers in Plant Science</i> , 2015 , 6, 876	6.2	15
19	Quantitative Genetic Dissection of Shoot Architecture Traits in Maize: Towards a Functional Genomics Approach. <i>Plant Genome</i> , 2008 , 1,	4.4	14
18	Selection of transformation-efficient barley genotypes based on TFA (transformation amenability) haplotype and higher resolution mapping of the TFA loci. <i>Plant Cell Reports</i> , 2017 , 36, 611-620	5.1	12
17	Mapping the WreakerWelement of the gametocidal locus proximal to a block of sub-telomeric heterochromatin on the long arm of chromosome 4S(sh) of Aegilops sharonensis. <i>Theoretical and Applied Genetics</i> , 2015, 128, 1049-59	6	11
16	Characterisation and analysis of the Aegilops sharonensis transcriptome, a wild relative of wheat in the Sitopsis section. <i>PLoS ONE</i> , 2013 , 8, e72782	3.7	10
15	Components of Brachypodium distachyon resistance to nonadapted wheat stripe rust pathogens are simply inherited. <i>PLoS Genetics</i> , 2018 , 14, e1007636	6	10
14	Cloning of the Rice Resistance Gene and Interaction of the Xo1 Protein with the Defense-Suppressing Effector Tal2h. <i>Molecular Plant-Microbe Interactions</i> , 2020 , 33, 1189-1195	3.6	9
13	The genetic architecture of colonization resistance in Brachypodium distachyon to non-adapted stripe rust (Puccinia striiformis) isolates. <i>PLoS Genetics</i> , 2018 , 14, e1007637	6	9
12	Two NLR immune receptors acquired high-affinity binding to a fungal effector through convergent evolution of their integrated domain. <i>ELife</i> , 2021 , 10,	8.9	6

11	An ancient integration in a plant NLR is maintained as a trans-species polymorphism		4
10	Reference genome-assisted identification of stem rust resistance gene Sr62 encoding a tandem kinase		4
9	Two NLR immune receptors acquired high-affinity binding to a fungal effector through convergent evolution of their integrated domain		3
8	Detection of Race-Specific Resistance Against Puccinia coronata f. sp. avenae in Brachypodium Species. <i>Phytopathology</i> , 2018 , 108, 1443-1454	3.8	3
7	The barley immune receptor Mla recognizes multiple pathogens and contributes to host range dynamics. <i>Nature Communications</i> , 2021 , 12, 6915	17.4	2
6	Aegilops sharonensis genome-assisted identification of stem rust resistance gene Sr62 <i>Nature Communications</i> , 2022 , 13, 1607	17.4	2
5	The TCP transcription factor HvTB2 heterodimerizes with VRS5(HvTB1) and controls spike architecture in barley		1
4	The TCP transcription factor HvTB2 heterodimerizes with VRS5 and controls spike architecture in barley <i>Plant Reproduction</i> , 2022 , 1	3.9	1
3	Identification of a Locus Conferring Dominant Susceptibility to in Barley. <i>Frontiers in Plant Science</i> , 2020 , 11, 158	6.2	О
2	The barley leaf rust resistance gene Rph3 encodes a predicted membrane protein and is induced upon infection by avirulent pathotypes of Puccinia hordei <i>Nature Communications</i> , 2022 , 13, 2386	17.4	O
1	Cloning the barley nec3 disease lesion mimic mutant using complementation by sequencing <i>Plant Genome</i> , 2022 , e20187	4.4	