

# Madelaine Bāghme

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8186660/publications.pdf>

Version: 2024-02-01

76

papers

2,225

citations

304743

22

h-index

254184

43

g-index

77

all docs

77

docs citations

77

times ranked

1873

citing authors

#	ARTICLE	IF	CITATIONS
1	Nearly complete leg of an unusual, shelduck-sized anseriform bird from the earliest late Miocene hominid locality Hammerschmiede (Germany). <i>Historical Biology</i> , 2023, 35, 465-474.	1.4	3
2	Unexpected cranial sexual dimorphism in the tragulid <i>Dorcatherium nau</i> based on material from the middle to late Miocene localities of Eppelsheim and Hammerschmiede (Germany). <i>PLoS ONE</i> , 2022, 17, e0267951.	2.5	3
3	The exceptionally high diversity of small carnivorans from the Late Miocene hominid locality of Hammerschmiede (Bavaria, Germany). <i>PLoS ONE</i> , 2022, 17, e0268968.	2.5	6
4	Late Miocene remains from Venta del Moro (Iberian Peninsula) provide further insights on the dispersal of crocodiles across the late Miocene Tethys. <i>Journal of Paleontology</i> , 2021, 95, 184-192.	0.8	4
5	Neogene hyperaridity in Arabia drove the directions of mammalian dispersal between Africa and Eurasia. <i>Communications Earth &amp; Environment</i> , 2021, 2, .	6.8	13
6	A review of <i>Semigenetta</i> (Viverridae, Carnivora) from the Miocene of Eurasia based on material from the hominid locality of Hammerschmiede (Germany). <i>Geobios</i> , 2021, , .	1.4	6
7	New early late Miocene species of <i>Vishnuonyx</i> (Carnivora, Lutrinae) from the hominid locality of Hammerschmiede, Bavaria, Germany. <i>Journal of Vertebrate Paleontology</i> , 2021, 41, .	1.0	5
8	Age constraints for the Trachilos footprints from Crete. <i>Scientific Reports</i> , 2021, 11, 19427.	3.3	4
9	Reappraisal of the late Miocene elasmotheriine <i>Parelasmitherium schansiense</i> from Kutschwan (Shanxi Province, China) and its phylogenetic relationships. <i>Journal of Vertebrate Paleontology</i> , 2021, 41, .	1.0	2
10	A skull of a very large crane from the late Miocene of Southern Germany, with notes on the phylogenetic interrelationships of extant Gruinae. <i>Journal of Ornithology</i> , 2020, 161, 923-933.	1.1	12
11	The large-sized darter <i>Anhinga pannonica</i> (Aves, Anhingidae) from the late Miocene hominid Hammerschmiede locality in Southern Germany. <i>PLoS ONE</i> , 2020, 15, e0232179.	2.5	13
12	Reply to: Reevaluating bipedalism in <i>Danuvius</i> . <i>Nature</i> , 2020, 586, E4-E5.	27.8	12
13	Possible species-flock scenario for the evolution of the cyprinid genus <i>Capoeta</i> (Cypriniformes: Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.5	10
14	The Pliocene tortoises (Testudines, Testudinidae) from the late Miocene of the South Balkans. <i>Journal of Vertebrate Paleontology</i> , 2019, 39, e1711520.	1.0	7
15	A new Miocene ape and locomotion in the ancestor of great apes and humans. <i>Nature</i> , 2019, 575, 489-493.	27.8	72
16	3D morphology of pharyngeal dentition of the genus <i>Capoeta</i> (Cyprinidae): Implications for taxonomy and phylogeny. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2019, 57, 179-190.	1.4	5
17	A new testudinoid turtle from the middle to late Eocene of Vietnam. <i>PeerJ</i> , 2019, 7, e6280.	2.0	13
18	A new alligatoroid from the Eocene of Vietnam highlights an extinct Asian clade independent from extant <i>Alligator sinensis</i> . <i>PeerJ</i> , 2019, 7, e7562.	2.0	26

#	ARTICLE	IF	CITATIONS
19	The oldest known cyclophoroidean land snails (Caenogastropoda) from Asia. <i>Journal of Systematic Palaeontology</i> , 2018, 16, 1301-1317.	1.5	13
20	Miocene snakes from northeastern Kazakhstan: new data on the evolution of snake assemblages in Siberia. <i>Historical Biology</i> , 2018, , 1-20.	1.4	4
21	The age of volcanic tuffs from the Upper Freshwater Molasse (North Alpine Foreland Basin) and their possible use for tephostratigraphic correlations across Europe for the Middle Miocene. <i>International Journal of Earth Sciences</i> , 2018, 107, 387-407.	1.8	29
22	Biochronological and palaeobiogeographical significance of the earliest Miocene mammal fauna from Northern Vietnam. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2018, 98, 287-313.	1.5	9
23	A new species of <i>Varanus</i> (Anguimorpha: Varanidae) from the early Miocene of the Czech Republic, and its relationships and palaeoecology. <i>Journal of Systematic Palaeontology</i> , 2018, 16, 767-797.	1.5	22
24	TÄœBINGEN: The Palaeontological Collection of TÄ¼bingen. <i>Natural History Collections</i> , 2018, , 505-512.	0.1	2
25	Earliest evidence of caries lesion in hominids reveal sugar-rich diet for a Middle Miocene dryopithecine from Europe. <i>PLoS ONE</i> , 2018, 13, e0203307.	2.5	18
26	Comment on â€œA high-precision $^{40}\text{Ar}/^{39}\text{Ar}$ age for the NÃ¶rdlinger Ries impact crater, Germany, and implications for the accurate dating of terrestrial impact eventsâ€• by Schmieder et al. ( <i>Geochimica et</i> Tj ETQq0 0 0rgBT /Overlock 10 T		
27	Late Miocene stratigraphy, palaeoclimate and evolution of the Sandanski Basin (Bulgaria) and the chronology of the Pliermian faunal changes. <i>Global and Planetary Change</i> , 2018, 170, 1-19.	3.5	14
28	Early Miocene gastropod and ectothermic vertebrate remains from the Lesvos Petrified Forest (Greece). <i>Palaontologische Zeitschrift</i> , 2017, 91, 541-564.	1.6	18
29	Messinian age and savannah environment of the possible hominin <i>Graecopithecus</i> from Europe. <i>PLoS ONE</i> , 2017, 12, e0177347.	2.5	65
30	Potential hominin affinities of <i>Graecopithecus</i> from the Late Miocene of Europe. <i>PLoS ONE</i> , 2017, 12, e0177127.	2.5	44
31	Neogene amphibians and reptiles (Caudata, Anura, Gekkota, Lacertilia, and Testudines) from the south of Western Siberia, Russia, and Northeastern Kazakhstan. <i>PeerJ</i> , 2017, 5, e3025.	2.0	18
32	Asynchronous timing of extension and basin formation in the South Rhodope core complex, SW Bulgaria, and northern Greece. <i>Tectonics</i> , 2016, 35, 136-159.	2.8	15
33	First record of fossil <i>Ophisaurus</i> (Anguimorpha, Anguidae) from Asia. <i>Journal of Vertebrate Paleontology</i> , 2016, 36, e1219739.	1.0	13
34	A new Late Agenian (MN2a, Early Miocene) fossil assemblage from Wallenried (Molasse Basin, Canton) Tj ETQq0 0 0rgBT /Overlock 10 T		
35	The epitensoric chorda tympani of <i>Laonastes aenigmamus</i> (Rodentia, Diatomyidae) and its phylogenetic implications. <i>Mammalian Biology</i> , 2015, 80, 96-98.	1.5	2
36	The late Middle Miocene (Sarmatian s.str.) fossil site Gratkorn â€“ the first decade of research, geology, stratigraphy and vertebrate fauna. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2014, 94, 5-20.	1.5	12

#	ARTICLE	IF	CITATIONS
37	Middle Miocene remains of <i>Alytes</i> (Anura, Alytidae) as an example of the unrecognized value of fossil fragments for evolutionary morphology studies. <i>Journal of Vertebrate Paleontology</i> , 2014, 34, 69-79.	1.0	16
38	Ectothermic vertebrates from the late Middle Miocene of Gratkorn (Austria, Styria). <i>Palaeobiodiversity and Palaeoenvironments</i> , 2014, 94, 21-40.	1.5	38
39	Terrestrial vertebrates from the Sarmatian (late Serravallian) of the Central Paratethys – the fossil site of Gratkorn (Styrian Basin, Austria). <i>Palaeobiodiversity and Palaeoenvironments</i> , 2014, 94, 1-4.	1.5	3
40	Taphonomical and ichnological considerations on the late Middle Miocene Gratkorn locality (Styria, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 171-188.	1.5	9
41	A partial skeleton of <i>Deinotherium</i> (Proboscidea, Mammalia) from the late Middle Miocene Gratkorn locality (Austria). <i>Palaeobiodiversity and Palaeoenvironments</i> , 2014, 94, 49-70.	1.5	20
42	<i>Dorcatherium naui</i> and pecoran ruminants from the late Middle Miocene Gratkorn locality (Austria). <i>Palaeobiodiversity and Palaeoenvironments</i> , 2014, 94, 83-123.	1.5	35
43	Perissodactyla from the late Middle Miocene Gratkorn locality (Austria). <i>Palaeobiodiversity and Palaeoenvironments</i> , 2014, 94, 71-82.	1.5	9
44	Large mammal ecology in the late Middle Miocene Gratkorn locality (Austria). <i>Palaeobiodiversity and Palaeoenvironments</i> , 2014, 94, 189-213.	1.5	25
45	Taxonomic study of the pigs (Suidae, Mammalia) from the late Middle Miocene of Gratkorn (Austria,) Tj ETQq1 1 0.784314 rgBT /Ove	1.5	10
46	<i>Allaeochelys libyca</i> , a New Carettochelyine Turtle from the Middle Miocene (Langhian) of Libya. <i>Bulletin of the Peabody Museum of Natural History</i> , 2014, 55, 201.	1.1	14
47	Reappraisal of <i>&lt; i&gt;Testudo antiqua&lt;/i&gt;</i> (Testudines, Testudinidae) from the Miocene of Hohenhöfen, Germany. <i>Journal of Paleontology</i> , 2014, 88, 948-966.	0.8	12
48	Taxodioxylon-like charcoal from the Late Miocene of western Bulgaria. <i>Acta Palaeobotanica</i> , 2014, 54, 101-111.	0.7	7
49	A new magnetostratigraphic framework for the Lower Miocene (Burdigalian/Ottangian, Karpatian) in the North Alpine Foreland Basin. <i>Swiss Journal of Geosciences</i> , 2013, 106, 309-334.	1.2	57
50	A new giant salamander (Urodea, Pancryptobranchia) from the Miocene of Eastern Europe (Grytsiv,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.0	29
51	Unionidae (Bivalvia; Palaeoheterodontia) from the Palaeogene of northern Vietnam: exploring the origins of the modern East Asian freshwater bivalve fauna. <i>Journal of Systematic Palaeontology</i> , 2013, 11, 337-357.	1.5	20
52	First records of freshwater rissooidean gastropods from the Palaeogene of Southeast Asia. <i>Journal of Molluscan Studies</i> , 2012, 78, 275-282.	1.2	10
53	Habitat tracking, range dynamics and palaeoclimatic significance of Eurasian giant salamanders (Cryptobranchidae) – indications for elevated Central Asian humidity during Cenozoic global warm periods. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 342-343, 64-72.	2.3	12
54	The Antiquity of the Rhine River: Stratigraphic Coverage of the Dinotheriensande (Eppelsheim) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	2.5	47

#	ARTICLE	IF	CITATIONS
55	Snakes from Griesbeckerzell (Langhian, Early Badenian), North Alpine Foreland Basin (Germany), with comments on the evolution of snake faunas in Central Europe during the Miocene Climatic Optimum. <i>Geodiversitas</i> , 2011, 33, 411-449.	0.8	24
56	The Cenozoic on-shore basins of Northern Vietnam: Biostratigraphy, vertebrate and invertebrate faunas. <i>Journal of Asian Earth Sciences</i> , 2011, 40, 672-687.	2.3	34
57	Miocene precipitation in Europe: Temporal trends and spatial gradients. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 304, 212-218.	2.3	123
58	Reappearance of Galerix (Erinaceomorpha, Mammalia) at the Middle to Late Miocene transition in South Germany: biostratigraphic and palaeoecologic implications. <i>Contributions To Zoology</i> , 2011, 80, 179-189.	0.5	25
59	Bio-magnetostratigraphy and environment of the oldest Eurasian hominoid from the Early Miocene of Engelswies (Germany). <i>Journal of Human Evolution</i> , 2011, 61, 332-339.	2.6	15
60	The cricetid rodents from Gratkorn (Austria, Styria): a benchmark locality for the continental Sarmatian sensu stricto (late Middle Miocene) in the Central Paratethys. <i>Geologica Carpathica</i> , 2010, 61, 419-436.	0.7	27
61	Integrated stratigraphy and 40Ar/39Ar chronology of the early to middle Miocene Upper Freshwater Molasse in western Bavaria (Germany). <i>International Journal of Earth Sciences</i> , 2010, 99, 1859-1886.	1.8	59
62	Ectothermic vertebrates (Actinopterygii, Allocaudata, Urodela, Anura, Crocodylia, Squamata) from the Miocene of Sandelzhausen (Germany, Bavaria) and their implications for environment reconstruction and palaeoclimate. <i>Palaontologische Zeitschrift</i> , 2010, 84, 3-41.	1.6	71
63	Revision of the anguine lizard <i>&lt; i&gt;Pseudopus laurillardi&lt;/i&gt;</i> (Squamata, Anguidae) from the Miocene of Europe, with comments on paleoecology. <i>Journal of Paleontology</i> , 2010, 84, 159-196.	0.8	64
64	Ectothermic vertebrates, climate and environment of the West Runton Freshwater Bed (early Middle) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.5	17
65	Life in the sublittoral zone of long-lived Lake Pannon: paleontological analysis of the Upper Miocene Szék Formation, Hungary. <i>International Journal of Earth Sciences</i> , 2009, 98, 1741-1766.	1.8	44
66	The fossil lagerstätte Sandelzhausen (Miocene; southern Germany): history of investigation, geology, fauna, and age. <i>Palaontologische Zeitschrift</i> , 2009, 83, 7-23.	1.6	17
67	Late Miocene "washhouse" climate in Europe. <i>Earth and Planetary Science Letters</i> , 2008, 275, 393-401.	4.4	140
68	The reconstruction of Early and Middle Miocene climate and vegetation in Southern Germany as determined from the fossil wood flora. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 253, 91-114.	2.3	94
69	First European evidence for transcontinental dispersal of <i>&lt; i&gt;Crocodylus&lt;/i&gt;</i> (late Neogene of) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	2.3	42
70	Apterodon intermedius, sp. nov., a new European Creodont Mammal from MP22 of Espenhain (Germany). <i>Annales De Paleontologie</i> , 2005, 91, 311-328.	0.5	13
71	The Miocene Climatic Optimum: evidence from ectothermic vertebrates of Central Europe. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003, 195, 389-401.	2.3	447
72	Die Cypriniden (Teleostei: Cypriniformes) des oberoligozoischen Maares von Enspel nebst Bemerkungen zur Phylogenie und Biogeographie der Phoxininae. <i>Palaontologische Zeitschrift</i> , 2000, 74, 99-112.	1.6	18

#	ARTICLE	IF	CITATIONS
73	Wolfsbarsch-Funde (Perciformes, Moronidae) aus den Säuerwasser-Diatomiten von Kuhlen (Böhmen) nebst Anmerkungen zur taxonomischen Stellung von <i>Percacœle</i> lepidota aus den Säuerwasser-Kalken von Aheningen (Baden). Palaontologische Zeitschrift, 1997, 71, 117-128.	1.6	4
74	Presence of the peculiar carnivore <i>Sivanasua</i> in Carinthia. Historical Biology, 0, , 1-6.	1.4	0
75	Hyaenidae (Carnivora) from the Late Miocene hominid locality of Hammerschmiede (Bavaria, Germany). Historical Biology, 0, , 1-10.	1.4	5
76	A new species of <i>Maomingosuchus</i> from the Eocene of the Na Duong Basin (northern Vietnam) sheds new light on the phylogenetic relationship of tomistomine crocodylians and their dispersal from Europe to Asia. Journal of Systematic Palaeontology, 0, , 1-35.	1.5	3