

Antonio RodrÃ-iguez-Poncelas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8186831/publications.pdf>

Version: 2024-02-01

20
papers

403
citations

933447

10
h-index

752698

20
g-index

25
all docs

25
docs citations

25
times ranked

676
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of chronic kidney disease in patients with type 2 diabetes in Spain: PERCEDIME2 study. BMC Nephrology, 2013, 14, 46.	1.8	100
2	Chronic Kidney Disease and Diabetic Retinopathy in Patients with Type 2 Diabetes. PLoS ONE, 2016, 11, e0149448.	2.5	63
3	Chronic kidney disease in the type 2 diabetic patients: prevalence and associated variables in a random sample of 2642 patients of a Mediterranean area. BMC Nephrology, 2012, 13, 87.	1.8	48
4	Prevalence of diabetic retinopathy in individuals with type 2 diabetes who had recorded diabetic retinopathy from retinal photographs in Catalonia (Spain). British Journal of Ophthalmology, 2015, 99, 1628-1633.	3.9	40
5	Metabolic control and cardiovascular risk factors in type 2 diabetes mellitus patients according to diabetes duration. Family Practice, 2015, 32, 27-34.	1.9	21
6	Impact of chronic kidney disease on the prevalence of cardiovascular disease in patients with type 2 diabetes in Spain: PERCEDIME2 study. BMC Nephrology, 2014, 15, 150.	1.8	16
7	Assessment of self-monitoring of blood pressure in the diagnosis of isolated clinic hypertension. Blood Pressure, 2006, 15, 227-236.	1.5	15
8	The dynamic behaviour of metabolic syndrome and its components in an eight-year population-based cohort from the Mediterranean. PLoS ONE, 2017, 12, e0176665.	2.5	15
9	Noninsulin Antidiabetic Drugs for Patients with Type 2 Diabetes Mellitus: Are We Respecting Their Contraindications?. Journal of Diabetes Research, 2016, 2016, 1-9.	2.3	14
10	Evolution of Target Organ Damage by Different Values of Self-Blood Pressure Measurement in Untreated Hypertensive Patients. American Journal of Hypertension, 2012, 25, 1256-63.	2.0	9
11	Retinal arteriole-to-venule ratio changes and target organ disease evolution in newly diagnosed hypertensive patients at 1-year follow-up. Journal of the American Society of Hypertension, 2014, 8, 83-93.	2.3	9
12	Isolated clinical hypertension diagnosis. Blood Pressure Monitoring, 2011, 16, 11-15.	0.8	8
13	Comparison of different vascular risk engines in the identification of type 2 diabetes patients with high cardiovascular risk. BMC Cardiovascular Disorders, 2015, 15, 121.	1.7	7
14	Analysis of the location of retinal lesions in central retinographies of patients with Type 2 diabetes. Acta Ophthalmologica, 2020, 98, e13-e21.	1.1	7
15	Why is cardiovascular risk stratification important in hypertensive patients?. Blood Pressure, 2012, 21, 182-190.	1.5	4
16	What is the optimal cut-off threshold in self-home blood pressure measurement?. Medicine (United Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.0	4
17	Proportion of isolated clinical hypertension in primary care settings. Comparison of target organ damage in patients with isolated clinical hypertension and patients with sustained arterial hypertension. Blood Pressure, 2007, 16, 354-361.	1.5	0
18	Prevalence of chronic kidney disease in patients with type 2 diabetes in Spain: PERCEDIME2 study. Primary Care Diabetes, 2013, 7, 74.	1.8	0

#	ARTICLE	IF	CITATIONS
19	Are There Height-Dependent Differences in Subclinical Vascular Disease in Hypertensive Patients?. Journal of Clinical Hypertension, 2014, 16, 70-76.	2.0	0
20	Executive function impairment in diabetics. Alzheimer Realidades E Investigación En Demencia, 2014, , 37-42.	0.1	0