

# Thomas J Hoogeboom

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8188016/publications.pdf>

Version: 2024-02-01

75  
papers

2,037  
citations

304743

22  
h-index

265206

42  
g-index

75  
all docs

75  
docs citations

75  
times ranked

2667  
citing authors

#	ARTICLE	IF	CITATIONS
1	How to determine leg dominance: The agreement between self-reported and observed performance in healthy adults. PLoS ONE, 2017, 12, e0189876.	2.5	416
2	Merits of exercise therapy before and after major surgery. Current Opinion in Anaesthesiology, 2014, 27, 161-166.	2.0	148
3	Therapeutic Validity and Effectiveness of Preoperative Exercise on Functional Recovery after Joint Replacement: A Systematic Review and Meta-Analysis. PLoS ONE, 2012, 7, e38031.	2.5	139
4	Preoperative therapeutic exercise in frail elderly scheduled for total hip replacement: a randomized pilot trial. Clinical Rehabilitation, 2010, 24, 901-910.	2.2	100
5	The Dutch Lower Extremity Functional Scale was highly reliable, valid and responsive in individuals with hip/knee osteoarthritis: a validation study. BMC Musculoskeletal Disorders, 2012, 13, 117.	1.9	75
6	Recommendations for Hospital-Based Physical Therapists Managing Patients With COVID-19. Physical Therapy, 2020, 100, 1444-1457.	2.4	72
7	Longitudinal impact of joint pain comorbidity on quality of life and activity levels in knee osteoarthritis: data from the Osteoarthritis Initiative. Rheumatology, 2013, 52, 543-546.	1.9	60
8	The impact of waiting for total joint replacement on pain and functional status: a systematic review. Osteoarthritis and Cartilage, 2009, 17, 1420-1427.	1.3	57
9	Complications of bone-anchored prostheses for individuals with an extremity amputation: A systematic review. PLoS ONE, 2018, 13, e0201821.	2.5	48
10	Joint pain comorbidity, health status, and medication use in hip and knee osteoarthritis: A cross-sectional study. Arthritis Care and Research, 2012, 64, 54-58.	3.4	47
11	Are There Prognostic Factors for One-Year Outcome After Total Knee Arthroplasty? A Systematic Review. Journal of Arthroplasty, 2017, 32, 3840-3853.e1.	3.1	45
12	â€œIâ€™m not going to walk, just for the sake of walkingâ€: a qualitative, phenomenological study on physical activity during hospital stay. Disability and Rehabilitation, 2020, 42, 78-85.	1.8	43
13	Physical exercise prior to hematopoietic stem cell transplantation: A feasibility study. Physiotherapy Theory and Practice, 2018, 34, 747-756.	1.3	41
14	Randomized trial of the effectiveness of a non-pharmacological multidisciplinary face-to-face treatment program on daily function compared to a telephone-based treatment program in patients with generalized osteoarthritis. Osteoarthritis and Cartilage, 2015, 23, 1267-1275.	1.3	36
15	Pain and disability after first-time spinal fusion for lumbar degenerative disorders: a systematic review and meta-analysis. European Spine Journal, 2019, 28, 696-709.	2.2	35
16	Functional performance and safety of bone-anchored prostheses in persons with a transfemoral or transtibial amputation: a prospective one-year follow-up cohort study. Clinical Rehabilitation, 2019, 33, 450-464.	2.2	31
17	What preoperative patient-related factors predict inpatient recovery of physical functioning and length of stay after total hip arthroplasty? A systematic review. Clinical Rehabilitation, 2015, 29, 477-492.	2.2	30
18	Preoperative prediction of inpatient recovery of function after total hip arthroplasty using performance-based tests: a prospective cohort study. Disability and Rehabilitation, 2016, 38, 1243-1249.	1.8	29

#	ARTICLE	IF	CITATIONS
19	i-CONTENT tool for assessing therapeutic quality of exercise programs employed in randomised clinical trials. <i>British Journal of Sports Medicine</i> , 2021, 55, 1153-1160.	6.7	29
20	Preoperative psychosocial factors predicting patient's functional recovery after total knee or total hip arthroplasty: a systematic review. <i>Clinical Rehabilitation</i> , 2018, 32, 512-525.	2.2	25
21	The clinical burden of generalized osteoarthritis represented by self-reported health-related quality of life and activity limitations: a cross-sectional study. <i>Rheumatology International</i> , 2015, 35, 871-877.	3.0	23
22	Effectiveness of Supervised Home-Based Exercise Therapy Compared to a Control Intervention on Functions, Activities, and Participation in Older Patients After Hip Fracture: A Systematic Review and Meta-analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 101-114.e6.	0.9	23
23	Meeting movement quantity or quality return to sport criteria is associated with reduced second ACL injury rate. <i>Journal of Orthopaedic Research</i> , 2022, 40, 117-128.	2.3	23
24	Prevalence and predictors of health care use in patients with early hip or knee osteoarthritis: two-year follow-up data from the CHECK cohort. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 525-531.	1.3	21
25	Risk Factors for Delayed Inpatient Functional Recovery after Total Knee Arthroplasty. <i>BioMed Research International</i> , 2015, 2015, 1-5.	1.9	21
26	Spinal manual therapy in infants, children and adolescents: A systematic review and meta-analysis on treatment indication, technique and outcomes. <i>PLoS ONE</i> , 2019, 14, e0218940.	2.5	21
27	Person-Centered Care and Physical Therapy: A "People-Like-Me" Approach. <i>Physical Therapy</i> , 2020, 100, 99-106.	2.4	21
28	Non-pharmacological care for patients with generalized osteoarthritis: design of a randomized clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 142.	1.9	20
29	Cost-Utility and Cost-Effectiveness Analyses of Face-to-Face Versus Telephone-Based Nonpharmacologic Multidisciplinary Treatments for Patients With Generalized Osteoarthritis. <i>Arthritis Care and Research</i> , 2016, 68, 502-510.	3.4	18
30	Development of a Risk Stratification Model for Delayed Inpatient Recovery of Physical Activities in Patients Undergoing Total Hip Replacement. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 135-143.	3.5	18
31	The Influence of Muscle Weakness on the Association Between Obesity and Inpatient Recovery From Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 1918-1922.	3.1	18
32	Current Prehabilitation Programs Do Not Improve the Postoperative Outcomes of Patients Scheduled for Lumbar Spine Surgery: A Systematic Review With Meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021, 51, 103-114.	3.5	18
33	Multifaceted interventions are required to improve physical activity behaviour in hospital care: a meta-ethnographic synthesis of qualitative research. <i>Journal of Physiotherapy</i> , 2021, 67, 115-123.	1.7	17
34	A multidisciplinary and multidimensional intervention for patients with hand osteoarthritis. <i>Clinical Rehabilitation</i> , 2012, 26, 99-110.	2.2	16
35	Feasibility and potential effectiveness of a non-pharmacological multidisciplinary care programme for persons with generalised osteoarthritis: a randomised, multiple-baseline single-case study. <i>BMJ Open</i> , 2012, 2, e001161.	1.9	15
36	Measurement properties of the Health Assessment Questionnaire Disability Index for generalized osteoarthritis. <i>Rheumatology</i> , 2015, 54, 821-826.	1.9	15

#	ARTICLE	IF	CITATIONS
37	Long-term outcomes following lower extremity press-fit bone-anchored prosthesis surgery: a 5-year longitudinal study protocol. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 484.	1.9	15
38	Exploring barriers to physical activity of patients at the internal medicine and surgical wards: a retrospective analysis of continuously collected data. <i>Disability and Rehabilitation</i> , 2021, 43, 1883-1889.	1.8	13
39	Reference chart for knee flexion following total knee arthroplasty: a novel tool for monitoring postoperative recovery. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 482.	1.9	12
40	Ban Bedcentricity: A Multifaceted Innovation to Reduce Sedentary Behavior of Patients During the Hospital Stay. <i>Physical Therapy</i> , 2021, 101, .	2.4	12
41	Are people with rheumatoid arthritis who undertake activity pacing at risk of being too physically inactive?. <i>Clinical Rehabilitation</i> , 2012, 26, 1048-1052.	2.2	11
42	Magnetic-resonance-imaging-based three-dimensional muscle reconstruction of hip abductor muscle volume in a person with a transfemoral bone-anchored prosthesis: A feasibility study. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 495-504.	1.3	11
43	Current Status and Future Prospects for Shared Decision Making before and after Total Knee Replacement Surgery—A Scoping Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 668.	2.6	10
44	Clinimetric properties of hip abduction strength measurements obtained using a handheld dynamometer in individuals with a lower extremity amputation. <i>PLoS ONE</i> , 2017, 12, e0179887.	2.5	10
45	Evidence-based practice in physiotherapy: time to involve the patient?. <i>Physiotherapy</i> , 2014, 100, 363-364.	0.4	9
46	Implementation of a Personalized, Cost-Effective Physical Therapy Approach (Coach2Move) for Older Adults: Barriers and Facilitators. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, E1-E16.	1.1	9
47	Determining clinical practice of expert physiotherapy for patients undergoing lumbar spinal fusion: a cross-sectional survey study. <i>European Spine Journal</i> , 2016, 25, 1533-1541.	2.2	8
48	Linear and Curvilinear Relationship between Knee Range of Motion and Physical Functioning in People with Knee Osteoarthritis: A Cross-Sectional Study. <i>PLoS ONE</i> , 2013, 8, e76173.	2.5	8
49	Common Manual Therapy Practices in the Netherlands for Infants With Upper Cervical Dysfunction: A Prospective Cohort Study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2018, 41, 52-61.	0.9	7
50	Development of quality indicators for departments of hospital-based physiotherapy: a modified Delphi study. <i>BMJ Open Quality</i> , 2020, 9, e000812.	1.1	7
51	Effects of General Physical Activity Promoting Interventions on Functional Outcomes in Patients Hospitalized over 48 Hours: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1233.	2.6	7
52	How Well Do Randomized Controlled Trials Reflect Standard Care: A Comparison between Scientific Research Data and Standard Care Data in Patients with Intermittent Claudication undergoing Supervised Exercise Therapy. <i>PLoS ONE</i> , 2016, 11, e0157921.	2.5	6
53	Personal meaning in relation to daily functioning of a patient in physical therapy practice: narratives of a patient, a family member, and physical therapist. <i>Disability and Rehabilitation</i> , 2018, 40, 1220-1226.	1.8	6
54	Pain and disability following first-time lumbar fusion surgery for degenerative disorders: a systematic review protocol. <i>Systematic Reviews</i> , 2016, 5, 72.	5.3	5

#	ARTICLE	IF	CITATIONS
55	Validation of a wireless patch sensor to monitor mobility tested in both an experimental and a hospital setup: A cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0206304.	2.5	5
56	Development of a longlist of healthcare quality indicators for physical activity of patients during hospital stay: a modified RAND Delphi study. <i>BMJ Open</i> , 2019, 9, e032208.	1.9	5
57	Implementation of a Cost-Effective Physical Therapy Approach (Coach2Move) to Improve Physical Activity in Community-Dwelling Older Adults With Mobility Problems: Protocol for a Cluster-Randomized, Stepped Wedge Trial. <i>Physical Therapy</i> , 2020, 100, 653-661.	2.4	5
58	Examination of exclusion criteria in total knee arthroplasty rehabilitation trials: influence on the application of evidence in day-to-day practice. <i>Journal of Evaluation in Clinical Practice</i> , 2021, 27, 1335-1342.	1.8	5
59	Family participation during physical activity in the intensive care unit: A longitudinal qualitative study. <i>Journal of Critical Care</i> , 2021, 65, 42-48.	2.2	5
60	Using a Learning Health System to Improve Physical Therapy Care for Patients with Intermittent Claudication: Lessons Learned from the ClaudicatioNet Quality System. <i>Physical Therapy</i> , 2021, , .	2.4	5
61	Validity of summing painful joint sites to assess joint-pain comorbidity in hip or knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 234.	1.9	4
62	Personalised Outcomes Forecasts of Supervised Exercise Therapy in Intermittent Claudication: An Application of Neighbours Based Prediction Methods with Routinely Collected Clinical Data. <i>European Journal of Vascular and Endovascular Surgery</i> , 2022, 63, 594-601.	1.5	4
63	Measurement of range-of-motion in infants with indications of upper cervical dysfunction using the Flexion-Rotation-Test and Lateral-Flexion-Test: a blinded inter-rater reliability study in a clinical practice setting. <i>Journal of Manual and Manipulative Therapy</i> , 2021, 29, 40-50.	1.2	3
64	Impact and feasibility of a tailor-made patient communication quality improvement programme for hospital-based physiotherapists: a mixed-methods study. <i>BMJ Open Quality</i> , 2021, 10, e001286.	1.1	3
65	The SLIM studyâ€”Shared medical appointments to change lifestyles of overweight people with haemophilia: A randomized multiple baseline (nâ€“ofâ€“1) design. <i>Haemophilia</i> , 2021, 27, 606-617.	2.1	3
66	The application of the tracer method with peer observation and formative feedback for professional development in clinical practice: aâ€“scoping review. <i>Perspectives on Medical Education</i> , 2021, 11, 15.	3.5	2
67	Using Evidence Hierarchies to Find the Best Evidence: A Procrustean Bed?. <i>Physical Therapy</i> , 2021, 101, .	2.4	2
68	Quality aspects of hospital-based physiotherapy from the perspective of key stakeholders: a qualitative study. <i>BMJ Open Quality</i> , 2022, 11, e001843.	1.1	2
69	The Impact of Personalized Outcomes Forecasts on Clinical Reasoning of Physical Therapists in Intermittent Claudication: A Vignette Study. <i>Physical Therapy</i> , 0, , .	2.4	2
70	Reproducibility and discriminant validity of two clinically feasible measurement methods to obtain coronal plane gait kinematics in participants with a lower extremity amputation. <i>PLoS ONE</i> , 2019, 14, e0217046.	2.5	1
71	Development and pilot-testing of a behavioural intervention to enhance physical activity in patients admitted to the cardiology ward: a proof-of-concept study. <i>European Journal of Physiotherapy</i> , 2023, 25, 13-19.	1.3	1
72	Can we just call everything physiotherapy?. <i>Physiotherapy</i> , 2015, 101, 394.	0.4	0

#	ARTICLE	IF	CITATIONS
73	Neighbors-based Clinical Prediction Model for Walking Distance in Patients With Intermittent Claudication After Supervised Exercise Therapy. <i>Journal of Vascular Surgery</i> , 2020, 72, e213-e214.	1.1	0
74	Latent Class Analysis to Predict Outcomes of Early High-Intensity Physiotherapy After Total Knee Arthroplasty Based on Longitudinal Trajectories of Walking Speed. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021, 51, 1-30.	3.5	0
75	Implementing a Dutch Physical Therapy Intervention Into a U.S. Health System: Selecting Strategies Using Implementation Mapping. <i>Frontiers in Public Health</i> , 0, 10, .	2.7	0