

Meng Xiao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8188143/meng-xiao-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

4,124
citations

24
h-index

63
g-index

118
ext. papers

5,225
ext. citations

6.8
avg, IF

5.44
L-index

#	Paper	IF	Citations
109	Coagulopathy and Antiphospholipid Antibodies in Patients with Covid-19. <i>New England Journal of Medicine</i> , 2020 , 382, e38	59.2	1415
108	Profiling Early Humoral Response to Diagnose Novel Coronavirus Disease (COVID-19). <i>Clinical Infectious Diseases</i> , 2020 , 71, 778-785	11.6	986
107	SARS-CoV-2 Is Not Detectable in the Vaginal Fluid of Women With Severe COVID-19 Infection. <i>Clinical Infectious Diseases</i> , 2020 , 71, 813-817	11.6	111
106	IP-10 and MCP-1 as biomarkers associated with disease severity of COVID-19. <i>Molecular Medicine</i> , 2020 , 26, 97	6.2	84
105	Profile of natural anticoagulant, coagulant factor and anti-phospholipid antibody in critically ill COVID-19 patients. <i>Journal of Thrombosis and Thrombolysis</i> , 2020 , 50, 580-586	5.1	83
104	Antifungal susceptibilities of <i>Candida glabrata</i> species complex, <i>Candida krusei</i> , <i>Candida parapsilosis</i> species complex and <i>Candida tropicalis</i> causing invasive candidiasis in China: 3 year national surveillance. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 802-10	5.1	75
103	Antiphospholipid Antibodies in Critically Ill Patients With COVID-19. <i>Arthritis and Rheumatology</i> , 2020 , 72, 1998-2004	9.5	75
102	Dominance of CTX-M-type extended-spectrum β -lactamase (ESBL)-producing <i>Escherichia coli</i> isolated from patients with community-onset and hospital-onset infection in China. <i>PLoS ONE</i> , 2014 , 9, e100707	3.7	57
101	National surveillance of methicillin-resistant <i>Staphylococcus aureus</i> in China highlights a still-evolving epidemiology with 15 novel emerging multilocus sequence types. <i>Journal of Clinical Microbiology</i> , 2013 , 51, 3638-44	9.7	56
100	Clinicopathological Features and Outcomes of Acute Kidney Injury in Critically Ill COVID-19 with Prolonged Disease Course: A Retrospective Cohort. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 2205-2221	12.7	48
99	Neurological Manifestations in Critically Ill Patients With COVID-19: A Retrospective Study. <i>Frontiers in Neurology</i> , 2020 , 11, 806	4.1	46
98	Significance of serology testing to assist timely diagnosis of SARS-CoV-2 infections: implication from a family cluster. <i>Emerging Microbes and Infections</i> , 2020 , 9, 924-927	18.9	45
97	Development of fluconazole resistance in a series of <i>Candida parapsilosis</i> isolates from a persistent candidemia patient with prolonged antifungal therapy. <i>BMC Infectious Diseases</i> , 2015 , 15, 340	4	40
96	Yeast identification algorithm based on use of the Vitek MS system selectively supplemented with ribosomal DNA sequencing: proposal of a reference assay for invasive fungal surveillance programs in China. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 572-7	9.7	40
95	Identification and Antifungal Susceptibility Profiles of <i>Candida haemulonii</i> Species Complex Clinical Isolates from a Multicenter Study in China. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 2676-2680	9.7	37
94	The First Two <i>Clostridium difficile</i> Ribotype 027/ST1 Isolates Identified in Beijing, China-an Emerging Problem or a Neglected Threat?. <i>Scientific Reports</i> , 2016 , 6, 18834	4.9	37
93	A Comprehensive Evaluation of the Bruker Biotyper MS and Vitek MS Matrix-Assisted Laser Desorption Ionization-Time of Flight Mass Spectrometry Systems for Identification of Yeasts, Part of the National China Hospital Invasive Fungal Surveillance Net (CHIF-NET) Study, 2012 to 2013. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 1374-80	9.7	36

92	Molecular Epidemiology and Antimicrobial Susceptibility of Isolates from a University Teaching Hospital in China. <i>Frontiers in Microbiology</i> , 2016 , 7, 1621	5.7	33
91	Five-Year National Surveillance of Invasive Candidiasis: Species Distribution and Azole Susceptibility from the China Hospital Invasive Fungal Surveillance Net (CHIF-NET) Study. <i>Journal of Clinical Microbiology</i> , 2018 , 56,	9.7	31
90	Molecular Epidemiology and Antifungal Susceptibility of in China (August 2009 to July 2014): A Multi-Center Study. <i>Frontiers in Microbiology</i> , 2017 , 8, 880	5.7	30
89	The Role of Glutamate Dehydrogenase (GDH) Testing Assay in the Diagnosis of <i>Clostridium difficile</i> Infections: A High Sensitive Screening Test and an Essential Step in the Proposed Laboratory Diagnosis Workflow for Developing Countries like China. <i>PLoS ONE</i> , 2015 , 10, e0144604	3.7	29
88	An Improved In-house MALDI-TOF MS Protocol for Direct Cost-Effective Identification of Pathogens from Blood Cultures. <i>Frontiers in Microbiology</i> , 2017 , 8, 1824	5.7	28
87	Profiling of and in <i>Candida glabrata</i> Bloodstream Isolates from a Multicenter Study in China. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	26
86	Invasive Infections Due to : Species Distribution, Genotyping, and Antifungal Susceptibilities from a Multicenter Study in China. <i>Journal of Clinical Microbiology</i> , 2019 , 57,	9.7	25
85	Distribution and Antifungal Susceptibility of <i>Candida</i> Species Causing Candidemia in China: An Update From the CHIF-NET Study. <i>Journal of Infectious Diseases</i> , 2020 , 221, S139-S147	7	24
84	A multicentre study of methicillin-resistant <i>Staphylococcus aureus</i> in acute bacterial skin and skin-structure infections in China: susceptibility to ceftaroline and molecular epidemiology. <i>International Journal of Antimicrobial Agents</i> , 2015 , 45, 347-50	14.3	23
83	Comparison of two capillary gel electrophoresis systems for <i>Clostridium difficile</i> ribotyping, using a panel of ribotype 027 isolates and whole-genome sequences as a reference standard. <i>Journal of Clinical Microbiology</i> , 2012 , 50, 2755-60	9.7	22
82	Intra-Genomic Internal Transcribed Spacer Region Sequence Heterogeneity and Molecular Diagnosis in Clinical Microbiology. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 25067-79	6.3	21
81	Identification and Antifungal Susceptibility Profiles of and in a Multi-Center Chinese Collection of Yeasts. <i>Frontiers in Microbiology</i> , 2017 , 8, 5	5.7	19
80	Fast Screening and Primary Diagnosis of COVID-19 by ATR-FT-IR. <i>Analytical Chemistry</i> , 2021 , 93, 2191-2198	9.8	19
79	Investigation of an unrecognized large-scale outbreak of <i>Candida parapsilosis sensu stricto</i> fungaemia in a tertiary-care hospital in China. <i>Scientific Reports</i> , 2016 , 6, 27099	4.9	18
78	Accurate Identification of Common Pathogenic <i>Nocardia</i> Species: Evaluation of a Multilocus Sequence Analysis Platform and Matrix-Assisted Laser Desorption Ionization-Time of Flight Mass Spectrometry. <i>PLoS ONE</i> , 2016 , 11, e0147487	3.7	17
77	Using Matrix-Assisted Laser Desorption Ionization-Time of Flight (MALDI-TOF) Complemented with Selected 16S rRNA and <i>gyrB</i> Genes Sequencing to Practically Identify Clinical Important Viridans Group Streptococci (VGS). <i>Frontiers in Microbiology</i> , 2016 , 7, 1328	5.7	16
76	Diverse Genetic Background of Multidrug-Resistant <i>Pseudomonas aeruginosa</i> from Mainland China, and Emergence of an Extensively Drug-Resistant ST292 Clone in Kunming. <i>Scientific Reports</i> , 2016 , 6, 26522	4.9	16
75	Yeast identification by sequencing, biochemical kits, MALDI-TOF MS and rep-PCR DNA fingerprinting. <i>Medical Mycology</i> , 2018 , 56, 816-827	3.9	15

74	Novel and modifications in a high-level echinocandin resistant clinical isolate of. <i>Emerging Microbes and Infections</i> , 2019 , 8, 1619-1625	18.9	15
73	Five-year China Hospital Invasive Fungal Surveillance Net (CHIF-NET) study of invasive fungal infections caused by noncandidal yeasts: species distribution and azole susceptibility. <i>Infection and Drug Resistance</i> , 2018 , 11, 1659-1667	4.2	15
72	Molecular epidemiology of in two tertiary care hospitals in Shandong Province, China. <i>Infection and Drug Resistance</i> , 2018 , 11, 489-500	4.2	15
71	Three clustered cases of candidemia caused by <i>Candida quercitrusa</i> and mycological characteristics of this novel species. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 3044-8	9.7	14
70	Direct antimicrobial susceptibility testing of bloodstream infection on SlipChip. <i>Biosensors and Bioelectronics</i> , 2019 , 135, 200-207	11.8	13
69	Correlation between cytokines and coagulation-related parameters in patients with coronavirus disease 2019 admitted to ICU. <i>Clinica Chimica Acta</i> , 2020 , 510, 47-53	6.2	13
68	Identification and Antifungal Susceptibility Profile of <i>Candida guilliermondii</i> and <i>Candida fermentati</i> from a Multicenter Study in China. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 2187-9	9.7	13
67	The widely used ATB FUNGUS 3 automated readings in China and its misleading high MICs of <i>Candida</i> spp. to azoles: challenges for developing countriesRclinical microbiology labs. <i>PLoS ONE</i> , 2014 , 9, e114004	3.7	12
66	Antimicrobial susceptibility of <i>Pseudomonas aeruginosa</i> in China: a review of two multicentre surveillance programmes, and application of revised CLSI susceptibility breakpoints. <i>International Journal of Antimicrobial Agents</i> , 2012 , 40, 445-9	14.3	12
65	Multi-level analysis of bacteria isolated from inpatients in respiratory departments in China. <i>Journal of Thoracic Disease</i> , 2018 , 10, 2666-2675	2.6	12
64	Clinical characteristics of the first cases of invasive candidiasis in China due to pan-echinocandin-resistant and isolates with delineation of their resistance mechanisms. <i>Infection and Drug Resistance</i> , 2018 , 11, 155-161	4.2	12
63	Meningitis in a Chinese adult patient caused by <i>Mycoplasma hominis</i> : a rare infection and literature review. <i>BMC Infectious Diseases</i> , 2016 , 16, 557	4	11
62	Genotypic Diversity of <i>Staphylococcus aureus</i> Hemolysin Gene (hla) and Its Association with Clonal Background: Implications for Vaccine Development. <i>PLoS ONE</i> , 2016 , 11, e0149112	3.7	11
61	mTOR Modulates Lymphocyte Differentiation through T-bet and Eomesodermin in Response to Invasive Pulmonary Aspergillosis in Rats. <i>Chinese Medical Journal</i> , 2016 , 129, 1704-10	2.9	10
60	Case-Control Study of Inflammatory Bowel Disease Patients with and without <i>Clostridium difficile</i> Infection and Poor Outcomes in Patients Coinfected with <i>C. difficile</i> and Cytomegalovirus. <i>Digestive Diseases and Sciences</i> , 2018 , 63, 3074-3083	4	10
59	Epidemiology and antifungal susceptibilities of yeast isolates causing invasive infections across urban Beijing, China. <i>Future Microbiology</i> , 2017 , 12, 1075-1086	2.9	10
58	High-Level Macrolide-Resistant <i>Moraxella catarrhalis</i> and Development of an Allele-Specific PCR Assay for Detection of 23S rRNA Gene A2330T Mutation: A Three-Year Study at a Chinese Tertiary Hospital. <i>Microbial Drug Resistance</i> , 2015 , 21, 507-11	2.9	9
57	High in vitro activity of fidaxomicin against <i>Clostridium difficile</i> isolates from a university teaching hospital in China. <i>Journal of Microbiology, Immunology and Infection</i> , 2018 , 51, 411-416	8.5	9

56	Genetic Differentiation, Diversity, and Drug Susceptibility of. <i>Frontiers in Microbiology</i> , 2018 , 9, 2717	5.7	9
55	Use of matrix-assisted laser desorption ionization-time of flight mass spectrometry to identify MLST clade 4 <i>Clostridium difficile</i> isolates. <i>Diagnostic Microbiology and Infectious Disease</i> , 2018 , 92, 19-24	2.9	9
54	Matrix-Assisted Laser Desorption/Ionization Time of Flight Mass Spectrometry (MALDI-TOF MS) Analysis for the Identification of Pathogenic Microorganisms: A Review. <i>Microorganisms</i> , 2021 , 9,	4.9	9
53	Misidentification of a Rare Species, <i>Cryptococcus laurentii</i> , by Commonly Used Commercial Biochemical Methods and Matrix-Assisted Laser Desorption Ionization-Time of Flight Mass Spectrometry Systems: Challenges for Clinical Mycology Laboratories. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 226-9	9.7	8
52	First case report of bacteremia caused by <i>Solobacterium moorei</i> in China, and literature review. <i>BMC Infectious Diseases</i> , 2019 , 19, 730	4	8
51	Evaluation of VITEK MS, Clin-ToF-II MS, Autof MS 1000 and VITEK 2 ANC card for identification of <i>Bacteroides fragilis</i> group isolates and antimicrobial susceptibilities of these isolates in a Chinese university hospital. <i>Journal of Microbiology, Immunology and Infection</i> , 2019 , 52, 456-464	8.5	8
50	Retrospective analysis of <i>Clostridium difficile</i> infection in patients with ulcerative colitis in a tertiary hospital in China. <i>BMC Gastroenterology</i> , 2019 , 19, 3	3	7
49	Molecular Characterization of by Microsatellite Typing and Emergence of Clonal Antifungal Drug Resistant Strains in a Multicenter Surveillance in China. <i>Frontiers in Microbiology</i> , 2020 , 11, 1320	5.7	7
48	High ceftaroline non-susceptibility in <i>Staphylococcus aureus</i> isolated from acute skin infections in 15 tertiary hospitals in China. <i>Journal of Medical Microbiology</i> , 2013 , 62, 496-497	3.2	7
47	Practical identification of eight medically important <i>Trichosporon</i> species by reverse line blot hybridization (RLB) assay and rolling circle amplification (RCA). <i>Medical Mycology</i> , 2013 , 51, 300-8	3.9	7
46	Sequencer-Based Capillary Gel Electrophoresis (SCGE) Targeting the rDNA Internal Transcribed Spacer (ITS) Regions for Accurate Identification of Clinically Important Yeast Species. <i>PLoS ONE</i> , 2016 , 11, e0154385	3.7	7
45	Evaluation of Autof MS 1000 and Vitek MS MALDI-TOF MS System in Identification of Closely-Related Yeasts Causing Invasive Fungal Diseases. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 628828	5.9	7
44	Dynamic landscape mapping of humoral immunity to SARS-CoV-2 identifies non-structural protein antibodies associated with the survival of critical COVID-19 patients. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 304	21	7
43	isolates causing refractory or recurrent oropharyngeal candidiasis in 11 hospitals in China. <i>Infection and Drug Resistance</i> , 2019 , 12, 865-875	4.2	6
42	Prevalence of nontuberculous mycobacteria in a tertiary hospital in Beijing, China, January 2013 to December 2018. <i>BMC Microbiology</i> , 2020 , 20, 158	4.5	6
41	IL-12 Influence mTOR to Modulate CD8 T Cells Differentiation through T-bet and Eomesodermin in Response to Invasive Pulmonary Aspergillosis. <i>International Journal of Medical Sciences</i> , 2017 , 14, 977-983	3.7	6
40	Multilocus sequence typing indicates diverse origins of invasive <i>Candida tropicalis</i> isolates in China. <i>Chinese Medical Journal</i> , 2014 , 127, 4226-34	2.9	6
39	The <i>tcdA</i> -negative and <i>tcdB</i> -positive <i>Clostridium difficile</i> ST81 clone exhibits a high level of resistance to fluoroquinolones: a multi-centre study in Beijing, China. <i>International Journal of Antimicrobial Agents</i> , 2020 , 56, 105981	14.3	5

38	National antimicrobial stewardship and fluoroquinolone-resistant in China. <i>Infection and Drug Resistance</i> , 2017 , 10, 329-331	4.2	5
37	Molecular epidemiology and azole resistance mechanism study of <i>Candida guilliermondii</i> from a Chinese surveillance system. <i>Scientific Reports</i> , 2017 , 7, 907	4.9	5
36	Macrolide-Resistant Isolates Are Highly Concentrated in Two MLST Clonal Complexes -CCN10 and CC363. <i>Frontiers in Microbiology</i> , 2017 , 8, 201	5.7	5
35	A rare fungal species, <i>Quambalaria cyanescens</i> , isolated from a patient after augmentation mammoplasty--environmental contaminant or pathogen?. <i>PLoS ONE</i> , 2014 , 9, e106949	3.7	5
34	Antimicrobial activity of omadacycline in vitro against bacteria isolated from 2014 to 2017 in China, a multi-center study. <i>BMC Microbiology</i> , 2020 , 20, 350	4.5	5
33	Novel Polymorphic Multilocus Microsatellite Markers to Distinguish <i>Candida tropicalis</i> Isolates. <i>PLoS ONE</i> , 2016 , 11, e0166156	3.7	5
32	Prospective evaluation of lymphocyte subtyping for the diagnosis of invasive candidiasis in non-neutropenic critically ill patients. <i>International Journal of Infectious Diseases</i> , 2019 , 78, 140-147	10.5	5
31	Laboratory diagnosis of COVID-19 in China: A review of challenging cases and analysis. <i>Journal of Microbiology, Immunology and Infection</i> , 2021 , 54, 17-26	8.5	5
30	Identification and antifungal susceptibility profiles of based on a seven-year multicenter surveillance study. <i>Infection and Drug Resistance</i> , 2019 , 12, 1657-1664	4.2	4
29	Identification of <i>Candida glabrata</i> complex species: use of Vitek MS RUO & Bruker ClinproTools. <i>Future Microbiology</i> , 2018 , 13, 645-657	2.9	4
28	Clinical and Microbiological Characterization of Invasive Pulmonary Aspergillosis Caused by in China. <i>Frontiers in Microbiology</i> , 2020 , 11, 1672	5.7	4
27	Species identification and antifungal susceptibility testing of <i>Aspergillus</i> strains isolated from patients with otomycosis in northern China. <i>Journal of Microbiology, Immunology and Infection</i> , 2021 , ,	8.5	4
26	Epidemiology And Antifungal Susceptibility Patterns Of Invasive Fungal Infections From 2012 To 2014 In A Teaching Hospital In Central China. <i>Infection and Drug Resistance</i> , 2019 , 12, 3641-3651	4.2	4
25	, a rare pathogen of human invasive infections, and literature review. <i>Infection and Drug Resistance</i> , 2018 , 11, 1537-1547	4.2	4
24	Antimicrobial susceptibility of Gram-negative bacteria causing intra-abdominal infections in China: SMART China 2011. <i>Chinese Medical Journal</i> , 2014 , 127, 2429-33	2.9	4
23	Molecular identification of <i>Cryptococcus gattii</i> from cerebrospinal fluid using single-cell sequencing: A case study. <i>Journal of Infection</i> , 2020 , 81, 634-638	18.9	3
22	16S-23S Internal Transcribed Spacer Region PCR and Sequencer-Based Capillary Gel Electrophoresis has Potential as an Alternative to High Performance Liquid Chromatography for Identification of Slowly Growing Nontuberculous Mycobacteria. <i>PLoS ONE</i> , 2016 , 11, e0164138	3.7	3
21	Use of next generation sequence to investigate potential novel macrolide resistance mechanisms in a population of <i>Moraxella catarrhalis</i> isolates. <i>Scientific Reports</i> , 2016 , 6, 35711	4.9	3

20	A national survey on fungal infection diagnostic capacity in the clinical mycology laboratories of tertiary care hospitals in China. <i>Journal of Microbiology, Immunology and Infection</i> , 2020 , 53, 845-853	8.5	3
19	Activity of a New Fourth-Generation Cephalosporin, Cefoselis, Against Clinically Important Bacterial Pathogens in China. <i>Frontiers in Microbiology</i> , 2020 , 11, 180	5.7	2
18	Investigation of the Emerging Nosocomial Infections at a Chinese Tertiary Teaching Hospital and a Systemic Review: Clinical Manifestations, Risk Factors, Treatment, Outcomes, and Anti-fungal Susceptibility. <i>Frontiers in Microbiology</i> , 2021 , 12, 744502	5.7	2
17	SARS-CoV-2 not found in pressure injury exudates from COVID-19 patients. <i>Journal of Cosmetic Dermatology</i> , 2021 , 20, 372-380	2.5	2
16	Species Distribution and Antifungal Susceptibility of Invasive Candidiasis: A 2016-2017 Multicenter Surveillance Study in Beijing, China. <i>Infection and Drug Resistance</i> , 2020 , 13, 2443-2452	4.2	2
15	Invasive Fungal Disease in Critically Ill Patients at High Risk: Usefulness of Lymphocyte Subtyping. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 909-918	3.3	2
14	First case report of endocarditis caused by haematobacter massiliensis in China. <i>BMC Infectious Diseases</i> , 2017 , 17, 709	4	1
13	Syndecan-1, an indicator of endothelial glycocalyx degradation, predicts outcome of patients admitted to an ICU with COVID-19. <i>Molecular Medicine</i> , 2021 , 27, 151	6.2	1
12	Diagnostic accuracy of the 1,3-beta-D-glucan test and lactate dehydrogenase for pneumocystis pneumonia in non-HIV patients. <i>Scientific Reports</i> , 2021 , 11, 9226	4.9	1
11	GLUT3 as an Intersection of Glycerophospholipid Metabolism and the Innate Immune Response to. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 648988	5.9	1
10	Species distribution and antifungal susceptibilities of clinical isolates of Penicillium and Talaromyces species in China. <i>International Journal of Antimicrobial Agents</i> , 2021 , 58, 106349	14.3	1
9	Continual Decline in Azole Susceptibility Rates in Over a 9-Year Period in China. <i>Frontiers in Microbiology</i> , 2021 , 12, 702839	5.7	0
8	Developing Two Rapid Protein Extraction Methods Using Focused-Ultrasonication and Zirconia-Silica Beads for Filamentous Fungi Identification by MALDI-TOF MS. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 687240	5.9	0
7	Fighting COVID-19: a qualitative study into the lives of intensive care unit survivors in Wuhan, China.. <i>BMJ Open</i> , 2022 , 12, e055365	3	0
6	Persistence of an epidemic cluster of in multiple geographic regions in China and the emergence of a 5-flucytosine resistant clone.. <i>Emerging Microbes and Infections</i> , 2022 , 1-37	18.9	0
5	Metatranscriptomic analysis of host response and vaginal microbiome of patients with severe COVID-19.. <i>Science China Life Sciences</i> , 2022 , 1	8.5	0
4	A first case of human herpesvirus-6B reactivation, confirmed by next-generation sequencing, in allopurinol-induced hypersensitivity syndrome in China. <i>European Journal of Dermatology</i> , 2018 , 28, 698-699	0.8	0
3	In vitro Activity of Isavuconazole and Comparators Against Clinical Isolates of Molds from a Multicenter Study in China.. <i>Infection and Drug Resistance</i> , 2022 , 15, 2101-2113	4.2	0

- 2 Risk factors for mortality due to COVID-19 in intensive care units: a single-center study. *Annals of Translational Medicine*, **2021**, 9, 276 3.2
- 1 Differences in intestinal microbiome are associated with the mortality of COVID-19 patients in intensive care units.. *Science China Life Sciences*, **2022**, 1 8.5