

Timothy J Kamp

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8188186/timothy-j-kamp-publications-by-year.pdf>

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142 papers	12,066 citations	48 h-index	109 g-index
172 ext. papers	13,891 ext. citations	8.5 avg, IF	6.11 L-index

#	Paper	IF	Citations
142	Population-based high-throughput toxicity screen of human iPSC-derived cardiomyocytes and neurons.. <i>Cell Reports</i> , 2022 , 39, 110643	10.6	0
141	Basic and Translational Research in Cardiac Repair and Regeneration: JACC State-of-the-Art Review. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 2092-2105	15.1	3
140	Most myopathic lamin variants aggregate: a functional genomics approach for assessing variants of uncertain significance. <i>Npj Genomic Medicine</i> , 2021 , 6, 103	6.2	1
139	Long QT Syndrome Variant Induces hERG1a/1b Subunit Imbalance in Patient-Specific Induced Pluripotent Stem Cell-Derived Cardiomyocytes. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021 , 14, e009343	6.4	1
138	Layer-By-Layer Fabrication of Large and Thick Human Cardiac Muscle Patch Constructs With Superior Electrophysiological Properties. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 670504	5.7	4
137	Immune cell shuttle for precise delivery of nanotherapeutics for heart disease and cancer. <i>Science Advances</i> , 2021 , 7,	14.3	7
136	Aligned human cardiac syncytium for in vitro analysis of electrical, structural, and mechanical readouts. <i>Biotechnology and Bioengineering</i> , 2021 , 118, 442-452	4.9	2
135	Developmental lineage of human pluripotent stem cell-derived cardiac fibroblasts affects their functional phenotype. <i>FASEB Journal</i> , 2021 , 35, e21799	0.9	1
134	Functionally Integrated Top-Down Proteomics for Standardized Assessment of Human Induced Pluripotent Stem Cell-Derived Engineered Cardiac Tissues. <i>Journal of Proteome Research</i> , 2021 , 20, 1424-1433	5.6	7
133	A rapid solubility assay of protein domain misfolding for pathogenicity assessment of rare DNA sequence variants. <i>Genetics in Medicine</i> , 2020 , 22, 1642-1652	8.1	2
132	Chloroquine or Hydroxychloroquine for COVID-19: Is Cardiotoxicity a Concern?. <i>Journal of the American Heart Association</i> , 2020 , 9, e016887	6	25
131	Stem Cell-Derived Cardiomyocytes and Beta-Adrenergic Receptor Blockade in Duchenne Muscular Dystrophy Cardiomypathy. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 1159-1174	15.1	27
130	Copy number variant hotspots in Han Taiwanese population induced pluripotent stem cell lines - lessons from establishing the Taiwan human disease iPSC Consortium Bank. <i>Journal of Biomedical Science</i> , 2020 , 27, 92	13.3	2
129	Distinct hypertrophic cardiomyopathy genotypes result in convergent sarcomeric proteoform profiles revealed by top-down proteomics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 24691-24700	11.5	31
128	Induced cardiac progenitor cells repopulate decellularized mouse heart scaffolds and differentiate to generate cardiac tissue. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2020 , 1867, 118559	4.9	12
127	: A Review of Scaffold Materials for Engineering Cardiac Patches. <i>Emergent Materials</i> , 2019 , 2, 181-191	3.5	14
126	An Unbiased Proteomics Method to Assess the Maturation of Human Pluripotent Stem Cell-Derived Cardiomyocytes. <i>Circulation Research</i> , 2019 , 125, 936-953	15.7	33

125	Micropatterned substrates with physiological stiffness promote cell maturation and Pompe disease phenotype in human induced pluripotent stem cell-derived skeletal myocytes. <i>Biotechnology and Bioengineering</i> , 2019 , 116, 2377-2392	4.9	21
124	Engineering stem cell cardiac patch with microvascular features representative of native myocardium. <i>Theranostics</i> , 2019 , 9, 2143-2157	12.1	26
123	Functional cardiac fibroblasts derived from human pluripotent stem cells via second heart field progenitors. <i>Nature Communications</i> , 2019 , 10, 2238	17.4	76
122	Epigenetic Priming of Human Pluripotent Stem Cell-Derived Cardiac Progenitor Cells Accelerates Cardiomyocyte Maturation. <i>Stem Cells</i> , 2019 , 37, 910-923	5.8	20
121	MicroRNA let-7-TGFBR3 signalling regulates cardiomyocyte apoptosis after infarction. <i>EBioMedicine</i> , 2019 , 46, 236-247	8.8	17
120	Caveolae-Mediated Activation of Mechanosensitive Chloride Channels in Pulmonary Veins Triggers Atrial Arrhythmogenesis. <i>Journal of the American Heart Association</i> , 2019 , 8, e012748	6	15
119	Hypoxia-induced H19/YB-1 cascade modulates cardiac remodeling after infarction. <i>Theranostics</i> , 2019 , 9, 6550-6567	12.1	35
118	Long QT syndrome caveolin-3 mutations differentially modulate K 4 and Ca 1.2 channels to contribute to action potential prolongation. <i>Journal of Physiology</i> , 2019 , 597, 1531-1551	3.9	11
117	Primary cardiac manifestation of autosomal dominant polycystic kidney disease revealed by patient induced pluripotent stem cell-derived cardiomyocytes. <i>EBioMedicine</i> , 2019 , 40, 675-684	8.8	6
116	Loss of Gut Microbiota Alters Immune System Composition and Cripples Postinfarction Cardiac Repair. <i>Circulation</i> , 2019 , 139, 647-659	16.7	85
115	To Be Young at Heart. <i>Cell Stem Cell</i> , 2018 , 22, 475-476	18	3
114	Cardiomyocyte Membrane Structure and cAMP Compartmentation Produce Anatomical Variation in AR-cAMP Responsiveness in Murine Hearts. <i>Cell Reports</i> , 2018 , 23, 459-469	10.6	30
113	Pediatric Dilated Cardiomyopathy-Associated (Leucine-Rich Repeat-Containing 10) Variant Reveals LRRC10 as an Auxiliary Subunit of Cardiac L-Type Ca Channels. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	6
112	A Humanized Mouse Model Generated Using Surplus Neonatal Tissue. <i>Stem Cell Reports</i> , 2018 , 10, 1175-1183	27	
111	A cardiac patch from aligned microvessel and cardiomyocyte patches. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018 , 12, 546-556	4.4	37
110	Cardiac Repair With Human Pluripotent Stem Cell-Derived Cardiovascular Cells and Arrhythmia Risk 2018 , 552-558		
109	Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes as Models for Cardiac Channelopathies: A Primer for Non-Electrophysiologists. <i>Circulation Research</i> , 2018 , 123, 224-243	15.7	48
108	In vivo imaging of inflammation and oxidative stress in a nonhuman primate model of cardiac sympathetic neurodegeneration. <i>Npj Parkinson's Disease</i> , 2018 , 4, 22	9.7	8

107	Coordinated Proliferation and Differentiation of Human-Induced Pluripotent Stem Cell-Derived Cardiac Progenitor Cells Depend on Bone Morphogenetic Protein Signaling Regulation by GREMLIN 2. <i>Stem Cells and Development</i> , 2017 , 26, 678-693	4.4	12
106	Generation of multipotent induced cardiac progenitor cells from mouse fibroblasts and potency testing in ex vivo mouse embryos. <i>Nature Protocols</i> , 2017 , 12, 1029-1054	18.8	8
105	Biomarkers of Human Pluripotent Stem Cell-Derived Cardiac Lineages. <i>Trends in Molecular Medicine</i> , 2017 , 23, 651-668	11.5	16
104	Overcoming the Roadblocks to Cardiac Cell Therapy Using Tissue Engineering. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 766-775	15.1	67
103	Put to the test. <i>ELife</i> , 2017 , 6,	8.9	1
102	IK1-enhanced human-induced pluripotent stem cell-derived cardiomyocytes: an improved cardiomyocyte model to investigate inherited arrhythmia syndromes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 310, H1611-21	5.2	69
101	Lineage Reprogramming of Fibroblasts into Proliferative Induced Cardiac Progenitor Cells by Defined Factors. <i>Cell Stem Cell</i> , 2016 , 18, 354-67	18	131
100	LRRC10 is required to maintain cardiac function in response to pressure overload. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 310, H269-78	5.2	15
99	Reprogramming cell fate with a genome-scale library of artificial transcription factors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E8257-E8266	11.5	20
98	Cardiotoxicity in a dish: new insights for personalized therapy. <i>Nature Medicine</i> , 2016 , 22, 459-60	50.5	3
97	Irx4 Marks a Multipotent, Ventricular-Specific Progenitor Cell. <i>Stem Cells</i> , 2016 , 34, 2875-2888	5.8	12
96	Pompe disease results in a Golgi-based glycosylation deficit in human induced pluripotent stem cell-derived cardiomyocytes. <i>Journal of Biological Chemistry</i> , 2015 , 290, 3121-36	5.4	64
95	Chemically defined, albumin-free human cardiomyocyte generation. <i>Nature Methods</i> , 2015 , 12, 595-6	21.6	107
94	Rational strategy to stop arrhythmias: Early afterdepolarizations and L-type Ca ²⁺ current. <i>Journal of General Physiology</i> , 2015 , 145, 475-9	3.4	7
93	Functional Effects of a Tissue-Engineered Cardiac Patch From Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes in a Rat Infarct Model. <i>Stem Cells Translational Medicine</i> , 2015 , 4, 1324-32	6.9	71
92	Quantitative proteomics reveals differential regulation of protein expression in recipient myocardium after trilineage cardiovascular cell transplantation. <i>Proteomics</i> , 2015 , 15, 2560-7	4.8	10
91	Harry A. Fozzard, MD: 1931-2014. <i>Circulation Research</i> , 2015 , 116, 552-3	15.7	
90	Human induced pluripotent stem cell (hiPSC) derived cardiomyocytes to understand and test cardiac calcium handling: A glass half full. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 89, 379-80	5.8	9

89	Comparable calcium handling of human iPSC-derived cardiomyocytes generated by multiple laboratories. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 85, 79-88	5.8	102
88	Cardiac Repair in a Porcine Model of Acute Myocardial Infarction with Human Induced Pluripotent Stem Cell-Derived Cardiovascular Cells. <i>Cell Stem Cell</i> , 2015 , 16, 102	18	3
87	Intramolecular ex vivo Fluorescence Resonance Energy Transfer (FRET) of Dihydropyridine Receptor (DHPR) α Subunit Reveals Conformational Change Induced by RYR1 in Mouse Skeletal Myotubes. <i>PLoS ONE</i> , 2015 , 10, e0131399	3.7	3
86	Irx4 identifies a chamber-specific cell population that contributes to ventricular myocardium development. <i>Developmental Dynamics</i> , 2014 , 243, C1-C1	2.9	
85	Acquisition of a quantitative, stoichiometrically conserved ratiometric marker of maturation status in stem cell-derived cardiac myocytes. <i>Stem Cell Reports</i> , 2014 , 3, 594-605	8	130
84	Cardiomyopathy, mitochondria and Barth syndrome: iPSCs reveal a connection. <i>Nature Medicine</i> , 2014 , 20, 585-6	50.5	7
83	Calcium transients closely reflect prolonged action potentials in iPSC models of inherited cardiac arrhythmia. <i>Stem Cell Reports</i> , 2014 , 3, 269-81	8	92
82	Stem cell therapy. Use of differentiated pluripotent stem cells as replacement therapy for treating disease. <i>Science</i> , 2014 , 345, 1247391	33.3	206
81	Micropattern width dependent sarcomere development in human ESC-derived cardiomyocytes. <i>Biomaterials</i> , 2014 , 35, 4454-64	15.6	113
80	Induced pluripotent stem cells for post-myocardial infarction repair: remarkable opportunities and challenges. <i>Circulation Research</i> , 2014 , 114, 1328-45	15.7	96
79	Cell Therapy and Regenerative Electrophysiology 2014 , 559-566		
78	Signals from the surface modulate differentiation of human pluripotent stem cells through glycosaminoglycans and integrins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 18126-31	11.5	42
77	Irx4 identifies a chamber-specific cell population that contributes to ventricular myocardium development. <i>Developmental Dynamics</i> , 2014 , 243, 381-92	2.9	14
76	Cardiac repair in a porcine model of acute myocardial infarction with human induced pluripotent stem cell-derived cardiovascular cells. <i>Cell Stem Cell</i> , 2014 , 15, 750-61	18	329
75	Directed cardiomyocyte differentiation from human pluripotent stem cells by modulating Wnt/ β -catenin signaling under fully defined conditions. <i>Nature Protocols</i> , 2013 , 8, 162-75	18.8	928
74	Insulin inhibits cardiac mesoderm, not mesendoderm, formation during cardiac differentiation of human pluripotent stem cells and modulation of canonical Wnt signaling can rescue this inhibition. <i>Stem Cells</i> , 2013 , 31, 447-57	5.8	47
73	Exome sequencing and systems biology converge to identify novel mutations in the L-type calcium channel, CACNA1C, linked to autosomal dominant long QT syndrome. <i>Circulation: Cardiovascular Genetics</i> , 2013 , 6, 279-89		80
72	Unfolded protein response regulates cardiac sodium current in systolic human heart failure. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013 , 6, 1018-24	6.4	42

71	Different subcellular populations of L-type Ca ²⁺ channels exhibit unique regulation and functional roles in cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2012 , 52, 376-87	5.8	63
70	Nonuniform cardiac denervation observed by 11C-meta-hydroxyephedrine PET in 6-OHDA-treated monkeys. <i>PLoS ONE</i> , 2012 , 7, e35371	3.7	20
69	Robust cardiomyocyte differentiation from human pluripotent stem cells via temporal modulation of canonical Wnt signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, E1848-57	11.5	1064
68	Differentiation of human embryonic stem cells and induced pluripotent stem cells to cardiomyocytes: a methods overview. <i>Circulation Research</i> , 2012 , 111, 344-58	15.7	486
67	Extracellular matrix promotes highly efficient cardiac differentiation of human pluripotent stem cells: the matrix sandwich method. <i>Circulation Research</i> , 2012 , 111, 1125-36	15.7	341
66	Directed Fusion of Mesenchymal Stem Cells with Cardiomyocytes via VSV-G Facilitates Stem Cell Programming. <i>Stem Cells International</i> , 2012 , 2012, 414038	5	19
65	Simultaneous voltage and calcium mapping of genetically purified human induced pluripotent stem cell-derived cardiac myocyte monolayers. <i>Circulation Research</i> , 2012 , 110, 1556-63	15.7	138
64	Endogenous fluorescence signatures in living pluripotent stem cells change with loss of potency. <i>PLoS ONE</i> , 2012 , 7, e43708	3.7	14
63	An electrifying iPSC disease model: long QT syndrome type 2 and heart cells in a dish. <i>Cell Stem Cell</i> , 2011 , 8, 130-1	18	14
62	Multiphoton flow cytometry to assess intrinsic and extrinsic fluorescence in cellular aggregates: applications to stem cells. <i>Microscopy and Microanalysis</i> , 2011 , 17, 540-54	0.5	17
61	Robust L-type calcium current expression following heterozygous knockout of the Cav1.2 gene in adult mouse heart. <i>Journal of Physiology</i> , 2011 , 589, 3275-88	3.9	27
60	Opportunities for use of human iPS cells in predictive toxicology. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 89, 754-8	6.1	111
59	Cardiomyocyte transverse tubule loss leads the way to heart failure. <i>Future Cardiology</i> , 2011 , 7, 39-42	1.3	7
58	Microfluidic cell culture and its application in high-throughput drug screening: cardiotoxicity assay for hERG channels. <i>Journal of Biomolecular Screening</i> , 2011 , 16, 101-11		51
57	Role of RBM25/LUC7L3 in abnormal cardiac sodium channel splicing regulation in human heart failure. <i>Circulation</i> , 2011 , 124, 1124-31	16.7	65
56	Small GTPase Rab11b regulates degradation of surface membrane L-type Cav1.2 channels. <i>American Journal of Physiology - Cell Physiology</i> , 2011 , 300, C1023-33	5.4	27
55	High purity human-induced pluripotent stem cell-derived cardiomyocytes: electrophysiological properties of action potentials and ionic currents. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H2006-17	5.2	519
54	Imaging of Induced Pluripotent Stem Cells: From Cellular Reprogramming to Transplantation. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2011 , 1, 18-28	2.2	23

53	A sympathetic model of L-type Ca ²⁺ channel-triggered arrhythmias. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 298, H3-4	5.2	4
52	The microwell control of embryoid body size in order to regulate cardiac differentiation of human embryonic stem cells. <i>Biomaterials</i> , 2010 , 31, 1885-93	15.6	159
51	Classification and quantitative description of human embryonic stem cell-derived cardiomyocyte action potentials during post-differentiation maturation. <i>FASEB Journal</i> , 2010 , 24, 1058.11	0.9	
50	Small GTPase determinants for the Golgi processing and plasmalemmal expression of human ether-a-go-go related (hERG) K ⁺ channels. <i>Journal of Biological Chemistry</i> , 2009 , 284, 2844-2853	5.4	36
49	Functional cardiomyocytes derived from human induced pluripotent stem cells. <i>Circulation Research</i> , 2009 , 104, e30-41	15.7	1023
48	Caveolae, ion channels and cardiac arrhythmias. <i>Progress in Biophysics and Molecular Biology</i> , 2008 , 98, 149-60	4.7	119
47	Cellular therapies for heart disease: unveiling the ethical and public policy challenges. <i>Journal of Molecular and Cellular Cardiology</i> , 2008 , 45, 593-601	5.8	13
46	Conditional forebrain deletion of the L-type calcium channel Ca _v 1.2 disrupts remote spatial memories in mice. <i>Learning and Memory</i> , 2008 , 15, 1-5	2.8	94
45	Embryonic Stem Cells and Cardiogenesis 2007 , 25-35		
44	Structure-function relationships of Ca spark activity in normal and failing cardiac myocytes as revealed by flash photography. <i>Cell Calcium</i> , 2007 , 41, 123-34	4	22
43	Reply to Letter to the editor: Infarct size measurements are critically important when comparing interventions affecting ventricular remodeling <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 293, H3222-H3222	5.2	
42	Kv11.1 (ERG1) K ⁺ channels localize in cholesterol and sphingolipid enriched membranes and are modulated by membrane cholesterol. <i>Channels</i> , 2007 , 1, 263-72	3	40
41	Human embryonic stem cell-derived cardiomyocytes: drug discovery and safety pharmacology. <i>Expert Opinion on Drug Discovery</i> , 2007 , 2, 739-53	6.2	9
40	Transplanted embryonic stem cells following mouse myocardial infarction inhibit apoptosis and cardiac remodeling. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 293, H1308-14	5.2	83
39	Cardiomyocyte Differentiation. <i>Human Cell Culture</i> , 2007 , 211-234		3
38	Mutant caveolin-3 induces persistent late sodium current and is associated with long-QT syndrome. <i>Circulation</i> , 2006 , 114, 2104-12	16.7	413
37	Mission impossible: IGF-1 and PTEN specifically "Akt"ing on cardiac L-type Ca ²⁺ channels. <i>Circulation Research</i> , 2006 , 98, 1349-51	15.7	6
36	Localization of cardiac L-type Ca ²⁺ channels to a caveolar macromolecular signaling complex is required for beta(2)-adrenergic regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 7500-5	11.5	317

35	Human embryonic stem cell-derived cardiomyocytes can be maintained in defined medium without serum. <i>Stem Cells and Development</i> , 2006 , 15, 931-41	4.4	44
34	Transplantation of embryonic stem cells into the infarcted mouse heart: formation of multiple cell types. <i>Journal of Molecular and Cellular Cardiology</i> , 2006 , 40, 195-200	5.8	140
33	Specific serine proteases selectively damage KCNH2 (hERG1) potassium channels and I(Kr). <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 290, H1278-88	5.2	34
32	Increased late sodium current in myocytes from a canine heart failure model and from failing human heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2005 , 38, 475-83	5.8	332
31	Embryonic stem cells: differentiation into cardiomyocytes and potential for heart repair and regeneration. <i>Coronary Artery Disease</i> , 2005 , 16, 111-6	1.4	35
30	Distinct mouse coronary anatomy and myocardial infarction consequent to ligation. <i>Coronary Artery Disease</i> , 2005 , 16, 41-4	1.4	69
29	Unique modulation of L-type Ca ²⁺ channels by short auxiliary beta1d subunit present in cardiac muscle. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005 , 288, H2363-74	5.2	31
28	Crosstalk of beta-adrenergic receptor subtypes through Gi blunts beta-adrenergic stimulation of L-type Ca ²⁺ channels in canine heart failure. <i>Circulation Research</i> , 2005 , 97, 566-73	15.7	43
27	Intragenic suppression of trafficking-defective KCNH2 channels associated with long QT syndrome. <i>Molecular Pharmacology</i> , 2005 , 68, 233-40	4.3	21
26	Increased nitration of sarcoplasmic reticulum Ca ²⁺ -ATPase in human heart failure. <i>Circulation</i> , 2005 , 111, 988-95	16.7	116
25	Images in cardiovascular medicine. Infiltrative eosinophilic myocarditis diagnosed and localized by cardiac magnetic resonance imaging. <i>Circulation</i> , 2004 , 110, e19	16.7	21
24	Blocking the L-type Ca ²⁺ channel with a gem: a paradigm for a more specific Ca ²⁺ channel blocker. <i>Circulation Research</i> , 2004 , 95, 337-9	15.7	7
23	Inherited and acquired long QT syndromes: new insights and evolving technology. <i>Drug Discovery Today Disease Mechanisms</i> , 2004 , 1, 45-51		
22	Molecular heterogeneity of calcium channel beta-subunits in canine and human heart: evidence for differential subcellular localization. <i>Physiological Genomics</i> , 2004 , 17, 183-200	3.6	98
21	Pharmacology of the Cardiac Sodium Channel 2004 , 127-132		
20	Thapsigargin selectively rescues the trafficking defective LQT2 channels G601S and F805C. <i>Journal of Biological Chemistry</i> , 2003 , 278, 35749-54	5.4	80
19	Depletion of T-tubules and specific subcellular changes in sarcolemmal proteins in tachycardia-induced heart failure. <i>Cardiovascular Research</i> , 2003 , 59, 67-77	9.9	132
18	L-type Ca ²⁺ channels in atrial fibrillation: wallflowers or a vanishing act. <i>Journal of Molecular and Cellular Cardiology</i> , 2003 , 35, 427-31	5.8	8

17	Human embryonic stem cells develop into multiple types of cardiac myocytes: action potential characterization. <i>Circulation Research</i> , 2003 , 93, 32-9	15.7	670
16	Localization of functional endothelin receptor signaling complexes in cardiac transverse tubules. <i>Journal of Biological Chemistry</i> , 2003 , 278, 48154-61	5.4	40
15	L-type Ca ²⁺ channels gaining respect in heart failure. <i>Circulation Research</i> , 2002 , 91, 451-3	15.7	17
14	Reduction in density of transverse tubules and L-type Ca(2+) channels in canine tachycardia-induced heart failure. <i>Cardiovascular Research</i> , 2001 , 49, 298-307	9.9	217
13	Endothelin-1 and photoreleased diacylglycerol increase L-type Ca ²⁺ current by activation of protein kinase C in rat ventricular myocytes. <i>Journal of Physiology</i> , 2000 , 524 Pt 3, 807-20	3.9	67
12	Voltage-dependent facilitation of cardiac L-type Ca channels expressed in HEK-293 cells requires beta-subunit. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000 , 278, H126-36	5.2	17
11	Tails of the L-type Ca(2+) channel: to sense oxygen or not. <i>Circulation Research</i> , 2000 , 87, 535-6	15.7	6
10	Regulation of cardiac L-type calcium channels by protein kinase A and protein kinase C. <i>Circulation Research</i> , 2000 , 87, 1095-102	15.7	488
9	Oita International Electrophysiology Symposium 2000 Electrophysiology and Management of Lethal Arrhythmias in the New Millennium: From Genes to Bedside <i>Japanese Journal of Electrocardiology</i> , 2000 , 20, 99-100	0	0
8	High-voltage injury resulting in permanent right heart dysfunction. <i>Chest</i> , 1999 , 115, 586-7	5.3	11
7	Recurrent ischemic strokes in a patient with Medtronic-Hall prosthetic aortic valve and valve strands. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 755-7	5.8	10
6	Transcriptional regulation of the neuronal L-type calcium channel alpha 1D subunit gene. <i>Cellular and Molecular Neurobiology</i> , 1995 , 15, 307-26	4.6	22
5	Hairpin properties of single-stranded DNA containing a GC-rich triplet repeat: (CTG) ¹⁵ . <i>Nucleic Acids Research</i> , 1995 , 23, 1050-9	20.1	134
4	Functional consequences of sulfhydryl modification in the pore-forming subunits of cardiovascular Ca ²⁺ and Na ⁺ channels. <i>Circulation Research</i> , 1995 , 76, 325-34	15.7	107
3	Myocardial infarction, aortic dissection, and thrombolytic therapy. <i>American Heart Journal</i> , 1994 , 128, 1234-7	4.9	90
2	Stimulation rate modulates effects of the dihydropyridine CGP 28 392 on cardiac calcium-dependent action potentials. <i>British Journal of Pharmacology</i> , 1985 , 85, 523-8	8.6	5
1	Calcium channel agonist and antagonist effects of the stereoisomers of the dihydropyridine 202-791. <i>Biochemical and Biophysical Research Communications</i> , 1985 , 130, 141-8	3.4	55