Manfred Wilhelm

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8189073/publications.pdf

Version: 2024-02-01

78 papers 3,863 citations

236925 25 h-index 61 g-index

79 all docs

79 docs citations

79 times ranked 2863 citing authors

#	Article	IF	CITATIONS
1	Poly(ethylene oxide)-Based Electrolytes for Solid-State Potassium Metal Batteries with a Prussian Blue Positive Electrode. ACS Applied Polymer Materials, 2022, 4, 2734-2746.	4.4	13
2	Ionogels as Polymer Electrolytes for Lithium–Metal Batteries: Comparison of Poly(ethylene glycol) Diacrylate and an Imidazolium-Based Ionic Liquid Crosslinker. ACS Applied Polymer Materials, 2022, 4, 2794-2805.	4.4	11
3	In Situ RheoNMR Correlation of Polymer Segmental Mobility with Mechanical Properties during Hydrogel Synthesis. Advanced Science, 2022, 9, e2104231.	11.2	8
4	Synthesis of Superabsorbent Poly(vinylamine) Core–Shell Particles Monitored by Time-Domain NMR. Macromolecules, 2022, 55, 349-358.	4.8	3
5	Nonlinear Schapery viscoelastic material model for thermoplastic polymers. Journal of Applied Polymer Science, 2022, 139, .	2.6	3
6	Sustainable Synthesis of Nonâ€Isocyanate Polyurethanes Based on Renewable 2,3â€Butanediol. Macromolecular Chemistry and Physics, 2022, 223, .	2.2	7
7	Charge Transport and Glassy Dynamics in Blends Based on 1-Butyl-3-vinylbenzylimidazolium Bis(trifluoromethanesulfonyl)imide Ionic Liquid and the Corresponding Polymer. Polymers, 2022, 14, 2423.	4.5	2
8	Effect of Side Chain Length in Polystyrene POM–POMs on Melt Rheology and Solid Mechanical Fatigue. Macromolecules, 2022, 55, 5485-5496.	4.8	12
9	Molecularly Defined Polyolefin Vitrimers from Catalytic Insertion Polymerization. Journal of the American Chemical Society, 2022, 144, 13226-13233.	13.7	17
10	Quantifying separation energy with a modified Capillary Break-up Extensional Rheometer (CaBER) to study polymer solutions. Soft Materials, 2021, 19, 199-212.	1.7	0
11	Fourier transform fatigue analysis of the stress in tension/tension of HDPE and PA6. Polymer Engineering and Science, 2021, 61, 993-1006.	3.1	3
12	Reversible and Stable Hemiaminal Hydrogels from Polyvinylamine and Highly Reactive and Selective Bis(<i>N</i> -acylpiperidone)s. ACS Macro Letters, 2021, 10, 389-394.	4.8	3
13	Mechanoâ€Optical Characterization of Extrusion Flow Instabilities in Styreneâ€Butadiene Rubbers: Investigating the Influence of Molecular Properties and Die Geometry. Macromolecular Materials and Engineering, 2021, 306, 2000801.	3.6	9
14	Universal Strainâ€Life Curve Exponents for Thermoplastics and Elastomers under Tensionâ€Tension and Torsion. Macromolecular Materials and Engineering, 2021, 306, 2100165.	3. 6	5
15	Correlation between Macroscopic Elasticity and Chain Dynamics of Natural Rubber during Vulcanization as Determined by a Unique Rheo-NMR Combination. Macromolecules, 2021, 54, 6090-6100.	4.8	5
16	Styrene-Based Poly(ethylene oxide) Side-Chain Block Copolymers as Solid Polymer Electrolytes for High-Voltage Lithium-Metal Batteries. ACS Applied Materials & Interfaces, 2021, 13, 39257-39270.	8.0	34
17	Modeling the spatial characteristics of extrusion flow instabilities for styrene-butadiene rubbers: Investigating the influence of molecular weight distribution, molecular architecture, and temperature. Physics of Fluids, 2021, 33, .	4.0	7
18	Oneâ€Pot Synthesis of Alternating (Ultraâ€High Molecular Weight) Multiblock Copolymers via a Combination of Anionic Polymerization and Polycondensation. Macromolecular Rapid Communications, 2021, 42, 2100448.	3.9	5

#	Article	lF	Citations
19	Nonlinear mechanical behavior of elastomers under tension/tension fatigue deformation as determined by Fourier transform. Rheologica Acta, 2021, 60, 787-801.	2.4	3
20	Advanced Block Copolymer Design for Polymer Electrolytes: Prospects of Microphase Separation. Macromolecules, 2021, 54, 11101-11112.	4.8	7
21	Gradient-Induced Mechanical Vibration of Neural Interfaces During MRI. IEEE Transactions on Biomedical Engineering, 2020, 67, 915-923.	4.2	5
22	Cumulative nonlinearity as a parameter to quantify mechanical fatigue. Fatigue and Fracture of Engineering Materials and Structures, 2020, 43, 265-276.	3.4	9
23	Chondroinductive Alginate-Based Hydrogels Having Graphene Oxide for 3D Printed Scaffold Fabrication. ACS Applied Materials & Samp; Interfaces, 2020, 12, 4343-4357.	8.0	107
24	Optimizing the Power Production in an Osmotic Engine via Microfluidic Fabricated and Surface Crosslinked Hydrogels Utilizing Fresh and Salt Water. Macromolecular Materials and Engineering, 2020, 305, 2000174.	3.6	6
25	Desalination of Seawater Using Cationic Poly(acrylamide) Hydrogels and Mechanical Forces for Separation. Macromolecular Materials and Engineering, 2020, 305, 2000383.	3.6	14
26	Molecular origin of the foam structure in model linear and comb polystyrenes: I. Cell density. Polymer, 2020, 193, 122351.	3.8	3
27	Effect of Topology and Molecular Properties on the Rheology and Fatigue Behavior of Solid Polystyrene/Polyisoprene Di- and Triblock Copolymers. Macromolecules, 2020, 53, 5572-5587.	4.8	14
28	Small and Medium Amplitude Oscillatory Shear Rheology of Model Branched Polystyrene (PS) Melts. Polymers, 2020, 12, 365.	4.5	9
29	Molecular origin of the foam structure in model linear and comb polystyrenes: II. Volume expansion ratio. Polymer, 2020, 193, 122354.	3.8	5
30	A New Quantum Cascade IRâ€Laser Online Detector: Chemicalâ€Sensitive Sizeâ€Exclusion Chromatography Measurement at Unprecedented Low Levels. Macromolecular Rapid Communications, 2019, 40, e1900228.	3.9	9
31	Aging of natural rubber studied via Fourier-transform rheology and double quantum NMR to correlate local chain dynamics with macroscopic mechanical response. Polymer, 2019, 181, 121804.	3.8	17
32	Fatigue analysis of brittle polymers via Fourier transform of the stress. Mechanics of Materials, 2019, 137, 103100.	3.2	15
33	Structure of Superabsorbent Polyacrylate Hydrogels and Dynamics of Counterions by Nuclear Magnetic Resonance. Macromolecular Chemistry and Physics, 2019, 220, 1800525.	2.2	12
34	On-line SEC-MR-NMR hyphenation: optimization of sensitivity and selectivity on a 62 MHz benchtop NMR spectrometer. Polymer Chemistry, 2019, 10, 2230-2246.	3.9	28
35	Comb and Bottlebrush Polymers with Superior Rheological and Mechanical Properties. Advanced Materials, 2019, 31, e1806484.	21.0	117
36	Poly(sodium acrylate) hydrogels: synthesis of various network architectures, local molecular dynamics, salt partitioning, desalination and simulation. Soft Matter, 2019, 15, 9949-9964.	2.7	28

3

#	Article	IF	CITATIONS
37	Polymer Crystallization Studied by Hyphenated Rheology Techniques: Rheoâ€NMR, Rheoâ€SAXS, and Rheoâ€Microscopy. Macromolecular Materials and Engineering, 2019, 304, 1800586.	3.6	19
38	Comb Polymers with Triazole Linkages under Thermal and Mechanical Stress. Macromolecules, 2019, 52, 420-431.	4.8	2
39	Dynamics of Sodium Ions and Water in Swollen Superabsorbent Hydrogels as Studied by ²³ Na―and ¹ Hâ€NMR. Macromolecular Chemistry and Physics, 2019, 220, 1800350.	2.2	13
40	Diblock Copolymers with Similar Glass Transition Temperatures in Both Blocks for Comparing Shear Orientation Processes with DPD Computer Simulations. Macromolecular Chemistry and Physics, 2018, 219, 1700559.	2.2	15
41	Medium Resolution ¹ Hâ€NMR at 62 MHz as a New Chemically Sensitive Online Detector for Sizeâ€Exclusion Chromatography (SEC–NMR). Macromolecular Rapid Communications, 2018, 39, e1700766.	3.9	27
42	Influence of molecular properties on the mechanical fatigue of polystyrene (PS) analyzed via Wöhler curves and Fourier Transform rheology. Polymer, 2018, 138, 1-7.	3.8	22
43	Polymer crystallinity and crystallization kinetics via benchtop 1H NMR relaxometry: Revisited method, data analysis, and experiments on common polymers. Polymer, 2018, 145, 162-173.	3.8	25
44	Influence of molecular structure on the foamability of polypropylene: Linear and extensional rheological fingerprint. Journal of Cellular Plastics, 2018, 54, 515-543.	2.4	27
45	Topological Insight into Superabsorbent Hydrogel Network Structures: a ¹ H Doubleâ€Quantum NMR Study. Macromolecular Chemistry and Physics, 2018, 219, 1800100.	2.2	10
46	Stability of Diels–Alder photoadducts in macromolecules. Polymer Chemistry, 2018, 9, 3850-3854.	3.9	2
47	Transitions between Lamellar Orientations in Shear Flow. Macromolecules, 2018, 51, 4642-4659.	4.8	21
48	Fatigue behavior of polystyrene (PS) analyzed from the Fourier transform (FT) of stress response: First evidence of $12/1(N)$ and $13/1(N)$ as new fingerprints. Polymer Testing, 2017, 60, 343-350.	4.8	26
49	Linear and Extensional Rheology of Model Branched Polystyrenes: From Loosely Grafted Combs to Bottlebrushes. Macromolecules, 2017, 50, 5964-5977.	4.8	75
50	Low-field rheo-NMR: A novel combination of NMR relaxometry with high end shear rheology. Journal of Rheology, 2017, 61, 905-917.	2.6	27
51	Fourier-Transform Rheology of Unvulcanized, Carbon Black Filled Styrene Butadiene Rubber. Macromolecular Materials and Engineering, 2016, 301, 457-468.	3.6	24
52	Effect of Molecular Weight, Polydispersity, and Monomer of Linear Homopolymer Melts on the Intrinsic Mechanical Nonlinearity ³ <i>Q</i> ₀ (i%) in MAOS. Macromolecules, 2016, 49, 3566-3579.	4.8	70
53	Polystyrene comb architectures as model systems for the optimized solution electrospinning of branched polymers. Polymer, 2016, 104, 240-250.	3.8	19
54	Hyphenated lowâ€field NMR techniques: combining NMR with NIR, GPC/SEC and rheometry. Magnetic Resonance in Chemistry, 2016, 54, 494-501.	1.9	38

#	Article	IF	CITATIONS
55	A New High Sensitivity System to Detect Instabilities During the Extrusion of Polymer Melts. Macromolecular Materials and Engineering, 2015, 300, 1141-1152.	3.6	14
56	Development of a chemically sensitive online SEC detector based on FTIR spectroscopy. Polymer Chemistry, 2015, 6, 128-142.	3.9	19
57	ATRP-based polymers with modular ligation points under thermal and thermomechanical stress. Polymer Chemistry, 2015, 6, 2854-2868.	3.9	18
58	Molecular Dynamics of Polymer Composites Using Rheology and Combined RheoNMR on the Example of TiO ₂ -Filled Poly(n-Alkyl Methacrylates) and Trans-1,4-Polyisoprene. Soft Materials, 2014, 12, S4-S13.	1.7	8
59	High performance liquid chromatography with mid-infrared detection based on a broadly tunable quantum cascade laser. Analyst, The, 2014, 139, 2057.	3.5	24
60	Network Structure and Inhomogeneities of Model and Commercial Polyelectrolyte Hydrogels as Investigated by Low-Field Proton NMR Techniques. Macromolecules, 2014, 47, 4251-4265.	4.8	47
61	Investigation of the rheological behavior of industrial tubular and autoclave LDPEs under SAOS, LAOS, transient shear, and elongational flows compared with predictions from the MSF theory. Journal of Rheology, 2013, 57, 1693-1714.	2.6	34
62	RAFT-based Polystyrene and Polyacrylate Melts under Thermal and Mechanical Stress. Macromolecules, 2013, 46, 8079-8091.	4.8	29
63	Synthesis and Linear and Nonlinear Melt Rheology of Well-Defined Comb Architectures of PS and PpMS with a Low and Controlled Degree of Long-Chain Branching. Macromolecules, 2013, 46, 4978-4994.	4.8	109
64	Online Coupling of Sizeâ€Exclusion Chromatography and Lowâ€Field ¹ H NMR Spectroscopy. Macromolecular Chemistry and Physics, 2012, 213, 1933-1943.	2.2	21
65	Online Coupling of Sizeâ€Exclusion Chromatography and IR Spectroscopy to Correlate Molecular Weight with Chemical Composition. Macromolecular Rapid Communications, 2012, 33, 1747-1752.	3.9	17
66	Analysis of medium amplitude oscillatory shear data of entangled linear and model comb polymers. Journal of Rheology, 2011, 55, 495-516.	2.6	110
67	Observation of New States of Liquid Crystal 8CB under Nonlinear Shear Conditions as Observed via a Novel and Unique Rheology/Small-Angle X-ray Scattering Combination. Langmuir, 2011, 27, 2880-2887.	3.5	46
68	A review of nonlinear oscillatory shear tests: Analysis and application of large amplitude oscillatory shear (LAOS). Progress in Polymer Science, 2011, 36, 1697-1753.	24.7	1,109
69	SECâ€MRâ€NMR: Online Coupling of Size Exclusion Chromatography and Medium Resolution NMR Spectroscopy. Macromolecular Rapid Communications, 2011, 32, 665-670.	3.9	29
70	Anionic Synthesis and Rheological Characterization of Poly(<i>p</i> â€methylstyrene) Model Comb Architectures with a Defined and Very Low Degree of Long Chain Branching. Macromolecular Rapid Communications, 2010, 31, 2140-2145.	3.9	36
71	Correlation between polyethylene topology and melt flow instabilities by determining in-situ pressure fluctuations and applying advanced data analysis. Polymer, 2010, 51, 522-534.	3.8	23
72	Detection and quantification of branching in polyacrylates by size-exclusion chromatography (SEC) and melt-state 13C NMR spectroscopy. Polymer, 2009, 50, 2373-2383.	3.8	103

#	Article	IF	CITATIONS
73	Polymer motion as detected via dielectric spectra of 1,4-cis-polyisoprene under large amplitude oscillatory shear (LAOS). Journal of Non-Newtonian Fluid Mechanics, 2009, 160, 93-103.	2.4	21
74	Establishing a New Mechanical Nonlinear Coefficient $\langle i \rangle Q \langle i \rangle$ from FT-Rheology: First Investigation of Entangled Linear and Comb Polymer Model Systems. Macromolecules, 2009, 42, 411-422.	4.8	258
75	Kinetics of Shear Microphase Orientation and Reorientation in Lamellar Diblock and Triblock Copolymer Melts as Detected via FTâ€Rheology and 2Dâ€SAXS. Macromolecular Chemistry and Physics, 2007, 208, 1719-1729.	2.2	31
76	Fourier-Transform Rheology. Macromolecular Materials and Engineering, 2002, 287, 83-105.	3.6	413
77	Increased torque transducer sensitivity via oversampling. Rheologica Acta, 2001, 40, 395-399.	2.4	73
78	High sensitivity Fourier-transform rheology. Rheologica Acta, 1999, 38, 349-356.	2.4	236