Chun-Fu Lai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8190736/publications.pdf

Version: 2024-02-01

159358 149479 3,202 66 30 56 citations h-index g-index papers 67 67 67 3849 all docs docs citations times ranked citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Renoprotective effect of combining pentoxifylline with angiotensin-converting enzyme inhibitor or angiotensin II receptor blocker in advanced chronic kidney disease. Journal of the Formosan Medical Association, 2014, 113, 219-226. | 0.8 | 283 |
| 2 | Pentoxifylline Attenuates Proteinuria in Anti-Thy1 Glomerulonephritis via Downregulation of Nuclear Factor-Î ^o B and Smad2/3 Signaling. Molecular Medicine, 2015, 21, 276-284. | 1.9 | 272 |
| 3 | Long-Term Risk of Coronary Events after AKI. Journal of the American Society of Nephrology: JASN, 2014, 25, 595-605. | 3.0 | 262 |
| 4 | Transforming Growth Factor \hat{l}^2 -1 Stimulates Profibrotic Epithelial Signaling to Activate Pericyte-Myofibroblast Transition in Obstructive Kidney Fibrosis. American Journal of Pathology, 2013, 182, 118-131. | 1.9 | 206 |
| 5 | Acute-on-chronic kidney injury at hospital discharge is associated with long-term dialysis and mortality. Kidney International, 2011, 80, 1222-1230. | 2.6 | 163 |
| 6 | Pentoxifylline Attenuates Tubulointerstitial Fibrosis by Blocking Smad3/4-Activated Transcription and Profibrogenic Effects of Connective Tissue Growth Factor. Journal of the American Society of Nephrology: JASN, 2005, 16, 2702-2713. | 3.0 | 142 |
| 7 | Sleep Disturbance in Chronic Hemodialysis Patients: The Impact of Depression and Anemia. Renal Failure, 2007, 29, 673-677. | 0.8 | 90 |
| 8 | Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. Critical Care, 2011, 15, R134. | 2.5 | 87 |
| 9 | The Impact of Acute Kidney Injury With Temporary Dialysis on the Risk of Fracture. Journal of Bone and Mineral Research, 2014, 29, 676-684. | 3.1 | 79 |
| 10 | Simple selfâ€report <scp>FRAIL</scp> scale might be more closely associated with dialysis complications than other frailty screening instruments in rural chronic dialysis patients. Nephrology, 2015, 20, 321-328. | 0.7 | 78 |
| 11 | Risk of developing severe sepsis after acute kidney injury: a population-based cohort study. Critical Care, 2013, 17, R231. | 2.5 | 74 |
| 12 | Relationship Between Periodontal Disease and Mortality in Patients Treated With Maintenance Hemodialysis. American Journal of Kidney Diseases, 2011, 57, 276-282. | 2.1 | 72 |
| 13 | Uremic Pruritus, Dialysis Adequacy, and Metabolic Profiles in Hemodialysis Patients: A Prospective 5-Year Cohort Study. PLoS ONE, 2013, 8, e71404. | 1.1 | 68 |
| 14 | DNA methyltransferase inhibition restores erythropoietin production in fibrotic murine kidneys. Journal of Clinical Investigation, 2016, 126, 721-731. | 3.9 | 68 |
| 15 | Long-term remote organ consequences following acute kidney injury. Critical Care, 2015, 19, 438. | 2.5 | 63 |
| 16 | Kidney function decline after a non-dialysis-requiring acute kidney injury is associated with higher long-term mortality in critically ill survivors. Critical Care, 2012, 16, R123. | 2.5 | 62 |
| 17 | Clinical Outcomes and Predictors for ESRD and Mortality in Primary GN. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 1401-1408. | 2.2 | 61 |
| 18 | Proximal Tubule Translational Profiling during Kidney Fibrosis Reveals Proinflammatory and Long Noncoding RNA Expression Patterns with Sexual Dimorphism. Journal of the American Society of Nephrology: JASN, 2020, 31, 23-38. | 3.0 | 61 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Advanced age affects the outcome-predictive power of RIFLE classification in geriatric patients with acute kidney injury. Kidney International, 2012, 82, 920-927. | 2.6 | 59 |
| 20 | Verification and evaluation of aldosteronism demographics in the Taiwan Primary Aldosteronism Investigation Group (TAIPAI Group). JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2011, 12, 348-357. | 1.0 | 51 |
| 21 | Nasal Carriage of Methicillin-resistant Staphylococcus aureus Is Associated with Higher All-Cause Mortality in Hemodialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 167-174. | 2.2 | 49 |
| 22 | Association of uraemic pruritus with inflammation and hepatitis infection in haemodialysis patients. Nephrology Dialysis Transplantation, 2008, 23, 3685-3689. | 0.4 | 46 |
| 23 | Renin-Angiotensin System Inhibitor is Associated with Lower Risk of Ensuing Chronic Kidney Disease after Functional Recovery from Acute Kidney Injury. Scientific Reports, 2017, 7, 46518. | 1.6 | 46 |
| 24 | Early activation of bradykinin B2 receptor aggravates reactive oxygen species generation and renal damage in ischemia/reperfusion injury. Free Radical Biology and Medicine, 2006, 41, 1304-1314. | 1.3 | 43 |
| 25 | Losartan reduces ensuing chronic kidney disease and mortality after acute kidney injury. Scientific Reports, 2016, 6, 34265. | 1.6 | 43 |
| 26 | Association of serum fetuin A with truncal obesity and dyslipidemia in non-diabetic hemodialysis patients. European Journal of Endocrinology, 2009, 160, 777-783. | 1.9 | 42 |
| 27 | U-Curve Association between Timing of Renal Replacement Therapy Initiation and In-Hospital Mortality in Postoperative Acute Kidney Injury. PLoS ONE, 2012, 7, e42952. | 1.1 | 40 |
| 28 | Withdrawal from long-term hemodialysis in patients with end-stage renal disease in Taiwan. Journal of the Formosan Medical Association, 2013, 112, 589-599. | 0.8 | 39 |
| 29 | Long-Term Outcomes after Dialysis-Requiring Acute Kidney Injury. BioMed Research International, 2014, 2014, 1-11. | 0.9 | 34 |
| 30 | Blockade of cysteine-rich protein 61 attenuates renal inflammation and fibrosis after ischemic kidney injury. American Journal of Physiology - Renal Physiology, 2014, 307, F581-F592. | 1.3 | 34 |
| 31 | Methylation in pericytes after acute injury promotes chronic kidney disease. Journal of Clinical Investigation, 2020, 130, 4845-4857. | 3.9 | 32 |
| 32 | Impact of Near-Death Experiences on Dialysis Patients: A Multicenter Collaborative Study. American Journal of Kidney Diseases, 2007, 50, 124-132.e2. | 2.1 | 28 |
| 33 | Preoperative Proteinuria Is Associated with Long-Term Progression to Chronic Dialysis and Mortality after Coronary Artery Bypass Grafting Surgery. PLoS ONE, 2012, 7, e27687. | 1.1 | 27 |
| 34 | Cysteine-Rich Protein 61 Plays a Proinflammatory Role in Obstructive Kidney Fibrosis. PLoS ONE, 2013, 8, e56481. | 1.1 | 27 |
| 35 | Increased Risk of Active Tuberculosis following Acute Kidney Injury: A Nationwide, Population-Based Study. PLoS ONE, 2013, 8, e69556. | 1.1 | 27 |
| 36 | Sexual Dysfunction in Peritoneal Dialysis Patients. American Journal of Nephrology, 2007, 27, 615-621. | 1.4 | 26 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Effect of Diuretic Use on 30-Day Postdialysis Mortality in Critically III Patients Receiving Acute Dialysis. PLoS ONE, 2012, 7, e30836. | 1.1 | 25 |
| 38 | The hemodynamic effects during sustained low-efficiency dialysis versus continuous veno-venous hemofiltration for uremic patients with brain hemorrhage: a crossover study. Journal of Neurosurgery, 2013, 119, 1288-1295. | 0.9 | 23 |
| 39 | Risk factors for herpes zoster reactivation in maintenance hemodialysis patients. European Journal of Internal Medicine, 2012, 23, 711-715. | 1.0 | 20 |
| 40 | The Renoprotective Potential of Pentoxifylline in Chronic Kidney Disease. Journal of the Chinese Medical Association, 2005, 68, 99-105. | 0.6 | 19 |
| 41 | Association of Low Serum Fetuin A Levels With Poor Arteriovenous Access Patency in Patients Undergoing Maintenance Hemodialysis. American Journal of Kidney Diseases, 2010, 56, 720-727. | 2.1 | 19 |
| 42 | Hemojuvelin Modulates Iron Stress During Acute Kidney Injury: Improved by Furin Inhibitor. Antioxidants and Redox Signaling, 2014, 20, 1181-1194. | 2.5 | 19 |
| 43 | Circulating long noncoding RNA DKFZP434I0714 predicts adverse cardiovascular outcomes in patients with end-stage renal disease. International Journal of Cardiology, 2019, 277, 212-219. | 0.8 | 19 |
| 44 | Quantitative Comparison of Skin Colors in Patients With ESRD Undergoing Different Dialysis Modalities. American Journal of Kidney Diseases, 2006, 48, 292-300. | 2.1 | 18 |
| 45 | Dialysis-requiring acute kidney injury increases risk of long-term malignancy: a population-based study. Journal of Cancer Research and Clinical Oncology, 2014, 140, 613-621. | 1.2 | 17 |
| 46 | Angiopoietin 1 influences ischemic reperfusion renal injury via modulating endothelium survival and regeneration. Molecular Medicine, 2019, 25, 5. | 1.9 | 17 |
| 47 | Pneumatosis intestinalis and hepatic portal venous gas after CPR. American Journal of Emergency Medicine, 2005, 23, 177-181. | 0.7 | 14 |
| 48 | Thoracic kidney and contralateral ureteral duplicationâ€"a case report and review of the literature. Nephrology Dialysis Transplantation, 2006, 21, 799-801. | 0.4 | 13 |
| 49 | Establishment of a renal supportive care program: Experience from a rural community hospital in Taiwan. Journal of the Formosan Medical Association, 2016, 115, 490-500. | 0.8 | 12 |
| 50 | Association of increased travel distance to dialysis units with the risk of anemia in rural chronic hemodialysis elderly. Hemodialysis International, 2015, 19, 44-53. | 0.4 | 11 |
| 51 | A possible rare cause of renal failure in streptococcal infection. Nephrology Dialysis Transplantation, 2011, 26, 368-371. | 0.4 | 10 |
| 52 | Long-term risk of dementia following acute kidney injury: A population-based study. Tzu Chi Medical Journal, 2017, 29, 201. | 0.4 | 8 |
| 53 | Skin Color is Associated with Insulin Resistance in Nondiabetic Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2009, 29, 458-464. | 1.1 | 7 |
| 54 | Improvement in Mortality and End-Stage Renal Disease in Patients With Type 2 Diabetes After Acute Kidney Injury Who Are Prescribed Dipeptidyl Peptidase-4 Inhibitors. Mayo Clinic Proceedings, 2018, 93, 1760-1774. | 1.4 | 7 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Incorporating Palliative Care Into the Dialysis Unit Affects Patterns Near the End of Life. Mayo Clinic Proceedings, 2015, 90, 1307-1309. | 1.4 | 6 |
| 56 | Restricted Use of Erythropoiesis-Stimulating Agent is Safe and Associated with Deferred Dialysis Initiation in Stage 5 Chronic Kidney Disease. Scientific Reports, 2017, 7, 44013. | 1.6 | 6 |
| 57 | Characteristics of Harmonic Indexes of the Arterial Blood Pressure Waveform in Type 2 Diabetes Mellitus. Frontiers in Bioengineering and Biotechnology, 2020, 8, 638. | 2.0 | 6 |
| 58 | Human Immunodeficiency Virus-associated Nephropathy. Journal of the Formosan Medical Association, 2006, 105, 680-684. | 0.8 | 5 |
| 59 | Outcomes following Dialysis for Acute Kidney Injury among Different Stages of Chronic Kidney Disease. American Journal of Nephrology, 2011, 34, 95-103. | 1.4 | 5 |
| 60 | Integrating the Surprise Question, Palliative Care Screening Tool, and Clinical Risk Models to Identify Peritoneal Dialysis Patients With High One-Year Mortality. Journal of Pain and Symptom Management, 2020, 60, 613-621.e6. | 0.6 | 5 |
| 61 | Combining body mass index and serum potassium to urine potassium clearance ratio is an alternative method to predict primary aldosteronism. Clinica Chimica Acta, 2011, 412, 1637-1642. | 0.5 | 4 |
| 62 | Identify methicillin-resistant Staphylococcus aureus nasal carriers in hemodialysis patients. Journal of the Formosan Medical Association, 2013, 112, 365. | 0.8 | 1 |
| 63 | Acute kidney injury as a risk factor for diagnostic discrepancy among geriatric patients: a pilot study. Scientific Reports, 2016, 6, 38549. | 1.6 | 1 |
| 64 | Associations between urinary cysteine-rich protein 61 excretion and kidney function decline in outpatients with chronic kidney disease: a prospective cohort study in Taiwan. BMJ Open, 2021, 11, e051165. | 0.8 | 1 |
| 65 | Probable bullous pemphigoid related to arteriovenous shunt infection. Nephrology, 2014, 19, 304-305. | 0.7 | 0 |
| 66 | Web-based pulse analysis system for detection of acute kidney injury., 2015,,. | | 0 |