

# Chun-Fu Lai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8190736/publications.pdf>

Version: 2024-02-01

66  
papers

3,202  
citations

159358

30  
h-index

149479

56  
g-index

67  
all docs

67  
docs citations

67  
times ranked

3849  
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations between urinary cysteine-rich protein 61 excretion and kidney function decline in outpatients with chronic kidney disease: a prospective cohort study in Taiwan. <i>BMJ Open</i> , 2021, 11, e051165.	0.8	1
2	Proximal Tubule Translational Profiling during Kidney Fibrosis Reveals Proinflammatory and Long Noncoding RNA Expression Patterns with Sexual Dimorphism. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 23-38.	3.0	61
3	Characteristics of Harmonic Indexes of the Arterial Blood Pressure Waveform in Type 2 Diabetes Mellitus. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 638.	2.0	6
4	Integrating the Surprise Question, Palliative Care Screening Tool, and Clinical Risk Models to Identify Peritoneal Dialysis Patients With High One-Year Mortality. <i>Journal of Pain and Symptom Management</i> , 2020, 60, 613-621.e6.	0.6	5
5	Methylation in pericytes after acute injury promotes chronic kidney disease. <i>Journal of Clinical Investigation</i> , 2020, 130, 4845-4857.	3.9	32
6	Circulating long noncoding RNA DKFZP434I0714 predicts adverse cardiovascular outcomes in patients with end-stage renal disease. <i>International Journal of Cardiology</i> , 2019, 277, 212-219.	0.8	19
7	Angiotensin 1 influences ischemic reperfusion renal injury via modulating endothelium survival and regeneration. <i>Molecular Medicine</i> , 2019, 25, 5.	1.9	17
8	Improvement in Mortality and End-Stage Renal Disease in Patients With Type 2 Diabetes After Acute Kidney Injury Who Are Prescribed Dipeptidyl Peptidase-4 Inhibitors. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1760-1774.	1.4	7
9	Restricted Use of Erythropoiesis-Stimulating Agent is Safe and Associated with Deferred Dialysis Initiation in Stage 5 Chronic Kidney Disease. <i>Scientific Reports</i> , 2017, 7, 44013.	1.6	6
10	Renin-Angiotensin System Inhibitor is Associated with Lower Risk of Ensuing Chronic Kidney Disease after Functional Recovery from Acute Kidney Injury. <i>Scientific Reports</i> , 2017, 7, 46518.	1.6	46
11	Long-term risk of dementia following acute kidney injury: A population-based study. <i>Tzu Chi Medical Journal</i> , 2017, 29, 201.	0.4	8
12	Acute kidney injury as a risk factor for diagnostic discrepancy among geriatric patients: a pilot study. <i>Scientific Reports</i> , 2016, 6, 38549.	1.6	1
13	Losartan reduces ensuing chronic kidney disease and mortality after acute kidney injury. <i>Scientific Reports</i> , 2016, 6, 34265.	1.6	43
14	Establishment of a renal supportive care program: Experience from a rural community hospital in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 490-500.	0.8	12
15	DNA methyltransferase inhibition restores erythropoietin production in fibrotic murine kidneys. <i>Journal of Clinical Investigation</i> , 2016, 126, 721-731.	3.9	68
16	Long-term remote organ consequences following acute kidney injury. <i>Critical Care</i> , 2015, 19, 438.	2.5	63
17	Simple self-report <sc>FRAIL</sc> scale might be more closely associated with dialysis complications than other frailty screening instruments in rural chronic dialysis patients. <i>Nephrology</i> , 2015, 20, 321-328.	0.7	78
18	Pentoxifylline Attenuates Proteinuria in Anti-Thy1 Glomerulonephritis via Downregulation of Nuclear Factor- $\kappa$ B and Smad2/3 Signaling. <i>Molecular Medicine</i> , 2015, 21, 276-284.	1.9	272

#	ARTICLE	IF	CITATIONS
19	Web-based pulse analysis system for detection of acute kidney injury. , 2015, , .		0
20	Association of increased travel distance to dialysis units with the risk of anemia in rural chronic hemodialysis elderly. Hemodialysis International, 2015, 19, 44-53.	0.4	11
21	Incorporating Palliative Care Into the Dialysis Unit Affects Patterns Near the End of Life. Mayo Clinic Proceedings, 2015, 90, 1307-1309.	1.4	6
22	Long-Term Outcomes after Dialysis-Requiring Acute Kidney Injury. BioMed Research International, 2014, 2014, 1-11.	0.9	34
23	Probable bullous pemphigoid related to arteriovenous shunt infection. Nephrology, 2014, 19, 304-305.	0.7	0
24	Long-Term Risk of Coronary Events after AKI. Journal of the American Society of Nephrology: JASN, 2014, 25, 595-605.	3.0	262
25	Hemojuvelin Modulates Iron Stress During Acute Kidney Injury: Improved by Furin Inhibitor. Antioxidants and Redox Signaling, 2014, 20, 1181-1194.	2.5	19
26	Dialysis-requiring acute kidney injury increases risk of long-term malignancy: a population-based study. Journal of Cancer Research and Clinical Oncology, 2014, 140, 613-621.	1.2	17
27	The Impact of Acute Kidney Injury With Temporary Dialysis on the Risk of Fracture. Journal of Bone and Mineral Research, 2014, 29, 676-684.	3.1	79
28	Blockade of cysteine-rich protein 61 attenuates renal inflammation and fibrosis after ischemic kidney injury. American Journal of Physiology - Renal Physiology, 2014, 307, F581-F592.	1.3	34
29	Renoprotective effect of combining pentoxifylline with angiotensin-converting enzyme inhibitor or angiotensin II receptor blocker in advanced chronic kidney disease. Journal of the Formosan Medical Association, 2014, 113, 219-226.	0.8	283
30	Transforming Growth Factor $\beta$ 1 Stimulates Profibrotic Epithelial Signaling to Activate Pericyte-Myofibroblast Transition in Obstructive Kidney Fibrosis. American Journal of Pathology, 2013, 182, 118-131.	1.9	206
31	Identify methicillin-resistant Staphylococcus aureus nasal carriers in hemodialysis patients. Journal of the Formosan Medical Association, 2013, 112, 365.	0.8	1
32	Withdrawal from long-term hemodialysis in patients with end-stage renal disease in Taiwan. Journal of the Formosan Medical Association, 2013, 112, 589-599.	0.8	39
33	The hemodynamic effects during sustained low-efficiency dialysis versus continuous veno-venous hemofiltration for uremic patients with brain hemorrhage: a crossover study. Journal of Neurosurgery, 2013, 119, 1288-1295.	0.9	23
34	Risk of developing severe sepsis after acute kidney injury: a population-based cohort study. Critical Care, 2013, 17, R231.	2.5	74
35	Cysteine-Rich Protein 61 Plays a Proinflammatory Role in Obstructive Kidney Fibrosis. PLoS ONE, 2013, 8, e56481.	1.1	27
36	Increased Risk of Active Tuberculosis following Acute Kidney Injury: A Nationwide, Population-Based Study. PLoS ONE, 2013, 8, e69556.	1.1	27

#	ARTICLE	IF	CITATIONS
37	Uremic Pruritus, Dialysis Adequacy, and Metabolic Profiles in Hemodialysis Patients: A Prospective 5-Year Cohort Study. <i>PLoS ONE</i> , 2013, 8, e71404.	1.1	68
38	Clinical Outcomes and Predictors for ESRD and Mortality in Primary GN. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1401-1408.	2.2	61
39	Advanced age affects the outcome-predictive power of RIFLE classification in geriatric patients with acute kidney injury. <i>Kidney International</i> , 2012, 82, 920-927.	2.6	59
40	Kidney function decline after a non-dialysis-requiring acute kidney injury is associated with higher long-term mortality in critically ill survivors. <i>Critical Care</i> , 2012, 16, R123.	2.5	62
41	Risk factors for herpes zoster reactivation in maintenance hemodialysis patients. <i>European Journal of Internal Medicine</i> , 2012, 23, 711-715.	1.0	20
42	U-Curve Association between Timing of Renal Replacement Therapy Initiation and In-Hospital Mortality in Postoperative Acute Kidney Injury. <i>PLoS ONE</i> , 2012, 7, e42952.	1.1	40
43	Preoperative Proteinuria Is Associated with Long-Term Progression to Chronic Dialysis and Mortality after Coronary Artery Bypass Grafting Surgery. <i>PLoS ONE</i> , 2012, 7, e27687.	1.1	27
44	Effect of Diuretic Use on 30-Day Postdialysis Mortality in Critically Ill Patients Receiving Acute Dialysis. <i>PLoS ONE</i> , 2012, 7, e30836.	1.1	25
45	Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. <i>Critical Care</i> , 2011, 15, R134.	2.5	87
46	Acute-on-chronic kidney injury at hospital discharge is associated with long-term dialysis and mortality. <i>Kidney International</i> , 2011, 80, 1222-1230.	2.6	163
47	Combining body mass index and serum potassium to urine potassium clearance ratio is an alternative method to predict primary aldosteronism. <i>Clinica Chimica Acta</i> , 2011, 412, 1637-1642.	0.5	4
48	Relationship Between Periodontal Disease and Mortality in Patients Treated With Maintenance Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2011, 57, 276-282.	2.1	72
49	A possible rare cause of renal failure in streptococcal infection. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 368-371.	0.4	10
50	Verification and evaluation of aldosteronism demographics in the Taiwan Primary Aldosteronism Investigation Group (TAIPAI Group). <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2011, 12, 348-357.	1.0	51
51	Nasal Carriage of Methicillin-resistant <i>Staphylococcus aureus</i> Is Associated with Higher All-Cause Mortality in Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 167-174.	2.2	49
52	Outcomes following Dialysis for Acute Kidney Injury among Different Stages of Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2011, 34, 95-103.	1.4	5
53	Association of Low Serum Fetuin A Levels With Poor Arteriovenous Access Patency in Patients Undergoing Maintenance Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2010, 56, 720-727.	2.1	19
54	Skin Color is Associated with Insulin Resistance in Nondiabetic Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2009, 29, 458-464.	1.1	7

#	ARTICLE	IF	CITATIONS
55	Association of serum fetuin A with truncal obesity and dyslipidemia in non-diabetic hemodialysis patients. <i>European Journal of Endocrinology</i> , 2009, 160, 777-783.	1.9	42
56	Association of uraemic pruritus with inflammation and hepatitis infection in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3685-3689.	0.4	46
57	Sexual Dysfunction in Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2007, 27, 615-621.	1.4	26
58	Sleep Disturbance in Chronic Hemodialysis Patients: The Impact of Depression and Anemia. <i>Renal Failure</i> , 2007, 29, 673-677.	0.8	90
59	Impact of Near-Death Experiences on Dialysis Patients: A Multicenter Collaborative Study. <i>American Journal of Kidney Diseases</i> , 2007, 50, 124-132.e2.	2.1	28
60	Human Immunodeficiency Virus-associated Nephropathy. <i>Journal of the Formosan Medical Association</i> , 2006, 105, 680-684.	0.8	5
61	Early activation of bradykinin B2 receptor aggravates reactive oxygen species generation and renal damage in ischemia/reperfusion injury. <i>Free Radical Biology and Medicine</i> , 2006, 41, 1304-1314.	1.3	43
62	Quantitative Comparison of Skin Colors in Patients With ESRD Undergoing Different Dialysis Modalities. <i>American Journal of Kidney Diseases</i> , 2006, 48, 292-300.	2.1	18
63	Thoracic kidney and contralateral ureteral duplication—a case report and review of the literature. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 799-801.	0.4	13
64	Pentoxifylline Attenuates Tubulointerstitial Fibrosis by Blocking Smad3/4-Activated Transcription and Profibrogenic Effects of Connective Tissue Growth Factor. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2702-2713.	3.0	142
65	The Renoprotective Potential of Pentoxifylline in Chronic Kidney Disease. <i>Journal of the Chinese Medical Association</i> , 2005, 68, 99-105.	0.6	19
66	Pneumatosis intestinalis and hepatic portal venous gas after CPR. <i>American Journal of Emergency Medicine</i> , 2005, 23, 177-181.	0.7	14