

Pauline Burger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8190927/publications.pdf>

Version: 2024-02-01

19
papers

358
citations

933447

10
h-index

888059

17
g-index

19
all docs

19
docs citations

19
times ranked

462
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-Aging Potential of a <i>Rosa centifolia</i> Stem Extract with Focus on Phytochemical Composition by Bioguided Fractionation. <i>Chemistry and Biodiversity</i> , 2022, 19, .	2.1	3
2	Valorisation of <i>Ribes nigrum</i> L. Pomace, an Agri-Food By-Product to Design a New Cosmetic Active. <i>Cosmetics</i> , 2020, 7, 56.	3.3	9
3	Extraction of Natural Fragrance Ingredients: History Overview and Future Trends. <i>Chemistry and Biodiversity</i> , 2019, 16, e1900424.	2.1	42
4	Design Methodology for the Development of a New Cosmetic Active Based on <i>Prunus domestica</i> L. Leaves Extract. <i>Cosmetics</i> , 2019, 6, 8.	3.3	8
5	Development of a Natural Anti-Age Ingredient Based on <i>Quercus pubescens</i> Willd. Leaves Extract – A Case Study. <i>Cosmetics</i> , 2018, 5, 15.	3.3	13
6	Chemical composition and antifungal activity of the essential oil of <i>Varronia schomburgkii</i> (DC.) Borhidi (Cordiaceae) from plants cultivated in French Guiana. <i>Journal of Essential Oil Research</i> , 2017, 29, 304-312.	2.7	2
7	Corrigendum of the article: “Composition and antifungal activity of the essential oil of <i>Nashia inaguensis</i> Millsp. (Verbenaceae) cultivated in French Guiana” published in the journal of essential oil research (DOI: 10.1080/10412905.2016.1142477). <i>Journal of Essential Oil Research</i> , 2017, 29, 507-509.	2.7	0
8	Vetiver Essential Oil in Cosmetics: What Is New?. <i>Medicines</i> (Basel, Switzerland), 2017, 4, 41.	1.4	20
9	Whitening Agents from <i>Reseda luteola</i> L. and Their Chemical Characterization Using Combination of CPC, UPLC-HRMS and NMR. <i>Cosmetics</i> , 2017, 4, 51.	3.3	2
10	Skin Whitening Cosmetics: Feedback and Challenges in the Development of Natural Skin Lighteners. <i>Cosmetics</i> , 2016, 3, 36.	3.3	83
11	New insights in the chemical composition of benzoin balsams. <i>Food Chemistry</i> , 2016, 210, 613-622.	8.2	32
12	Development of a natural ingredient – Natural preservative: A case study. <i>Comptes Rendus Chimie</i> , 2016, 19, 1077-1089.	0.5	53
13	Identification of antibiotic and antiproliferative compounds in natural orange blossom water. <i>Journal of Essential Oil Research</i> , 2016, 28, 89-95.	2.7	0
14	Composition and antifungal activity of the essential oil of <i>Nashia inaguensis</i> Millsp. (Verbenaceae) cultivated in French Guiana. <i>Journal of Essential Oil Research</i> , 2016, 28, 305-311.	2.7	2
15	Identification, Geochemical Characterisation and Significance of Bitumen among the Grave Goods of the 7th Century Mound 1 Ship-Burial at Sutton Hoo (Suffolk, UK). <i>PLoS ONE</i> , 2016, 11, e0166276.	2.5	14
16	Taxonomic characterisation of fresh Dipterocarpaceae resins by gas chromatography–mass spectrometry (GC–MS): providing clues for identification of unknown archaeological resins. <i>Archaeological and Anthropological Sciences</i> , 2011, 3, 185-200.	1.8	21
17	The 9th-Century-AD Belitung Wreck, Indonesia: analysis of a resin lump. <i>International Journal of Nautical Archaeology</i> , 2010, 39, 383.	0.5	7
18	Molecular and isotopic archaeology: Top grade tools to investigate organic archaeological materials. <i>Comptes Rendus Chimie</i> , 2009, 12, 1140-1153.	0.5	24

#	ARTICLE	IF	CITATIONS
19	Archaeological resinous samples from Asian wrecks: Taxonomic characterization by GC-MS. <i>Analytica Chimica Acta</i> , 2009, 648, 85-97.	5.4	23