
Takeshi Yabutsuka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8191982/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Evaluation of calcium phosphate coating on biodegradable Mg–Al–Zn–Ca alloy formed under ordinary conditions on temperature and pressure. Journal of the Ceramic Society of Japan, 2022, 130, 81-87.	1.1	0
2	Electrochemical Properties of Cs and La Co-doped CaWO ₄ Oxide Ion Conductor. Electrochemistry, 2022, 90, 027004-027004.	1.4	1
3	Dependence property of isoelectric points and pH environment on enzyme immobilization on maghemite/hydroxyapatite composite particles. Journal of the Ceramic Society of Japan, 2022, 130, 74-80.	1.1	2
4	Tracer diffusion coefficients measurements on LaPO4-dispersed LATP by means of neutron radiography. Solid State Ionics, 2022, 377, 115873.	2.7	7
5	Synthesis and Characterization of LAGP-Based Lithium Ion-Conductive Composites with an LLTO Additive. Journal of Alloys and Compounds, 2021, 853, 157089.	5.5	9
6	Relaxation Analysis of Li _x Ni _{0.8} Co _{0.1} Mn _{0.1} O ₂ after Lithium Extraction to High-Voltage Region (x ≤0.12). Journal of the Electrochemical Society, 2021, 168, 010518.	2.9	4
7	Synthesis and Characterization of Lithium-Ion Conductive LATP-LaPO4 Composites Using La2O3 Nano-Powder. Materials, 2021, 14, 3502.	2.9	9
8	TEM Observation of LaPO ₄ -Dispersed LATP Lithium-Ion Conductor. Electrochemistry, 2021, 89, 480-483.	1.4	0
9	Surface Modification of Carbon Fiber-Polyetheretherketone Composite to Impart Bioactivity by Using Apatite Nuclei. Materials, 2021, 14, 6691.	2.9	6
10	Improved cathode performance and relaxation properties of LiMn ₂ O ₄ prepared by optimized ball-milling with single-step sintering. Journal of the Ceramic Society of Japan, 2021, 129, 744-752.	1.1	2
11	Role of Magnesium and the Effect of Surface Roughness on the Hydroxyapatite-Forming Ability of Zirconia Induced by Biomimetic Aqueous Solution Treatment. Materials, 2020, 13, 3045.	2.9	9
12	Low temperature phase transition phenomena in Ba- and Pb-substituted La2Mo2O9 oxide ion conductors. Solid State Ionics, 2020, 354, 115405.	2.7	3
13	Relaxation analysis of NCAs in high-voltage region and effect of cobalt content. Journal of Electroanalytical Chemistry, 2020, 878, 114566.	3.8	1
14	Relaxation stage analysis of lithium inserted graphite. Journal of Physics and Chemistry of Solids, 2020, 142, 109440.	4.0	6
15	Development of Apatite Nuclei Precipitated Carbon Nanotube-Polyether Ether Ketone Composite with Biological and Electrical Properties. Coatings, 2020, 10, 191.	2.6	5
16	Immobilization and collection of enzymes by hydroxyapatite/maghemite composite particles with magnetism. Journal of the Ceramic Society of Japan, 2020, 128, 883-889.	1.1	3
17	Materials Design for Bioactive Function by Surface Modification with Apatite Nuclei. Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2020, 67, 252-257.	0.2	0
18	Impartation of hydroxyapatite formation ability to ultraâ€high molecular weight polyethylene by deposition of apatite nuclei. IET Nanobiotechnology, 2020, 14, 673-679.	3.8	2

#	Article	IF	CITATIONS
19	Impartation of apatiteâ€forming ability to chitosan nanofibres by using apatite nuclei. IET Nanobiotechnology, 2020, 14, 668-672.	3.8	0
20	Development of bioactive zirconium–tin alloy by combination of micropores formation and apatite nuclei deposition. IET Nanobiotechnology, 2020, 14, 701-706.	3.8	3
21	A COMPARITIVE IN VITRO BIOACTIVY EVALUATION OF POLYVINYLIDENE FLUORIDE AND POLYCAPROLACTONE INCORPORATED WITH AMORPHOUS CALCIUM PHOSPHATE PARTICLES. Phosphorus Research Bulletin, 2020, 36, 15-22.	0.6	2
22	Relaxation Analysis of Graphite Anode Materials after Charge-Discharge Cycles. Electrochemistry, 2020, 88, 434-436.	1.4	2
23	Improvement of hydroxyapatite formation ability of titaniumâ€based alloys by combination of acid etching and apatite nuclei precipitation. IET Nanobiotechnology, 2020, 14, 688-694.	3.8	3
24	Fabrication of bioactive titanium and its alloys by combination of doubled sandblasting process and alkaline simulated body fluid treatment. Journal of the Ceramic Society of Japan, 2019, 127, 669-677.	1.1	9
25	In vivo and in vitro bioactivity of a "precursor of apatite―treatment on polyetheretherketone. Acta Biomaterialia, 2019, 91, 48-59.	8.3	34
26	Effect of Apatite Nuclei on Apatite-Forming Ability of Cellulose Nanofiber. Key Engineering Materials, 2019, 829, 114-121.	0.4	1
27	Development of Bioactive Apatite Nuclei-Precipitated Ti-12Ta-9Nb-6Zr-3V-O Alloy. Key Engineering Materials, 2019, 829, 125-130.	0.4	0
28	Fabrication of Bioactive Zirconia by Doubled Sandblasting Process and Incorporation of Apatite Nuclei. Key Engineering Materials, 2019, 829, 151-156.	0.4	0
29	Structural Relaxation of Li _x Ni _{0.874} Co _{0.090} Al _{0.036} O ₂ after Lithium Extraction down to (x ≤0.12). Journal of the Electrochemical Society, 2019, 166, A5153-A5156.	2.9	2
30	Chemical transformation of PbO2 due to local cell reaction on the cathode of lead acid battery. Journal of Alloys and Compounds, 2019, 780, 85-89.	5.5	11
31	Effect of local cell reaction at cathode on the performance of nickel metal-hydride battery. Journal of Alloys and Compounds, 2019, 772, 256-262.	5.5	12
32	Fabrication of Bioactive Fiberâ€reinforced PEEK and MXD6 by Incorporation of Precursor of Apatite. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2018, 106, 2254-2265.	3.4	25
33	Bioactivity Assessment of Apatite Nuclei-PVDF Composite Thin Films. Key Engineering Materials, 2018, 782, 78-83.	0.4	1
34	Biomimetic Method for Production of Magnetic Hydroxyapatite Microcapsules for Enzyme Immobilization. Transactions of the Materials Research Society of Japan, 2018, 43, 153-156.	0.2	6
35	Bioactivity Treatment to Polylactic Acid Fabric Cloth and Foam by Precipitation of Apatite Nuclei. Transactions of the Materials Research Society of Japan, 2018, 43, 139-142.	0.2	1
36	Bioactivity Treatment for Co-Cr-Mo Alloy by Precipitation of Low Crystalline Calcium Phosphate Using Simulated Body Fluid with Alkalinized Condition. Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2018, 65, 211-214.	0.2	0

#	Article	IF	CITATIONS
37	Biomimetic Porous Bone-Like Apatite Coatings on Metals, Organic Polymers and Microparticles. , 2018, ,		1
38	Effect of Crystalline Calcium Phosphate Coatings Prepared in an Aqueous Solution on Corrosion Resistance of Bioabsorbable Magnesium Alloy. Key Engineering Materials, 2018, 782, 158-164.	0.4	1
39	Enzyme Immobilization Behavior on the Surface of Hydroxyapatite Capsules under Alkaline Condition. Key Engineering Materials, 2018, 782, 21-26.	0.4	0
40	Apatite-Forming Ability of Hydrophobicized Cellulose Nanofiber Imparted by Combination with Apatite Nuclei. Key Engineering Materials, 2018, 782, 65-71.	0.4	1
41	Effect of Doubled Sandblasting Process and Basic Simulated Body Fluid Treatment on Fabrication of Bioactive Stainless Steels. Materials, 2018, 11, 1334.	2.9	13
42	Structural Relaxation of Lix(Ni0.874Co0.090Al0.036)O2 after Lithium Extraction down to x = 0.12. Materials, 2018, 11, 1299.	2.9	9
43	Effect of Oxygen Plasma Treatment on Fabrication of Bioactive Ultrahigh Molecular Weight Polyethylene Composite. Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2018, 65, 207-210.	0.2	0
44	Defect Structure and Oxide Ion Conduction of Potassium Ion Substituted CaWO4. Materials, 2018, 11, 1092.	2.9	10
45	Fabrication of Bioactive Co-Cr-Mo-W Alloy by Using Doubled Sandblasting Process and Apatite Nuclei Treatment. Transactions of the Materials Research Society of Japan, 2018, 43, 143-147.	0.2	8
46	Effective Procedure of Bioactivity Treatment to Bearing Grade PEEK by Incorporation of Apatite Nuclei. Transactions of the Materials Research Society of Japan, 2018, 43, 149-152.	0.2	0
47	Relaxation Analysis of Li _x NiO ₂ and Li _x (NCA)O ₂ in the Deeply Lithium Extracted Region (x ≤0.12). Journal of the Electrochemical Society, 2017, 164, A1514-A1519.	2.9	18
48	Effect of pores formation process and oxygen plasma treatment to hydroxyapatite formation on bioactive PEEK prepared by incorporation of precursor of apatite. Materials Science and Engineering C, 2017, 81, 349-358.	7.3	35
49	Synthesis and anode properties of corundum-type structured (Fe 2 O 3) 1-x (Al 2 O 3) x solid solutions in the whole compositional range. Solid State Ionics, 2017, 313, 1-6.	2.7	4
50	Fabrication of Levothyroxine Particles Encapsulated with Apatite. Key Engineering Materials, 2017, 758, 172-177.	0.4	0
51	Development of Bioactive Ti-15Mo-5Zr-3Al Alloy by Incorporation of Apatite Nuclei. Key Engineering Materials, 2017, 758, 75-80.	0.4	1
52	Biomimetic Crystalline Calcium Phosphate Coatings on Bioabsorbable Magnesium Alloy. Key Engineering Materials, 2017, 758, 81-85.	0.4	2
53	Fabrication of Bioactive Cobalt-Chromium Alloys by Incorporation of Apatite Nuclei. Key Engineering Materials, 2016, 720, 180-184.	0.4	1
54	Fabrication of Bioactive Glass Fiber Reinforced Polyamide with High Mechanical Performance by the Function of Apatite Nuclei. Key Engineering Materials, 2016, 720, 241-245.	0.4	1

#	Article	IF	CITATIONS
55	THE EFFECTS OF SBF CONDITIONS ON ENCAPSULATION OF AGAROSE GEL WITH HYDROXYAPATITE MICROCAPSULES. Phosphorus Research Bulletin, 2016, 31, 9-14.	0.6	3
56	α-PbO ₂ Formation on the Cathode of Lead Acid Battery due to the Local Cell Reaction. Journal of the Electrochemical Society, 2016, 163, A3087-A3090.	2.9	9
57	Relaxation Analysis of LiNi _{0.5} Mn _{1.5} O ₄ 5 V Cathode Material by Means of the Rietveld Refinement. Electrochemistry, 2016, 84, 808-811.	1.4	10
58	Electrochemical properties of Cs-substituted CaWO ₄ and BaWO ₄ oxide ion conductors. Journal of the Ceramic Society of Japan, 2016, 124, 819-822.	1.1	8
59	EFFECTS OF SANDBLASTING CONDITIONS IN PREPARATION OF BIOACTIVE STAINLESS STEELS BY THE FUNCTION OF APATITE NUCLEI. Phosphorus Research Bulletin, 2016, 31, 15-19.	0.6	3
60	INVESTIGATION OF EFFECTIVE PROCEDURES IN FABRICATION OF BIOACTIVE PEEK USING THE FUNCTION OF APATITE NUCLEI. Phosphorus Research Bulletin, 2016, 31, 31-37.	0.6	3
61	Synthesis and Electrochemical Properties of LATP-LLTO Lithium Ion Conductive Composites. Electrochemistry, 2016, 84, 967-970.	1.4	19
62	Fabrication of Bioactive Apatite Nuclei Precipitated Ti-15Mo-5Zr-3Al Alloy by Using Doubled Sandblasting Process. Key Engineering Materials, 2014, 631, 231-235.	0.4	5
63	Fabrication of Magnetic Hydroxyapatite Microcapsule for Protein Collection. Key Engineering Materials, 2013, 587, 160-164.	0.4	6
64	Fabrication of Bioactive Apatite Nuclei Precipitated Polylactic Acid by Using Sandblasting Process. Key Engineering Materials, 2013, 587, 165-170.	0.4	5
65	Fabrication of Bioactive Apatite Nuclei Precipitated Titanium by Using Electromagnetic Induction Heating. Bioceramics Development and Applications, 2010, 1, 1-3.	0.3	9
66	Development of novel bioactive composites by electrophoretic deposition. Materials Science and Engineering C, 2009, 29, 1584-1588.	7.3	8
67	Development of Bioactive Titanium-Apatite Nuclei Composite. Key Engineering Materials, 2008, 361-363, 709-712.	0.4	7
68	Generation of hydroxyapatite patterns by electrophoretic deposition. Journal of Materials Science: Materials in Medicine, 2008, 19, 1419-1424.	3.6	17
69	Development of Bioactive Polyethylene-Apatite Nuclei Composite. Key Engineering Materials, 2007, 330-332, 467-470.	0.4	3
70	Formation of Apatite Pattern by Electrophoretic Deposition of Apatite Nuclei. Key Engineering Materials, 2007, 330-332, 3-6.	0.4	2
71	Fabrication of Encapsulated Ag Microsphere with Hydroxyapatite for Sustained-Release. Key Engineering Materials, 2007, 361-363, 1199-1202.	0.4	8
72	Apatite Pattern Formation by Electrophoretic Deposition Transcribing Resist Pattern. Key Engineering Materials, 2006, 309-311, 659-662.	0.4	1

#	Article	IF	CITATIONS
73	Development of Bioactive Organic Polymer Composite by Electrophoretic Deposition. Key Engineering Materials, 2006, 309-311, 1177-1180.	0.4	2
74	Fabrication of Encapsulated Silicagel Microsphere with Hydroxyapatite for Sustained-Release. Key Engineering Materials, 0, 396-398, 519-522.	0.4	8
75	Fabrication of Bioactive Organic Polymer by Using Apatite Nuclei-Contained Inorganic Binder. Key Engineering Materials, 0, 396-398, 433-436.	0.4	Ο
76	Fabrication of Bioactive Apatite Nuclei-Precipitated Composites. Key Engineering Materials, 0, 493-494, 545-550.	0.4	3
77	Fabrication of Bioactive Apatite Nuclei-Precipitated Titanium Alloys by Using Sandblasting. Key Engineering Materials, 0, 529-530, 553-558.	0.4	5
78	Fabrication of Hydroxyapatite Microcapsule Containing Vitamin B ₁₂ for Sustained-Release. Key Engineering Materials, 0, 631, 326-331.	0.4	2
79	Fabrication of Bioactive Polylactic Acid Composite Formed by 3D Printer. Key Engineering Materials, 0, 631, 160-165.	0.4	1
80	Fabrication of Bioactive Fiber Reinforced Polyetheretherketone by the Function of Apatite Nuclei. Key Engineering Materials, 0, 720, 246-251.	0.4	2
81	Fabrication of Hydroxyapatite Microcapsules for Controlled Release of Hydrophobic Drug. Key Engineering Materials, 0, 720, 12-16.	0.4	3
82	Development of Bioactive PEEK by the Function of Apatite Nuclei. Key Engineering Materials, 0, 696, 145-150.	0.4	3
83	Enzyme Immobilization by Using Apatite Microcapsules with Magnetic Properties. Key Engineering Materials, 0, 696, 259-264.	0.4	6
84	Bioactivity Treatments for Zirconium and Ti-6Al-4V Alloy by the Function of Apatite Nuclei. Key Engineering Materials, 0, 720, 175-179.	0.4	3
85	Fabrication of Bone-Like Apatite-Phosphatidylcholine Composite Thin Film by Biomimetic Method. Key Engineering Materials, 0, 696, 40-44.	0.4	0
86	Fabrication of Bioactive Stainless Steel by the Function of Apatite Nuclei. Key Engineering Materials, 0, 696, 151-156.	0.4	2
87	Apatite Formation Ability of Bioactive Bearing Grade Polyetheretherketone Fabricated by Incorporation of Apatite Nuclei. Key Engineering Materials, 0, 758, 69-74.	0.4	2
88	Effect of Isoelectric Point on Enzyme Immobilization Property of Magnetic Apatite Microcapsules Encapsulating Maghemite. Key Engineering Materials, 0, 758, 178-183.	0.4	0
89	Fabrication of Bioactive Polycaprolactone by Incorporation of Apatite Nuclei. Key Engineering Materials, 0, 782, 91-97.	0.4	0
90	Changes in Surface Condition during Fabrication Process of Bioactive Apatite Nuclei Incorporated PEEK. Key Engineering Materials, 0, 782, 182-188.	0.4	1

#	Article	IF	CITATIONS
91	Formation and Phase Transition of Crystalline Calcium Phosphate on Bioabsorbable Magnesium Alloy under Alkali Condition. Key Engineering Materials, 0, 829, 3-8.	0.4	О
92	Development of Bioactive Polyethylene-Apatite Nuclei Composite. Key Engineering Materials, 0, , 467-470.	0.4	1
93	Fabrication of Encapsulated Ag Microsphere with Hydroxyapatite for Sustained-Release. Key Engineering Materials, 0, , 1199-1202.	0.4	2
94	Lead acid battery with high resistance to overâ€discharge using graphite based materials as cathode current collector. Nano Select, 0, , .	3.7	2