

Peter Vedsted

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8192852/publications.pdf>

Version: 2024-02-01

338
papers

10,111
citations

41258

49
h-index

62479

80
g-index

359
all docs

359
docs citations

359
times ranked

9876
citing authors

#	ARTICLE	IF	CITATIONS
1	The Aarhus statement: improving design and reporting of studies on early cancer diagnosis. <i>British Journal of Cancer</i> , 2012, 106, 1262-1267.	2.9	573
2	The expanding role of primary care in cancer control. <i>Lancet Oncology</i> , The, 2015, 16, 1231-1272.	5.1	399
3	Delay in diagnosis: the experience in Denmark. <i>British Journal of Cancer</i> , 2009, 101, S5-S8.	2.9	206
4	Evidence of increasing mortality with longer diagnostic intervals for five common cancers: A cohort study in primary care. <i>European Journal of Cancer</i> , 2013, 49, 2187-2198.	1.3	199
5	Frequent attenders in general practice care: A literature review with special reference to methodological considerations. <i>Public Health</i> , 2005, 119, 118-137.	1.4	197
6	Differences in cancer awareness and beliefs between Australia, Canada, Denmark, Norway, Sweden and the UK (the International Cancer Benchmarking Partnership): do they contribute to differences in cancer survival?. <i>British Journal of Cancer</i> , 2013, 108, 292-300.	2.9	183
7	Time intervals from first symptom to treatment of cancer: a cohort study of 2,212 newly diagnosed cancer patients. <i>BMC Health Services Research</i> , 2011, 11, 284.	0.9	180
8	Cervical Cancer Prevalence, Incidence and Mortality in Low and Middle Income Countries: A Systematic Review. <i>Asian Pacific Journal of Cancer Prevention</i> , 2018, 19, 319-324.	0.5	167
9	Time to diagnosis and mortality in colorectal cancer: a cohort study in primary care. <i>British Journal of Cancer</i> , 2011, 104, 934-940.	2.9	145
10	Predictors of Complicated Grief and Depression in Bereaved Caregivers: A Nationwide Prospective Cohort Study. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 540-550.	0.6	140
11	Are the serious problems in cancer survival partly rooted in gatekeeper principles? An ecologic study. <i>British Journal of General Practice</i> , 2011, 61, e508-e512.	0.7	135
12	Cancer suspicion in general practice, urgent referral and time to diagnosis: a population-based GP survey and registry study. <i>BMC Cancer</i> , 2014, 14, 636.	1.1	123
13	Participation in cancer rehabilitation and unmet needs: a population-based cohort study. <i>Supportive Care in Cancer</i> , 2012, 20, 2913-2924.	1.0	118
14	Diagnostic interval and mortality in colorectal cancer: U-shaped association demonstrated for three different datasets. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 669-678.	2.4	118
15	Understanding missed opportunities for more timely diagnosis of cancer in symptomatic patients after presentation. <i>British Journal of Cancer</i> , 2015, 112, S84-S91.	2.9	109
16	Patient satisfaction with availability of general practice: an international comparison. <i>International Journal for Quality in Health Care</i> , 2002, 14, 111-118.	0.9	98
17	The Danish cancer pathway for patients with serious non-specific symptoms and signs of cancer—a cross-sectional study of patient characteristics and cancer probability. <i>BMC Cancer</i> , 2015, 15, 421.	1.1	94
18	Explaining variation in cancer survival between 11 jurisdictions in the International Cancer Benchmarking Partnership: a primary care vignette survey. <i>BMJ Open</i> , 2015, 5, e007212-e007212.	0.8	93

#	ARTICLE	IF	CITATIONS
19	A differentiated approach to referrals from general practice to support early cancer diagnosis – the Danish three-legged strategy. <i>British Journal of Cancer</i> , 2015, 112, S65-S69.	2.9	93
20	Self-reported symptoms and healthcare seeking in the general population -exploring –The Symptom Iceberg–. <i>BMC Public Health</i> , 2015, 15, 685.	1.2	93
21	Patient delay in cancer studies: a discussion of methods and measures. <i>BMC Health Services Research</i> , 2009, 9, 189.	0.9	92
22	An international measure of awareness and beliefs about cancer: development and testing of the ABC. <i>BMJ Open</i> , 2012, 2, e001758.	0.8	90
23	The International Cancer Benchmarking Partnership: An international collaboration to inform cancer policy in Australia, Canada, Denmark, Norway, Sweden and the United Kingdom. <i>Health Policy</i> , 2013, 112, 148-155.	1.4	87
24	Translation, adaptation and validation of the American short form Patient Activation Measure (PAM13) in a Danish version. <i>BMC Public Health</i> , 2009, 9, 209.	1.2	86
25	How might healthcare systems influence speed of cancer diagnosis: A narrative review. <i>Social Science and Medicine</i> , 2014, 116, 56-63.	1.8	85
26	Delay in diagnosis of lung cancer in general practice. <i>British Journal of General Practice</i> , 2006, 56, 863-8.	0.7	84
27	Risk of Febrile Seizures and Epilepsy After Vaccination With Diphtheria, Tetanus, Acellular Pertussis, Inactivated Poliovirus, and Haemophilus Influenzae Type b. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 823-31.	3.8	82
28	Use of the English urgent referral pathway for suspected cancer and mortality in patients with cancer: cohort study. <i>BMJ, The</i> , 2015, 351, h5102.	3.0	81
29	Survival of patients with small cell lung cancer undergoing lung resection in England, 1998–2009. <i>Thorax</i> , 2014, 69, 269-273.	2.7	77
30	Evidence of advanced stage colorectal cancer with longer diagnostic intervals: a pooled analysis of seven primary care cohorts comprising 11–20 patients in five countries. <i>British Journal of Cancer</i> , 2017, 117, 888-897.	2.9	77
31	Reasons for encounter and disease patterns in Danish primary care: Changes over 16 years. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 70-75.	0.6	74
32	Complicated grief and need for professional support in family caregivers of cancer patients in palliative care: a longitudinal cohort study. <i>Supportive Care in Cancer</i> , 2012, 20, 1679-1685.	1.0	70
33	Prevalence and incidence of oral cancer in low- and middle-income countries: A scoping review. <i>European Journal of Cancer Care</i> , 2020, 29, e13207.	0.7	70
34	Social inequality in cancer rehabilitation: A population-based cohort study. <i>Acta Oncologica</i> , 2013, 52, 410-422.	0.8	68
35	Cancer awareness and socio-economic position: results from a population-based study in Denmark. <i>BMC Cancer</i> , 2014, 14, 581.	1.1	68
36	Identification of asthmatic children using prescription data and diagnosis. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 605-611.	0.8	64

#	ARTICLE	IF	CITATIONS
37	“Containment”™ as an analytical framework for understanding patient delay: A qualitative study of cancer patients’™ symptom interpretation processes. <i>Social Science and Medicine</i> , 2010, 71, 378-385.	1.8	64
38	Use of general practice, diagnostic investigations and hospital services before and after cancer diagnosis - a population-based nationwide registry study of 127,000 incident adult cancer patients. <i>BMC Health Services Research</i> , 2012, 12, 224.	0.9	64
39	Risky alcohol use in Danish physicians: Associated with alexithymia and burnout?. <i>Drug and Alcohol Dependence</i> , 2016, 160, 119-126.	1.6	64
40	Diagnostic intervals before and after implementation of cancer patient pathways “ a GP survey and registry based comparison of three cohorts of cancer patients. <i>BMC Cancer</i> , 2015, 15, 308.	1.1	63
41	Identifying specific non-attending groups in breast cancer screening - population-based registry study of participation and socio-demography. <i>BMC Cancer</i> , 2012, 12, 518.	1.1	60
42	The value of using the faecal immunochemical test in general practice on patients presenting with non-alarm symptoms of colorectal cancer. <i>British Journal of Cancer</i> , 2018, 119, 471-479.	2.9	59
43	Preloss grief in family caregivers during end-of-life cancer care: A nationwide population-based cohort study. <i>Psycho-Oncology</i> , 2017, 26, 2048-2056.	1.0	58
44	Serious Mental Illness and Risk for Hospitalizations and Rehospitalizations for Ambulatory Care-sensitive Conditions in Denmark. <i>Medical Care</i> , 2016, 54, 90-97.	1.1	56
45	Preference for place-of-death among terminally ill cancer patients in Denmark. <i>Scandinavian Journal of Caring Sciences</i> , 2011, 25, 627-636.	1.0	55
46	Associations between home death and GP involvement in palliative cancer care. <i>British Journal of General Practice</i> , 2009, 59, 671-677.	0.7	54
47	Rural “Urban Disparities in Time to Diagnosis and Treatment for Colorectal and Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 1036-1046.	1.1	54
48	Cancer has not gone away: A primary care perspective to support a balanced approach for timely cancer diagnosis during COVID-19. <i>European Journal of Cancer Care</i> , 2020, 29, e13290.	0.7	54
49	Psychological Distress as a Predictor of Frequent Attendance in Family Practice: A Cohort Study. <i>Psychosomatics</i> , 2001, 42, 416-422.	2.5	52
50	Case management used to optimize cancer care pathways: A systematic review. <i>BMC Health Services Research</i> , 2008, 8, 227.	0.9	52
51	Social environment and frequent attendance in Danish general practice. <i>British Journal of General Practice</i> , 2005, 55, 510-5.	0.7	49
52	Increased diagnostic activity in general practice during the year preceding colorectal cancer diagnosis. <i>International Journal of Cancer</i> , 2015, 137, 615-624.	2.3	48
53	Physical, mental and social factors associated with frequent attendance in Danish general practice. A population-based cross-sectional study. <i>Social Science and Medicine</i> , 2004, 59, 813-823.	1.8	47
54	Improving cancer outcomes: better access to diagnostics in primary care could be critical. <i>British Journal of General Practice</i> , 2011, 61, 317-318.	0.7	46

#	ARTICLE	IF	CITATIONS
55	Does the organizational structure of health care systems influence care-seeking decisions? A qualitative analysis of Danish cancer patients' reflections on care-seeking. <i>Scandinavian Journal of Primary Health Care</i> , 2011, 29, 144-149.	0.6	46
56	Reasons for Diagnostic Delay in Gynecological Malignancies. <i>International Journal of Gynecological Cancer</i> , 2011, 21, 967-974.	1.2	45
57	Social support, gender and patient delay. <i>British Journal of Cancer</i> , 2011, 104, 1249-1255.	2.9	45
58	Chronic care management in Danish general practice - a cross-sectional study of workload and multimorbidity. <i>BMC Family Practice</i> , 2012, 13, 52.	2.9	45
59	Mental well-being and job satisfaction among general practitioners: a nationwide cross-sectional survey in Denmark. <i>BMC Family Practice</i> , 2018, 19, 130.	2.9	45
60	Barriers to healthcare seeking, beliefs about cancer and the role of socio-economic position. A Danish population-based study. <i>Preventive Medicine</i> , 2015, 71, 107-113.	1.6	44
61	Advanced-stage cancer and time to diagnosis: An International Cancer Benchmarking Partnership (ICBP) cross-sectional study. <i>European Journal of Cancer Care</i> , 2019, 28, e13100.	0.7	44
62	National registry diagnoses agree with medical records on hospitalized asthmatic children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007, 96, 1470-1473.	0.7	43
63	Diagnostic routes and time intervals for patients with colorectal cancer in 10 international jurisdictions; findings from a cross-sectional study from the International Cancer Benchmarking Partnership (ICBP). <i>BMJ Open</i> , 2018, 8, e23870.	0.8	43
64	Continuing medical education and burnout among Danish GPs. <i>British Journal of General Practice</i> , 2008, 58, 15-19.	0.7	42
65	Predictive values of GPs' suspicion of serious disease: a population-based follow-up study. <i>British Journal of General Practice</i> , 2014, 64, e346-e353.	0.7	42
66	Patient characteristics associated with differences in patients' evaluation of their general practitioner. <i>BMC Health Services Research</i> , 2008, 8, 178.	0.9	40
67	Adaptation, data quality and confirmatory factor analysis of the Danish version of the PACIC questionnaire. <i>European Journal of Public Health</i> , 2012, 22, 31-36.	0.1	40
68	Negative cancer beliefs, recognition of cancer symptoms and anticipated time to help-seeking: an international cancer benchmarking partnership (ICBP) study. <i>BMC Cancer</i> , 2018, 18, 363.	1.1	40
69	Data quality and confirmatory factor analysis of the Danish EUROPEP questionnaire on patient evaluation of general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2008, 26, 174-180.	0.6	37
70	Association between patients' recommendation of their GP and their evaluation of the GP. <i>Scandinavian Journal of Primary Health Care</i> , 2008, 26, 228-234.	0.6	37
71	The Danish Symptom Cohort: Questionnaire and Feasibility in the Nationwide Study on Symptom Experience and Healthcare-Seeking among 100,000 Individuals. <i>International Journal of Family Medicine</i> , 2014, 2014, 1-10.	1.2	37
72	Testicular microlithiasis and testicular cancer: review of the literature. <i>International Urology and Nephrology</i> , 2016, 48, 1079-1086.	0.6	37

#	ARTICLE	IF	CITATIONS
73	Identifying bereaved subjects at risk of complicated grief: Predictive value of questionnaire items in a cohort study. <i>BMC Palliative Care</i> , 2011, 10, 9.	0.8	36
74	Developing an algorithm to identify people with Chronic Obstructive Pulmonary Disease (COPD) using administrative data. <i>BMC Medical Informatics and Decision Making</i> , 2012, 12, 38.	1.5	36
75	The European Cancer Patient's Bill of Rights, update and implementation 2016. <i>ESMO Open</i> , 2016, 1, e000127.	2.0	36
76	The effect of feedback to general practitioners on quality of care for people with type 2 diabetes. A systematic review of the literature. <i>BMC Family Practice</i> , 2009, 10, 30.	2.9	35
77	Short-term breast cancer survival in relation to ethnicity, stage, grade and receptor status: national cohort study in England. <i>British Journal of Cancer</i> , 2016, 115, 1408-1415.	2.9	35
78	Geographical variations in the use of cancer treatments are associated with survival of lung cancer patients. <i>Thorax</i> , 2018, 73, 530-537.	2.7	35
79	Doctor and practice characteristics associated with differences in patient evaluations of general practice. <i>BMC Health Services Research</i> , 2007, 7, 46.	0.9	34
80	Psychological and social problems in primary care patients - general practitioners' assessment and classification. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 43-49.	0.6	34
81	Quality deviations in cancer diagnosis: prevalence and time to diagnosis in general practice. <i>British Journal of General Practice</i> , 2014, 64, e92-e98.	0.7	34
82	Prognostic consequences of implementing cancer patient pathways in Denmark: a comparative cohort study of symptomatic cancer patients in primary care. <i>BMC Cancer</i> , 2017, 17, 627.	1.1	34
83	Evaluating diagnostic strategies for early detection of cancer: the CanTest framework. <i>BMC Cancer</i> , 2019, 19, 586.	1.1	34
84	Intramuscular pressure and tissue oxygenation during low-force static contraction do not underlie muscle fatigue. <i>Acta Physiologica Scandinavica</i> , 2005, 183, 379-388.	2.3	33
85	Association between general practice referral rates and patients' socioeconomic status and access to specialised health care. <i>Health Policy</i> , 2009, 92, 180-186.	1.4	33
86	General practitioner characteristics and delay in cancer diagnosis. a population-based cohort study. <i>BMC Family Practice</i> , 2011, 12, 100.	2.9	33
87	Awareness of risk factors for cancer: a comparative study of Sweden and Denmark. <i>BMC Public Health</i> , 2015, 15, 1156.	1.2	33
88	An investigation of routes to cancer diagnosis in 10 international jurisdictions, as part of the International Cancer Benchmarking Partnership: survey development and implementation. <i>BMJ Open</i> , 2016, 6, e009641.	0.8	33
89	Psychiatric morbidity and non-participation in breast cancer screening. <i>Breast</i> , 2016, 25, 38-44.	0.9	33
90	Fear of recurrence and causal attributions in long-term survivors of testicular cancer. <i>Psycho-Oncology</i> , 2012, 21, 1222-1228.	1.0	32

#	ARTICLE	IF	CITATIONS
91	Cancer Patient Pathways shortens waiting times and accelerates the diagnostic process of suspected sarcoma patients in Denmark. <i>Health Policy</i> , 2013, 113, 110-117.	1.4	32
92	Antibiotic prescribing patterns in out-of-hours primary care: A population-based descriptive study. <i>Scandinavian Journal of Primary Health Care</i> , 2014, 32, 200-207.	0.6	32
93	Patient and GP agreement on aspects of general practice care. <i>Family Practice</i> , 2002, 19, 339-343.	0.8	31
94	Understanding the inverse care law: a register and survey-based study of patient deprivation and burnout in general practice. <i>International Journal for Equity in Health</i> , 2014, 13, 121.	1.5	30
95	Non-participation in breast cancer screening for women with chronic diseases and multimorbidity: a population-based cohort study. <i>BMC Cancer</i> , 2015, 15, 798.	1.1	30
96	Muscle performance following fatigue induced by isotonic and quasi-isometric contractions of rat extensor digitorum longus and soleus muscles in vitro. <i>Acta Physiologica Scandinavica</i> , 2003, 178, 175-186.	2.3	29
97	Risk of Burnout in Danish GPs and Exploration of Factors Associated with Development of Burnout: A Two-Wave Panel Study. <i>International Journal of Family Medicine</i> , 2013, 2013, 1-8.	1.2	29
98	Cancer diagnostic delays and travel distance to health services: A nationwide cohort study in Denmark. <i>Cancer Epidemiology</i> , 2019, 59, 115-122.	0.8	29
99	Influence of patient multimorbidity on GP burnout: a survey and register-based study in Danish general practice. <i>British Journal of General Practice</i> , 2020, 70, e95-e101.	0.7	29
100	Healthcare utilization of bereaved relatives of patients who died from cancer. A national population-based study. <i>Psycho-Oncology</i> , 2013, 22, 1152-1158.	1.0	28
101	Distance to screening site and non-participation in screening for breast cancer: a population-based study. <i>Journal of Public Health</i> , 2014, 36, 292-299.	1.0	28
102	Telephone triage by GPs in out-of-hours primary care in Denmark: a prospective observational study of efficiency and relevance. <i>British Journal of General Practice</i> , 2016, 66, e667-e673.	0.7	28
103	High lung cancer surgical procedure volume is associated with shorter length of stay and lower risks of re-admission and death: National cohort analysis in England. <i>European Journal of Cancer</i> , 2016, 64, 32-43.	1.3	28
104	Depression and risk of hospitalisations and rehospitalisations for ambulatory care-sensitive conditions in Denmark: a population-based cohort study. <i>BMJ Open</i> , 2015, 5, e009878.	0.8	27
105	Variation in general practice prostate-specific antigen testing and prostate cancer outcomes: An ecological study. <i>International Journal of Cancer</i> , 2015, 136, 435-442.	2.3	27
106	Early diagnosis of cancer – the role of general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 193-194.	0.6	26
107	Improved quality of Type 2 diabetes care following electronic feedback of treatment status to general practitioners: a cluster randomized controlled trial. <i>Diabetic Medicine</i> , 2011, 28, 325-332.	1.2	26
108	Childhood cancer and factors related to prolonged diagnostic intervals: a Danish population-based study. <i>British Journal of Cancer</i> , 2013, 108, 1280-1287.	2.9	26

#	ARTICLE	IF	CITATIONS
109	Bereavement care in general practice: a cluster-randomized clinical trial. <i>Family Practice</i> , 2013, 30, 134-141.	0.8	26
110	Position paper: Breast cancer screening, diagnosis, and treatment in Denmark. <i>Acta Oncologica</i> , 2014, 53, 433-444.	0.8	26
111	Social support and non-participation in breast cancer screening: a Danish cohort study. <i>Journal of Public Health</i> , 2016, 38, 335-342.	1.0	26
112	Clinical characteristics and risk of serious disease in patients referred to a diagnostic centre: A cohort study. <i>Cancer Epidemiology</i> , 2017, 50, 158-165.	0.8	26
113	The Aarhus statement on cancer diagnostic research: turning recommendations into new survey instruments. <i>BMC Health Services Research</i> , 2018, 18, 677.	0.9	26
114	Use of Primary Care during the Year before Childhood Cancer Diagnosis: A Nationwide Population-Based Matched Comparative Study. <i>PLoS ONE</i> , 2013, 8, e59098.	1.1	25
115	Patient Delay in Colorectal Cancer Patients: Associations with Rectal Bleeding and Thoughts about Cancer. <i>PLoS ONE</i> , 2013, 8, e69700.	1.1	25
116	Abdominal symptoms in general practice: Frequency, cancer suspicions raised, and actions taken by GPs in six European countries. Cohort study with prospective registration of cancer. <i>Heliyon</i> , 2017, 3, e00328.	1.4	25
117	Comparison of Tissue Stiffness Using Shear Wave Elastography in Men with Normal Testicular Tissue, Testicular Microlithiasis and Testicular Cancer. <i>Ultrasound International Open</i> , 2017, 03, E150-E155.	0.3	25
118	Routine blood tests and probability of cancer in patients referred with non-specific serious symptoms: a cohort study. <i>BMC Cancer</i> , 2017, 17, 817.	1.1	25
119	Associations between successful palliative trajectories, place of death and GP involvement. <i>Scandinavian Journal of Primary Health Care</i> , 2010, 28, 138-145.	0.6	24
120	The association between general practitioners' attitudes towards breast cancer screening and women's screening participation. <i>BMC Cancer</i> , 2012, 12, 254.	1.1	24
121	Secondary care intervals before and after the introduction of urgent referral guidelines for suspected cancer in Denmark: a comparative before-after study. <i>BMC Health Services Research</i> , 2013, 13, 348.	0.9	24
122	Influence of comorbidity on cancer patients' rehabilitation needs, participation in rehabilitation activities and unmet needs: a population-based cohort study. <i>Supportive Care in Cancer</i> , 2014, 22, 2095-2105.	1.0	24
123	Juggling efficiency. An ethnographic study exploring healthcare seeking practices and institutional logics in Danish primary care settings. <i>Social Science and Medicine</i> , 2015, 128, 239-245.	1.8	24
124	Characteristics of 64 sarcoma patients referred to a sarcoma center after unplanned excision. <i>Journal of Surgical Oncology</i> , 2016, 113, 235-239.	0.8	24
125	The effect of an out-of-hours reform on attendance at casualty wards. The Danish example. <i>Scandinavian Journal of Primary Health Care</i> , 2001, 19, 95-98.	0.6	23
126	Differences in medical services in Nordic general practice: a comparative survey from the QUALICOPC study. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 153-161.	0.6	23

#	ARTICLE	IF	CITATIONS
127	Patients'™ initial steps to cancer diagnosis in Denmark, England and Sweden: what can a qualitative, cross-country comparison of narrative interviews tell us about potentially modifiable factors?. <i>BMJ Open</i> , 2017, 7, e018210.	0.8	23
128	Implementing Direct Access to Low-Dose Computed Tomography in General Practice'™Method, Adaption and Outcome. <i>PLoS ONE</i> , 2014, 9, e112162.	1.1	23
129	Existing data sources for clinical epidemiology: Danish Cancer in Primary Care cohort. <i>Clinical Epidemiology</i> , 2014, 6, 237.	1.5	22
130	Medical appropriateness of adult calls to Danish out-of-hours primary care: a questionnaire-based survey. <i>BMC Family Practice</i> , 2017, 18, 34.	2.9	22
131	General practice consultations, diagnostic investigations, and prescriptions in the year preceding a lung cancer diagnosis. <i>Cancer Medicine</i> , 2017, 6, 79-88.	1.3	22
132	Impact of severe mental illness on cancer stage at diagnosis and subsequent mortality: A population-based register study. <i>Schizophrenia Research</i> , 2018, 201, 62-69.	1.1	22
133	Ten-Year Mortality after a Breast Cancer Diagnosis in Women with Severe Mental Illness: A Danish Population-Based Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0158013.	1.1	22
134	The initial cancer pathway for children '™one'™fourth wait more than 3'™months. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012, 101, 655-662.	0.7	21
135	The role of general practice in routes to diagnosis of lung cancer in Denmark: a population-based study of general practice involvement, diagnostic activity and diagnostic intervals. <i>BMC Health Services Research</i> , 2015, 15, 21.	0.9	21
136	Out-of-hours primary care: a population-based study of the diagnostic scope of telephone contacts. <i>Family Practice</i> , 2016, 33, 504-509.	0.8	21
137	Educational differences in responses to breast cancer symptoms: A qualitative comparative study. <i>British Journal of Health Psychology</i> , 2017, 22, 26-41.	1.9	21
138	Empathy, burn-out and the use of gut feeling: a cross-sectional survey of Danish general practitioners. <i>BMJ Open</i> , 2018, 8, e020007.	0.8	21
139	Frequent attenders in out-of-hours general practice care: attendance prognosis. <i>Family Practice</i> , 1999, 16, 283-288.	0.8	20
140	Access to Outreach Specialist Palliative Care Teams among Cancer Patients in Denmark. <i>Journal of Palliative Medicine</i> , 2013, 16, 951-957.	0.6	20
141	Routes to Diagnosis for Suspected Sarcoma: The Impact of Symptoms and Clinical Findings on the Diagnostic Process. <i>Sarcoma</i> , 2016, 2016, 1-12.	0.7	20
142	Agreement between patient-reported and doctor-reported patient intervals and date of first symptom presentation in cancer diagnosis '™ A population-based questionnaire study. <i>Cancer Epidemiology</i> , 2014, 38, 100-105.	0.8	19
143	Association of GPs'™ risk attitudes, level of empathy, and burnout status with PSA testing in primary care. <i>British Journal of General Practice</i> , 2015, 65, e845-e851.	0.7	19
144	Global Health Care'™seeking Discourses Facing Local Clinical Realities: Exploring the Case of Cancer. <i>Medical Anthropology Quarterly</i> , 2015, 29, 237-255.	0.7	19

#	ARTICLE	IF	CITATIONS
145	Time intervals and routes to diagnosis for lung cancer in 10 jurisdictions: cross-sectional study findings from the International Cancer Benchmarking Partnership (ICBP). <i>BMJ Open</i> , 2019, 9, e025895.	0.8	19
146	Routes to diagnosis and the association with the prognosis in patients with cancer – A nationwide register-based cohort study in Denmark. <i>Cancer Epidemiology</i> , 2021, 74, 101983.	0.8	19
147	Patients' confidence in their GP before and after being diagnosed with cancer. <i>British Journal of General Practice</i> , 2011, 61, e215-e222.	0.7	18
148	The effect of an active implementation of a disease management programme for chronic obstructive pulmonary disease on healthcare utilization - a cluster-randomised controlled trial. <i>BMC Health Services Research</i> , 2013, 13, 385.	0.9	18
149	Chronic-disease patients and their use of out-of-hours primary health care: a cross-sectional study. <i>BMC Family Practice</i> , 2014, 15, 114.	2.9	18
150	The effect of direct access to CT scan in early lung cancer detection: an unblinded, cluster-randomised trial. <i>BMC Cancer</i> , 2015, 15, 934.	1.1	18
151	Does a computerized price comparison module reduce prescribing costs in general practice?. <i>Family Practice</i> , 1997, 14, 199-203.	0.8	17
152	General practitioners' experience and benefits from patient evaluations. <i>BMC Family Practice</i> , 2011, 12, 116.	2.9	17
153	Presenting symptoms of children with cancer: a primary-care population-based study. <i>British Journal of General Practice</i> , 2012, 62, e458-e465.	0.7	17
154	Organisational determinants of production and efficiency in general practice: a population-based study. <i>European Journal of Health Economics</i> , 2013, 14, 267-276.	1.4	17
155	Identifying important health system factors that influence primary care practitioners' referrals for cancer suspicion: a European cross-sectional survey. <i>BMJ Open</i> , 2018, 8, e022904.	0.8	17
156	Consultation frequency in general practice before cancer diagnosis in relation to the patient's usual consultation pattern: A population-based study. <i>Cancer Epidemiology</i> , 2018, 55, 142-148.	0.8	17
157	The impact of comorbidity on mortality in Danish sarcoma patients from 2000-2013: A nationwide population-based multicentre study. <i>PLoS ONE</i> , 2018, 13, e0198933.	1.1	17
158	Cancer Mortality in People Treated with Antidepressants before Cancer Diagnosis: A Population Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0138134.	1.1	17
159	A Danish population-based cohort study of newly diagnosed asthmatic children's care pathway – adherence to guidelines. <i>BMC Health Services Research</i> , 2008, 8, 130.	0.9	16
160	Alarm symptoms of soft-tissue and bone sarcoma in patients referred to a specialist center. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 657-662.	1.2	16
161	Primary Care Use before Cancer Diagnosis in Adolescents and Young Adults – A Nationwide Register Study. <i>PLoS ONE</i> , 2016, 11, e0155933.	1.1	16
162	Danish general practitioners' self-reported competences in end-of-life care. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 420-427.	0.6	16

#	ARTICLE	IF	CITATIONS
163	The contribution of a negative colorectal screening test result to symptom appraisal and help-seeking behaviour among patients subsequently diagnosed with an interval colorectal cancer. <i>Health Expectations</i> , 2018, 21, 764-773.	1.1	16
164	Drug prescription for adult frequent attenders in Danish general practice: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2004, 13, 717-724.	0.9	15
165	A cluster-randomized trial of the significance of a reminder procedure in a patient evaluation survey in general practice. <i>International Journal for Quality in Health Care</i> , 2006, 18, 232-237.	0.9	15
166	A New Method for Analyzing Diagnostic Delay in Gynecological Cancer. <i>International Journal of Gynecological Cancer</i> , 2012, 22, 712-717.	1.2	15
167	Visualization of Coronary Artery Calcification: Influence on Risk Modification. <i>American Journal of Medicine</i> , 2015, 128, 1023.e23-1023.e31.	0.6	15
168	Algorithm linking patients and general practices in Denmark using the Danish National Health Service Register. <i>Clinical Epidemiology</i> , 2016, Volume 8, 273-283.	1.5	15
169	Resisting "Reason": A Comparative Anthropological Study of Social Differences and Resistance toward Health Promotion and Illness Prevention in Denmark. <i>Medical Anthropology Quarterly</i> , 2017, 31, 218-236.	0.7	15
170	Exploration of the possible effect on survival of lead-time associated with implementation of cancer patient pathways among symptomatic first-time cancer patients in Denmark. <i>Cancer Epidemiology</i> , 2017, 49, 195-201.	0.8	15
171	"The Good Citizen". <i>Anthropology in Action</i> , 2017, 24, 6-12.	1.1	15
172	Responsibility for follow-up during the diagnostic process in primary care: a secondary analysis of International Cancer Benchmarking Partnership data. <i>British Journal of General Practice</i> , 2018, 68, e323-e332.	0.7	15
173	Primary care physicians' access to in-house ultrasound examinations across Europe: a questionnaire study. <i>BMJ Open</i> , 2019, 9, e030958.	0.8	15
174	A validated algorithm for register-based identification of patients with recurrence of breast cancer—Based on Danish Breast Cancer Group (DBCG) data. <i>Cancer Epidemiology</i> , 2019, 59, 129-134.	0.8	15
175	How European primary care practitioners think the timeliness of cancer diagnosis can be improved: a thematic analysis. <i>BMJ Open</i> , 2019, 9, e030169.	0.8	15
176	Using semantic components to search for domain-specific documents: An evaluation from the system perspective and the user perspective. <i>Information Systems</i> , 2009, 34, 724-752.	2.4	14
177	Socioeconomic position and place of death of cancer patients. <i>BMJ Supportive and Palliative Care</i> , 2012, 2, 133-139.	0.8	14
178	A randomised controlled trial of hospital-based case management to improve colorectal cancer patients' health-related quality of life and evaluations of care. <i>BMJ Open</i> , 2012, 2, e001481.	0.8	14
179	Patient-experienced effect of an active implementation of a disease management programme for COPD—a randomised trial. <i>BMC Family Practice</i> , 2013, 14, 147.	2.9	14
180	Development of a survey instrument to investigate the primary care factors related to differences in cancer diagnosis between international jurisdictions. <i>BMC Family Practice</i> , 2014, 15, 122.	2.9	14

#	ARTICLE	IF	CITATIONS
181	Tumour stage and implementation of standardised cancer patient pathways: a comparative cohort study. <i>British Journal of General Practice</i> , 2016, 66, e434-e443.	0.7	14
182	Factors associated with low patient satisfaction in out-of-hours primary care in Denmark - a population-based cross-sectional study. <i>BMC Family Practice</i> , 2018, 19, 15.	2.9	14
183	Time from incident primary cancer until recurrence or second primary cancer: Risk factors and impact in general practice. <i>European Journal of Cancer Care</i> , 2019, 28, e13123.	0.7	14
184	Identification of patients with incident cancers using administrative registry data. <i>Danish Medical Journal</i> , 2014, 61, A4777.	0.5	14
185	A feasible method to study the Danish out-of-hours primary care service. <i>Danish Medical Journal</i> , 2014, 61, A4847.	0.5	14
186	Semantic components enhance retrieval of domain-specific documents. , 2007, , .		13
187	Drug prescription by telephone consultation in Danish out-of-hours primary care: a population-based study of frequency and associations with clinical severity and diagnosis. <i>BMC Family Practice</i> , 2014, 15, 142.	2.9	13
188	Self-assessed health, perceived stress and non-participation in breast cancer screening: A Danish cohort study. <i>Preventive Medicine</i> , 2015, 81, 392-398.	1.6	13
189	Educational differences in likelihood of attributing breast symptoms to cancer: a vignette-based study. <i>Psycho-Oncology</i> , 2016, 25, 1191-1197.	1.0	13
190	Imaging investigations before referral to a sarcoma center delay the final diagnosis of musculoskeletal sarcoma. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 211-216.	1.2	13
191	Travel distance to cancer-diagnostic facilities and tumour stage. <i>Health and Place</i> , 2019, 60, 102208.	1.5	13
192	Ovarian cancer suspicion, urgent referral and time to diagnosis in Danish general practice: a population-based study. <i>Family Practice</i> , 2019, 36, 751-757.	0.8	13
193	Cancer patients'™ experiences with urgent referrals to cancer patient pathways. <i>European Journal of Cancer Care</i> , 2019, 28, e12927.	0.7	13
194	Associations between successful palliative cancer pathways and community nurse involvement. <i>BMC Palliative Care</i> , 2009, 8, 18.	0.8	12
195	Adherence to COPD guidelines in general practice: impact of an educational programme delivered on location in Danish general practices. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2012, 22, 23-28.	2.5	12
196	Impact of GP reminders on follow-up of abnormal cervical cytology: a before-after study in Danish general practice. <i>British Journal of General Practice</i> , 2017, 67, e580-e587.	0.7	12
197	Noisy Lives, Noisy Bodies. <i>Anthropology in Action</i> , 2017, 24, 13-19.	1.1	12
198	Is lower symptom recognition associated with socioeconomic inequalities in help-seeking for potential breast cancer symptoms?. <i>Psycho-Oncology</i> , 2018, 27, 626-632.	1.0	12

#	ARTICLE	IF	CITATIONS
199	Suboptimal quality of type 2 diabetes care discovered through electronic feedback led to increased nurse-GP cooperation. A qualitative study. <i>Primary Care Diabetes</i> , 2010, 4, 33-39.	0.9	11
200	Coping Strategies and Patient Delay in Patients with Cancer. <i>Journal of Psychosocial Oncology</i> , 2013, 31, 204-218.	0.6	11
201	Impact of continuing medical education in cancer diagnosis on GP knowledge, attitude and readiness to investigate – a before-after study. <i>BMC Family Practice</i> , 2016, 17, 95.	2.9	11
202	Substance Use Disorders Among Danish Physicians. <i>Journal of Addiction Medicine</i> , 2016, 10, 248-254.	1.4	11
203	Class, Social Suffering, and Health Consumerism. <i>Medical Anthropology: Cross Cultural Studies in Health and Illness</i> , 2016, 35, 517-528.	0.6	11
204	A validated algorithm to identify recurrence of bladder cancer: a register-based study in Denmark. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1755-1763.	1.5	11
205	Mortality of patients examined at a diagnostic centre: A matched cohort study. <i>Cancer Epidemiology</i> , 2018, 55, 130-135.	0.8	11
206	Elastography and diffusion-weighted MRI in patients with testicular microlithiasis, normal testicular tissue, and testicular cancer: an observational study. <i>Acta Radiologica</i> , 2019, 60, 535-541.	0.5	11
207	Mental well-being, job satisfaction and self-rated workability in general practitioners and hospitalisations for ambulatory care sensitive conditions among listed patients: a cohort study combining survey data on GPs and register data on patients. <i>BMJ Quality and Safety</i> , 2019, 28, bmjqs-2018-009039 .	1.8	11
208	Healthcare utilisation in general practice and hospitals in the year preceding a diagnosis of cancer recurrence or second primary cancer: a population-based register study. <i>BMC Health Services Research</i> , 2019, 19, 941.	0.9	11
209	The effect of standardised cancer pathways on Danish cancer patients' dissatisfaction with waiting time. <i>Danish Medical Journal</i> , 2017, 64, .	0.5	11
210	Special status consultation for frequent attenders. Who are the candidates?. <i>Journal of Public Health</i> , 2002, 24, 53-57.	1.0	10
211	From Doctor to Nurse Triage in the Danish Out-of-Hours Primary Care Service: Simulated Effects on Costs. <i>International Journal of Family Medicine</i> , 2013, 2013, 1-5.	1.2	10
212	Translation, adaptation and data quality of a Danish version of the Burden Scale for Family Caregivers. <i>Scandinavian Journal of Caring Sciences</i> , 2013, 27, 1018-1026.	1.0	10
213	Use of primary health care prior to a postpartum psychiatric episode. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 127-133.	0.6	10
214	Health care use before a diagnosis of primary intracranial tumor: a Danish nationwide register study. <i>Clinical Epidemiology</i> , 2018, Volume 10, 809-829.	1.5	10
215	Agreement between questionnaires and registry data on routes to diagnosis and milestone dates of the cancer diagnostic pathway. <i>Cancer Epidemiology</i> , 2020, 65, 101690.	0.8	10
216	Developing an active implementation model for a chronic disease management program. <i>International Journal of Integrated Care</i> , 2013, 13, e020.	0.1	10

#	ARTICLE	IF	CITATIONS
217	The association between daytime attendance and out-of-hours frequent attendance among adult patients in general practice. <i>British Journal of General Practice</i> , 2001, 51, 121-4.	0.7	10
218	Open Access to General Practice Was Associated with Burnout among General Practitioners. <i>International Journal of Family Medicine</i> , 2013, 2013, 1-6.	1.2	9
219	A Randomized Controlled Trial of Hospital-based Case Management in Cancer Care: a General Practitioner Perspective. <i>Family Practice</i> , 2013, 30, 5-13.	0.8	9
220	A geographical cluster randomised stepped wedge study of continuing medical education and cancer diagnosis in general practice. <i>Implementation Science</i> , 2014, 9, 159.	2.5	9
221	Agreement between patients and general practitioners on quality deviations during the cancer diagnostic pathway and associations with time to diagnosis. <i>Family Practice</i> , 2015, 32, 329-335.	0.8	9
222	Characteristics of symptomatic men with testicular microlithiasis – A Danish cross-sectional questionnaire study. <i>Andrology</i> , 2017, 5, 556-561.	1.9	9
223	Measuring patient-provider communication skills in Rwanda: Selection, adaptation and assessment of psychometric properties of the Communication Assessment Tool. <i>Patient Education and Counseling</i> , 2018, 101, 1601-1610.	1.0	9
224	Propensity for paying home visits among general practitioners and the associations with cancer patients' place of care and death: a register-based cohort study. <i>Palliative Medicine</i> , 2018, 32, 376-383.	1.3	9
225	Strong association between cervical and breast cancer screening behaviour among Danish women; A register-based cohort study. <i>Preventive Medicine Reports</i> , 2018, 12, 349-354.	0.8	9
226	Early treatment with talk therapy or antidepressants in severely bereaved people and risk of suicidal behavior and psychiatric illness: an instrumental variable analysis. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1013-1026.	1.5	9
227	Primary care practitioners' diagnostic action when the patient may have cancer: an exploratory vignette study in 20 European countries. <i>BMJ Open</i> , 2020, 10, e035678.	0.8	9
228	Variation in proportion of frequent attenders between Danish general practices. <i>Scandinavian Journal of Public Health</i> , 2004, 32, 188-193.	1.2	8
229	Socioeconomic position and contact to general practice among persons with diabetes. <i>Primary Care Diabetes</i> , 2012, 6, 313-318.	0.9	8
230	A cluster-randomised, parallel group, controlled intervention study of genetic prostate cancer risk assessment and use of PSA tests in general practice – the ProCaRis study: study protocol. <i>BMJ Open</i> , 2013, 3, e002452.	0.8	8
231	Daytime use of general practice and use of the Out-of-Hours Primary Care Service for patients with chronic disease: a cohort study. <i>BMC Family Practice</i> , 2014, 15, 156.	2.9	8
232	Measurement properties of the Danish version of the Illness Perception Questionnaire – Revised for patients with colorectal cancer symptoms. <i>Journal of Health Psychology</i> , 2014, 19, 1279-1290.	1.3	8
233	Symptom attributions in patients with colorectal cancer. <i>BMC Family Practice</i> , 2015, 16, 115.	2.9	8
234	Increased utilisation of primary healthcare in persons exposed to severe stress in prenatal life: a national population-based study in Denmark. <i>BMJ Open</i> , 2015, 5, e005657-e005657.	0.8	8

#	ARTICLE	IF	CITATIONS
235	Drug prescriptions in Danish out-of-hours primary care: a 1-year population-based study. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 453-458.	0.6	8
236	Awareness of sunburn in childhood, use of sunbeds and change of moles in Denmark, Northern Ireland, Norway and Sweden. <i>European Journal of Public Health</i> , 2016, 26, 29-35.	0.1	8
237	Impact of a continuing medical education meeting on the use and timing of urgent cancer referrals among general practitioners - a before-after study. <i>BMC Family Practice</i> , 2017, 18, 44.	2.9	8
238	Preschool children in out-of-hours primary care – a questionnaire-based cross-sectional study of factors related to the medical relevance of health problems. <i>BMC Family Practice</i> , 2017, 18, 112.	2.9	8
239	Utilisation of primary care before a childhood cancer diagnosis: do socioeconomic factors matter?: A Danish nationwide population-based matched cohort study. <i>BMJ Open</i> , 2018, 8, e023569.	0.8	8
240	Risk of cancer and repeated urgent referral after negative investigation for cancer. <i>Family Practice</i> , 2018, 35, 582-588.	0.8	8
241	Association between GPs' suspicion of cancer and patients' usual consultation pattern in primary care: a cross-sectional study. <i>British Journal of General Practice</i> , 2019, 69, e80-e87.	0.7	8
242	Patient-physician relationship and use of gut feeling in cancer diagnosis in primary care: a cross-sectional survey of patients and their general practitioners. <i>BMJ Open</i> , 2019, 9, e027288.	0.8	8
243	Mental well-being and job satisfaction in general practitioners in Denmark and their patients' change of general practitioner: a cohort study combining survey data and register data. <i>BMJ Open</i> , 2019, 9, e030142.	0.8	8
244	Influences of rurality on action to diagnose cancer by primary care practitioners – Results from a Europe-wide survey in 20 countries. <i>Cancer Epidemiology</i> , 2020, 65, 101698.	0.8	8
245	Patients' health literacy is associated with timely diagnosis of cancer – A cross-sectional study in Denmark. <i>European Journal of Cancer Care</i> , 2021, , .	0.7	8
246	Family physician access to and wait times for cancer diagnostic investigations: Regional differences among 3 provinces. <i>Canadian Family Physician</i> , 2016, 62, e599-e607.	0.1	8
247	Effect of a reorganized after-hours family practice service on frequent attenders. <i>Family Medicine</i> , 1999, 31, 270-5.	0.3	8
248	Reduced specialist time with direct computed tomography for suspected lung cancer in primary care. <i>Danish Medical Journal</i> , 2013, 60, A4738.	0.5	8
249	Improving Health Care for Patients with Multimorbidity: A Mixed-Methods Study to Explore the Feasibility and Process of Aligning Scheduled Outpatient Appointments through Collaboration between Medical Specialties. <i>International Journal of Integrated Care</i> , 2022, 22, 17.	0.1	8
250	Use of lung function tests in asthmatic children is associated with lower risk of hospitalization. A Danish population-based follow-up study. <i>Journal of Asthma</i> , 2010, 47, 1022-1030.	0.9	7
251	Use of hyperlinks in electronic test result communication: a survey study in general practice. <i>BMC Medical Informatics and Decision Making</i> , 2012, 12, 114.	1.5	7
252	Self-Management Support to People with Type 2 Diabetes - A comparative study of Kaiser Permanente and the Danish Healthcare System. <i>BMC Health Services Research</i> , 2012, 12, 160.	0.9	7

#	ARTICLE	IF	CITATIONS
253	Direct mail improves knowledge of basic life support guidelines in general practice: a randomised study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2012, 20, 72.	1.1	7
254	To test or not: A registry-based observational study of an online decision support for prostate-specific antigen tests. <i>International Journal of Medical Informatics</i> , 2013, 82, 973-979.	1.6	7
255	Time from first symptom experience to help seeking for colorectal cancer patients: Associations with cognitive and emotional symptom representations. <i>Patient Education and Counseling</i> , 2016, 99, 807-813.	1.0	7
256	Understanding of a negative bowel screening result and potential impact on future symptom appraisal and help-seeking behaviour: a focus group study. <i>Health Expectations</i> , 2017, 20, 584-592.	1.1	7
257	Could the patient have been seen by a nurse; a questionnaire based survey of GP and patient views in Danish general practice. <i>BMC Family Practice</i> , 2013, 14, 171.	2.9	6
258	General practitioners' anticipated risk of cancer at referral and their attitude to risk taking and to their role as gatekeeper. <i>Journal of Health Services Research and Policy</i> , 2015, 20, 210-216.	0.8	6
259	Are Cancer Patients' Socioeconomic and Cultural Factors Associated with Contact to General Practitioners in the Last Phase of Life?. <i>International Journal of Family Medicine</i> , 2015, 2015, 1-8.	1.2	6
260	New NICE guidance on diagnosing cancer in general practice. <i>British Journal of General Practice</i> , 2015, 65, 446-447.	0.7	6
261	Patients with cancer and change of general practice: a Danish population-based cohort study. <i>British Journal of General Practice</i> , 2016, 66, e491-e498.	0.7	6
262	Associations between education and physical functioning and pain in adult Danish cancer survivors. <i>Acta Oncologica</i> , 2017, 56, 348-353.	0.8	6
263	Differences in medical services in Nordic general practice: a comparative survey from the QUALICOPC study. <i>Scandinavian Journal of Primary Health Care</i> , 2017, , 1-10.	0.6	6
264	Prognosis of cancer in persons with infrequent consultations in general practice: A population-based cohort study. <i>International Journal of Cancer</i> , 2017, 141, 2400-2409.	2.3	6
265	24-hour access outpatient clinic for patients with exacerbation of chronic disease: a before-after cohort study of differences in acute healthcare utilisation. <i>BMC Health Services Research</i> , 2018, 18, 663.	0.9	6
266	Preschool children in Danish out-of-hours primary care: a one-year descriptive study of face-to-face consultations. <i>BMC Family Practice</i> , 2019, 20, 36.	2.9	6
267	The association between socioeconomic position and tumour size, grade, stage, and mortality in Danish sarcoma patients – A national, observational study from 2000 to 2013. <i>Acta Oncologica</i> , 2020, 59, 127-133.	0.8	6
268	The effect of assessing genetic risk of prostate cancer on the use of PSA tests in primary care: A cluster randomized controlled trial. <i>PLoS Medicine</i> , 2020, 17, e1003033.	3.9	6
269	Identification of endometrial cancer recurrence – a validated algorithm based on nationwide Danish registries. <i>Acta Oncologica</i> , 2021, 60, 452-458.	0.8	6
270	Alignment between the patient's cancer worry and the GP's cancer suspicion and the association with the interval between first symptom presentation and referral: a cross-sectional study in Denmark. <i>BMC Family Practice</i> , 2021, 22, 129.	2.9	6

#	ARTICLE	IF	CITATIONS
271	Chronic care services and variation between Danish general practices: a nationwide cohort study. <i>British Journal of General Practice</i> , 2022, 72, e285-e292.	0.7	6
272	Several factors influenced general practitioner participation in the implementation of a disease management programme. <i>Danish Medical Journal</i> , 2014, 61, A4901.	0.5	6
273	Data quality and factor analysis of the Danish version of the Relationship Scale Questionnaire. <i>PLoS ONE</i> , 2017, 12, e0176810.	1.1	5
274	Asking terminally ill patients about their preferences concerning place of care and death. <i>International Journal of Palliative Nursing</i> , 2018, 24, 124-131.	0.2	5
275	Development, modelling, and pilot testing of a complex intervention to support end-of-life care provided by Danish general practitioners. <i>BMC Family Practice</i> , 2018, 19, 91.	2.9	5
276	Ovarian cancer stage, variation in transvaginal ultrasound examination rates and the impact of an urgent referral pathway: A national ecological cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 1540-1548.	1.3	5
277	Cancer beliefs in cancer survivors, cancer relatives and persons with no cancer experience. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 497-503.	1.2	5
278	Patient's travel distance to specialised cancer diagnostics and the association with the general practitioner's diagnostic strategy and satisfaction with the access to diagnostic procedures: an observational study in Denmark. <i>BMC Family Practice</i> , 2020, 21, 97.	2.9	5
279	A Validated Register-Based Algorithm to Identify Patients Diagnosed with Recurrence of Malignant Melanoma in Denmark. <i>Clinical Epidemiology</i> , 2021, Volume 13, 207-214.	1.5	5
280	Detection mode of childhood acute lymphoblastic leukaemia relapse and its effect on survival: a Nordic population-based cohort study. <i>British Journal of Haematology</i> , 2021, 194, 734-744.	1.2	5
281	Routes to cancer diagnosis for patients with pre-existing psychiatric disorders: a nationwide register-based cohort study. <i>BMC Cancer</i> , 2022, 22, 472.	1.1	5
282	Cancer and primary care: the clinical and research agenda. <i>British Journal of General Practice</i> , 2011, 61, 653-654.	0.7	4
283	The 30-day prognosis of chronic-disease patients after contact with the out-of-hours service in primary healthcare. <i>Scandinavian Journal of Primary Health Care</i> , 2014, 32, 208-216.	0.6	4
284	Direct-access to abdominal ultrasonic investigation from general practice—the role in earlier cancer diagnosis. <i>Family Practice</i> , 2015, 32, 205-210.	0.8	4
285	Situating Social Differences in Health and Illness Practices. <i>Perspectives in Biology and Medicine</i> , 2016, 59, 547-561.	0.3	4
286	Testicular microlithiasis is associated with ethnicity and socioeconomic status. <i>Acta Radiologica Open</i> , 2017, 6, 205846011772367.	0.3	4
287	Coordinating objects of care: Exploring the role of case managers as brokers in cancer patient pathways. <i>European Journal of Cancer Care</i> , 2019, 28, e13017.	0.7	4
288	Direct notification of cervical cytology results to women improves follow-up in cervical cancer screening - A cluster-randomised trial. <i>Preventive Medicine Reports</i> , 2019, 13, 118-125.	0.8	4

#	ARTICLE	IF	CITATIONS
289	General practice preventive health care in non-obstructive coronary artery disease determined by coronary computed tomography angiography. <i>International Journal of Cardiology</i> , 2019, 278, 14-21.	0.8	4
290	Direct access from general practice to transvaginal ultrasound for early detection of ovarian cancer: a feasibility study. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 230-239.	0.6	4
291	Abdominal investigations in the year preceding a diagnosis of abdominal cancer: A register-based cohort study in Denmark. <i>Cancer Epidemiology</i> , 2021, 72, 101926.	0.8	4
292	Potentially inappropriate medications (PIMs): frequency and extent of GP-related variation in PIMs: a register-based cohort study. <i>BMJ Open</i> , 2021, 11, e046756.	0.8	4
293	Diagnostic workup of cancer in patients with new-onset anaemia: a Danish cohort study in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 391-402.	0.6	4
294	Development of an intervention to expedite cancer diagnosis through primary care: a protocol. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101595.	0.9	4
295	Pluralistic task shifting for a more timely cancer diagnosis. A grounded theory study from a primary care perspective. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 486-497.	0.6	4
296	Diagnosing pancreatic cancer in general practice: a cross-sectional study on associations between suspicion of cancer, urgent referral and time to diagnosis. <i>Scandinavian Journal of Primary Health Care</i> , 2022, , 1-9.	0.6	4
297	Diagnostic routes and time intervals for ovarian cancer in nine international jurisdictions; findings from the International Cancer Benchmarking Partnership (ICBP). <i>British Journal of Cancer</i> , 2022, 127, 844-854.	2.9	4
298	Trajectories in Outpatient Care for People with Multimorbidity: A Population-Based Register Study in Denmark. <i>Clinical Epidemiology</i> , 0, Volume 14, 749-762.	1.5	4
299	Change in ranking order of prescribing patterns by age and sex standardization of the practice population -audit may be misleading. <i>Scandinavian Journal of Primary Health Care</i> , 1996, 14, 159-164.	0.6	3
300	The WONCA World Congress 2004 did not meet academic standards. <i>Family Practice</i> , 2005, 22, 576-577.	0.8	3
301	Awareness of cancer symptoms and anticipated patient interval for healthcare seeking. A comparative study of Denmark and Sweden. <i>Acta Oncologica</i> , 2016, 55, 917-924.	0.8	3
302	Measurement properties of the Danish version of the Awareness and Beliefs about Cancer (ABC) measure. <i>BMC Medical Research Methodology</i> , 2017, 17, 74.	1.4	3
303	Differences in diagnostic activity in general practice and findings for individuals invited to the danish screening programme for colorectal cancer: a population-based cohort study. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 281-290.	0.6	3
304	Non-participation in breast cancer screening among previous cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 1959-1966.	1.2	3
305	Association between risk factors and testicular microlithiasis. <i>Acta Radiologica Open</i> , 2019, 8, 205846011987029.	0.3	3
306	Characteristics of customary non-attenders in general practice who are diagnosed with cancer: A cross-sectional study in Denmark. <i>European Journal of Cancer Care</i> , 2019, 28, e13143.	0.7	3

#	ARTICLE	IF	CITATIONS
307	Patient characteristics and healthcare utilisation among Danish patients with chronic conditions: a nationwide cohort study in general practice and hospitals. <i>BMC Health Services Research</i> , 2020, 20, 976.	0.9	3
308	Patient's worry about cancer and the general practitioner's suspicion of cancer or serious illness: A population-based study in Denmark. <i>European Journal of Cancer Care</i> , 2021, 30, e13411.	0.7	3
309	Cancer suspicion, referral to cancer patient pathway and primary care interval: a survey and register study exploring 10 different types of abdominal cancer. <i>Family Practice</i> , 2021, 38, 589-597.	0.8	3
310	Insufficient classification of anaemia in general practice: a Danish register-based observational study. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 364-372.	0.6	3
311	Geographic variation in diagnostic and treatment interval, cancer stage and mortality among colorectal patients – An international comparison between Denmark and Scotland using data-linked cohorts. <i>Cancer Epidemiology</i> , 2021, 74, 102004.	0.8	3
312	Burnout, coping strategies and help-seeking in general practitioners: a two-wave survey study in Denmark. <i>BMJ Open</i> , 2022, 12, e051867.	0.8	3
313	Development of an algorithm to identify urgent referrals for suspected cancer from the Danish Primary Care Referral Database. <i>Clinical Epidemiology</i> , 2016, Volume 8, 751-759.	1.5	2
314	Implementation of immunochemical faecal occult blood test in general practice: a study protocol using a cluster-randomised stepped-wedge design. <i>BMC Cancer</i> , 2016, 16, 445.	1.1	2
315	The completeness of chest X-ray procedure codes in the Danish National Patient Registry. <i>Clinical Epidemiology</i> , 2017, Volume 9, 151-156.	1.5	2
316	Development and validation of the ExPRESS instrument for primary health care providers' evaluation of external supervision. <i>Global Health Action</i> , 2018, 11, 1445466.	0.7	2
317	Converting acute inpatient take to outpatient take with fast-track assessment in internal medicine wards – a before-after study. <i>BMC Health Services Research</i> , 2019, 19, 346.	0.9	2
318	Use of Healthcare Services Two Years before Diagnosis in Danish Sarcoma Patients, 2000–2013. <i>Sarcoma</i> , 2019, 2019, 1-10.	0.7	2
319	Cancer beliefs and participation in screening for colorectal cancer: A Danish cohort study based on data from the International Cancer Benchmarking Partnership and national registers. <i>Preventive Medicine</i> , 2019, 121, 11-17.	1.6	2
320	A nationwide register-based study of healthcare utilisation in the year preceding a colorectal cancer recurrence diagnosis. <i>European Journal of Cancer Care</i> , 2021, 30, e13494.	0.7	2
321	Health care utilisation following childhood acute lymphoblastic leukaemia: a population-based matched cohort study. <i>BMJ Open</i> , 2021, 11, e049847.	0.8	2
322	Contacts to general practice in the 12 months preceding a diagnosis of an abdominal cancer: a national register-based cohort study. <i>Scandinavian Journal of Primary Health Care</i> , 2022, 40, 148-156.	0.6	2
323	Bringing the journal to a leading position – a tribute to Lise and Jakob. <i>Scandinavian Journal of Primary Health Care</i> , 2011, 29, 129-129.	0.6	1
324	Thirty volumes of Nordic family medicine – from 1983 to 2012. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 61-61.	0.6	1

#	ARTICLE	IF	CITATIONS
325	Health care utilisation preceding relapse or second malignant neoplasm after childhood acute lymphoblastic leukaemia: a population-based matched cohort study. <i>BMJ Open</i> , 2021, 11, e050285.	0.8	1
326	A genetic risk assessment for prostate cancer influences patients' risk perception and use of repeat PSA testing: a cross-sectional study in Danish general practice. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101039.	0.9	1
327	Do General Practitioners Want Payment for their Data Collection?. <i>European Journal of Epidemiology</i> , 2003, 19, 605-606.	2.5	0
328	New Danish National Editor. <i>Scandinavian Journal of Primary Health Care</i> , 2011, 29, 132-132.	0.6	0
329	Paper of the Year Award 2011 and 2012. <i>Scandinavian Journal of Primary Health Care</i> , 2012, 30, 131-131.	0.6	0
330	Final hard copy issue of the <i>Scandinavian Journal of Primary Health Care</i> "online only from 2014. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 181-181.	0.6	0
331	Paper of the Year Award 2013 and 2014. <i>Scandinavian Journal of Primary Health Care</i> , 2014, 32, 110-110.	0.6	0
332	A full Norwegian editorial change. Two men replaced by two women. <i>Scandinavian Journal of Primary Health Care</i> , 2014, 32, 3-3.	0.6	0
333	Comments to the paper: Influence of mammography screening on use of mastectomies in Denmark. <i>Acta Oncologica</i> , 2015, 54, 135-136.	0.8	0
334	Doing less, accomplishing more for childhood ALL: response. <i>British Journal of Haematology</i> , 2021, , .	1.2	0
335	Advanced Access scheduling in general practice and use of primary care: a Danish population-based matched cohort study. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101091.	0.9	0
336	Effectiveness of a 24-hour access outpatient clinic for patients with chronic conditions in hospital outpatient follow-up: a registry-based controlled cohort study of healthcare utilisation and mortality. <i>Integrated Healthcare Journal</i> , 2022, 4, .	0.2	0
337	Medical evacuations in Greenland in 2018: a descriptive study. <i>International Journal of Circumpolar Health</i> , 2022, 81, 2014634.	0.5	0
338	Healthcare use in the year preceding a diagnosis of pancreatic cancer: a register-based cohort study in Denmark. <i>Scandinavian Journal of Primary Health Care</i> , 2022, , 1-11.	0.6	0