

Peter Vedsted

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8192852/peter-vedsted-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

326
papers

7,688
citations

45
h-index

71
g-index

359
ext. papers

9,188
ext. citations

3.3
avg, IF

6.33
L-index

#	Paper	IF	Citations
326	The Aarhus statement: improving design and reporting of studies on early cancer diagnosis. <i>British Journal of Cancer</i> , 2012 , 106, 1262-7	8.7	419
325	The expanding role of primary care in cancer control. <i>Lancet Oncology, The</i> , 2015 , 16, 1231-72	21.7	297
324	Frequent attenders in general practice care: a literature review with special reference to methodological considerations. <i>Public Health</i> , 2005 , 119, 118-37	4	168
323	Delay in diagnosis: the experience in Denmark. <i>British Journal of Cancer</i> , 2009 , 101 Suppl 2, S5-8	8.7	159
322	Differences in cancer awareness and beliefs between Australia, Canada, Denmark, Norway, Sweden and the UK (the International Cancer Benchmarking Partnership): do they contribute to differences in cancer survival?. <i>British Journal of Cancer</i> , 2013 , 108, 292-300	8.7	154
321	Time intervals from first symptom to treatment of cancer: a cohort study of 2,212 newly diagnosed cancer patients. <i>BMC Health Services Research</i> , 2011 , 11, 284	2.9	152
320	Evidence of increasing mortality with longer diagnostic intervals for five common cancers: a cohort study in primary care. <i>European Journal of Cancer</i> , 2013 , 49, 2187-98	7.5	146
319	Time to diagnosis and mortality in colorectal cancer: a cohort study in primary care. <i>British Journal of Cancer</i> , 2011 , 104, 934-40	8.7	117
318	Are the serious problems in cancer survival partly rooted in gatekeeper principles? An ecologic study. <i>British Journal of General Practice</i> , 2011 , 61, e508-12	1.6	103
317	Cervical Cancer Prevalence, Incidence and Mortality in Low and Middle Income Countries: A Systematic Review. <i>Asian Pacific Journal of Cancer Prevention</i> , 2018 , 19, 319-324	1.7	103
316	Predictors of Complicated Grief and Depression in Bereaved Caregivers: A Nationwide Prospective Cohort Study. <i>Journal of Pain and Symptom Management</i> , 2017 , 53, 540-550	4.8	100
315	Participation in cancer rehabilitation and unmet needs: a population-based cohort study. <i>Supportive Care in Cancer</i> , 2012 , 20, 2913-24	3.9	97
314	Cancer suspicion in general practice, urgent referral and time to diagnosis: a population-based GP survey and registry study. <i>BMC Cancer</i> , 2014 , 14, 636	4.8	96
313	Diagnostic interval and mortality in colorectal cancer: U-shaped association demonstrated for three different datasets. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 669-78	5.7	94
312	Understanding missed opportunities for more timely diagnosis of cancer in symptomatic patients after presentation. <i>British Journal of Cancer</i> , 2015 , 112 Suppl 1, S84-91	8.7	82
311	Paper of the Year Award 2013 and 2014. <i>Scandinavian Journal of Primary Health Care</i> , 2014 , 32, 110-110	2.7	78
310	Patient delay in cancer studies: a discussion of methods and measures. <i>BMC Health Services Research</i> , 2009 , 9, 189	2.9	78

309	New Danish National Editor. <i>Scandinavian Journal of Primary Health Care</i> , 2011 , 29, 132-132	2.7	78
308	Translation, adaptation and validation of the American short form Patient Activation Measure (PAM13) in a Danish version. <i>BMC Public Health</i> , 2009 , 9, 209	4.1	75
307	Patient satisfaction with availability of general practice: an international comparison. <i>International Journal for Quality in Health Care</i> , 2002 , 14, 111-8	1.9	75
306	The International Cancer Benchmarking Partnership: an international collaboration to inform cancer policy in Australia, Canada, Denmark, Norway, Sweden and the United Kingdom. <i>Health Policy</i> , 2013 , 112, 148-55	3.2	72
305	Explaining variation in cancer survival between 11 jurisdictions in the International Cancer Benchmarking Partnership: a primary care vignette survey. <i>BMJ Open</i> , 2015 , 5, e007212	3	71
304	An international measure of awareness and beliefs about cancer: development and testing of the ABC. <i>BMJ Open</i> , 2012 , 2,	3	70
303	Delay in diagnosis of lung cancer in general practice. <i>British Journal of General Practice</i> , 2006 , 56, 863-8	1.6	70
302	The Danish cancer pathway for patients with serious non-specific symptoms and signs of cancer-a cross-sectional study of patient characteristics and cancer probability. <i>BMC Cancer</i> , 2015 , 15, 421	4.8	69
301	A differentiated approach to referrals from general practice to support early cancer diagnosis - the Danish three-legged strategy. <i>British Journal of Cancer</i> , 2015 , 112 Suppl 1, S65-9	8.7	66
300	Self-reported symptoms and healthcare seeking in the general population--exploring "The Symptom Iceberg". <i>BMC Public Health</i> , 2015 , 15, 685	4.1	62
299	How might healthcare systems influence speed of cancer diagnosis: a narrative review. <i>Social Science and Medicine</i> , 2014 , 116, 56-63	5.1	62
298	Reasons for encounter and disease patterns in Danish primary care: changes over 16 years. <i>Scandinavian Journal of Primary Health Care</i> , 2012 , 30, 70-5	2.7	61
297	Complicated grief and need for professional support in family caregivers of cancer patients in palliative care: a longitudinal cohort study. <i>Supportive Care in Cancer</i> , 2012 , 20, 1679-85	3.9	60
296	Risk of febrile seizures and epilepsy after vaccination with diphtheria, tetanus, acellular pertussis, inactivated poliovirus, and Haemophilus influenzae type B. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 307, 823-31	27.4	60
295	Identification of asthmatic children using prescription data and diagnosis. <i>European Journal of Clinical Pharmacology</i> , 2007 , 63, 605-11	2.8	56
294	Use of the English urgent referral pathway for suspected cancer and mortality in patients with cancer: cohort study. <i>BMJ, The</i> , 2015 , 351, h5102	5.9	54
293	Cancer awareness and socio-economic position: results from a population-based study in Denmark. <i>BMC Cancer</i> , 2014 , 14, 581	4.8	54
292	Evidence of advanced stage colorectal cancer with longer diagnostic intervals: a pooled analysis of seven primary care cohorts comprising 11 720 patients in five countries. <i>British Journal of Cancer</i> , 2017 , 117, 888-897	8.7	53

291	Use of general practice, diagnostic investigations and hospital services before and after cancer diagnosis - a population-based nationwide registry study of 127,000 incident adult cancer patients. <i>BMC Health Services Research</i> , 2012 , 12, 224	2.9	52
290	Social inequality in cancer rehabilitation: a population-based cohort study. <i>Acta Oncologica</i> , 2013 , 52, 410-22	3.2	51
289	Psychological distress as a predictor of frequent attendance in family practice: a cohort study. <i>Psychosomatics</i> , 2001 , 42, 416-22	2.6	50
288	Diagnostic intervals before and after implementation of cancer patient pathways - a GP survey and registry based comparison of three cohorts of cancer patients. <i>BMC Cancer</i> , 2015 , 15, 308	4.8	48
287	Survival of patients with small cell lung cancer undergoing lung resection in England, 1998-2009. <i>Thorax</i> , 2014 , 69, 269-73	7.3	48
286	Risky alcohol use in Danish physicians: Associated with alexithymia and burnout?. <i>Drug and Alcohol Dependence</i> , 2016 , 160, 119-26	4.9	46
285	'Containment' as an analytical framework for understanding patient delay: a qualitative study of cancer patients' symptom interpretation processes. <i>Social Science and Medicine</i> , 2010 , 71, 378-385	5.1	46
284	Identifying specific non-attending groups in breast cancer screening--population-based registry study of participation and socio-demography. <i>BMC Cancer</i> , 2012 , 12, 518	4.8	45
283	Preference for place-of-death among terminally ill cancer patients in Denmark. <i>Scandinavian Journal of Caring Sciences</i> , 2011 , 25, 627-36	2.3	45
282	Case management used to optimize cancer care pathways: a systematic review. <i>BMC Health Services Research</i> , 2008 , 8, 227	2.9	43
281	Physical, mental and social factors associated with frequent attendance in Danish general practice. A population-based cross-sectional study. <i>Social Science and Medicine</i> , 2004 , 59, 813-23	5.1	43
280	Associations between home death and GP involvement in palliative cancer care. <i>British Journal of General Practice</i> , 2009 , 59, 671-7	1.6	42
279	Serious Mental Illness and Risk for Hospitalizations and Rehospitalizations for Ambulatory Care-sensitive Conditions in Denmark: A Nationwide Population-based Cohort Study. <i>Medical Care</i> , 2016 , 54, 90-7	3.1	41
278	National registry diagnoses agree with medical records on hospitalized asthmatic children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 96, 1470-3	3.1	39
277	The value of using the faecal immunochemical test in general practice on patients presenting with non-alarm symptoms of colorectal cancer. <i>British Journal of Cancer</i> , 2018 , 119, 471-479	8.7	37
276	Increased diagnostic activity in general practice during the year preceding colorectal cancer diagnosis. <i>International Journal of Cancer</i> , 2015 , 137, 615-24	7.5	37
275	Predictive values of GPs' suspicion of serious disease: a population-based follow-up study. <i>British Journal of General Practice</i> , 2014 , 64, e346-53	1.6	36
274	Does the organizational structure of health care systems influence care-seeking decisions? A qualitative analysis of Danish cancer patients' reflections on care-seeking. <i>Scandinavian Journal of Primary Health Care</i> , 2011 , 29, 144-9	2.7	36

273	Reasons for diagnostic delay in gynecological malignancies. <i>International Journal of Gynecological Cancer</i> , 2011 , 21, 967-74	3.5	35
272	Patient characteristics associated with differences in patients' evaluation of their general practitioner. <i>BMC Health Services Research</i> , 2008 , 8, 178	2.9	35
271	Identifying bereaved subjects at risk of complicated grief: Predictive value of questionnaire items in a cohort study. <i>BMC Palliative Care</i> , 2011 , 10, 9	3	34
270	Barriers to healthcare seeking, beliefs about cancer and the role of socio-economic position. A Danish population-based study. <i>Preventive Medicine</i> , 2015 , 71, 107-13	4.3	32
269	Chronic care management in Danish general practice--a cross-sectional study of workload and multimorbidity. <i>BMC Family Practice</i> , 2012 , 13, 52	2.6	32
268	The effect of feedback to general practitioners on quality of care for people with type 2 diabetes. A systematic review of the literature. <i>BMC Family Practice</i> , 2009 , 10, 30	2.6	32
267	Continuing medical education and burnout among Danish GPs. <i>British Journal of General Practice</i> , 2008 , 58, 15-9	1.6	32
266	Doctor and practice characteristics associated with differences in patient evaluations of general practice. <i>BMC Health Services Research</i> , 2007 , 7, 46	2.9	32
265	Preloss grief in family caregivers during end-of-life cancer care: A nationwide population-based cohort study. <i>Psycho-Oncology</i> , 2017 , 26, 2048-2056	3.9	31
264	The Danish Symptom Cohort: Questionnaire and Feasibility in the Nationwide Study on Symptom Experience and Healthcare-Seeking among 100 000 Individuals. <i>International Journal of Family Medicine</i> , 2014 , 2014, 187280		31
263	Adaptation, data quality and confirmatory factor analysis of the Danish version of the PACIC questionnaire. <i>European Journal of Public Health</i> , 2012 , 22, 31-6	2.1	31
262	Intramuscular pressure and tissue oxygenation during low-force static contraction do not underlie muscle fatigue. <i>Acta Physiologica Scandinavica</i> , 2005 , 183, 379-88		31
261	Cancer has not gone away: A primary care perspective to support a balanced approach for timely cancer diagnosis during COVID-19. <i>European Journal of Cancer Care</i> , 2020 , 29, e13290	2.4	31
260	Developing an algorithm to identify people with Chronic Obstructive Pulmonary Disease (COPD) using administrative data. <i>BMC Medical Informatics and Decision Making</i> , 2012 , 12, 38	3.6	30
259	Social support, gender and patient delay. <i>British Journal of Cancer</i> , 2011 , 104, 1249-55	8.7	30
258	Data quality and confirmatory factor analysis of the Danish EUROPEP questionnaire on patient evaluation of general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2008 , 26, 174-80	2.7	30
257	Rural-Urban Disparities in Time to Diagnosis and Treatment for Colorectal and Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 1036-1046	4	30
256	General practitioner characteristics and delay in cancer diagnosis. a population-based cohort study. <i>BMC Family Practice</i> , 2011 , 12, 100	2.6	29

255	Muscle performance following fatigue induced by isotonic and quasi-isometric contractions of rat extensor digitorum longus and soleus muscles in vitro. <i>Acta Physiologica Scandinavica</i> , 2003 , 178, 175-86		29
254	Fear of recurrence and causal attributions in long-term survivors of testicular cancer. <i>Psycho-Oncology</i> , 2012 , 21, 1222-8	3.9	28
253	Association between general practice referral rates and patients' socioeconomic status and access to specialised health care a population-based nationwide study. <i>Health Policy</i> , 2009 , 92, 180-6	3.2	28
252	Association between patients' recommendation of their GP and their evaluation of the GP. <i>Scandinavian Journal of Primary Health Care</i> , 2008 , 26, 228-34	2.7	27
251	Short-term breast cancer survival in relation to ethnicity, stage, grade and receptor status: national cohort study in England. <i>British Journal of Cancer</i> , 2016 , 115, 1408-1415	8.7	26
250	An investigation of routes to cancer diagnosis in 10 international jurisdictions, as part of the International Cancer Benchmarking Partnership: survey development and implementation. <i>BMJ Open</i> , 2016 , 6, e009641	3	26
249	Mental well-being and job satisfaction among general practitioners: a nationwide cross-sectional survey in Denmark. <i>BMC Family Practice</i> , 2018 , 19, 130	2.6	26
248	Psychological and social problems in primary care patients - general practitioners' assessment and classification. <i>Scandinavian Journal of Primary Health Care</i> , 2013 , 31, 43-9	2.7	26
247	The European Cancer Patient's Bill of Rights, update and implementation 2016. <i>ESMO Open</i> , 2016 , 1, e000127	6	25
246	Cancer Patient Pathways shortens waiting times and accelerates the diagnostic process of suspected sarcoma patients in Denmark. <i>Health Policy</i> , 2013 , 113, 110-7	3.2	25
245	Antibiotic prescribing patterns in out-of-hours primary care: a population-based descriptive study. <i>Scandinavian Journal of Primary Health Care</i> , 2014 , 32, 200-7	2.7	25
244	Social environment and frequent attendance in Danish general practice. <i>British Journal of General Practice</i> , 2005 , 55, 510-5	1.6	25
243	Testicular microlithiasis and testicular cancer: review of the literature. <i>International Urology and Nephrology</i> , 2016 , 48, 1079-86	2.3	25
242	Variation in general practice prostate-specific antigen testing and prostate cancer outcomes: an ecological study. <i>International Journal of Cancer</i> , 2015 , 136, 435-42	7.5	24
241	Prognostic consequences of implementing cancer patient pathways in Denmark: a comparative cohort study of symptomatic cancer patients in primary care. <i>BMC Cancer</i> , 2017 , 17, 627	4.8	24
240	Healthcare utilization of bereaved relatives of patients who died from cancer. A national population-based study. <i>Psycho-Oncology</i> , 2013 , 22, 1152-8	3.9	24
239	Understanding the inverse care law: a register and survey-based study of patient deprivation and burnout in general practice. <i>International Journal for Equity in Health</i> , 2014 , 13, 121	4.6	24
238	Patient delay in colorectal cancer patients: associations with rectal bleeding and thoughts about cancer. <i>PLoS ONE</i> , 2013 , 8, e69700	3.7	24

237	Patient and GP agreement on aspects of general practice care. <i>Family Practice</i> , 2002 , 19, 339-43	1.9	24
236	Diagnostic routes and time intervals for patients with colorectal cancer in 10 international jurisdictions; findings from a cross-sectional study from the International Cancer Benchmarking Partnership (ICBP). <i>BMJ Open</i> , 2018 , 8, e023870	3	24
235	High lung cancer surgical procedure volume is associated with shorter length of stay and lower risks of re-admission and death: National cohort analysis in England. <i>European Journal of Cancer</i> , 2016 , 64, 32-43	7.5	23
234	Position paper: breast cancer screening, diagnosis, and treatment in Denmark. <i>Acta Oncologica</i> , 2014 , 53, 433-44	3.2	23
233	Risk of Burnout in Danish GPs and Exploration of Factors Associated with Development of Burnout: A Two-Wave Panel Study. <i>International Journal of Family Medicine</i> , 2013 , 2013, 603713		23
232	Use of primary care during the year before childhood cancer diagnosis: a nationwide population-based matched comparative study. <i>PLoS ONE</i> , 2013 , 8, e59098	3.7	23
231	Geographical variations in the use of cancer treatments are associated with survival of lung cancer patients. <i>Thorax</i> , 2018 , 73, 530-537	7.3	22
230	Quality deviations in cancer diagnosis: prevalence and time to diagnosis in general practice. <i>British Journal of General Practice</i> , 2014 , 64, e92-8	1.6	22
229	Secondary care intervals before and after the introduction of urgent referral guidelines for suspected cancer in Denmark: a comparative before-after study. <i>BMC Health Services Research</i> , 2013 , 13, 348	2.9	22
228	Prevalence and incidence of oral cancer in low- and middle-income countries: A scoping review. <i>European Journal of Cancer Care</i> , 2020 , 29, e13207	2.4	22
227	Advanced-stage cancer and time to diagnosis: An International Cancer Benchmarking Partnership (ICBP) cross-sectional study. <i>European Journal of Cancer Care</i> , 2019 , 28, e13100	2.4	21
226	Evaluating diagnostic strategies for early detection of cancer: the CanTest framework. <i>BMC Cancer</i> , 2019 , 19, 586	4.8	21
225	Cancer diagnostic delays and travel distance to health services: A nationwide cohort study in Denmark. <i>Cancer Epidemiology</i> , 2019 , 59, 115-122	2.8	21
224	Juggling efficiency. An ethnographic study exploring healthcare seeking practices and institutional logics in Danish primary care settings. <i>Social Science and Medicine</i> , 2015 , 128, 239-45	5.1	21
223	Influence of comorbidity on cancer patients' rehabilitation needs, participation in rehabilitation activities and unmet needs: a population-based cohort study. <i>Supportive Care in Cancer</i> , 2014 , 22, 2095-103	3.9	21
222	Childhood cancer and factors related to prolonged diagnostic intervals: a Danish population-based study. <i>British Journal of Cancer</i> , 2013 , 108, 1280-7	8.7	21
221	Non-participation in breast cancer screening for women with chronic diseases and multimorbidity: a population-based cohort study. <i>BMC Cancer</i> , 2015 , 15, 798	4.8	21
220	Existing data sources for clinical epidemiology: Danish Cancer in Primary Care cohort. <i>Clinical Epidemiology</i> , 2014 , 6, 237-46	5.9	21

219	Associations between successful palliative trajectories, place of death and GP involvement. <i>Scandinavian Journal of Primary Health Care</i> , 2010 , 28, 138-45	2.7	21
218	The effect of an out-of-hours reform on attendance at casualty wards. The Danish example. <i>Scandinavian Journal of Primary Health Care</i> , 2001 , 19, 95-8	2.7	21
217	Awareness of risk factors for cancer: a comparative study of Sweden and Denmark. <i>BMC Public Health</i> , 2015 , 15, 1156	4.1	20
216	Distance to screening site and non-participation in screening for breast cancer: a population-based study. <i>Journal of Public Health</i> , 2014 , 36, 292-9	3.5	20
215	Bereavement care in general practice: a cluster-randomized clinical trial. <i>Family Practice</i> , 2013 , 30, 134-41.9		20
214	Improved quality of Type 2 diabetes care following electronic feedback of treatment status to general practitioners: a cluster randomized controlled trial. <i>Diabetic Medicine</i> , 2011 , 28, 325-32	3.5	20
213	Psychiatric morbidity and non-participation in breast cancer screening. <i>Breast</i> , 2016 , 25, 38-44	3.6	19
212	Negative cancer beliefs, recognition of cancer symptoms and anticipated time to help-seeking: an international cancer benchmarking partnership (ICBP) study. <i>BMC Cancer</i> , 2018 , 18, 363	4.8	19
211	Agreement between patient-reported and doctor-reported patient intervals and date of first symptom presentation in cancer diagnosis - a population-based questionnaire study. <i>Cancer Epidemiology</i> , 2014 , 38, 100-5	2.8	19
210	The association between general practitioners' attitudes towards breast cancer screening and women's screening participation. <i>BMC Cancer</i> , 2012 , 12, 254	4.8	19
209	The role of general practice in routes to diagnosis of lung cancer in Denmark: a population-based study of general practice involvement, diagnostic activity and diagnostic intervals. <i>BMC Health Services Research</i> , 2015 , 15, 21	2.9	18
208	Clinical characteristics and risk of serious disease in patients referred to a diagnostic centre: A cohort study. <i>Cancer Epidemiology</i> , 2017 , 50, 158-165	2.8	18
207	Frequent attenders in out-of-hours general practice care: attendance prognosis. <i>Family Practice</i> , 1999 , 16, 283-8	1.9	18
206	Implementing direct access to low-dose computed tomography in general practice--method, adaption and outcome. <i>PLoS ONE</i> , 2014 , 9, e112162	3.7	18
205	Telephone triage by GPs in out-of-hours primary care in Denmark: a prospective observational study of efficiency and relevance. <i>British Journal of General Practice</i> , 2016 , 66, e667-73	1.6	17
204	Out-of-hours primary care: a population-based study of the diagnostic scope of telephone contacts. <i>Family Practice</i> , 2016 , 33, 504-9	1.9	17
203	Abdominal symptoms in general practice: Frequency, cancer suspicions raised, and actions taken by GPs in six European countries. Cohort study with prospective registration of cancer. <i>Heliyon</i> , 2017 , 3, e00328	3.6	17
202	Patients' confidence in their GP before and after being diagnosed with cancer. <i>British Journal of General Practice</i> , 2011 , 61, e215-22	1.6	17

201	Educational differences in responses to breast cancer symptoms: A qualitative comparative study. <i>British Journal of Health Psychology</i> , 2017 , 22, 26-41	8.3	16
200	Patients' initial steps to cancer diagnosis in Denmark, England and Sweden: what can a qualitative, cross-country comparison of narrative interviews tell us about potentially modifiable factors?. <i>BMJ Open</i> , 2017 , 7, e018210	3	16
199	Depression and risk of hospitalisations and rehospitalisations for ambulatory care-sensitive conditions in Denmark: a population-based cohort study. <i>BMJ Open</i> , 2015 , 5, e009878	3	16
198	Characteristics of 64 sarcoma patients referred to a sarcoma center after unplanned excision. <i>Journal of Surgical Oncology</i> , 2016 , 113, 235-9	2.8	16
197	Chronic-disease patients and their use of out-of-hours primary health care: a cross-sectional study. <i>BMC Family Practice</i> , 2014 , 15, 114	2.6	15
196	The effect of an active implementation of a disease management programme for chronic obstructive pulmonary disease on healthcare utilization--a cluster-randomised controlled trial. <i>BMC Health Services Research</i> , 2013 , 13, 385	2.9	15
195	Differences in medical services in Nordic general practice: a comparative survey from the QUALICOPC study. <i>Scandinavian Journal of Primary Health Care</i> , 2017 , 35, 153-161	2.7	15
194	Medical appropriateness of adult calls to Danish out-of-hours primary care: a questionnaire-based survey. <i>BMC Family Practice</i> , 2017 , 18, 34	2.6	15
193	Global Health Care-seeking Discourses Facing Local Clinical Realities: Exploring the Case of Cancer. <i>Medical Anthropology Quarterly</i> , 2015 , 29, 237-55	2.5	15
192	General practitioners' experience and benefits from patient evaluations. <i>BMC Family Practice</i> , 2011 , 12, 116	2.6	15
191	Routes to Diagnosis for Suspected Sarcoma: The Impact of Symptoms and Clinical Findings on the Diagnostic Process. <i>Sarcoma</i> , 2016 , 2016, 8639272	3.1	15
190	Danish general practitioners' self-reported competences in end-of-life care. <i>Scandinavian Journal of Primary Health Care</i> , 2016 , 34, 420-427	2.7	14
189	Social support and non-participation in breast cancer screening: a Danish cohort study. <i>Journal of Public Health</i> , 2016 , 38, 335-42	3.5	14
188	Impact of severe mental illness on cancer stage at diagnosis and subsequent mortality: A population-based register study. <i>Schizophrenia Research</i> , 2018 , 201, 62-69	3.6	14
187	Development of a survey instrument to investigate the primary care factors related to differences in cancer diagnosis between international jurisdictions. <i>BMC Family Practice</i> , 2014 , 15, 122	2.6	14
186	The initial cancer pathway for children - one-fourth wait more than 3 months. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012 , 101, 655-62	3.1	14
185	General practice consultations, diagnostic investigations, and prescriptions in the year preceding a lung cancer diagnosis. <i>Cancer Medicine</i> , 2017 , 6, 79-88	4.8	14
184	Association of GPs' risk attitudes, level of empathy, and burnout status with PSA testing in primary care. <i>British Journal of General Practice</i> , 2015 , 65, e845-51	1.6	14

183	The Aarhus statement on cancer diagnostic research: turning recommendations into new survey instruments. <i>BMC Health Services Research</i> , 2018 , 18, 677	2.9	14
182	Identification of patients with incident cancers using administrative registry data. <i>Danish Medical Journal</i> , 2014 , 61, A4777	3.8	14
181	A feasible method to study the Danish out-of-hours primary care service. <i>Danish Medical Journal</i> , 2014 , 61, A4847	3.8	14
180	Comparison of Tissue Stiffness Using Shear Wave Elastography in Men with Normal Testicular Tissue, Testicular Microlithiasis and Testicular Cancer. <i>Ultrasound International Open</i> , 2017 , 3, E150-E155 ^{2.1}	2.1	13
179	Organisational determinants of production and efficiency in general practice: a population-based study. <i>European Journal of Health Economics</i> , 2013 , 14, 267-76	3.6	13
178	Does a computerized price comparison module reduce prescribing costs in general practice?. <i>Family Practice</i> , 1997 , 14, 199-203	1.9	13
177	A Danish population-based cohort study of newly diagnosed asthmatic children's care pathway - adherence to guidelines. <i>BMC Health Services Research</i> , 2008 , 8, 130	2.9	13
176	Routine blood tests and probability of cancer in patients referred with non-specific serious symptoms: a cohort study. <i>BMC Cancer</i> , 2017 , 17, 817	4.8	12
175	The effect of direct access to CT scan in early lung cancer detection: an unblinded, cluster-randomised trial. <i>BMC Cancer</i> , 2015 , 15, 934	4.8	12
174	Alarm symptoms of soft-tissue and bone sarcoma in patients referred to a specialist center. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014 , 85, 657-62	4.3	12
173	Presenting symptoms of children with cancer: a primary-care population-based study. <i>British Journal of General Practice</i> , 2012 , 62, e458-65	1.6	12
172	Access to outreach specialist palliative care teams among cancer patients in Denmark. <i>Journal of Palliative Medicine</i> , 2013 , 16, 951-7	2.2	12
171	A new method for analyzing diagnostic delay in gynecological cancer. <i>International Journal of Gynecological Cancer</i> , 2012 , 22, 712-7	3.5	12
170	A cluster-randomized trial of the significance of a reminder procedure in a patient evaluation survey in general practice. <i>International Journal for Quality in Health Care</i> , 2006 , 18, 232-7	1.9	12
169	Drug prescription for adult frequent attenders in Danish general practice: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2004 , 13, 717-24	2.6	12
168	Influence of patient multimorbidity on GP burnout: a survey and register-based study in Danish general practice. <i>British Journal of General Practice</i> , 2020 , 70, e95-e101	1.6	12
167	The contribution of a negative colorectal screening test result to symptom appraisal and help-seeking behaviour among patients subsequently diagnosed with an interval colorectal cancer. <i>Health Expectations</i> , 2018 , 21, 764-773	3.7	11
166	Empathy, burn-out and the use of gut feeling: a cross-sectional survey of Danish general practitioners. <i>BMJ Open</i> , 2018 , 8, e020007	3	11

165	Associations between successful palliative cancer pathways and community nurse involvement. <i>BMC Palliative Care</i> , 2009 , 8, 18	3	11
164	Using semantic components to search for domain-specific documents: An evaluation from the system perspective and the user perspective. <i>Information Systems</i> , 2009 , 34, 724-752	2.7	11
163	Socioeconomic position and place of death of cancer patients. <i>BMJ Supportive and Palliative Care</i> , 2012 , 2, 133-9	2.2	11
162	A randomised controlled trial of hospital-based case management to improve colorectal cancer patients' health-related quality of life and evaluations of care. <i>BMJ Open</i> , 2012 , 2,	3	11
161	Semantic components enhance retrieval of domain-specific documents 2007 ,		11
160	Ten-Year Mortality after a Breast Cancer Diagnosis in Women with Severe Mental Illness: A Danish Population-Based Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0158013	3.7	11
159	The effect of standardised cancer pathways on Danish cancer patients' dissatisfaction with waiting time. <i>Danish Medical Journal</i> , 2017 , 64,	3.8	11
158	The impact of comorbidity on mortality in Danish sarcoma patients from 2000-2013: A nationwide population-based multicentre study. <i>PLoS ONE</i> , 2018 , 13, e0198933	3.7	10
157	The Good Citizen <i>Anthropology in Action</i> , 2017 , 24, 6-12	0.7	10
156	Coping strategies and patient delay in patients with cancer. <i>Journal of Psychosocial Oncology</i> , 2013 , 31, 204-18	2.8	10
155	Primary Care Use before Cancer Diagnosis in Adolescents and Young Adults - A Nationwide Register Study. <i>PLoS ONE</i> , 2016 , 11, e0155933	3.7	10
154	Educational differences in likelihood of attributing breast symptoms to cancer: a vignette-based study. <i>Psycho-Oncology</i> , 2016 , 25, 1191-1197	3.9	10
153	Time intervals and routes to diagnosis for lung cancer in 10 jurisdictions: cross-sectional study findings from the International Cancer Benchmarking Partnership (ICBP). <i>BMJ Open</i> , 2019 , 9, e025895	3	10
152	Responsibility for follow-up during the diagnostic process in primary care: a secondary analysis of International Cancer Benchmarking Partnership data. <i>British Journal of General Practice</i> , 2018 , 68, e323-e332	1.6	10
151	Consultation frequency in general practice before cancer diagnosis in relation to the patient's usual consultation pattern: A population-based study. <i>Cancer Epidemiology</i> , 2018 , 55, 142-148	2.8	10
150	Imaging investigations before referral to a sarcoma center delay the final diagnosis of musculoskeletal sarcoma. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017 , 88, 211-216	4.3	9
149	A validated algorithm for register-based identification of patients with recurrence of breast cancer-Based on Danish Breast Cancer Group (DBCG) data. <i>Cancer Epidemiology</i> , 2019 , 59, 129-134	2.8	9
148	Visualization of Coronary Artery Calcification: Influence on Risk Modification. <i>American Journal of Medicine</i> , 2015 , 128, 1023.e23-31	2.4	9

147	Self-assessed health, perceived stress and non-participation in breast cancer screening: A Danish cohort study. <i>Preventive Medicine</i> , 2015 , 81, 392-8	4.3	9
146	Tumour stage and implementation of standardised cancer patient pathways: a comparative cohort study. <i>British Journal of General Practice</i> , 2016 , 66, e434-43	1.6	9
145	Substance Use Disorders Among Danish Physicians: An Explorative Study of the Professional Socialization and Management of Colleagues With Substance Use Disorders. <i>Journal of Addiction Medicine</i> , 2016 , 10, 248-54	3.8	9
144	Travel distance to cancer-diagnostic facilities and tumour stage. <i>Health and Place</i> , 2019 , 60, 102208	4.6	9
143	Patient-experienced effect of an active implementation of a disease management programme for COPD - a randomised trial. <i>BMC Family Practice</i> , 2013 , 14, 147	2.6	9
142	A geographical cluster randomised stepped wedge study of continuing medical education and cancer diagnosis in general practice. <i>Implementation Science</i> , 2014 , 9, 159	8.4	9
141	From Doctor to Nurse Triage in the Danish Out-of-Hours Primary Care Service: Simulated Effects on Costs. <i>International Journal of Family Medicine</i> , 2013 , 2013, 987834		9
140	Adherence to COPD guidelines in general practice: impact of an educational programme delivered on location in Danish general practices. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2013 , 22, 23-8		9
139	The association between daytime attendance and out-of-hours frequent attendance among adult patients in general practice. <i>British Journal of General Practice</i> , 2001 , 51, 121-4	1.6	9
138	Algorithm linking patients and general practices in Denmark using the Danish National Health Service Register. <i>Clinical Epidemiology</i> , 2016 , 8, 273-83	5.9	9
137	Cancer patients' experiences with urgent referrals to cancer patient pathways. <i>European Journal of Cancer Care</i> , 2019 , 28, e12927	2.4	9
136	Ovarian cancer suspicion, urgent referral and time to diagnosis in Danish general practice: a population-based study. <i>Family Practice</i> , 2019 , 36, 751-757	1.9	8
135	Measuring patient-provider communication skills in Rwanda: Selection, adaptation and assessment of psychometric properties of the Communication Assessment Tool. <i>Patient Education and Counseling</i> , 2018 , 101, 1601-1610	3.1	8
134	Is lower symptom recognition associated with socioeconomic inequalities in help-seeking for potential breast cancer symptoms?. <i>Psycho-Oncology</i> , 2018 , 27, 626-632	3.9	8
133	Class, Social Suffering, and Health Consumerism. <i>Medical Anthropology: Cross Cultural Studies in Health and Illness</i> , 2016 , 35, 517-528	3	8
132	Factors associated with low patient satisfaction in out-of-hours primary care in Denmark - a population-based cross-sectional study. <i>BMC Family Practice</i> , 2018 , 19, 15	2.6	8
131	Primary care physicians' access to in-house ultrasound examinations across Europe: a questionnaire study. <i>BMJ Open</i> , 2019 , 9, e030958	3	8
130	Drug prescription by telephone consultation in Danish out-of-hours primary care: a population-based study of frequency and associations with clinical severity and diagnosis. <i>BMC Family Practice</i> , 2014 , 15, 142	2.6	8

129	A randomized controlled trial of hospital-based case management in cancer care: a general practitioner perspective. <i>Family Practice</i> , 2013 , 30, 5-13	1.9	8
128	Suboptimal quality of type 2 diabetes care discovered through electronic feedback led to increased nurse-GP cooperation. A qualitative study. <i>Primary Care Diabetes</i> , 2010 , 4, 33-9	2.4	8
127	Developing an active implementation model for a chronic disease management program. <i>International Journal of Integrated Care</i> , 2013 , 13, e020	2	8
126	A validated algorithm to identify recurrence of bladder cancer: a register-based study in Denmark. <i>Clinical Epidemiology</i> , 2018 , 10, 1755-1763	5.9	8
125	Identifying important health system factors that influence primary care practitioners' referrals for cancer suspicion: a European cross-sectional survey. <i>BMJ Open</i> , 2018 , 8, e022904	3	8
124	Effect of a reorganized after-hours family practice service on frequent attenders. <i>Family Medicine</i> , 1999 , 31, 270-5	0.8	8
123	Use of primary health care prior to a postpartum psychiatric episode. <i>Scandinavian Journal of Primary Health Care</i> , 2015 , 33, 127-33	2.7	7
122	Agreement between questionnaires and registry data on routes to diagnosis and milestone dates of the cancer diagnostic pathway. <i>Cancer Epidemiology</i> , 2020 , 65, 101690	2.8	7
121	Drug prescriptions in Danish out-of-hours primary care: a 1-year population-based study. <i>Scandinavian Journal of Primary Health Care</i> , 2016 , 34, 453-458	2.7	7
120	Mortality of patients examined at a diagnostic centre: A matched cohort study. <i>Cancer Epidemiology</i> , 2018 , 55, 130-135	2.8	7
119	Elastography and diffusion-weighted MRI in patients with testicular microlithiasis, normal testicular tissue, and testicular cancer: an observational study. <i>Acta Radiologica</i> , 2019 , 60, 535-541	2	7
118	Increased utilisation of primary healthcare in persons exposed to severe stress in prenatal life: a national population-based study in Denmark. <i>BMJ Open</i> , 2015 , 5, e005657	3	7
117	Measurement properties of the Danish version of the Illness Perception Questionnaire-Revised for patients with colorectal cancer symptoms. <i>Journal of Health Psychology</i> , 2014 , 19, 1279-90	3.1	7
116	Socioeconomic position and contact to general practice among persons with diabetes. <i>Primary Care Diabetes</i> , 2012 , 6, 313-8	2.4	7
115	A cluster-randomised, parallel group, controlled intervention study of genetic prostate cancer risk assessment and use of PSA tests in general practice--the ProCaRis study: study protocol. <i>BMJ Open</i> , 2013 , 3,	3	7
114	Translation, adaptation and data quality of a Danish version of the Burden Scale for Family Caregivers. <i>Scandinavian Journal of Caring Sciences</i> , 2013 , 27, 1018-26	2.3	7
113	Variation in proportion of frequent attenders between Danish general practices. <i>Scandinavian Journal of Public Health</i> , 2004 , 32, 188-93	3	7
112	Cancer Mortality in People Treated with Antidepressants before Cancer Diagnosis: A Population Based Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0138134	3.7	7

111	Family physician access to and wait times for cancer diagnostic investigations: Regional differences among 3 provinces. <i>Canadian Family Physician</i> , 2016 , 62, e599-e607	0.9	7
110	How European primary care practitioners think the timeliness of cancer diagnosis can be improved: a thematic analysis. <i>BMJ Open</i> , 2019 , 9, e030169	3	7
109	Healthcare utilisation in general practice and hospitals in the year preceding a diagnosis of cancer recurrence or second primary cancer: a population-based register study. <i>BMC Health Services Research</i> , 2019 , 19, 941	2.9	7
108	Reduced specialist time with direct computed tomography for suspected lung cancer in primary care. <i>Danish Medical Journal</i> , 2013 , 60, A4738	3.8	7
107	Resisting "Reason": A Comparative Anthropological Study of Social Differences and Resistance toward Health Promotion and Illness Prevention in Denmark. <i>Medical Anthropology Quarterly</i> , 2017 , 31, 218-236	2.5	6
106	Associations between education and physical functioning and pain in adult Danish cancer survivors. <i>Acta Oncologica</i> , 2017 , 56, 348-353	3.2	6
105	Characteristics of symptomatic men with testicular microlithiasis - A Danish cross-sectional questionnaire study. <i>Andrology</i> , 2017 , 5, 556-561	4.2	6
104	Time from incident primary cancer until recurrence or second primary cancer: Risk factors and impact in general practice. <i>European Journal of Cancer Care</i> , 2019 , 28, e13123	2.4	6
103	Preschool children in Danish out-of-hours primary care: a one-year descriptive study of face-to-face consultations. <i>BMC Family Practice</i> , 2019 , 20, 36	2.6	6
102	Preschool children in out-of-hours primary care - a questionnaire-based cross-sectional study of factors related to the medical relevance of health problems. <i>BMC Family Practice</i> , 2017 , 18, 112	2.6	6
101	Propensity for paying home visits among general practitioners and the associations with cancer patients' place of care and death: a register-based cohort study. <i>Palliative Medicine</i> , 2018 , 32, 376-383	5.5	6
100	Early treatment with talk therapy or antidepressants in severely bereaved people and risk of suicidal behavior and psychiatric illness: an instrumental variable analysis. <i>Clinical Epidemiology</i> , 2018 , 10, 1013-1026	5.9	6
99	To test or not: a registry-based observational study of an online decision support for prostate-specific antigen tests. <i>International Journal of Medical Informatics</i> , 2013 , 82, 973-9	5.3	6
98	Impact of GP reminders on follow-up of abnormal cervical cytology: a before-after study in Danish general practice. <i>British Journal of General Practice</i> , 2017 , 67, e580-e587	1.6	6
97	Agreement between patients and general practitioners on quality deviations during the cancer diagnostic pathway and associations with time to diagnosis. <i>Family Practice</i> , 2015 , 32, 329-35	1.9	6
96	Daytime use of general practice and use of the out-of-hours primary care service for patients with chronic disease: a cohort study. <i>BMC Family Practice</i> , 2014 , 15, 156	2.6	6
95	Self-management support to people with type 2 diabetes - a comparative study of Kaiser Permanente and the Danish Healthcare System. <i>BMC Health Services Research</i> , 2012 , 12, 160	2.9	6
94	Open Access to General Practice Was Associated with Burnout among General Practitioners. <i>International Journal of Family Medicine</i> , 2013 , 2013, 383602		6

93	Special status consultation for frequent attenders. Who are the candidates?. <i>Journal of Public Health</i> , 2002 , 24, 53-7	3.5	6
92	Impact of continuing medical education in cancer diagnosis on GP knowledge, attitude and readiness to investigate - a before-after study. <i>BMC Family Practice</i> , 2016 , 17, 95	2.6	6
91	Utilisation of primary care before a childhood cancer diagnosis: do socioeconomic factors matter?: A Danish nationwide population-based matched cohort study. <i>BMJ Open</i> , 2018 , 8, e023569	3	6
90	Risk of cancer and repeated urgent referral after negative investigation for cancer. <i>Family Practice</i> , 2018 , 35, 582-588	1.9	6
89	Understanding of a negative bowel screening result and potential impact on future symptom appraisal and help-seeking behaviour: a focus group study. <i>Health Expectations</i> , 2017 , 20, 584-592	3.7	5
88	Association between GPs' suspicion of cancer and patients' usual consultation pattern in primary care: a cross-sectional study. <i>British Journal of General Practice</i> , 2019 , 69, e80-e87	1.6	5
87	Noisy Lives, Noisy Bodies. <i>Anthropology in Action</i> , 2017 , 24, 13-19	0.7	5
86	Health care use before a diagnosis of primary intracranial tumor: a Danish nationwide register study. <i>Clinical Epidemiology</i> , 2018 , 10, 809-829	5.9	5
85	General practitioners' anticipated risk of cancer at referral and their attitude to risk taking and to their role as gatekeeper. <i>Journal of Health Services Research and Policy</i> , 2015 , 20, 210-6	2.4	5
84	Exploration of the possible effect on survival of lead-time associated with implementation of cancer patient pathways among symptomatic first-time cancer patients in Denmark. <i>Cancer Epidemiology</i> , 2017 , 49, 195-201	2.8	5
83	Prognosis of cancer in persons with infrequent consultations in general practice: A population-based cohort study. <i>International Journal of Cancer</i> , 2017 , 141, 2400-2409	7.5	5
82	Impact of a continuing medical education meeting on the use and timing of urgent cancer referrals among general practitioners - a before-after study. <i>BMC Family Practice</i> , 2017 , 18, 44	2.6	5
81	Use of hyperlinks in electronic test result communication: a survey study in general practice. <i>BMC Medical Informatics and Decision Making</i> , 2012 , 12, 114	3.6	5
80	Patients with cancer and change of general practice: a Danish population-based cohort study. <i>British Journal of General Practice</i> , 2016 , 66, e491-8	1.6	5
79	Patient-physician relationship and use of gut feeling in cancer diagnosis in primary care: a cross-sectional survey of patients and their general practitioners. <i>BMJ Open</i> , 2019 , 9, e027288	3	5
78	Mental well-being, job satisfaction and self-rated workability in general practitioners and hospitalisations for ambulatory care sensitive conditions among listed patients: a cohort study combining survey data on GPs and register data on patients. <i>BMJ Quality and Safety</i> , 2019 , 28, 997-1006	5.4	5
77	Strong association between cervical and breast cancer screening behaviour among Danish women; A register-based cohort study. <i>Preventive Medicine Reports</i> , 2018 , 12, 349-354	2.6	5
76	24-hour access outpatient clinic for patients with exacerbation of chronic disease: a before-after cohort study of differences in acute healthcare utilisation. <i>BMC Health Services Research</i> , 2018 , 18, 663	2.9	5

75	Several factors influenced general practitioner participation in the implementation of a disease management programme. <i>Danish Medical Journal</i> , 2014 , 61, A4901	3.8	5
74	Data quality and factor analysis of the Danish version of the Relationship Scale Questionnaire. <i>PLoS ONE</i> , 2017 , 12, e0176810	3.7	4
73	Testicular microlithiasis is associated with ethnicity and socioeconomic status. <i>Acta Radiologica Open</i> , 2017 , 6, 2058460117723676	1.2	4
72	Differences in medical services in Nordic general practice: a comparative survey from the QUALICOPC study. <i>Scandinavian Journal of Primary Health Care</i> , 2017 , 1-10	2.7	4
71	Symptom attributions in patients with colorectal cancer. <i>BMC Family Practice</i> , 2015 , 16, 115	2.6	4
70	Direct-access to abdominal ultrasonic investigation from general practice: The role in earlier cancer diagnosis. <i>Family Practice</i> , 2015 , 32, 205-10	1.9	4
69	Use of lung function tests in asthmatic children is associated with lower risk of hospitalization. A Danish population-based follow-up study. <i>Journal of Asthma</i> , 2010 , 47, 1022-30	1.9	4
68	The association between socioeconomic position and tumour size, grade, stage, and mortality in Danish sarcoma patients - A national, observational study from 2000 to 2013. <i>Acta Oncologica</i> , 2020 , 59, 127-133	3.2	4
67	Detection mode of childhood acute lymphoblastic leukaemia relapse and its effect on survival: a Nordic population-based cohort study. <i>British Journal of Haematology</i> , 2021 , 194, 734-744	4.5	4
66	Time from first symptom experience to help seeking for colorectal cancer patients: Associations with cognitive and emotional symptom representations. <i>Patient Education and Counseling</i> , 2016 , 99, 807-813	3.1	4
65	Mental well-being and job satisfaction in general practitioners in Denmark and their patients' change of general practitioner: a cohort study combining survey data and register data. <i>BMJ Open</i> , 2019 , 9, e030142	3	4
64	Routes to diagnosis and the association with the prognosis in patients with cancer - A nationwide register-based cohort study in Denmark. <i>Cancer Epidemiology</i> , 2021 , 74, 101983	2.8	4
63	Coordinating objects of care: Exploring the role of case managers as brokers in cancer patient pathways. <i>European Journal of Cancer Care</i> , 2019 , 28, e13017	2.4	3
62	Influences of rurality on action to diagnose cancer by primary care practitioners - Results from a Europe-wide survey in 20 countries. <i>Cancer Epidemiology</i> , 2020 , 65, 101698	2.8	3
61	The effect of assessing genetic risk of prostate cancer on the use of PSA tests in primary care: A cluster randomized controlled trial. <i>PLoS Medicine</i> , 2020 , 17, e1003033	11.6	3
60	Asking terminally ill patients about their preferences concerning place of care and death. <i>International Journal of Palliative Nursing</i> , 2018 , 24, 124-131	0.9	3
59	Awareness of sunburn in childhood, use of sunbeds and change of moles in Denmark, Northern Ireland, Norway and Sweden. <i>European Journal of Public Health</i> , 2016 , 26, 29-35	2.1	3
58	Could the patient have been seen by a nurse; a questionnaire based survey of GP and patient views in Danish general practice. <i>BMC Family Practice</i> , 2013 , 14, 171	2.6	3

57	Are Cancer Patients' Socioeconomic and Cultural Factors Associated with Contact to General Practitioners in the Last Phase of Life?. <i>International Journal of Family Medicine</i> , 2015 , 2015, 952314		3
56	The 30-day prognosis of chronic-disease patients after contact with the out-of-hours service in primary healthcare. <i>Scandinavian Journal of Primary Health Care</i> , 2014 , 32, 208-16	2.7	3
55	Direct mail improves knowledge of basic life support guidelines in general practice: a randomised study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2012 , 20, 72	3.6	3
54	Change in ranking order of prescribing patterns by age and sex standardization of the practice population--audit may be misleading. <i>Scandinavian Journal of Primary Health Care</i> , 1996 , 14, 159-64	2.7	3
53	Primary care practitioners' diagnostic action when the patient may have cancer: an exploratory vignette study in 20 European countries. <i>BMJ Open</i> , 2020 , 10, e035678	3	3
52	Converting acute inpatient take to outpatient take with fast-track assessment in internal medicine wards - a before-after study. <i>BMC Health Services Research</i> , 2019 , 19, 346	2.9	2
51	Use of Healthcare Services Two Years before Diagnosis in Danish Sarcoma Patients, 2000-2013. <i>Sarcoma</i> , 2019 , 2019, 8108590	3.1	2
50	The completeness of chest X-ray procedure codes in the Danish National Patient Registry. <i>Clinical Epidemiology</i> , 2017 , 9, 151-156	5.9	2
49	Implementation of immunochemical faecal occult blood test in general practice: a study protocol using a cluster-randomised stepped-wedge design. <i>BMC Cancer</i> , 2016 , 16, 445	4.8	2
48	Awareness of cancer symptoms and anticipated patient interval for healthcare seeking. A comparative study of Denmark and Sweden. <i>Acta Oncologica</i> , 2016 , 55, 917-24	3.2	2
47	Development, modelling, and pilot testing of a complex intervention to support end-of-life care provided by Danish general practitioners. <i>BMC Family Practice</i> , 2018 , 19, 91	2.6	2
46	Ovarian cancer stage, variation in transvaginal ultrasound examination rates and the impact of an urgent referral pathway: A national ecological cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019 , 98, 1540-1548	3.8	2
45	Measurement properties of the Danish version of the Awareness and Beliefs about Cancer (ABC) measure. <i>BMC Medical Research Methodology</i> , 2017 , 17, 74	4.7	2
44	The WONCA World Congress 2004 did not meet academic standards. <i>Family Practice</i> , 2005 , 22, 576-7; author reply 577-8	1.9	2
43	Development of an intervention to expedite cancer diagnosis through primary care: a protocol. <i>BJGP Open</i> , 2018 , 2, bjgpopen18X101595	3.1	2
42	Patient characteristics and healthcare utilisation among Danish patients with chronic conditions: a nationwide cohort study in general practice and hospitals. <i>BMC Health Services Research</i> , 2020 , 20, 976	2.9	2
41	Abdominal investigations in the year preceding a diagnosis of abdominal cancer: A register-based cohort study in Denmark. <i>Cancer Epidemiology</i> , 2021 , 72, 101926	2.8	2
40	Development of an algorithm to identify urgent referrals for suspected cancer from the Danish Primary Care Referral Database. <i>Clinical Epidemiology</i> , 2016 , 8, 751-759	5.9	2

39	General practice preventive health care in non-obstructive coronary artery disease determined by coronary computed tomography angiography. <i>International Journal of Cardiology</i> , 2019 , 278, 14-21	3.2	2
38	Differences in diagnostic activity in general practice and findings for individuals invited to the danish screening programme for colorectal cancer: a population-based cohort study. <i>Scandinavian Journal of Primary Health Care</i> , 2018 , 36, 281-290	2.7	2
37	Characteristics of customary non-attenders in general practice who are diagnosed with cancer: A cross-sectional study in Denmark. <i>European Journal of Cancer Care</i> , 2019 , 28, e13143	2.4	1
36	Situating Social Differences in Health and Illness Practices. <i>Perspectives in Biology and Medicine</i> , 2016 , 59, 547-561	1.5	1
35	Patient's travel distance to specialised cancer diagnostics and the association with the general practitioner's diagnostic strategy and satisfaction with the access to diagnostic procedures: an observational study in Denmark. <i>BMC Family Practice</i> , 2020 , 21, 97	2.6	1
34	Development and validation of the ExPRESS instrument for primary health care providers' evaluation of external supervision. <i>Global Health Action</i> , 2018 , 11, 1445466	3	1
33	Non-participation in breast cancer screening among previous cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 1959-1966	4.9	1
32	Association between risk factors and testicular microlithiasis. <i>Acta Radiologica Open</i> , 2019 , 8, 20584601-19870297	1.8	1
31	Diagnosing pancreatic cancer in general practice: a cross-sectional study on associations between suspicion of cancer, urgent referral and time to diagnosis.. <i>Scandinavian Journal of Primary Health Care</i> , 2022 , 1-9	2.7	1
30	Chronic care services and variation between Danish general practices: A nationwide cohort study.. <i>British Journal of General Practice</i> , 2021 ,	1.6	1
29	Health care utilisation following childhood acute lymphoblastic leukaemia: a population-based matched cohort study. <i>BMJ Open</i> , 2021 , 11, e049847	3	1
28	A genetic risk assessment for prostate cancer influences patients' risk perception and use of repeat PSA testing: a cross-sectional study in Danish general practice. <i>BJGP Open</i> , 2020 , 4,	3.1	1
27	A Validated Register-Based Algorithm to Identify Patients Diagnosed with Recurrence of Malignant Melanoma in Denmark. <i>Clinical Epidemiology</i> , 2021 , 13, 207-214	5.9	1
26	Potentially inappropriate medications (PIMs): frequency and extent of GP-related variation in PIMs: a register-based cohort study. <i>BMJ Open</i> , 2021 , 11, e046756	3	1
25	Direct notification of cervical cytology results to women improves follow-up in cervical cancer screening - A cluster-randomised trial. <i>Preventive Medicine Reports</i> , 2019 , 13, 118-125	2.6	1
24	Cancer beliefs in cancer survivors, cancer relatives and persons with no cancer experience. <i>Scandinavian Journal of Public Health</i> , 2019 , 47, 497-503	3	1
23	Identification of endometrial cancer recurrence - a validated algorithm based on nationwide Danish registries. <i>Acta Oncologica</i> , 2021 , 60, 452-458	3.2	1
22	Patient's worry about cancer and the general practitioner's suspicion of cancer or serious illness: A population-based study in Denmark. <i>European Journal of Cancer Care</i> , 2021 , 30, e13411	2.4	1

21	Insufficient classification of anaemia in general practice: a Danish register-based observational study. <i>Scandinavian Journal of Primary Health Care</i> , 2021 , 39, 364-372	2.7	1
20	Diagnostic workup of cancer in patients with new-onset anaemia: a Danish cohort study in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2021 , 1-12	2.7	1
19	Improving Health Care for Patients with Multimorbidity: A Mixed-Methods Study to Explore the Feasibility and Process of Aligning Scheduled Outpatient Appointments through Collaboration between Medical Specialties.. <i>International Journal of Integrated Care</i> , 2022 , 22, 17	2	1
18	Routes to cancer diagnosis for patients with pre-existing psychiatric disorders: a nationwide register-based cohort study.. <i>BMC Cancer</i> , 2022 , 22, 472	4.8	1
17	Cancer beliefs and participation in screening for colorectal cancer: A Danish cohort study based on data from the International Cancer Benchmarking Partnership and national registers. <i>Preventive Medicine</i> , 2019 , 121, 11-17	4.3	0
16	Pluralistic task shifting for a more timely cancer diagnosis. A grounded theory study from a primary care perspective. <i>Scandinavian Journal of Primary Health Care</i> , 2021 , 1-12	2.7	0
15	Direct access from general practice to transvaginal ultrasound for early detection of ovarian cancer: a feasibility study. <i>Scandinavian Journal of Primary Health Care</i> , 2021 , 39, 230-239	2.7	0
14	Cancer suspicion, referral to cancer patient pathway and primary care interval: a survey and register study exploring 10 different types of abdominal cancer. <i>Family Practice</i> , 2021 , 38, 589-597	1.9	0
13	Alignment between the patient's cancer worry and the GP's cancer suspicion and the association with the interval between first symptom presentation and referral: a cross-sectional study in Denmark. <i>BMC Family Practice</i> , 2021 , 22, 129	2.6	0
12	A nationwide register-study of healthcare utilisation in the year preceding a colorectal cancer recurrence diagnosis. <i>European Journal of Cancer Care</i> , 2021 , 30, e13494	2.4	0
11	Geographic variation in diagnostic and treatment interval, cancer stage and mortality among colorectal patients - An international comparison between Denmark and Scotland using data-linked cohorts. <i>Cancer Epidemiology</i> , 2021 , 74, 102004	2.8	0
10	Trajectories in Outpatient Care for People with Multimorbidity: A Population-Based Register Study in Denmark. <i>Clinical Epidemiology</i> , Volume 14, 749-762	5.9	0
9	Comments to the paper: Influence of mammography screening on use of mastectomies in Denmark. <i>Acta Oncologica</i> , 2015 , 54, 135-6	3.2	
8	Do general practitioners want payment for their data collection?. <i>European Journal of Epidemiology</i> , 2004 , 19, 605-6	12.1	
7	Effectiveness of a 24-hour access outpatient clinic for patients with chronic conditions in hospital outpatient follow-up: a registry-based controlled cohort study of healthcare utilisation and mortality. <i>Integrated Healthcare Journal</i> , 2022 , 4, e000069	1	
6	Health care utilisation preceding relapse or second malignant neoplasm after childhood acute lymphoblastic leukaemia: a population-based matched cohort study. <i>BMJ Open</i> , 2021 , 11, e050285	3	
5	Doing less, accomplishing more for childhood ALL: response. <i>British Journal of Haematology</i> , 2021 ,	4.5	
4	Burnout, coping strategies and help-seeking in general practitioners: a two-wave survey study in Denmark.. <i>BMJ Open</i> , 2022 , 12, e051867	3	

- 3 Contacts to general practice in the 12 months preceding a diagnosis of an abdominal cancer: a national register-based cohort study.. *Scandinavian Journal of Primary Health Care*, **2022**, 1-9 2.7
- 2 Medical evacuations in Greenland in 2018: a descriptive study.. *International Journal of Circumpolar Health*, **2022**, 81, 2014634 1.7
- 1 Healthcare use in the year preceding a diagnosis of pancreatic cancer: a register-based cohort study in Denmark.. *Scandinavian Journal of Primary Health Care*, **2022**, 1-11 2.7