

# Peter Vedsted

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8192852/peter-vedsted-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

326  
papers

7,688  
citations

45  
h-index

71  
g-index

359  
ext. papers

9,188  
ext. citations

3.3  
avg, IF

6.33  
L-index

#	Paper	IF	Citations
326	Effectiveness of a 24-hour access outpatient clinic for patients with chronic conditions in hospital outpatient follow-up: a registry-based controlled cohort study of healthcare utilisation and mortality. <i>Integrated Healthcare Journal</i> , <b>2022</b> , 4, e000069	1	
325	Diagnosing pancreatic cancer in general practice: a cross-sectional study on associations between suspicion of cancer, urgent referral and time to diagnosis.. <i>Scandinavian Journal of Primary Health Care</i> , <b>2022</b> , 1-9	2.7	1
324	Burnout, coping strategies and help-seeking in general practitioners: a two-wave survey study in Denmark.. <i>BMJ Open</i> , <b>2022</b> , 12, e051867	3	
323	Improving Health Care for Patients with Multimorbidity: A Mixed-Methods Study to Explore the Feasibility and Process of Aligning Scheduled Outpatient Appointments through Collaboration between Medical Specialties.. <i>International Journal of Integrated Care</i> , <b>2022</b> , 22, 17	2	1
322	Contacts to general practice in the 12 months preceding a diagnosis of an abdominal cancer: a national register-based cohort study.. <i>Scandinavian Journal of Primary Health Care</i> , <b>2022</b> , 1-9	2.7	
321	Medical evacuations in Greenland in 2018: a descriptive study.. <i>International Journal of Circumpolar Health</i> , <b>2022</b> , 81, 2014634	1.7	
320	Routes to cancer diagnosis for patients with pre-existing psychiatric disorders: a nationwide register-based cohort study.. <i>BMC Cancer</i> , <b>2022</b> , 22, 472	4.8	1
319	Healthcare use in the year preceding a diagnosis of pancreatic cancer: a register-based cohort study in Denmark.. <i>Scandinavian Journal of Primary Health Care</i> , <b>2022</b> , 1-11	2.7	
318	Pluralistic task shifting for a more timely cancer diagnosis. A grounded theory study from a primary care perspective. <i>Scandinavian Journal of Primary Health Care</i> , <b>2021</b> , 1-12	2.7	0
317	Chronic care services and variation between Danish general practices: A nationwide cohort study.. <i>British Journal of General Practice</i> , <b>2021</b> ,	1.6	1
316	Health care utilisation following childhood acute lymphoblastic leukaemia: a population-based matched cohort study. <i>BMJ Open</i> , <b>2021</b> , 11, e049847	3	1
315	A Validated Register-Based Algorithm to Identify Patients Diagnosed with Recurrence of Malignant Melanoma in Denmark. <i>Clinical Epidemiology</i> , <b>2021</b> , 13, 207-214	5.9	1
314	Direct access from general practice to transvaginal ultrasound for early detection of ovarian cancer: a feasibility study. <i>Scandinavian Journal of Primary Health Care</i> , <b>2021</b> , 39, 230-239	2.7	0
313	Cancer suspicion, referral to cancer patient pathway and primary care interval: a survey and register study exploring 10 different types of abdominal cancer. <i>Family Practice</i> , <b>2021</b> , 38, 589-597	1.9	0
312	Detection mode of childhood acute lymphoblastic leukaemia relapse and its effect on survival: a Nordic population-based cohort study. <i>British Journal of Haematology</i> , <b>2021</b> , 194, 734-744	4.5	4
311	Alignment between the patient's cancer worry and the GP's cancer suspicion and the association with the interval between first symptom presentation and referral: a cross-sectional study in Denmark. <i>BMC Family Practice</i> , <b>2021</b> , 22, 129	2.6	0
310	Abdominal investigations in the year preceding a diagnosis of abdominal cancer: A register-based cohort study in Denmark. <i>Cancer Epidemiology</i> , <b>2021</b> , 72, 101926	2.8	2

309	A nationwide register-study of healthcare utilisation in the year preceding a colorectal cancer recurrence diagnosis. <i>European Journal of Cancer Care</i> , <b>2021</b> , 30, e13494	2.4	0
308	Potentially inappropriate medications (PIMs): frequency and extent of GP-related variation in PIMs: a register-based cohort study. <i>BMJ Open</i> , <b>2021</b> , 11, e046756	3	1
307	Identification of endometrial cancer recurrence - a validated algorithm based on nationwide Danish registries. <i>Acta Oncologica</i> , <b>2021</b> , 60, 452-458	3.2	1
306	Patient's worry about cancer and the general practitioner's suspicion of cancer or serious illness: A population-based study in Denmark. <i>European Journal of Cancer Care</i> , <b>2021</b> , 30, e13411	2.4	1
305	Insufficient classification of anaemia in general practice: a Danish register-based observational study. <i>Scandinavian Journal of Primary Health Care</i> , <b>2021</b> , 39, 364-372	2.7	1
304	Diagnostic workup of cancer in patients with new-onset anaemia: a Danish cohort study in general practice. <i>Scandinavian Journal of Primary Health Care</i> , <b>2021</b> , 1-12	2.7	1
303	Health care utilisation preceding relapse or second malignant neoplasm after childhood acute lymphoblastic leukaemia: a population-based matched cohort study. <i>BMJ Open</i> , <b>2021</b> , 11, e050285	3	
302	Doing less, accomplishing more for childhood ALL: response. <i>British Journal of Haematology</i> , <b>2021</b> ,	4.5	
301	Geographic variation in diagnostic and treatment interval, cancer stage and mortality among colorectal patients - An international comparison between Denmark and Scotland using data-linked cohorts. <i>Cancer Epidemiology</i> , <b>2021</b> , 74, 102004	2.8	0
300	Routes to diagnosis and the association with the prognosis in patients with cancer - A nationwide register-based cohort study in Denmark. <i>Cancer Epidemiology</i> , <b>2021</b> , 74, 101983	2.8	4
299	Patient's travel distance to specialised cancer diagnostics and the association with the general practitioner's diagnostic strategy and satisfaction with the access to diagnostic procedures: an observational study in Denmark. <i>BMC Family Practice</i> , <b>2020</b> , 21, 97	2.6	1
298	Influences of rurality on action to diagnose cancer by primary care practitioners - Results from a Europe-wide survey in 20 countries. <i>Cancer Epidemiology</i> , <b>2020</b> , 65, 101698	2.8	3
297	The effect of assessing genetic risk of prostate cancer on the use of PSA tests in primary care: A cluster randomized controlled trial. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003033	11.6	3
296	Agreement between questionnaires and registry data on routes to diagnosis and milestone dates of the cancer diagnostic pathway. <i>Cancer Epidemiology</i> , <b>2020</b> , 65, 101690	2.8	7
295	Primary care practitioners' diagnostic action when the patient may have cancer: an exploratory vignette study in 20 European countries. <i>BMJ Open</i> , <b>2020</b> , 10, e035678	3	3
294	A genetic risk assessment for prostate cancer influences patients' risk perception and use of repeat PSA testing: a cross-sectional study in Danish general practice. <i>BJGP Open</i> , <b>2020</b> , 4,	3.1	1
293	The association between socioeconomic position and tumour size, grade, stage, and mortality in Danish sarcoma patients - A national, observational study from 2000 to 2013. <i>Acta Oncologica</i> , <b>2020</b> , 59, 127-133	3.2	4
292	Prevalence and incidence of oral cancer in low- and middle-income countries: A scoping review. <i>European Journal of Cancer Care</i> , <b>2020</b> , 29, e13207	2.4	22

291	Cancer has not gone away: A primary care perspective to support a balanced approach for timely cancer diagnosis during COVID-19. <i>European Journal of Cancer Care</i> , <b>2020</b> , 29, e13290	2.4	31
290	Influence of patient multimorbidity on GP burnout: a survey and register-based study in Danish general practice. <i>British Journal of General Practice</i> , <b>2020</b> , 70, e95-e101	1.6	12
289	Patient characteristics and healthcare utilisation among Danish patients with chronic conditions: a nationwide cohort study in general practice and hospitals. <i>BMC Health Services Research</i> , <b>2020</b> , 20, 976	2.9	2
288	Characteristics of customary non-attenders in general practice who are diagnosed with cancer: A cross-sectional study in Denmark. <i>European Journal of Cancer Care</i> , <b>2019</b> , 28, e13143	2.4	1
287	Association between GPs' suspicion of cancer and patients' usual consultation pattern in primary care: a cross-sectional study. <i>British Journal of General Practice</i> , <b>2019</b> , 69, e80-e87	1.6	5
286	Advanced-stage cancer and time to diagnosis: An International Cancer Benchmarking Partnership (ICBP) cross-sectional study. <i>European Journal of Cancer Care</i> , <b>2019</b> , 28, e13100	2.4	21
285	Evaluating diagnostic strategies for early detection of cancer: the CanTest framework. <i>BMC Cancer</i> , <b>2019</b> , 19, 586	4.8	21
284	Time from incident primary cancer until recurrence or second primary cancer: Risk factors and impact in general practice. <i>European Journal of Cancer Care</i> , <b>2019</b> , 28, e13123	2.4	6
283	Converting acute inpatient take to outpatient take with fast-track assessment in internal medicine wards - a before-after study. <i>BMC Health Services Research</i> , <b>2019</b> , 19, 346	2.9	2
282	Use of Healthcare Services Two Years before Diagnosis in Danish Sarcoma Patients, 2000-2013. <i>Sarcoma</i> , <b>2019</b> , 2019, 8108590	3.1	2
281	Ovarian cancer suspicion, urgent referral and time to diagnosis in Danish general practice: a population-based study. <i>Family Practice</i> , <b>2019</b> , 36, 751-757	1.9	8
280	Preschool children in Danish out-of-hours primary care: a one-year descriptive study of face-to-face consultations. <i>BMC Family Practice</i> , <b>2019</b> , 20, 36	2.6	6
279	Cancer beliefs and participation in screening for colorectal cancer: A Danish cohort study based on data from the International Cancer Benchmarking Partnership and national registers. <i>Preventive Medicine</i> , <b>2019</b> , 121, 11-17	4.3	0
278	Coordinating objects of care: Exploring the role of case managers as brokers in cancer patient pathways. <i>European Journal of Cancer Care</i> , <b>2019</b> , 28, e13017	2.4	3
277	Cancer diagnostic delays and travel distance to health services: A nationwide cohort study in Denmark. <i>Cancer Epidemiology</i> , <b>2019</b> , 59, 115-122	2.8	21
276	A validated algorithm for register-based identification of patients with recurrence of breast cancer-Based on Danish Breast Cancer Group (DBCG) data. <i>Cancer Epidemiology</i> , <b>2019</b> , 59, 129-134	2.8	9
275	Elastography and diffusion-weighted MRI in patients with testicular microlithiasis, normal testicular tissue, and testicular cancer: an observational study. <i>Acta Radiologica</i> , <b>2019</b> , 60, 535-541	2	7
274	Ovarian cancer stage, variation in transvaginal ultrasound examination rates and the impact of an urgent referral pathway: A national ecological cohort study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2019</b> , 98, 1540-1548	3.8	2

273	Travel distance to cancer-diagnostic facilities and tumour stage. <i>Health and Place</i> , <b>2019</b> , 60, 102208	4.6	9
272	Association between risk factors and testicular microlithiasis. <i>Acta Radiologica Open</i> , <b>2019</b> , 8, 2058460119870297		
271	Primary care physicians' access to in-house ultrasound examinations across Europe: a questionnaire study. <i>BMJ Open</i> , <b>2019</b> , 9, e030958	3	8
270	How European primary care practitioners think the timeliness of cancer diagnosis can be improved: a thematic analysis. <i>BMJ Open</i> , <b>2019</b> , 9, e030169	3	7
269	Patient-physician relationship and use of gut feeling in cancer diagnosis in primary care: a cross-sectional survey of patients and their general practitioners. <i>BMJ Open</i> , <b>2019</b> , 9, e027288	3	5
268	Time intervals and routes to diagnosis for lung cancer in 10 jurisdictions: cross-sectional study findings from the International Cancer Benchmarking Partnership (ICBP). <i>BMJ Open</i> , <b>2019</b> , 9, e025895	3	10
267	Mental well-being and job satisfaction in general practitioners in Denmark and their patients' change of general practitioner: a cohort study combining survey data and register data. <i>BMJ Open</i> , <b>2019</b> , 9, e030142	3	4
266	Mental well-being, job satisfaction and self-rated workability in general practitioners and hospitalisations for ambulatory care sensitive conditions among listed patients: a cohort study combining survey data on GPs and register data on patients. <i>BMJ Quality and Safety</i> , <b>2019</b> , 28, 997-1006	5.4	5
265	Healthcare utilisation in general practice and hospitals in the year preceding a diagnosis of cancer recurrence or second primary cancer: a population-based register study. <i>BMC Health Services Research</i> , <b>2019</b> , 19, 941	2.9	7
264	Direct notification of cervical cytology results to women improves follow-up in cervical cancer screening - A cluster-randomised trial. <i>Preventive Medicine Reports</i> , <b>2019</b> , 13, 118-125	2.6	1
263	Cancer patients' experiences with urgent referrals to cancer patient pathways. <i>European Journal of Cancer Care</i> , <b>2019</b> , 28, e12927	2.4	9
262	General practice preventive health care in non-obstructive coronary artery disease determined by coronary computed tomography angiography. <i>International Journal of Cardiology</i> , <b>2019</b> , 278, 14-21	3.2	2
261	Cancer beliefs in cancer survivors, cancer relatives and persons with no cancer experience. <i>Scandinavian Journal of Public Health</i> , <b>2019</b> , 47, 497-503	3	1
260	Geographical variations in the use of cancer treatments are associated with survival of lung cancer patients. <i>Thorax</i> , <b>2018</b> , 73, 530-537	7.3	22
259	The contribution of a negative colorectal screening test result to symptom appraisal and help-seeking behaviour among patients subsequently diagnosed with an interval colorectal cancer. <i>Health Expectations</i> , <b>2018</b> , 21, 764-773	3.7	11
258	Empathy, burn-out and the use of gut feeling: a cross-sectional survey of Danish general practitioners. <i>BMJ Open</i> , <b>2018</b> , 8, e020007	3	11
257	Development and validation of the ExPRESS instrument for primary health care providers' evaluation of external supervision. <i>Global Health Action</i> , <b>2018</b> , 11, 1445466	3	1
256	Asking terminally ill patients about their preferences concerning place of care and death. <i>International Journal of Palliative Nursing</i> , <b>2018</b> , 24, 124-131	0.9	3

255	Measuring patient-provider communication skills in Rwanda: Selection, adaptation and assessment of psychometric properties of the Communication Assessment Tool. <i>Patient Education and Counseling</i> , <b>2018</b> , 101, 1601-1610	3.1	8
254	Is lower symptom recognition associated with socioeconomic inequalities in help-seeking for potential breast cancer symptoms?. <i>Psycho-Oncology</i> , <b>2018</b> , 27, 626-632	3.9	8
253	Propensity for paying home visits among general practitioners and the associations with cancer patients' place of care and death: a register-based cohort study. <i>Palliative Medicine</i> , <b>2018</b> , 32, 376-383	5.5	6
252	Mental well-being and job satisfaction among general practitioners: a nationwide cross-sectional survey in Denmark. <i>BMC Family Practice</i> , <b>2018</b> , 19, 130	2.6	26
251	The value of using the faecal immunochemical test in general practice on patients presenting with non-alarm symptoms of colorectal cancer. <i>British Journal of Cancer</i> , <b>2018</b> , 119, 471-479	8.7	37
250	Development, modelling, and pilot testing of a complex intervention to support end-of-life care provided by Danish general practitioners. <i>BMC Family Practice</i> , <b>2018</b> , 19, 91	2.6	2
249	Health care use before a diagnosis of primary intracranial tumor: a Danish nationwide register study. <i>Clinical Epidemiology</i> , <b>2018</b> , 10, 809-829	5.9	5
248	Mortality of patients examined at a diagnostic centre: A matched cohort study. <i>Cancer Epidemiology</i> , <b>2018</b> , 55, 130-135	2.8	7
247	Factors associated with low patient satisfaction in out-of-hours primary care in Denmark - a population-based cross-sectional study. <i>BMC Family Practice</i> , <b>2018</b> , 19, 15	2.6	8
246	Negative cancer beliefs, recognition of cancer symptoms and anticipated time to help-seeking: an international cancer benchmarking partnership (ICBP) study. <i>BMC Cancer</i> , <b>2018</b> , 18, 363	4.8	19
245	Non-participation in breast cancer screening among previous cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2018</b> , 144, 1959-1966	4.9	1
244	Early treatment with talk therapy or antidepressants in severely bereaved people and risk of suicidal behavior and psychiatric illness: an instrumental variable analysis. <i>Clinical Epidemiology</i> , <b>2018</b> , 10, 1013-1026	5.9	6
243	Impact of severe mental illness on cancer stage at diagnosis and subsequent mortality: A population-based register study. <i>Schizophrenia Research</i> , <b>2018</b> , 201, 62-69	3.6	14
242	The impact of comorbidity on mortality in Danish sarcoma patients from 2000-2013: A nationwide population-based multicentre study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0198933	3.7	10
241	Cervical Cancer Prevalence, Incidence and Mortality in Low and Middle Income Countries: A Systematic Review. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2018</b> , 19, 319-324	1.7	103
240	Development of an intervention to expedite cancer diagnosis through primary care: a protocol. <i>BJGP Open</i> , <b>2018</b> , 2, bjgpopen18X101595	3.1	2
239	Utilisation of primary care before a childhood cancer diagnosis: do socioeconomic factors matter?: A Danish nationwide population-based matched cohort study. <i>BMJ Open</i> , <b>2018</b> , 8, e023569	3	6
238	Strong association between cervical and breast cancer screening behaviour among Danish women; A register-based cohort study. <i>Preventive Medicine Reports</i> , <b>2018</b> , 12, 349-354	2.6	5

237	Diagnostic routes and time intervals for patients with colorectal cancer in 10 international jurisdictions; findings from a cross-sectional study from the International Cancer Benchmarking Partnership (ICBP). <i>BMJ Open</i> , <b>2018</b> , 8, e023870	3	24
236	A validated algorithm to identify recurrence of bladder cancer: a register-based study in Denmark. <i>Clinical Epidemiology</i> , <b>2018</b> , 10, 1755-1763	5.9	8
235	The Aarhus statement on cancer diagnostic research: turning recommendations into new survey instruments. <i>BMC Health Services Research</i> , <b>2018</b> , 18, 677	2.9	14
234	Risk of cancer and repeated urgent referral after negative investigation for cancer. <i>Family Practice</i> , <b>2018</b> , 35, 582-588	1.9	6
233	Differences in diagnostic activity in general practice and findings for individuals invited to the danish screening programme for colorectal cancer: a population-based cohort study. <i>Scandinavian Journal of Primary Health Care</i> , <b>2018</b> , 36, 281-290	2.7	2
232	24-hour access outpatient clinic for patients with exacerbation of chronic disease: a before-after cohort study of differences in acute healthcare utilisation. <i>BMC Health Services Research</i> , <b>2018</b> , 18, 663	2.9	5
231	Rural-Urban Disparities in Time to Diagnosis and Treatment for Colorectal and Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2018</b> , 27, 1036-1046	4	30
230	Identifying important health system factors that influence primary care practitioners' referrals for cancer suspicion: a European cross-sectional survey. <i>BMJ Open</i> , <b>2018</b> , 8, e022904	3	8
229	Responsibility for follow-up during the diagnostic process in primary care: a secondary analysis of International Cancer Benchmarking Partnership data. <i>British Journal of General Practice</i> , <b>2018</b> , 68, e323-e332	1.6	10
228	Consultation frequency in general practice before cancer diagnosis in relation to the patient's usual consultation pattern: A population-based study. <i>Cancer Epidemiology</i> , <b>2018</b> , 55, 142-148	2.8	10
227	Resisting "Reason": A Comparative Anthropological Study of Social Differences and Resistance toward Health Promotion and Illness Prevention in Denmark. <i>Medical Anthropology Quarterly</i> , <b>2017</b> , 31, 218-236	2.5	6
226	Predictors of Complicated Grief and Depression in Bereaved Caregivers: A Nationwide Prospective Cohort Study. <i>Journal of Pain and Symptom Management</i> , <b>2017</b> , 53, 540-550	4.8	100
225	Imaging investigations before referral to a sarcoma center delay the final diagnosis of musculoskeletal sarcoma. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2017</b> , 88, 211-216	4.3	9
224	Associations between education and physical functioning and pain in adult Danish cancer survivors. <i>Acta Oncologica</i> , <b>2017</b> , 56, 348-353	3.2	6
223	Understanding of a negative bowel screening result and potential impact on future symptom appraisal and help-seeking behaviour: a focus group study. <i>Health Expectations</i> , <b>2017</b> , 20, 584-592	3.7	5
222	Characteristics of symptomatic men with testicular microlithiasis - A Danish cross-sectional questionnaire study. <i>Andrology</i> , <b>2017</b> , 5, 556-561	4.2	6
221	Preloss grief in family caregivers during end-of-life cancer care: A nationwide population-based cohort study. <i>Psycho-Oncology</i> , <b>2017</b> , 26, 2048-2056	3.9	31
220	Data quality and factor analysis of the Danish version of the Relationship Scale Questionnaire. <i>PLoS ONE</i> , <b>2017</b> , 12, e0176810	3.7	4

219	Preschool children in out-of-hours primary care - a questionnaire-based cross-sectional study of factors related to the medical relevance of health problems. <i>BMC Family Practice</i> , <b>2017</b> , 18, 112	2.6	6
218	Prognostic consequences of implementing cancer patient pathways in Denmark: a comparative cohort study of symptomatic cancer patients in primary care. <i>BMC Cancer</i> , <b>2017</b> , 17, 627	4.8	24
217	Noisy Lives, Noisy Bodies. <i>Anthropology in Action</i> , <b>2017</b> , 24, 13-19	0.7	5
216	The completeness of chest X-ray procedure codes in the Danish National Patient Registry. <i>Clinical Epidemiology</i> , <b>2017</b> , 9, 151-156	5.9	2
215	Testicular microlithiasis is associated with ethnicity and socioeconomic status. <i>Acta Radiologica Open</i> , <b>2017</b> , 6, 2058460117723676	1.2	4
214	Impact of GP reminders on follow-up of abnormal cervical cytology: a before-after study in Danish general practice. <i>British Journal of General Practice</i> , <b>2017</b> , 67, e580-e587	1.6	6
213	Abdominal symptoms in general practice: Frequency, cancer suspicions raised, and actions taken by GPs in six European countries. Cohort study with prospective registration of cancer. <i>Heliyon</i> , <b>2017</b> , 3, e00328	3.6	17
212	Exploration of the possible effect on survival of lead-time associated with implementation of cancer patient pathways among symptomatic first-time cancer patients in Denmark. <i>Cancer Epidemiology</i> , <b>2017</b> , 49, 195-201	2.8	5
211	Clinical characteristics and risk of serious disease in patients referred to a diagnostic centre: A cohort study. <i>Cancer Epidemiology</i> , <b>2017</b> , 50, 158-165	2.8	18
210	Evidence of advanced stage colorectal cancer with longer diagnostic intervals: a pooled analysis of seven primary care cohorts comprising 11 720 patients in five countries. <i>British Journal of Cancer</i> , <b>2017</b> , 117, 888-897	8.7	53
209	Differences in medical services in Nordic general practice: a comparative survey from the QUALICOPC study. <i>Scandinavian Journal of Primary Health Care</i> , <b>2017</b> , 1-10	2.7	4
208	Prognosis of cancer in persons with infrequent consultations in general practice: A population-based cohort study. <i>International Journal of Cancer</i> , <b>2017</b> , 141, 2400-2409	7.5	5
207	Differences in medical services in Nordic general practice: a comparative survey from the QUALICOPC study. <i>Scandinavian Journal of Primary Health Care</i> , <b>2017</b> , 35, 153-161	2.7	15
206	Measurement properties of the Danish version of the Awareness and Beliefs about Cancer (ABC) measure. <i>BMC Medical Research Methodology</i> , <b>2017</b> , 17, 74	4.7	2
205	Impact of a continuing medical education meeting on the use and timing of urgent cancer referrals among general practitioners - a before-after study. <i>BMC Family Practice</i> , <b>2017</b> , 18, 44	2.6	5
204	Medical appropriateness of adult calls to Danish out-of-hours primary care: a questionnaire-based survey. <i>BMC Family Practice</i> , <b>2017</b> , 18, 34	2.6	15
203	Educational differences in responses to breast cancer symptoms: A qualitative comparative study. <i>British Journal of Health Psychology</i> , <b>2017</b> , 22, 26-41	8.3	16
202	General practice consultations, diagnostic investigations, and prescriptions in the year preceding a lung cancer diagnosis. <i>Cancer Medicine</i> , <b>2017</b> , 6, 79-88	4.8	14



201	Patients' initial steps to cancer diagnosis in Denmark, England and Sweden: what can a qualitative, cross-country comparison of narrative interviews tell us about potentially modifiable factors?. <i>BMJ Open</i> , <b>2017</b> , 7, e018210	3	16
200	Comparison of Tissue Stiffness Using Shear Wave Elastography in Men with Normal Testicular Tissue, Testicular Microlithiasis and Testicular Cancer. <i>Ultrasound International Open</i> , <b>2017</b> , 3, E150-E155 <sup>2.1</sup>		13
199	The Good Citizen <i>Anthropology in Action</i> , <b>2017</b> , 24, 6-12	0.7	10
198	Routine blood tests and probability of cancer in patients referred with non-specific serious symptoms: a cohort study. <i>BMC Cancer</i> , <b>2017</b> , 17, 817	4.8	12
197	The effect of standardised cancer pathways on Danish cancer patients' dissatisfaction with waiting time. <i>Danish Medical Journal</i> , <b>2017</b> , 64,	3.8	11
196	Situating Social Differences in Health and Illness Practices. <i>Perspectives in Biology and Medicine</i> , <b>2016</b> , 59, 547-561	1.5	1
195	Short-term breast cancer survival in relation to ethnicity, stage, grade and receptor status: national cohort study in England. <i>British Journal of Cancer</i> , <b>2016</b> , 115, 1408-1415	8.7	26
194	Danish general practitioners' self-reported competences in end-of-life care. <i>Scandinavian Journal of Primary Health Care</i> , <b>2016</b> , 34, 420-427	2.7	14
193	Telephone triage by GPs in out-of-hours primary care in Denmark: a prospective observational study of efficiency and relevance. <i>British Journal of General Practice</i> , <b>2016</b> , 66, e667-73	1.6	17
192	Out-of-hours primary care: a population-based study of the diagnostic scope of telephone contacts. <i>Family Practice</i> , <b>2016</b> , 33, 504-9	1.9	17
191	An investigation of routes to cancer diagnosis in 10 international jurisdictions, as part of the International Cancer Benchmarking Partnership: survey development and implementation. <i>BMJ Open</i> , <b>2016</b> , 6, e009641	3	26
190	The European Cancer Patient's Bill of Rights, update and implementation 2016. <i>ESMO Open</i> , <b>2016</b> , 1, e000127	6	25
189	Tumour stage and implementation of standardised cancer patient pathways: a comparative cohort study. <i>British Journal of General Practice</i> , <b>2016</b> , 66, e434-43	1.6	9
188	Implementation of immunochemical faecal occult blood test in general practice: a study protocol using a cluster-randomised stepped-wedge design. <i>BMC Cancer</i> , <b>2016</b> , 16, 445	4.8	2
187	Drug prescriptions in Danish out-of-hours primary care: a 1-year population-based study. <i>Scandinavian Journal of Primary Health Care</i> , <b>2016</b> , 34, 453-458	2.7	7
186	Substance Use Disorders Among Danish Physicians: An Explorative Study of the Professional Socialization and Management of Colleagues With Substance Use Disorders. <i>Journal of Addiction Medicine</i> , <b>2016</b> , 10, 248-54	3.8	9
185	High lung cancer surgical procedure volume is associated with shorter length of stay and lower risks of re-admission and death: National cohort analysis in England. <i>European Journal of Cancer</i> , <b>2016</b> , 64, 32-43	7.5	23
184	Awareness of cancer symptoms and anticipated patient interval for healthcare seeking. A comparative study of Denmark and Sweden. <i>Acta Oncologica</i> , <b>2016</b> , 55, 917-24	3.2	2

183	Psychiatric morbidity and non-participation in breast cancer screening. <i>Breast</i> , <b>2016</b> , 25, 38-44	3.6	19
182	Awareness of sunburn in childhood, use of sunbeds and change of moles in Denmark, Northern Ireland, Norway and Sweden. <i>European Journal of Public Health</i> , <b>2016</b> , 26, 29-35	2.1	3
181	Social support and non-participation in breast cancer screening: a Danish cohort study. <i>Journal of Public Health</i> , <b>2016</b> , 38, 335-42	3.5	14
180	Risky alcohol use in Danish physicians: Associated with alexithymia and burnout?. <i>Drug and Alcohol Dependence</i> , <b>2016</b> , 160, 119-26	4.9	46
179	Class, Social Suffering, and Health Consumerism. <i>Medical Anthropology: Cross Cultural Studies in Health and Illness</i> , <b>2016</b> , 35, 517-528	3	8
178	Ten-Year Mortality after a Breast Cancer Diagnosis in Women with Severe Mental Illness: A Danish Population-Based Cohort Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0158013	3.7	11
177	Family physician access to and wait times for cancer diagnostic investigations: Regional differences among 3 provinces. <i>Canadian Family Physician</i> , <b>2016</b> , 62, e599-e607	0.9	7
176	Development of an algorithm to identify urgent referrals for suspected cancer from the Danish Primary Care Referral Database. <i>Clinical Epidemiology</i> , <b>2016</b> , 8, 751-759	5.9	2
175	Algorithm linking patients and general practices in Denmark using the Danish National Health Service Register. <i>Clinical Epidemiology</i> , <b>2016</b> , 8, 273-83	5.9	9
174	Routes to Diagnosis for Suspected Sarcoma: The Impact of Symptoms and Clinical Findings on the Diagnostic Process. <i>Sarcoma</i> , <b>2016</b> , 2016, 8639272	3.1	15
173	Impact of continuing medical education in cancer diagnosis on GP knowledge, attitude and readiness to investigate - a before-after study. <i>BMC Family Practice</i> , <b>2016</b> , 17, 95	2.6	6
172	Primary Care Use before Cancer Diagnosis in Adolescents and Young Adults - A Nationwide Register Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0155933	3.7	10
171	Serious Mental Illness and Risk for Hospitalizations and Rehospitalizations for Ambulatory Care-sensitive Conditions in Denmark: A Nationwide Population-based Cohort Study. <i>Medical Care</i> , <b>2016</b> , 54, 90-7	3.1	41
170	Characteristics of 64 sarcoma patients referred to a sarcoma center after unplanned excision. <i>Journal of Surgical Oncology</i> , <b>2016</b> , 113, 235-9	2.8	16
169	Educational differences in likelihood of attributing breast symptoms to cancer: a vignette-based study. <i>Psycho-Oncology</i> , <b>2016</b> , 25, 1191-1197	3.9	10
168	Testicular microlithiasis and testicular cancer: review of the literature. <i>International Urology and Nephrology</i> , <b>2016</b> , 48, 1079-86	2.3	25
167	Time from first symptom experience to help seeking for colorectal cancer patients: Associations with cognitive and emotional symptom representations. <i>Patient Education and Counseling</i> , <b>2016</b> , 99, 807-813	3.1	4
166	Patients with cancer and change of general practice: a Danish population-based cohort study. <i>British Journal of General Practice</i> , <b>2016</b> , 66, e491-8	1.6	5

165	The role of general practice in routes to diagnosis of lung cancer in Denmark: a population-based study of general practice involvement, diagnostic activity and diagnostic intervals. <i>BMC Health Services Research</i> , <b>2015</b> , 15, 21	2.9	18
164	Juggling efficiency. An ethnographic study exploring healthcare seeking practices and institutional logics in Danish primary care settings. <i>Social Science and Medicine</i> , <b>2015</b> , 128, 239-45	5.1	21
163	Understanding missed opportunities for more timely diagnosis of cancer in symptomatic patients after presentation. <i>British Journal of Cancer</i> , <b>2015</b> , 112 Suppl 1, S84-91	8.7	82
162	Visualization of Coronary Artery Calcification: Influence on Risk Modification. <i>American Journal of Medicine</i> , <b>2015</b> , 128, 1023.e23-31	2.4	9
161	Explaining variation in cancer survival between 11 jurisdictions in the International Cancer Benchmarking Partnership: a primary care vignette survey. <i>BMJ Open</i> , <b>2015</b> , 5, e007212	3	71
160	Comments to the paper: Influence of mammography screening on use of mastectomies in Denmark. <i>Acta Oncologica</i> , <b>2015</b> , 54, 135-6	3.2	
159	Variation in general practice prostate-specific antigen testing and prostate cancer outcomes: an ecological study. <i>International Journal of Cancer</i> , <b>2015</b> , 136, 435-42	7.5	24
158	The Danish cancer pathway for patients with serious non-specific symptoms and signs of cancer-a cross-sectional study of patient characteristics and cancer probability. <i>BMC Cancer</i> , <b>2015</b> , 15, 421	4.8	69
157	Use of primary health care prior to a postpartum psychiatric episode. <i>Scandinavian Journal of Primary Health Care</i> , <b>2015</b> , 33, 127-33	2.7	7
156	A differentiated approach to referrals from general practice to support early cancer diagnosis - the Danish three-legged strategy. <i>British Journal of Cancer</i> , <b>2015</b> , 112 Suppl 1, S65-9	8.7	66
155	Self-reported symptoms and healthcare seeking in the general population--exploring "The Symptom Iceberg". <i>BMC Public Health</i> , <b>2015</b> , 15, 685	4.1	62
154	The expanding role of primary care in cancer control. <i>Lancet Oncology, The</i> , <b>2015</b> , 16, 1231-72	21.7	297
153	Use of the English urgent referral pathway for suspected cancer and mortality in patients with cancer: cohort study. <i>BMJ, The</i> , <b>2015</b> , 351, h5102	5.9	54
152	Self-assessed health, perceived stress and non-participation in breast cancer screening: A Danish cohort study. <i>Preventive Medicine</i> , <b>2015</b> , 81, 392-8	4.3	9
151	General practitioners' anticipated risk of cancer at referral and their attitude to risk taking and to their role as gatekeeper. <i>Journal of Health Services Research and Policy</i> , <b>2015</b> , 20, 210-6	2.4	5
150	Association of GPs' risk attitudes, level of empathy, and burnout status with PSA testing in primary care. <i>British Journal of General Practice</i> , <b>2015</b> , 65, e845-51	1.6	14
149	Depression and risk of hospitalisations and rehospitalisations for ambulatory care-sensitive conditions in Denmark: a population-based cohort study. <i>BMJ Open</i> , <b>2015</b> , 5, e009878	3	16
148	Non-participation in breast cancer screening for women with chronic diseases and multimorbidity: a population-based cohort study. <i>BMC Cancer</i> , <b>2015</b> , 15, 798	4.8	21

147	Global Health Care-seeking Discourses Facing Local Clinical Realities: Exploring the Case of Cancer. <i>Medical Anthropology Quarterly</i> , <b>2015</b> , 29, 237-55	2.5	15
146	Symptom attributions in patients with colorectal cancer. <i>BMC Family Practice</i> , <b>2015</b> , 16, 115	2.6	4
145	The effect of direct access to CT scan in early lung cancer detection: an unblinded, cluster-randomised trial. <i>BMC Cancer</i> , <b>2015</b> , 15, 934	4.8	12
144	Awareness of risk factors for cancer: a comparative study of Sweden and Denmark. <i>BMC Public Health</i> , <b>2015</b> , 15, 1156	4.1	20
143	Increased diagnostic activity in general practice during the year preceding colorectal cancer diagnosis. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 615-24	7.5	37
142	Are Cancer Patients' Socioeconomic and Cultural Factors Associated with Contact to General Practitioners in the Last Phase of Life?. <i>International Journal of Family Medicine</i> , <b>2015</b> , 2015, 952314		3
141	Diagnostic intervals before and after implementation of cancer patient pathways - a GP survey and registry based comparison of three cohorts of cancer patients. <i>BMC Cancer</i> , <b>2015</b> , 15, 308	4.8	48
140	Direct-access to abdominal ultrasonic investigation from general practiceThe role in earlier cancer diagnosis. <i>Family Practice</i> , <b>2015</b> , 32, 205-10	1.9	4
139	Agreement between patients and general practitioners on quality deviations during the cancer diagnostic pathway and associations with time to diagnosis. <i>Family Practice</i> , <b>2015</b> , 32, 329-35	1.9	6
138	Barriers to healthcare seeking, beliefs about cancer and the role of socio-economic position. A Danish population-based study. <i>Preventive Medicine</i> , <b>2015</b> , 71, 107-13	4.3	32
137	Increased utilisation of primary healthcare in persons exposed to severe stress in prenatal life: a national population-based study in Denmark. <i>BMJ Open</i> , <b>2015</b> , 5, e005657	3	7
136	Cancer Mortality in People Treated with Antidepressants before Cancer Diagnosis: A Population Based Cohort Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0138134	3.7	7
135	Influence of comorbidity on cancer patients' rehabilitation needs, participation in rehabilitation activities and unmet needs: a population-based cohort study. <i>Supportive Care in Cancer</i> , <b>2014</b> , 22, 2095-103	3.9	21
134	Agreement between patient-reported and doctor-reported patient intervals and date of first symptom presentation in cancer diagnosis - a population-based questionnaire study. <i>Cancer Epidemiology</i> , <b>2014</b> , 38, 100-5	2.8	19
133	How might healthcare systems influence speed of cancer diagnosis: a narrative review. <i>Social Science and Medicine</i> , <b>2014</b> , 116, 56-63	5.1	62
132	Chronic-disease patients and their use of out-of-hours primary health care: a cross-sectional study. <i>BMC Family Practice</i> , <b>2014</b> , 15, 114	2.6	15
131	Development of a survey instrument to investigate the primary care factors related to differences in cancer diagnosis between international jurisdictions. <i>BMC Family Practice</i> , <b>2014</b> , 15, 122	2.6	14
130	Drug prescription by telephone consultation in Danish out-of-hours primary care: a population-based study of frequency and associations with clinical severity and diagnosis. <i>BMC Family Practice</i> , <b>2014</b> , 15, 142	2.6	8

129	Cancer awareness and socio-economic position: results from a population-based study in Denmark. <i>BMC Cancer</i> , <b>2014</b> , 14, 581	4.8	54
128	Quality deviations in cancer diagnosis: prevalence and time to diagnosis in general practice. <i>British Journal of General Practice</i> , <b>2014</b> , 64, e92-8	1.6	22
127	Predictive values of GPs' suspicion of serious disease: a population-based follow-up study. <i>British Journal of General Practice</i> , <b>2014</b> , 64, e346-53	1.6	36
126	Existing data sources for clinical epidemiology: Danish Cancer in Primary Care cohort. <i>Clinical Epidemiology</i> , <b>2014</b> , 6, 237-46	5.9	21
125	Understanding the inverse care law: a register and survey-based study of patient deprivation and burnout in general practice. <i>International Journal for Equity in Health</i> , <b>2014</b> , 13, 121	4.6	24
124	Daytime use of general practice and use of the out-of-hours primary care service for patients with chronic disease: a cohort study. <i>BMC Family Practice</i> , <b>2014</b> , 15, 156	2.6	6
123	Distance to screening site and non-participation in screening for breast cancer: a population-based study. <i>Journal of Public Health</i> , <b>2014</b> , 36, 292-9	3.5	20
122	The 30-day prognosis of chronic-disease patients after contact with the out-of-hours service in primary healthcare. <i>Scandinavian Journal of Primary Health Care</i> , <b>2014</b> , 32, 208-16	2.7	3
121	Survival of patients with small cell lung cancer undergoing lung resection in England, 1998-2009. <i>Thorax</i> , <b>2014</b> , 69, 269-73	7.3	48
120	Alarm symptoms of soft-tissue and bone sarcoma in patients referred to a specialist center. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2014</b> , 85, 657-62	4.3	12
119	Antibiotic prescribing patterns in out-of-hours primary care: a population-based descriptive study. <i>Scandinavian Journal of Primary Health Care</i> , <b>2014</b> , 32, 200-7	2.7	25
118	Paper of the Year Award 2013 and 2014. <i>Scandinavian Journal of Primary Health Care</i> , <b>2014</b> , 32, 110-110	2.7	78
117	Measurement properties of the Danish version of the Illness Perception Questionnaire-Revised for patients with colorectal cancer symptoms. <i>Journal of Health Psychology</i> , <b>2014</b> , 19, 1279-90	3.1	7
116	Cancer suspicion in general practice, urgent referral and time to diagnosis: a population-based GP survey and registry study. <i>BMC Cancer</i> , <b>2014</b> , 14, 636	4.8	96
115	A geographical cluster randomised stepped wedge study of continuing medical education and cancer diagnosis in general practice. <i>Implementation Science</i> , <b>2014</b> , 9, 159	8.4	9
114	Position paper: breast cancer screening, diagnosis, and treatment in Denmark. <i>Acta Oncologica</i> , <b>2014</b> , 53, 433-44	3.2	23
113	The Danish Symptom Cohort: Questionnaire and Feasibility in the Nationwide Study on Symptom Experience and Healthcare-Seeking among 100 000 Individuals. <i>International Journal of Family Medicine</i> , <b>2014</b> , 2014, 187280		31
112	Implementing direct access to low-dose computed tomography in general practice--method, adaption and outcome. <i>PLoS ONE</i> , <b>2014</b> , 9, e112162	3.7	18

111	Identification of patients with incident cancers using administrative registry data. <i>Danish Medical Journal</i> , <b>2014</b> , 61, A4777	3.8	14
110	A feasible method to study the Danish out-of-hours primary care service. <i>Danish Medical Journal</i> , <b>2014</b> , 61, A4847	3.8	14
109	Several factors influenced general practitioner participation in the implementation of a disease management programme. <i>Danish Medical Journal</i> , <b>2014</b> , 61, A4901	3.8	5
108	Healthcare utilization of bereaved relatives of patients who died from cancer. A national population-based study. <i>Psycho-Oncology</i> , <b>2013</b> , 22, 1152-8	3.9	24
107	The effect of an active implementation of a disease management programme for chronic obstructive pulmonary disease on healthcare utilization--a cluster-randomised controlled trial. <i>BMC Health Services Research</i> , <b>2013</b> , 13, 385	2.9	15
106	Patient-experienced effect of an active implementation of a disease management programme for COPD - a randomised trial. <i>BMC Family Practice</i> , <b>2013</b> , 14, 147	2.6	9
105	Secondary care intervals before and after the introduction of urgent referral guidelines for suspected cancer in Denmark: a comparative before-after study. <i>BMC Health Services Research</i> , <b>2013</b> , 13, 348	2.9	22
104	Could the patient have been seen by a nurse; a questionnaire based survey of GP and patient views in Danish general practice. <i>BMC Family Practice</i> , <b>2013</b> , 14, 171	2.6	3
103	The International Cancer Benchmarking Partnership: an international collaboration to inform cancer policy in Australia, Canada, Denmark, Norway, Sweden and the United Kingdom. <i>Health Policy</i> , <b>2013</b> , 112, 148-55	3.2	72
102	Cancer Patient Pathways shortens waiting times and accelerates the diagnostic process of suspected sarcoma patients in Denmark. <i>Health Policy</i> , <b>2013</b> , 113, 110-7	3.2	25
101	To test or not: a registry-based observational study of an online decision support for prostate-specific antigen tests. <i>International Journal of Medical Informatics</i> , <b>2013</b> , 82, 973-9	5.3	6
100	Evidence of increasing mortality with longer diagnostic intervals for five common cancers: a cohort study in primary care. <i>European Journal of Cancer</i> , <b>2013</b> , 49, 2187-98	7.5	146
99	Childhood cancer and factors related to prolonged diagnostic intervals: a Danish population-based study. <i>British Journal of Cancer</i> , <b>2013</b> , 108, 1280-7	8.7	21
98	Organisational determinants of production and efficiency in general practice: a population-based study. <i>European Journal of Health Economics</i> , <b>2013</b> , 14, 267-76	3.6	13
97	Social inequality in cancer rehabilitation: a population-based cohort study. <i>Acta Oncologica</i> , <b>2013</b> , 52, 410-22	3.2	51
96	A cluster-randomised, parallel group, controlled intervention study of genetic prostate cancer risk assessment and use of PSA tests in general practice--the ProCaRis study: study protocol. <i>BMJ Open</i> , <b>2013</b> , 3,	3	7
95	Bereavement care in general practice: a cluster-randomized clinical trial. <i>Family Practice</i> , <b>2013</b> , 30, 134-41.	4.9	20
94	Psychological and social problems in primary care patients - general practitioners' assessment and classification. <i>Scandinavian Journal of Primary Health Care</i> , <b>2013</b> , 31, 43-9	2.7	26

93	Open Access to General Practice Was Associated with Burnout among General Practitioners. <i>International Journal of Family Medicine</i> , <b>2013</b> , 2013, 383602		6
92	A randomized controlled trial of hospital-based case management in cancer care: a general practitioner perspective. <i>Family Practice</i> , <b>2013</b> , 30, 5-13	1.9	8
91	Risk of Burnout in Danish GPs and Exploration of Factors Associated with Development of Burnout: A Two-Wave Panel Study. <i>International Journal of Family Medicine</i> , <b>2013</b> , 2013, 603713		23
90	From Doctor to Nurse Triage in the Danish Out-of-Hours Primary Care Service: Simulated Effects on Costs. <i>International Journal of Family Medicine</i> , <b>2013</b> , 2013, 987834		9
89	Translation, adaptation and data quality of a Danish version of the Burden Scale for Family Caregivers. <i>Scandinavian Journal of Caring Sciences</i> , <b>2013</b> , 27, 1018-26	2.3	7
88	Access to outreach specialist palliative care teams among cancer patients in Denmark. <i>Journal of Palliative Medicine</i> , <b>2013</b> , 16, 951-7	2.2	12
87	Differences in cancer awareness and beliefs between Australia, Canada, Denmark, Norway, Sweden and the UK (the International Cancer Benchmarking Partnership): do they contribute to differences in cancer survival?. <i>British Journal of Cancer</i> , <b>2013</b> , 108, 292-300	8.7	154
86	Coping strategies and patient delay in patients with cancer. <i>Journal of Psychosocial Oncology</i> , <b>2013</b> , 31, 204-18	2.8	10
85	Use of primary care during the year before childhood cancer diagnosis: a nationwide population-based matched comparative study. <i>PLoS ONE</i> , <b>2013</b> , 8, e59098	3.7	23
84	Patient delay in colorectal cancer patients: associations with rectal bleeding and thoughts about cancer. <i>PLoS ONE</i> , <b>2013</b> , 8, e69700	3.7	24
83	Adherence to COPD guidelines in general practice: impact of an educational programme delivered on location in Danish general practices. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , <b>2013</b> , 22, 23-8		9
82	Developing an active implementation model for a chronic disease management program. <i>International Journal of Integrated Care</i> , <b>2013</b> , 13, e020	2	8
81	Reduced specialist time with direct computed tomography for suspected lung cancer in primary care. <i>Danish Medical Journal</i> , <b>2013</b> , 60, A4738	3.8	7
80	The initial cancer pathway for children - one-fourth wait more than 3 months. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2012</b> , 101, 655-62	3.1	14
79	Presenting symptoms of children with cancer: a primary-care population-based study. <i>British Journal of General Practice</i> , <b>2012</b> , 62, e458-65	1.6	12
78	Participation in cancer rehabilitation and unmet needs: a population-based cohort study. <i>Supportive Care in Cancer</i> , <b>2012</b> , 20, 2913-24	3.9	97
77	Reasons for encounter and disease patterns in Danish primary care: changes over 16 years. <i>Scandinavian Journal of Primary Health Care</i> , <b>2012</b> , 30, 70-5	2.7	61
76	Diagnostic interval and mortality in colorectal cancer: U-shaped association demonstrated for three different datasets. <i>Journal of Clinical Epidemiology</i> , <b>2012</b> , 65, 669-78	5.7	94

75	Chronic care management in Danish general practice--a cross-sectional study of workload and multimorbidity. <i>BMC Family Practice</i> , <b>2012</b> , 13, 52	2.6	32
74	The association between general practitioners' attitudes towards breast cancer screening and women's screening participation. <i>BMC Cancer</i> , <b>2012</b> , 12, 254	4.8	19
73	Identifying specific non-attending groups in breast cancer screening--population-based registry study of participation and socio-demography. <i>BMC Cancer</i> , <b>2012</b> , 12, 518	4.8	45
72	Use of hyperlinks in electronic test result communication: a survey study in general practice. <i>BMC Medical Informatics and Decision Making</i> , <b>2012</b> , 12, 114	3.6	5
71	Developing an algorithm to identify people with Chronic Obstructive Pulmonary Disease (COPD) using administrative data. <i>BMC Medical Informatics and Decision Making</i> , <b>2012</b> , 12, 38	3.6	30
70	Self-management support to people with type 2 diabetes - a comparative study of Kaiser Permanente and the Danish Healthcare System. <i>BMC Health Services Research</i> , <b>2012</b> , 12, 160	2.9	6
69	Use of general practice, diagnostic investigations and hospital services before and after cancer diagnosis - a population-based nationwide registry study of 127,000 incident adult cancer patients. <i>BMC Health Services Research</i> , <b>2012</b> , 12, 224	2.9	52
68	Direct mail improves knowledge of basic life support guidelines in general practice: a randomised study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , <b>2012</b> , 20, 72	3.6	3
67	Socioeconomic position and contact to general practice among persons with diabetes. <i>Primary Care Diabetes</i> , <b>2012</b> , 6, 313-8	2.4	7
66	Fear of recurrence and causal attributions in long-term survivors of testicular cancer. <i>Psycho-Oncology</i> , <b>2012</b> , 21, 1222-8	3.9	28
65	Complicated grief and need for professional support in family caregivers of cancer patients in palliative care: a longitudinal cohort study. <i>Supportive Care in Cancer</i> , <b>2012</b> , 20, 1679-85	3.9	60
64	Socioeconomic position and place of death of cancer patients. <i>BMJ Supportive and Palliative Care</i> , <b>2012</b> , 2, 133-9	2.2	11
63	Risk of febrile seizures and epilepsy after vaccination with diphtheria, tetanus, acellular pertussis, inactivated poliovirus, and Haemophilus influenzae type B. <i>JAMA - Journal of the American Medical Association</i> , <b>2012</b> , 307, 823-31	27.4	60
62	The Aarhus statement: improving design and reporting of studies on early cancer diagnosis. <i>British Journal of Cancer</i> , <b>2012</b> , 106, 1262-7	8.7	419
61	A randomised controlled trial of hospital-based case management to improve colorectal cancer patients' health-related quality of life and evaluations of care. <i>BMJ Open</i> , <b>2012</b> , 2,	3	11
60	An international measure of awareness and beliefs about cancer: development and testing of the ABC. <i>BMJ Open</i> , <b>2012</b> , 2,	3	70
59	A new method for analyzing diagnostic delay in gynecological cancer. <i>International Journal of Gynecological Cancer</i> , <b>2012</b> , 22, 712-7	3.5	12
58	Adaptation, data quality and confirmatory factor analysis of the Danish version of the PACIC questionnaire. <i>European Journal of Public Health</i> , <b>2012</b> , 22, 31-6	2.1	31



57	Reasons for diagnostic delay in gynecological malignancies. <i>International Journal of Gynecological Cancer</i> , <b>2011</b> , 21, 967-74	3.5	35
56	Patients' confidence in their GP before and after being diagnosed with cancer. <i>British Journal of General Practice</i> , <b>2011</b> , 61, e215-22	1.6	17
55	Are the serious problems in cancer survival partly rooted in gatekeeper principles? An ecologic study. <i>British Journal of General Practice</i> , <b>2011</b> , 61, e508-12	1.6	103
54	Preference for place-of-death among terminally ill cancer patients in Denmark. <i>Scandinavian Journal of Caring Sciences</i> , <b>2011</b> , 25, 627-36	2.3	45
53	Time to diagnosis and mortality in colorectal cancer: a cohort study in primary care. <i>British Journal of Cancer</i> , <b>2011</b> , 104, 934-40	8.7	117
52	Social support, gender and patient delay. <i>British Journal of Cancer</i> , <b>2011</b> , 104, 1249-55	8.7	30
51	General practitioner characteristics and delay in cancer diagnosis. a population-based cohort study. <i>BMC Family Practice</i> , <b>2011</b> , 12, 100	2.6	29
50	General practitioners' experience and benefits from patient evaluations. <i>BMC Family Practice</i> , <b>2011</b> , 12, 116	2.6	15
49	Identifying bereaved subjects at risk of complicated grief: Predictive value of questionnaire items in a cohort study. <i>BMC Palliative Care</i> , <b>2011</b> , 10, 9	3	34
48	Time intervals from first symptom to treatment of cancer: a cohort study of 2,212 newly diagnosed cancer patients. <i>BMC Health Services Research</i> , <b>2011</b> , 11, 284	2.9	152
47	Improved quality of Type 2 diabetes care following electronic feedback of treatment status to general practitioners: a cluster randomized controlled trial. <i>Diabetic Medicine</i> , <b>2011</b> , 28, 325-32	3.5	20
46	New Danish National Editor. <i>Scandinavian Journal of Primary Health Care</i> , <b>2011</b> , 29, 132-132	2.7	78
45	Does the organizational structure of health care systems influence care-seeking decisions? A qualitative analysis of Danish cancer patients' reflections on care-seeking. <i>Scandinavian Journal of Primary Health Care</i> , <b>2011</b> , 29, 144-9	2.7	36
44	Use of lung function tests in asthmatic children is associated with lower risk of hospitalization. A Danish population-based follow-up study. <i>Journal of Asthma</i> , <b>2010</b> , 47, 1022-30	1.9	4
43	Suboptimal quality of type 2 diabetes care discovered through electronic feedback led to increased nurse-GP cooperation. A qualitative study. <i>Primary Care Diabetes</i> , <b>2010</b> , 4, 33-9	2.4	8
42	Associations between successful palliative trajectories, place of death and GP involvement. <i>Scandinavian Journal of Primary Health Care</i> , <b>2010</b> , 28, 138-45	2.7	21
41	'Containment' as an analytical framework for understanding patient delay: a qualitative study of cancer patients' symptom interpretation processes. <i>Social Science and Medicine</i> , <b>2010</b> , 71, 378-385	5.1	46
40	Translation, adaptation and validation of the American short form Patient Activation Measure (PAM13) in a Danish version. <i>BMC Public Health</i> , <b>2009</b> , 9, 209	4.1	75

39	Patient delay in cancer studies: a discussion of methods and measures. <i>BMC Health Services Research</i> , <b>2009</b> , 9, 189	2.9	78
38	The effect of feedback to general practitioners on quality of care for people with type 2 diabetes. A systematic review of the literature. <i>BMC Family Practice</i> , <b>2009</b> , 10, 30	2.6	32
37	Associations between successful palliative cancer pathways and community nurse involvement. <i>BMC Palliative Care</i> , <b>2009</b> , 8, 18	3	11
36	Delay in diagnosis: the experience in Denmark. <i>British Journal of Cancer</i> , <b>2009</b> , 101 Suppl 2, S5-8	8.7	159
35	Using semantic components to search for domain-specific documents: An evaluation from the system perspective and the user perspective. <i>Information Systems</i> , <b>2009</b> , 34, 724-752	2.7	11
34	Association between general practice referral rates and patients' socioeconomic status and access to specialised health care a population-based nationwide study. <i>Health Policy</i> , <b>2009</b> , 92, 180-6	3.2	28
33	Associations between home death and GP involvement in palliative cancer care. <i>British Journal of General Practice</i> , <b>2009</b> , 59, 671-7	1.6	42
32	A Danish population-based cohort study of newly diagnosed asthmatic children's care pathway - adherence to guidelines. <i>BMC Health Services Research</i> , <b>2008</b> , 8, 130	2.9	13
31	Patient characteristics associated with differences in patients' evaluation of their general practitioner. <i>BMC Health Services Research</i> , <b>2008</b> , 8, 178	2.9	35
30	Case management used to optimize cancer care pathways: a systematic review. <i>BMC Health Services Research</i> , <b>2008</b> , 8, 227	2.9	43
29	Data quality and confirmatory factor analysis of the Danish EUROPEP questionnaire on patient evaluation of general practice. <i>Scandinavian Journal of Primary Health Care</i> , <b>2008</b> , 26, 174-80	2.7	30
28	Association between patients' recommendation of their GP and their evaluation of the GP. <i>Scandinavian Journal of Primary Health Care</i> , <b>2008</b> , 26, 228-34	2.7	27
27	Continuing medical education and burnout among Danish GPs. <i>British Journal of General Practice</i> , <b>2008</b> , 58, 15-9	1.6	32
26	Doctor and practice characteristics associated with differences in patient evaluations of general practice. <i>BMC Health Services Research</i> , <b>2007</b> , 7, 46	2.9	32
25	National registry diagnoses agree with medical records on hospitalized asthmatic children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2007</b> , 96, 1470-3	3.1	39
24	Identification of asthmatic children using prescription data and diagnosis. <i>European Journal of Clinical Pharmacology</i> , <b>2007</b> , 63, 605-11	2.8	56
23	Semantic components enhance retrieval of domain-specific documents <b>2007</b> ,		11
22	A cluster-randomized trial of the significance of a reminder procedure in a patient evaluation survey in general practice. <i>International Journal for Quality in Health Care</i> , <b>2006</b> , 18, 232-7	1.9	12

21	Delay in diagnosis of lung cancer in general practice. <i>British Journal of General Practice</i> , <b>2006</b> , 56, 863-8	1.6	70
20	Frequent attenders in general practice care: a literature review with special reference to methodological considerations. <i>Public Health</i> , <b>2005</b> , 119, 118-37	4	168
19	Intramuscular pressure and tissue oxygenation during low-force static contraction do not underlie muscle fatigue. <i>Acta Physiologica Scandinavica</i> , <b>2005</b> , 183, 379-88		31
18	The WONCA World Congress 2004 did not meet academic standards. <i>Family Practice</i> , <b>2005</b> , 22, 576-7; author reply 577-8	1.9	2
17	Social environment and frequent attendance in Danish general practice. <i>British Journal of General Practice</i> , <b>2005</b> , 55, 510-5	1.6	25
16	Variation in proportion of frequent attenders between Danish general practices. <i>Scandinavian Journal of Public Health</i> , <b>2004</b> , 32, 188-93	3	7
15	Physical, mental and social factors associated with frequent attendance in Danish general practice. A population-based cross-sectional study. <i>Social Science and Medicine</i> , <b>2004</b> , 59, 813-23	5.1	43
14	Drug prescription for adult frequent attenders in Danish general practice: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2004</b> , 13, 717-24	2.6	12
13	Do general practitioners want payment for their data collection?. <i>European Journal of Epidemiology</i> , <b>2004</b> , 19, 605-6	12.1	
12	Muscle performance following fatigue induced by isotonic and quasi-isometric contractions of rat extensor digitorum longus and soleus muscles in vitro. <i>Acta Physiologica Scandinavica</i> , <b>2003</b> , 178, 175-86		29
11	Special status consultation for frequent attenders. Who are the candidates?. <i>Journal of Public Health</i> , <b>2002</b> , 24, 53-7	3.5	6
10	Patient and GP agreement on aspects of general practice care. <i>Family Practice</i> , <b>2002</b> , 19, 339-43	1.9	24
9	Patient satisfaction with availability of general practice: an international comparison. <i>International Journal for Quality in Health Care</i> , <b>2002</b> , 14, 111-8	1.9	75
8	The effect of an out-of-hours reform on attendance at casualty wards. The Danish example. <i>Scandinavian Journal of Primary Health Care</i> , <b>2001</b> , 19, 95-8	2.7	21
7	Psychological distress as a predictor of frequent attendance in family practice: a cohort study. <i>Psychosomatics</i> , <b>2001</b> , 42, 416-22	2.6	50
6	The association between daytime attendance and out-of-hours frequent attendance among adult patients in general practice. <i>British Journal of General Practice</i> , <b>2001</b> , 51, 121-4	1.6	9
5	Frequent attenders in out-of-hours general practice care: attendance prognosis. <i>Family Practice</i> , <b>1999</b> , 16, 283-8	1.9	18
4	Effect of a reorganized after-hours family practice service on frequent attenders. <i>Family Medicine</i> , <b>1999</b> , 31, 270-5	0.8	8

3	Does a computerized price comparison module reduce prescribing costs in general practice?. <i>Family Practice</i> , <b>1997</b> , 14, 199-203	1.9	13
2	Change in ranking order of prescribing patterns by age and sex standardization of the practice population--audit may be misleading. <i>Scandinavian Journal of Primary Health Care</i> , <b>1996</b> , 14, 159-64	2.7	3
1	Trajectories in Outpatient Care for People with Multimorbidity: A Population-Based Register Study in Denmark. <i>Clinical Epidemiology</i> , Volume 14, 749-762	5.9	0