Carmen Rossello

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8195623/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Measurement of microstructural changes promoted by ultrasound application on plant materials with different porosity. Ultrasonics Sonochemistry, 2022, 88, 106087.	3.8	3
2	Addition of a mushroom by-product in oil-in-water emulsions for the microencapsulation of sunflower oil by spray drying. Food Chemistry, 2021, 343, 128429.	4.2	17
3	Mathematical Modelling of Ultrasound-Assisted Extraction Kinetics of Bioactive Compounds from Artichoke By-Products. Foods, 2021, 10, 931.	1.9	11
4	Stabilization of oil-in-water emulsions with a mushroom (Agaricus bisporus) by-product. Journal of Food Engineering, 2021, 307, 110667.	2.7	7
5	Evaluation of the addition of artichoke by-products to O/W emulsions for oil microencapsulation by spray drying. LWT - Food Science and Technology, 2021, 151, 112146.	2.5	7
6	Ultrasound-assisted extraction of ergosterol and antioxidant components from mushroom by-products and the attainment of a 1²-glucan rich residue. Food Chemistry, 2020, 332, 127390.	4.2	39
7	Ultrasound-Assisted Aqueous Extraction of Biocompounds from Orange Byproduct: Experimental Kinetics and Modeling. Antioxidants, 2020, 9, 352.	2.2	16
8	Influence of freezing on the bioaccessibility of beetroot (<scp><i>Beta vulgaris</i></scp>) bioactive compounds during <i>in vitro</i> gastric digestion. Journal of the Science of Food and Agriculture, 2019, 99, 1055-1065.	1.7	14
9	Effects of acoustic power and pH onÂpectinâ€enriched extracts obtained from citrus byâ€products. Modelling of the extraction process. Journal of the Science of Food and Agriculture, 2019, 99, 6893-6902.	1.7	11
10	Effects of convective drying and freeze-drying on the release of bioactive compounds from beetroot during <i>in vitro</i> gastric digestion. Food and Function, 2019, 10, 3209-3223.	2.1	19
11	Ultrasound assisted lowâ€ŧemperature drying of kiwifruit: Effects on drying kinetics, bioactive compounds and antioxidant activity. Journal of the Science of Food and Agriculture, 2019, 99, 2901-2909.	1.7	38
12	Effects of freezing treatments before convective drying on quality parameters: Vegetables with different microstructures. Journal of Food Engineering, 2019, 249, 15-24.	2.7	33
13	On the effect of ultrasound-assisted atmospheric freeze-drying on the antioxidant properties of eggplant. Food Research International, 2018, 106, 580-588.	2.9	55
14	Application of power ultrasound on the convective drying of fruits and vegetables: effects on quality. Journal of the Science of Food and Agriculture, 2018, 98, 1660-1673.	1.7	66
15	Freezing pre-treatments on the intensification of the drying process of vegetables with different structures. Journal of Food Engineering, 2018, 239, 83-91.	2.7	23
16	Antioxidant potential of atmospheric freeze-dried apples as affected by ultrasound application and sample surface. Drying Technology, 2017, 35, 957-968.	1.7	26
17	Effects of freezing, freeze drying and convective drying on in vitro gastric digestion of apples. Food Chemistry, 2017, 215, 7-16.	4.2	65
18	Effect of different drying procedures on physicochemical properties and flow behavior of Aloe vera (Aloe barbadensis Miller) gel. LWT - Food Science and Technology, 2016, 74, 378-386.	2.5	45

#	Article	IF	CITATIONS
19	Ultrasound-assisted extraction of hemicelluloses from grape pomace using response surface methodology. Carbohydrate Polymers, 2016, 138, 180-191.	5.1	79
20	A multivariate methodology to distinguish among wine Appellations of Origin. Agronomy for Sustainable Development, 2015, 35, 295-304.	2.2	4
21	Intensification of Predrying Treatments by Means of Ultrasonic Assistance: Effects on Water Mobility, PPO Activity, Microstructure, and Drying Kinetics of Apple. Food and Bioprocess Technology, 2015, 8, 503-515.	2.6	23
22	Effect of power ultrasound application on aqueous extraction of phenolic compounds and antioxidant capacity from grape pomace (Vitis vinifera L.): Experimental kinetics and modeling. Ultrasonics Sonochemistry, 2015, 22, 506-514.	3.8	166
23	Potential of landrace winery by-products (<i>Vitis vinifera L.</i>) as a source of phenolic compounds with antioxidant properties. Oeno One, 2015, 49, 241.	0.7	1
24	Influence of power ultrasound application on drying kinetics of apple and its antioxidant and microstructural properties. Journal of Food Engineering, 2014, 129, 21-29.	2.7	172
25	Ultrasound-assisted extraction of pectins from grape pomace using citric acid: A response surface methodology approach. Carbohydrate Polymers, 2014, 106, 179-189.	5.1	195
26	Effect of acoustic frequency and power density on the aqueous ultrasonic-assisted extraction of grape pomace (Vitis vinifera L.) – A response surface approach. Ultrasonics Sonochemistry, 2014, 21, 2176-2184.	3.8	187
27	Acoustically assisted supercritical CO2 extraction of cocoa butter: Effects on kinetics and quality. Journal of Supercritical Fluids, 2014, 94, 30-37.	1.6	18
28	Guest Editorial: EuroDrying'2011: Palma De Mallorca, Spain, October 26–28, 2011. Drying Technology, 2013, 31, 865-865.	1.7	0
29	Optimization of the Drying Process of Carrot (<i>Daucus carota</i> v. Nantes) on the Basis of Quality Criteria. Drying Technology, 2013, 31, 951-962.	1.7	49
30	Simultaneous Quantification of Fat and Water Content in Cheese by TD-NMR. Food and Bioprocess Technology, 2013, 6, 2685-2694.	2.6	24
31	Characterization of Polyphenols and Antioxidant Potential of White Grape Pomace Byproducts (<i>Vitis vinifera</i> L.). Journal of Agricultural and Food Chemistry, 2013, 61, 11579-11587.	2.4	76
32	Optimisation of the addition of carrot dietary fibre to a dry fermented sausage (sobrassada) using artificial neural networks. Meat Science, 2013, 94, 341-348.	2.7	17
33	Identification of behaviour patterns of viticultural regions according to their agroclimatic fingerprint and grape characteristics. Australian Journal of Grape and Wine Research, 2013, 19, 53-61.	1.0	5
34	Validation of a Difussion Model Using Moisture Profiles Measured by Means of TD-NMR in Apples (Malus domestica). Food and Bioprocess Technology, 2013, 6, 542-552.	2.6	13
35	Influence of the Addition of Dietary Fiber on the Drying Curves and Microstructure of a Dry Fermented Sausage (<i>Sobrassada</i>). Drying Technology, 2012, 30, 146-153.	1.7	6
36	Proanthocyanidin Composition and Antioxidant Potential of the Stem Winemaking Byproducts from 10 Different Grape Varieties (Vitis vinifera L.). Journal of Agricultural and Food Chemistry, 2012, 60, 11850-11858.	2.4	115

#	Article	IF	CITATIONS
37	Intensification of Low-Temperature Drying by Using Ultrasound. Drying Technology, 2012, 30, 1199-1208.	1.7	85
38	Mathematical Modeling of Moisture Distribution and Kinetics in Cheese Drying. Drying Technology, 2012, 30, 1247-1255.	1.7	11
39	Effects of pasteurization on bioactive polysaccharide acemannan and cell wall polymers from Aloe barbadensis Miller. Carbohydrate Polymers, 2011, 86, 1675-1683.	5.1	75
40	Moisture profiles in cheese drying determined by TD-NMR: Mathematical modeling of mass transfer. Journal of Food Engineering, 2011, 104, 525-531.	2.7	33
41	Moisture Sorption Isotherms and Thermodynamic Properties of Carrot. International Journal of Food Engineering, 2011, 7, .	0.7	27
42	Application of Multivariate Statistical Analysis to Chemical, Physical and Sensory Characteristics of Majorcan Cheese. International Journal of Food Engineering, 2010, 6, .	0.7	6
43	Effects of air-drying temperature on the cell walls of kiwifruit processed at different stages of ripening. LWT - Food Science and Technology, 2009, 42, 106-112.	2.5	38
44	Effects of addition of carrot dietary fibre on the ripening process of a dry fermented sausage (sobrassada). Meat Science, 2008, 80, 173-182.	2.7	107
45	Kinetics and Mass Transfer during Atmospheric Freeze Drying of Red Pepper. Drying Technology, 2007, 25, 1155-1161.	1.7	37
46	Mathematical Modeling of Drying Kinetics for Apricots: Influence of the External Resistance to Mass Transfer. Drying Technology, 2007, 25, 1829-1835.	1.7	46
47	Effects of Heat Treatment and Dehydration on Pineapple (Ananas comosus L. Merr) Cell Walls. International Journal of Food Engineering, 2007, 3, .	0.7	6
48	Effect of air-drying temperature on physico-chemical properties of dietary fibre and antioxidant capacity of orange (Citrus aurantium v. Canoneta) by-products. Food Chemistry, 2007, 104, 1014-1024.	4.2	354
49	Water desorption thermodynamic properties of pineapple. Journal of Food Engineering, 2007, 80, 1293-1301.	2.7	61
50	Influence of ultrasound intensity on mass transfer in apple immersed in a sucrose solution. Journal of Food Engineering, 2007, 78, 472-479.	2.7	154
51	A Diffusional Model with a Moisture-Dependent Diffusion Coefficient. Drying Technology, 2006, 24, 1365-1372.	1.7	24
52	Drying of orange skin: drying kinetics modelling and functional properties. Journal of Food Engineering, 2006, 75, 288-295.	2.7	86
53	Mass Transfer Modelling in an Acoustic-Assisted Osmotic Process. Defect and Diffusion Forum, 2006, 258-260, 600-609.	0.4	2
54	Effect of Air Temperature on Convective Drying Assisted by High Power Ultrasound. Defect and Diffusion Forum, 2006, 258-260, 563-574.	0.4	31

#	Article	IF	CITATIONS
55	Use of exponential, Page's and diffusional models to simulate the drying kinetics of kiwi fruit. Journal of Food Engineering, 2005, 66, 323-328.	2.7	278
56	Mathematical modelling of the drying curves of kiwi fruits: influence of the ripening stage. Journal of the Science of Food and Agriculture, 2005, 85, 425-432.	1.7	45
57	Drying of Red Pepper (Capsicum Annuum): Water Desorption and Quality. International Journal of Food Engineering, 2005, 1, .	0.7	23
58	Simulation of the drying curves of a meat-based product: effect of the external resistance to mass transfer. Journal of Food Engineering, 2003, 58, 193-199.	2.7	43
59	Ultrasonic determination of the composition of a meat-based product. Journal of Food Engineering, 2003, 58, 253-257.	2.7	62
60	Effects of heat treatment and dehydration on bioactive polysaccharide acemannan and cell wall polymers from Aloe barbadensis Miller. Carbohydrate Polymers, 2003, 51, 397-405.	5.1	177
61	The use of ultrasound velocity measurement to evaluate the textural properties of sobrassada from Mallorca. Journal of Food Engineering, 2002, 52, 323-330.	2.7	37
62	Evaluation of textural properties of a meat-based product (sobrassada) using ultrasonic techniques. Journal of Food Engineering, 2002, 53, 279-285.	2.7	29
63	Composition assessment of raw meat mixtures using ultrasonics. Meat Science, 2001, 57, 365-370.	2.7	78
64	Effects of Supercritical Carbon Dioxide (SC-CO2) Oil Extraction on the Cell Wall Composition of Almond Fruits. Journal of Agricultural and Food Chemistry, 2001, 49, 5828-5834.	2.4	39
65	Proteolysis of Mahon cheese as affected by acoustic-assisted brining. European Food Research and Technology, 2001, 212, 147-152.	1.6	16
66	Water and salt diffusion during cheese ripening: effect of the external and internal resistances to mass transfer. Journal of Food Engineering, 2001, 48, 269-275.	2.7	68
67	Effect of storage temperature on the cell wall components of broccoli (Brassica oleracea L. Var.) Tj ETQq1 1 0.784	4314 rgBT 2.7	/Overlock 10
68	Effect of Acoustic Brining on Lipolysis and on Sensory Characteristics of Mahon Cheese. Journal of Food Science, 2001, 66, 892-896.	1.5	18
69	Effect of rehydration temperature on the cell wall components of broccoli (Brassica oleracea L. Var.) Tj ETQq1 1 C).784314 r 2.7	gBT /Overloc
70	Dehydration of aloe vera: simulation of drying curves and evaluation of functional properties. Journal of Food Engineering, 2000, 43, 109-114.	2.7	101
71	Instrumental and Expert Assessment of Mahon Cheese Texture. Journal of Food Science, 2000, 65, 1170-1174.	1.5	31
72	Effect of temperature and gas composition on the shelf-life of dehydrated apricots / Efecto de la temperatura y composición de la atmósfera sobre la vida útil de albaricoques deshidratados. Food Science and Technology International, 1999, 5, 377-383.	1.1	3

#	Article	IF	CITATIONS
73	Compositional features of polysaccharides from Aloe vera (Aloe barbadensis Miller) plant tissues. Carbohydrate Polymers, 1999, 39, 109-117.	5.1	273
74	Changes in the volatile fraction during ripening of Mahón cheese. Food Chemistry, 1999, 65, 219-225.	4.2	31
75	Ultrasonic Velocity in Cheddar Cheese as Affected by Temperature. Journal of Food Science, 1999, 64, 1038-1041.	1.5	21
76	Developmental and ripening-related effects on the cell wall of apricot (Prunus armeniaca) fruit. Journal of the Science of Food and Agriculture, 1998, 77, 487-493.	1.7	45
77	Characterisation of the cell walls of loquat (Eriobotrya japonica L.) fruit tissues. Carbohydrate Polymers, 1998, 35, 169-177.	5.1	42
78	Use of ultrasound to increase mass transport rates during osmotic dehydration. Journal of Food Engineering, 1998, 36, 323-336.	2.7	195
79	Drying of shrinking cylinder-shaped bodies. Journal of Food Engineering, 1998, 37, 423-435.	2.7	80
80	Effects of Drying Pretreatments on the Cell Wall Composition of Grape Tissues. Journal of Agricultural and Food Chemistry, 1998, 46, 271-276.	2.4	51
81	Modification of Cell Wall Composition of Apricots (Prunus armeniaca) during Drying and Storage under Modified Atmospheres. Journal of Agricultural and Food Chemistry, 1998, 46, 5248-5253.	2.4	26
82	Microscopic crystalline inclusions in Mahón cheese / Inclusiones cristalinas microscópicas en el queso Mahón. Food Science and Technology International, 1997, 3, 43-47.	1.1	3
83	Nonisotropic Mass Transfer Model for Green Bean Drying. Journal of Agricultural and Food Chemistry, 1997, 45, 337-342.	2.4	64
84	Simple modelling of air drying curves of fresh and osmotically pre-dehydrated apple cubes. Journal of Food Engineering, 1997, 33, 139-150.	2.7	81
85	Drying characteristics of hemispherical solids. Journal of Food Engineering, 1997, 34, 109-122.	2.7	41
86	Evolution of free amino acid content during ripening of Mahon cheese. Food Chemistry, 1997, 60, 651-657.	4.2	47
87	Calorimetric Techniques Applied to the Determination of Isosteric Heat of Desorption for Potato. Journal of the Science of Food and Agriculture, 1997, 74, 57-63.	1.7	45
88	Quality of Raisins Treated and Stored under Different Conditions. Journal of Agricultural and Food Chemistry, 1996, 44, 3297-3302.	2.4	12
89	Drying models for green peas. Food Chemistry, 1996, 55, 121-128.	4.2	87
90	Moving Boundary Model For Simulating Moisture Movement In Grapes. Journal of Food Science, 1996, 61, 157-160.	1.5	40

#	Article	IF	CITATIONS
91	Chemical Composition of Bitter and Sweet Apricot Kernels. Journal of Agricultural and Food Chemistry, 1995, 43, 356-361.	2.4	135
92	Microbial and chemical changes in â€~Sobrasada' during ripening. Meat Science, 1995, 40, 379-385.	2.7	20
93	Quality of dried apricots: Effect of storage temperature, light and SO2 content. Journal of the Science of Food and Agriculture, 1994, 65, 121-124.	1.7	15
94	Heat and mass transfer model for potato drying. Chemical Engineering Science, 1994, 49, 3739-3744.	1.9	40
95	Storage Conditions Affect Quality of Raisins. Journal of Food Science, 1993, 58, 805-809.	1.5	40
96	ANALYSIS OF OPEN SUN DRYING EXPERIMENTS. Drying Technology, 1993, 11, 1385-1400.	1.7	14
97	Use of Peldri II (a fluorocarbon compound) in the preparation of cheese samples for examination by scanning electron microscopy. Journal of Dairy Research, 1993, 60, 129-132.	0.7	4
98	Simple mathematical model to predict the drying rates of potatoes. Journal of Agricultural and Food Chemistry, 1992, 40, 2374-2378.	2.4	73
99	Chemical composition of the shell of apricot seeds. Journal of the Science of Food and Agriculture, 1992, 59, 269-271.	1.7	13
100	SOLAR DRYING OF FRUITS IN A MEDITERRANEAN CLIMATE. Drying Technology, 1990, 8, 305-321.	1.7	9
101	DRYING OF CARROTS. I. DRYING MODELS Drying Technology, 1989, 7, 537-557.	1.7	107
102	DRYING OF CARROTS. II. EVALUATION OF DRYING MODELS. Drying Technology, 1989, 7, 641-661.	1.7	36
103	Effect of Air Temperature on Convective Drying Assisted by High Power Ultrasound. Defect and Diffusion Forum, 0, , 563-574.	0.4	4
104	Power Ultrasound-Assisted Impregnation of Apple Cubes with Vitamin B12. Food and Bioprocess Technology, 0, , 1.	2.6	2
105	Understanding air-drying behavior of potato peel waste. Drying Technology, 0, , 1-12.	1.7	3