

# Carlo L Acerini

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8196637/carlo-l-acerini-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121  
papers

7,103  
citations

45  
h-index

83  
g-index

125  
ext. papers

8,300  
ext. citations

7.3  
avg, IF

5.65  
L-index

#	Paper	IF	Citations
121	No relationship between prenatal or early postnatal androgen exposure and autistic traits: evidence using anogenital distance and penile length measurements at birth and 3 months of age. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2021</b> , 62, 876-883	7.9	4
120	Prenatal androgen exposure and children's gender-typed behavior and toy and playmate preferences. <i>Hormones and Behavior</i> , <b>2021</b> , 127, 104889	3.7	4
119	Surgical Practice in Girls with Congenital Adrenal Hyperplasia: An International Registry Study. <i>Sexual Development</i> , <b>2021</b> , 15, 229-235	1.6	0
118	Psychological Well-Being of Parents of Very Young Children With Type 1 Diabetes - Baseline Assessment. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 721028	5.7	0
117	Medication Adherence During Adjunct Therapy With Statins and ACE Inhibitors in Adolescents With Type 1 Diabetes. <i>Diabetes Care</i> , <b>2020</b> , 43, 1070-1076	14.6	8
116	Assessing the effect of closed-loop insulin delivery from onset of type 1 diabetes in youth on residual beta-cell function compared to standard insulin therapy (CLOuD study): a randomised parallel study protocol. <i>BMJ Open</i> , <b>2020</b> , 10, e033500	3	9
115	Clinical but Not Histological Outcomes in Males With 45,X/46,XY Mosaicism Vary Depending on Reason for Diagnosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 4366-4381	5.6	14
114	Home Use of Day-and-Night Hybrid Closed-Loop Insulin Delivery in Very Young Children: A Multicenter, 3-Week, Randomized Trial. <i>Diabetes Care</i> , <b>2019</b> , 42, 594-600	14.6	49
113	Young Children Have Higher Variability of Insulin Requirements: Observations During Hybrid Closed-Loop Insulin Delivery. <i>Diabetes Care</i> , <b>2019</b> , 42, 1344-1347	14.6	36
112	Assessing the efficacy, safety and utility of 6-month day-and-night automated closed-loop insulin delivery under free-living conditions compared with insulin pump therapy in children and adolescents with type 1 diabetes: an open-label, multicentre, multinational, single-period, randomised, parallel-group study protocol. <i>BMJ Open</i> , <b>2019</b> , 9, e027851	3	9
111	Reduced burden of diabetes and improved quality of life: Experiences from unrestricted day-and-night hybrid closed-loop use in very young children with type 1 diabetes. <i>Pediatric Diabetes</i> , <b>2019</b> , 20, 794-799	3.6	43
110	Human Milk Short-Chain Fatty Acid Composition is Associated with Adiposity Outcomes in Infants. <i>Journal of Nutrition</i> , <b>2019</b> , 149, 716-722	4.1	29
109	Reduced size at birth and persisting reductions in adiposity in recent, compared with earlier, cohorts of infants born to mothers with gestational diabetes mellitus. <i>Diabetologia</i> , <b>2019</b> , 62, 1977-1987	10.3	14
108	Temporal trends without seasonal effects on gestational diabetes incidence relate to reductions in indices of insulin secretion: the Cambridge Baby Growth Study. <i>Acta Diabetologica</i> , <b>2019</b> , 56, 1133-1140	3.9	5
107	Quantifying energy expenditure in childhood: utility in managing pediatric metabolic disorders. <i>American Journal of Clinical Nutrition</i> , <b>2019</b> , 110, 1186-1191	7	0
106	Temporal Trends in Maternal Food Intake Frequencies and Associations with Gestational Diabetes: The Cambridge Baby Growth Study. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	6
105	Clinical Practice Guidance: Surveillance for pheochromocytoma and paraganglioma in paediatric succinate dehydrogenase gene mutation carriers. <i>Clinical Endocrinology</i> , <b>2019</b> , 90, 499-505	3.4	10

104	Age at Menarche and Blood Pressure in Pregnancy. <i>Pregnancy Hypertension</i> , <b>2019</b> , 15, 134-140	2.6	4
103	Vomiting in pregnancy is associated with a higher risk of low birth weight: a cohort study. <i>BMC Pregnancy and Childbirth</i> , <b>2018</b> , 18, 133	3.2	13
102	ISPAD Clinical Practice Consensus Guidelines 2018: Glycemic control targets and glucose monitoring for children, adolescents, and young adults with diabetes. <i>Pediatric Diabetes</i> , <b>2018</b> , 19 Suppl 27, 105-114	3.6	268
101	ISPAD Clinical Practice Consensus Guidelines 2018: Nutritional management in children and adolescents with diabetes. <i>Pediatric Diabetes</i> , <b>2018</b> , 19 Suppl 27, 136-154	3.6	80
100	ISPAD Clinical Practice Consensus Guidelines 2018: Psychological care of children and adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , <b>2018</b> , 19 Suppl 27, 237-249	3.6	111
99	ISPAD Clinical Practice Consensus Guidelines 2018: Management and support of children and adolescents with type 1 diabetes in school. <i>Pediatric Diabetes</i> , <b>2018</b> , 19 Suppl 27, 287-301	3.6	33
98	Serum Phthalate and Triclosan Levels Have Opposing Associations With Risk Factors for Gestational Diabetes Mellitus. <i>Frontiers in Endocrinology</i> , <b>2018</b> , 9, 99	5.7	33
97	Emotional and behavioral adjustment in 4 to 11-year-old boys and girls with classic congenital adrenal hyperplasia and unaffected siblings. <i>Psychoneuroendocrinology</i> , <b>2018</b> , 97, 104-110	5	8
96	ISPAD Clinical Practice Consensus Guidelines 2018: Management of cystic fibrosis-related diabetes in children and adolescents. <i>Pediatric Diabetes</i> , <b>2018</b> , 19 Suppl 27, 64-74	3.6	58
95	Associations of vomiting and antiemetic use in pregnancy with levels of circulating GDF15 early in the second trimester: A nested case-control study. <i>Wellcome Open Research</i> , <b>2018</b> , 3, 123	4.8	21
94	Shared Decision-Making in Growth Hormone Therapy-Implications for Patient Care. <i>Frontiers in Endocrinology</i> , <b>2018</b> , 9, 688	5.7	6
93	The influence of maternal pregnancy glucose concentrations on associations between a fetal imprinted gene allele score and offspring size at birth. <i>BMC Research Notes</i> , <b>2018</b> , 11, 821	2.3	2
92	Closed-loop insulin delivery in suboptimally controlled type 1 diabetes: a multicentre, 12-week randomised trial. <i>Lancet, The</i> , <b>2018</b> , 392, 1321-1329	4.0	183
91	ISPAD Clinical Practice Consensus Guidelines 2018: Limited Care Guidance Appendix. <i>Pediatric Diabetes</i> , <b>2018</b> , 19 Suppl 27, 328-338	3.6	5
90	ISPAD Clinical Practice Consensus Guidelines 2018: Introduction to the Limited Care guidance appendix. <i>Pediatric Diabetes</i> , <b>2018</b> , 19 Suppl 27, 326-327	3.6	2
89	Associations between the maternal circulating lipid profile in pregnancy and fetal imprinted gene alleles: a cohort study. <i>Reproductive Biology and Endocrinology</i> , <b>2018</b> , 16, 82	5	7
88	The association between age at menarche and later risk of gestational diabetes is mediated by insulin resistance. <i>Acta Diabetologica</i> , <b>2018</b> , 55, 853-859	3.9	7
87	Prenatal genetic diagnosis of Costello syndrome in a male fetus with recurrent HRAS mutation p.Gly12Ser. <i>Prenatal Diagnosis</i> , <b>2017</b> , 37, 409-411	3.2	4

86	An alternative sensor-based method for glucose monitoring in children and young people with diabetes. <i>Archives of Disease in Childhood</i> , <b>2017</b> , 102, 543-549	2.2	86
85	Closing the Loop in Adults, Children and Adolescents With Suboptimally Controlled Type 1 Diabetes Under Free Living Conditions: A Psychosocial Substudy. <i>Journal of Diabetes Science and Technology</i> , <b>2017</b> , 11, 1080-1088	4.1	66
84	Associations between bacterial infections and blood pressure in pregnancy. <i>Pregnancy Hypertension</i> , <b>2017</b> , 10, 202-206	2.6	6
83	Assessing the effectiveness of a 3-month day-and-night home closed-loop control combined with pump suspend feature compared with sensor-augmented pump therapy in youths and adults with suboptimally controlled type 1 diabetes: a randomised parallel study protocol. <i>BMJ Open</i> , <b>2017</b> , 7, e016738	3	13
82	Prenatal androgen exposure and children's aggressive behavior and activity level. <i>Hormones and Behavior</i> , <b>2017</b> , 96, 156-165	3.7	19
81	Sensor Life and Overnight Closed Loop: A Randomized Clinical Trial. <i>Journal of Diabetes Science and Technology</i> , <b>2017</b> , 11, 513-521	4.1	3
80	Optimizing Patient Management and Adherence for Children Receiving Growth Hormone. <i>Frontiers in Endocrinology</i> , <b>2017</b> , 8, 313	5.7	16
79	Early Pregnancy-Associated Plasma Protein A Concentrations Are Associated With Third Trimester Insulin Sensitivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 2000-2008	5.6	14
78	Associations Between Fetal Imprinted Genes and Maternal Blood Pressure in Pregnancy. <i>Hypertension</i> , <b>2016</b> , 68, 1459-1466	8.5	21
77	The rise of technology in diabetes care. Not all that is new is necessarily better. <i>Pediatric Diabetes</i> , <b>2016</b> , 17, 168-73	3.6	19
76	Cohort Profile: the Cambridge Baby Growth Study (CBGS). <i>International Journal of Epidemiology</i> , <b>2016</b> , 45, 35.a-g	7.8	29
75	Prenatal androgen exposure alters girls' responses to information indicating gender-appropriate behaviour. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2016</b> , 371, 20150125	5.8	97
74	Day-and-Night Hybrid Closed-Loop Insulin Delivery in Adolescents With Type 1 Diabetes: A Free-Living, Randomized Clinical Trial. <i>Diabetes Care</i> , <b>2016</b> , 39, 1168-74	14.6	86
73	Home Use of Day-and-Night Hybrid Closed-Loop Insulin Delivery in Suboptimally Controlled Adolescents With Type 1 Diabetes: A 3-Week, Free-Living, Randomized Crossover Trial. <i>Diabetes Care</i> , <b>2016</b> , 39, 2019-2025	14.6	51
72	Prenatal paracetamol exposure is associated with shorter anogenital distance in male infants. <i>Human Reproduction</i> , <b>2016</b> , 31, 2642-2650	5.7	48
71	An Unbiased Lipidomics Approach Identifies Early Second Trimester Lipids Predictive of Maternal Glycemic Traits and Gestational Diabetes Mellitus. <i>Diabetes Care</i> , <b>2016</b> , 39, 2232-2239	14.6	39
70	No relationship between prenatal androgen exposure and autistic traits: convergent evidence from studies of children with congenital adrenal hyperplasia and of amniotic testosterone concentrations in typically developing children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2016</b> , 57, 1455-1462	7.9	60
69	Breast milk nutrient content and infancy growth. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2016</b> , 105, 641-7	3.1	104

68	Increased Cross-Gender Identification Independent of Gender Role Behavior in Girls with Congenital Adrenal Hyperplasia: Results from a Standardized Assessment of 4- to 11-Year-Old Children. <i>Archives of Sexual Behavior</i> , <b>2015</b> , 44, 1363-75	3.5	81
67	Age at Weaning and Infant Growth: Primary Analysis and Systematic Review. <i>Journal of Pediatrics</i> , <b>2015</b> , 167, 317-24.e1	3.6	33
66	Postnatal penile growth concurrent with mini-puberty predicts later sex-typed play behavior: Evidence for neurobehavioral effects of the postnatal androgen surge in typically developing boys. <i>Hormones and Behavior</i> , <b>2015</b> , 69, 98-105	3.7	53
65	Home Use of an Artificial Beta Cell in Type 1 Diabetes. <i>New England Journal of Medicine</i> , <b>2015</b> , 373, 2129-31.40	3.140	325
64	Working memory performance is reduced in children with congenital adrenal hyperplasia. <i>Hormones and Behavior</i> , <b>2015</b> , 67, 83-8	3.7	36
63	Testing an integrated model of eating disorders in paediatric type 1 diabetes mellitus. <i>Pediatric Diabetes</i> , <b>2015</b> , 16, 521-8	3.6	8
62	Lipidomic analyses, breast- and formula-feeding, and growth in infants. <i>Journal of Pediatrics</i> , <b>2015</b> , 166, 276-81.e6	3.6	49
61	Overnight closed-loop insulin delivery in young people with type 1 diabetes: a free-living, randomized clinical trial. <i>Diabetes Care</i> , <b>2014</b> , 37, 1204-11	14.6	162
60	Anogenital distance and penile length in infants with hypospadias or cryptorchidism: comparison with normative data. <i>Environmental Health Perspectives</i> , <b>2014</b> , 122, 207-11	8.4	97
59	Feasibility of overnight closed-loop therapy in young children with type 1 diabetes aged 3-6 years: comparison between diluted and standard insulin strength. <i>BMJ Open Diabetes Research and Care</i> , <b>2014</b> , 2, e000040	4.5	27
58	Cerebral edema in children with diabetic ketoacidosis: vasogenic rather than cellular?. <i>Pediatric Diabetes</i> , <b>2014</b> , 15, 261-70	3.6	32
57	ISPAD Clinical Practice Consensus Guidelines 2014. Psychological care of children and adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , <b>2014</b> , 15 Suppl 20, 232-44	3.6	117
56	ISPAD Clinical Practice Consensus Guidelines 2014. Assessment and monitoring of glycemic control in children and adolescents with diabetes. <i>Pediatric Diabetes</i> , <b>2014</b> , 15 Suppl 20, 102-14	3.6	225
55	Introduction to the Limited Care Guidance Appendix to ISPAD Clinical Practice Consensus Guidelines 2014. <i>Pediatric Diabetes</i> , <b>2014</b> , 15 Suppl 20, 279-80	3.6	1
54	Evaluating the accuracy and large inaccuracy of two continuous glucose monitoring systems. <i>Diabetes Technology and Therapeutics</i> , <b>2013</b> , 15, 143-9	8.1	36
53	Pharmacokinetics of insulin aspart in pump-treated subjects with type 1 diabetes: reproducibility and effect of age, weight, and duration of diabetes. <i>Diabetes Care</i> , <b>2013</b> , 36, e173-4	14.6	40
52	Closed-loop basal insulin delivery over 36 hours in adolescents with type 1 diabetes: randomized clinical trial. <i>Diabetes Care</i> , <b>2013</b> , 36, 838-44	14.6	128
51	Transient neonatal diabetes, ZFP57, and hypomethylation of multiple imprinted loci: a detailed follow-up. <i>Diabetes Care</i> , <b>2013</b> , 36, 505-12	14.6	48

50	Understanding the growth hormone therapy adherence paradigm: a systematic review. <i>Hormone Research in Paediatrics</i> , <b>2013</b> , 79, 189-96	3.3	90
49	Insulin sensitivity assessed by stable isotopes with oral glucose administration: validation with euglycaemic clamp. <i>Isrn Endocrinology</i> , <b>2013</b> , 2013, 189412		1
48	Ultrasound estimates of visceral and subcutaneous-abdominal adipose tissues in infancy. <i>Journal of Obesity</i> , <b>2013</b> , 2013, 951954	3.7	22
47	Evaluation of a portable ambulatory prototype for automated overnight closed-loop insulin delivery in young people with type 1 diabetes. <i>Pediatric Diabetes</i> , <b>2012</b> , 13, 449-53	3.6	42
46	Breastfeeding and infant temperament at age three months. <i>PLoS ONE</i> , <b>2012</b> , 7, e29326	3.7	43
45	Initiating growth hormone therapy for children and adolescents. <i>British Journal of Nursing</i> , <b>2012</b> , 21, 1091-7	0.7	11
44	Automated overnight closed-loop glucose control in young children with type 1 diabetes. <i>Diabetes Technology and Therapeutics</i> , <b>2011</b> , 13, 419-24	8.1	45
43	Maternally transmitted foetal H19 variants and associations with birth weight. <i>Human Genetics</i> , <b>2011</b> , 130, 663-70	6.3	25
42	Associations between paternally transmitted fetal IGF2 variants and maternal circulating glucose concentrations in pregnancy. <i>Diabetes</i> , <b>2011</b> , 60, 3090-6	0.9	29
41	Meta-analysis of overnight closed-loop randomized studies in children and adults with type 1 diabetes: the Cambridge cohort. <i>Journal of Diabetes Science and Technology</i> , <b>2011</b> , 5, 1352-62	4.1	20
40	Cystic fibrosis related diabetes mellitus - diagnostic and management challenges. <i>Current Diabetes Reviews</i> , <b>2010</b> , 6, 9-16	2.7	23
39	Simulation environment to evaluate closed-loop insulin delivery systems in type 1 diabetes. <i>Journal of Diabetes Science and Technology</i> , <b>2010</b> , 4, 132-44	4.1	151
38	Physiological and clinical role of insulin in the neonate. <i>Expert Review of Endocrinology and Metabolism</i> , <b>2010</b> , 5, 197-207	4.1	
37	Maternal but not paternal association of ambulatory blood pressure with albumin excretion in young offspring with type 1 diabetes. <i>Diabetes Care</i> , <b>2010</b> , 33, 366-71	14.6	15
36	Treatment with recombinant human insulin-like growth factor (rhIGF)-I/rhIGF binding protein-3 complex improves metabolic control in subjects with severe insulin resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 2113-22	5.6	43
35	Manual closed-loop insulin delivery in children and adolescents with type 1 diabetes: a phase 2 randomised crossover trial. <i>Lancet, The</i> , <b>2010</b> , 375, 743-51	4.0	378
34	Parental attitudes towards overnight closed-loop glucose control in children with type 1 diabetes. <i>Diabetes Technology and Therapeutics</i> , <b>2010</b> , 12, 35-9	8.1	38
33	Prevalence of abnormal lipid profiles and the relationship with the development of microalbuminuria in adolescents with type 1 diabetes. <i>Diabetes Care</i> , <b>2009</b> , 32, 658-63	14.6	74

32	Overnight closed-loop insulin delivery with model predictive control: assessment of hypoglycemia and hyperglycemia risk using simulation studies. <i>Journal of Diabetes Science and Technology</i> , <b>2009</b> , 3, 1109-20	4.1	51
31	Effects of growth hormone and free fatty acids on insulin sensitivity in patients with type 1 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2009</b> , 94, 3297-305	5.6	17
30	Pegvisomant: current and potential novel therapeutic applications. <i>Expert Opinion on Biological Therapy</i> , <b>2009</b> , 9, 1553-63	5.4	7
29	Anogenital distance from birth to 2 years: a population study. <i>Environmental Health Perspectives</i> , <b>2009</b> , 117, 1786-90	8.4	134
28	The descriptive epidemiology of congenital and acquired cryptorchidism in a UK infant cohort. <i>Archives of Disease in Childhood</i> , <b>2009</b> , 94, 868-72	2.2	128
27	Insulin-like growth factor I concentrations in infancy predict differential gains in body length and adiposity: the Cambridge Baby Growth Study. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 90, 156-61	7	64
26	Effect of delay on measurement of blood glucose levels in young subjects with type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , <b>2009</b> , 86, e31-3	7.4	1
25	Hypomethylation of multiple imprinted loci in individuals with transient neonatal diabetes is associated with mutations in ZFP57. <i>Nature Genetics</i> , <b>2008</b> , 40, 949-51	36.3	417
24	MEN2 screening dilemmas in a family with a novel RET mutation in the MEN2 susceptibility region of the gene, a family history of Hirschsprung disease, and no family history of MEN2-related tumours. <i>Clinical Endocrinology</i> , <b>2008</b> , 68, 666-7	3.4	4
23	Traumatic brain injury is a rarely reported cause of growth hormone deficiency. <i>Journal of Pediatrics</i> , <b>2008</b> , 152, 590-3	3.6	14
22	Insulin analog preparations and their use in children and adolescents with type 1 diabetes mellitus. <i>Paediatric Drugs</i> , <b>2008</b> , 10, 163-76	4.2	17
21	Pregnancy insulin, glucose, and BMI contribute to birth outcomes in nondiabetic mothers. <i>Diabetes Care</i> , <b>2008</b> , 31, 2193-7	14.6	67
20	Neuroendocrine consequences of traumatic brain injury. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2008</b> , 21, 611-9	1.6	10
19	Head-injury-induced pituitary dysfunction. An old curiosity rediscovered. <i>Archives of Disease in Childhood</i> , <b>2008</b> , 93, 364-5	2.2	4
18	Factors controlling testis descent. <i>European Journal of Endocrinology</i> , <b>2008</b> , 159 Suppl 1, S75-82	6.5	105
17	Traumatic brain injury induced hypothalamic-pituitary dysfunction: a paediatric perspective. <i>Pituitary</i> , <b>2007</b> , 10, 373-80	4.3	34
16	Endocrine sequelae of traumatic brain injury in childhood. <i>Hormone Research in Paediatrics</i> , <b>2007</b> , 68 Suppl 5, 14-7	3.3	10
15	Effects of recombinant human IGF-I/IGF-binding protein-3 complex on glucose and glycerol metabolism in type 1 diabetes. <i>Diabetes</i> , <b>2006</b> , 55, 2365-70	0.9	32

14	Hypopituitarism in childhood and adolescence following traumatic brain injury: the case for prospective endocrine investigation. <i>European Journal of Endocrinology</i> , <b>2006</b> , 155, 663-9	6.5	54
13	Endocrine disrupting chemicals: a new and emerging public health problem?. <i>Archives of Disease in Childhood</i> , <b>2006</b> , 91, 633-41	2.2	56
12	Short-term suppression of elevated growth hormone concentrations following insulin-like growth factor 1 administration in young adults with type 1 diabetes does not alter glomerular filtration or albumin excretion rates. <i>Clinical Endocrinology</i> , <b>2006</b> , 65, 439-45	3.4	7
11	Childhood and adolescent diabetes. <i>Endocrine Development</i> , <b>2005</b> , 9, 107-120		10
10	Dose-dependent effects of recombinant human insulin-like growth factor (IGF)-I/IGF binding protein-3 complex on overnight growth hormone secretion and insulin sensitivity in type 1 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 4634-41	5.6	55
9	Review: New approaches to insulin therapy in children and adolescents with type 1 diabetes. <i>British Journal of Diabetes and Vascular Disease</i> , <b>2004</b> , 4, 16-20		
8	A family with severe insulin resistance and diabetes due to a mutation in AKT2. <i>Science</i> , <b>2004</b> , 304, 1325-8	3.3	439
7	European Society for Paediatric Endocrinology/Lawson Wilkins Pediatric Endocrine Society consensus statement on diabetic ketoacidosis in children and adolescents. <i>Pediatrics</i> , <b>2004</b> , 113, e133-40	7.4	199
6	Hypoglycemia prevalence in prepubertal children with type 1 diabetes on standard insulin regimen: use of continuous glucose monitoring system. <i>Diabetes Care</i> , <b>2003</b> , 26, 662-7	14.6	77
5	Randomized cross-over trial of insulin glargine plus lispro or NPH insulin plus regular human insulin in adolescents with type 1 diabetes on intensive insulin regimens. <i>Diabetes Care</i> , <b>2003</b> , 26, 799-804	14.6	119
4	Human metabolic syndrome resulting from dominant-negative mutations in the nuclear receptor peroxisome proliferator-activated receptor-gamma. <i>Diabetes</i> , <b>2003</b> , 52, 910-7	0.9	361
3	A longitudinal study of the effects of a gluten-free diet on glycemic control and weight gain in subjects with type 1 diabetes and celiac disease. <i>Diabetes Care</i> , <b>2002</b> , 25, 1117-22	14.6	95
2	Insulin-like growth factor-I for the treatment of type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , <b>2000</b> , 2, 335-43	6.7	7
1	Randomised placebo-controlled trial of human recombinant insulin-like growth factor I plus intensive insulin therapy in adolescents with insulin-dependent diabetes mellitus. <i>Lancet</i> , <b>1997</b> , 350, 1199-204	40	86