

A C R Albergaria-Barbosa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8196822/publications.pdf>

Version: 2024-02-01

16
papers

270
citations

1039406

9
h-index

940134

16
g-index

16
all docs

16
docs citations

16
times ranked

383
citing authors

#	ARTICLE	IF	CITATIONS
1	Concentration and distribution of polycyclic aromatic hydrocarbons in oysters from Todos os Santos Bay (Bahia, Brazil). <i>Marine Pollution Bulletin</i> , 2020, 151, 110781.	2.3	6
2	Historical inputs of polycyclic aromatic hydrocarbons in the preserved tropical estuary of the Itapicuru River, Bahia, Brazil. <i>Marine Pollution Bulletin</i> , 2020, 156, 111218.	2.3	8
3	Combining geochemical and chemometric tools to assess the environmental impact of potentially toxic elements in surface sediment samples from an urban river. <i>Marine Pollution Bulletin</i> , 2020, 155, 111146.	2.3	13
4	Bioavailability of polycyclic aromatic hydrocarbons to penguins on the coast of southeastern Brazil. <i>Marine Pollution Bulletin</i> , 2020, 157, 111306.	2.3	6
5	PCBs occurrence in marine bivalves and fish from Todos os Santos Bay, Bahia, Brazil. <i>Marine Pollution Bulletin</i> , 2020, 154, 111070.	2.3	11
6	Historical records of mercury deposition in dated sediment cores reveal the impacts of the legacy and present-day human activities in Todos os Santos Bay, Northeast Brazil. <i>Marine Pollution Bulletin</i> , 2019, 145, 396-406.	2.3	22
7	Evaluation of polycyclic aromatic hydrocarbons bioavailability on Santos Bay (Brazil) through levels of biliary metabolites. <i>Marine Pollution Bulletin</i> , 2018, 129, 822-828.	2.3	15
8	Distribution and sources of polycyclic aromatic hydrocarbons (PAHs) in surface sediments of a Tropical Bay influenced by anthropogenic activities (Todos os Santos Bay, BA, Brazil). <i>Marine Pollution Bulletin</i> , 2018, 137, 399-407.	2.3	42
9	Ocean acidification studies and the uncertainties relevance on measurements of marine carbonate system properties. <i>Brazilian Journal of Oceanography</i> , 2018, 66, 234-242.	0.6	5
10	<i>Mugil curema</i> as a PAH bioavailability monitor for Atlantic west sub-tropical estuaries. <i>Marine Pollution Bulletin</i> , 2017, 114, 609-614.	2.3	17
11	Fatty acid biomarkers in sediment samples via ultra-high resolution and accuracy time-of-flight mass spectrometry. <i>Organic Geochemistry</i> , 2016, 92, 24-31.	0.9	3
12	Evidence of sewage input to inner shelf sediments in the NE coast of Brazil obtained by molecular markers distribution. <i>Marine Pollution Bulletin</i> , 2015, 90, 312-316.	2.3	25
13	Determination of Geochemically Important Sterols and Triterpenols in Sediments Using Ultrahigh-Performance Liquid Chromatography Tandem Mass Spectrometry (UHPLC-MS/MS). <i>Analytical Chemistry</i> , 2015, 87, 7771-7778.	3.2	28
14	Assessment of trophic transfer of benzo(a)pyrene genotoxicity from the post-larval pink shrimp <i>F. brasiliensis</i> to the juvenile Florida pompano <i>T. carolinus</i> . <i>Environmental Toxicology and Pharmacology</i> , 2012, 34, 969-976.	2.0	7
15	Mutagenicity of blue rayon extracts of fish bile as a biomarker in a field study. <i>Environmental and Molecular Mutagenesis</i> , 2010, 51, 173-179.	0.9	3
16	Results from a 15-year study on hydrocarbon concentrations in water and sediment from Admiralty Bay, King George Island, Antarctica. <i>Antarctic Science</i> , 2009, 21, 209-220.	0.5	59