## Michele Callisaya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8196899/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Motoric cognitive risk syndrome. Neurology, 2014, 83, 718-726.  | 1.5 | 345       |
| 2  | Gait, gait variability and the risk of multiple incident falls in older people: a population-based study.<br>Age and Ageing, 2011, 40, 481-487.   | 0.7 | 258       |
| 3  | Ageing and gait variabilitya population-based study of older people. Age and Ageing, 2010, 39, 191-197.   | 0.7 | 231       |
| 4  | Type 2 diabetes mellitus and biomarkers of neurodegeneration. Neurology, 2015, 85, 1123-1130.   | 1.5 | 222       |
| 5  | Poor Gait Performance and Prediction of Dementia: Results From aÂMeta-Analysis. Journal of the<br>American Medical Directors Association, 2016, 17, 482-490.  | 1.2 | 206       |
| 6  | Cerebral White Matter Lesions, Gait, and the Risk of Incident Falls. Stroke, 2009, 40, 175-180.   | 1.0 | 201       |
| 7  | Cognitive Function, Gait, and Gait Variability in Older People: A Population-Based Study. Journals of<br>Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 726-732.                              | 1.7 | 163       |
| 8  | Brain Structural Change and Gait Decline: A Longitudinal Populationâ€Based Study. Journal of the<br>American Geriatrics Society, 2013, 61, 1074-1079.   | 1.3 | 134       |
| 9  | Falls, Cognitive Impairment, and Gait Performance: Results From the GOOD Initiative. Journal of the American Medical Directors Association, 2017, 18, 335-340.  | 1.2 | 119       |
| 10 | Sex Modifies the Relationship Between Age and Gait: A Population-Based Study of Older Adults.<br>Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2008, 63, 165-170.                          | 1.7 | 118       |
| 11 | Guidelines for Assessment of Gait and Reference Values for Spatiotemporal Gait Parameters in Older<br>Adults: The Biomathics and Canadian Gait Consortiums Initiative. Frontiers in Human Neuroscience,<br>2017, 11, 353. | 1.0 | 116       |
| 12 | Type 2 diabetes mellitus, brain atrophy, and cognitive decline. Neurology, 2019, 92, e823-e830.   | 1.5 | 112       |
| 13 | Gait phenotype from mild cognitive impairment to moderate dementia: results from the<br><scp>GOOD</scp> initiative. European Journal of Neurology, 2016, 23, 527-541.   | 1.7 | 111       |
| 14 | Type 2 diabetes mellitus, brain atrophy and cognitive decline in older people: a longitudinal study.<br>Diabetologia, 2019, 62, 448-458.  | 2.9 | 94        |
| 15 | A population-based study of sensorimotor factors affecting gait in older people. Age and Ageing, 2008, 38, 290-295.   | 0.7 | 87        |
| 16 | Prospective associations of low muscle mass and function with 10-year falls risk, incident fracture and mortality in community-dwelling older adults. Journal of Nutrition, Health and Aging, 2017, 21, 843-848.          | 1.5 | 80        |
| 17 | Motoric Cognitive Risk Syndrome and Falls Risk: A Multi-Center Study. Journal of Alzheimer's Disease, 2016, 53, 1043-1052.  | 1.2 | 77        |
| 18 | Longitudinal Relationships Between Cognitive Decline and Gait Slowing: The Tasmanian Study of<br>Cognition and Gait. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015,<br>70, 1226-1232. | 1.7 | 74        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Cognitive Function Modifies the Effect of Physiological Function on the Risk of Multiple FallsA<br>Population-Based Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences,<br>2013, 68, 1091-1097.    | 1.7 | 72        |
| 20 | Silent Infarcts and Cerebral Microbleeds Modify the Associations of White Matter Lesions With Gait and Postural Stability. Stroke, 2012, 43, 1505-1510.  | 1.0 | 71        |
| 21 | Risk of falls in older people during fast-walking – The TASCOG study. Gait and Posture, 2012, 36, 510-515.   | 0.6 | 71        |
| 22 | Cognitive status, fast walking speed and walking speed reserve—the Gait and Alzheimer Interactions<br>Tracking (GAIT) study. GeroScience, 2017, 39, 231-239.   | 2.1 | 71        |
| 23 | Sensorimotor Factors Affecting Gait Variability in Older PeopleA Population-Based Study. Journals of<br>Gerontology - Series A Biological Sciences and Medical Sciences, 2010, 65A, 386-392.                                       | 1.7 | 69        |
| 24 | Greater Daily Defined Dose of Antihypertensive Medication Increases the Risk of Falls in Older<br>People—A Populationâ€Based Study. Journal of the American Geriatrics Society, 2014, 62, 1527-1533.                               | 1.3 | 65        |
| 25 | <scp>GWAS</scp> analysis of handgrip and lower body strength in older adults in the <scp>CHARGE</scp> consortium. Aging Cell, 2016, 15, 792-800.   | 3.0 | 51        |
| 26 | Global and Regional Associations of Smaller Cerebral Gray and White Matter Volumes with Gait in<br>Older People. PLoS ONE, 2014, 9, e84909.  | 1.1 | 51        |
| 27 | Measuring ultrasound images of abdominal and lumbar multifidus muscles in older adults: A<br>reliability study. Manual Therapy, 2016, 23, 114-119.   | 1.6 | 48        |
| 28 | Activity monitors for increasing physical activity in adult stroke survivors. The Cochrane Library, 2018, 7, CD012543.   | 1.5 | 46        |
| 29 | Progression of White Matter Hyperintensities of Presumed Vascular Origin Increases the Risk of Falls<br>in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70,<br>360-366.        | 1.7 | 44        |
| 30 | Prospective associations of osteosarcopenia and osteodynapenia with incident fracture and mortality over 10 years in community-dwelling older adults. Archives of Gerontology and Geriatrics, 2019, 82, 67-73.                     | 1.4 | 43        |
| 31 | The importance of waist circumference and body mass index in cross-sectional relationships with risk of cardiovascular disease in Vietnam. PLoS ONE, 2018, 13, e0198202.   | 1.1 | 40        |
| 32 | Accuracy, Validity, and Reliability of an Electronic Visual Analog Scale for Pain on a Touch Screen<br>Tablet in Healthy Older Adults: A Clinical Trial. Interactive Journal of Medical Research, 2016, 5, e3.                     | 0.6 | 40        |
| 33 | Gray matter volume covariance patterns associated with gait speed in older adults: a multi-cohort<br>MRI study. Brain Imaging and Behavior, 2019, 13, 446-460.   | 1.1 | 38        |
| 34 | Frailty and Cerebral Small Vessel Disease: A Cross-Sectional Analysis of the Tasmanian Study of<br>Cognition and Gait (TASCOG). Journals of Gerontology - Series A Biological Sciences and Medical<br>Sciences, 2018, 73, 255-260. | 1.7 | 37        |
| 35 | Feasibility of a multi-modal exercise program on cognition in older adults with Type 2 diabetes – a pilot randomised controlled trial. BMC Geriatrics, 2017, 17, 237.  | 1.1 | 36        |
| 36 | National survey of risk factors for non-communicable disease in Vietnam: prevalence estimates and an assessment of their validity. BMC Public Health, 2016, 16, 498.   | 1.2 | 35        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | The efficacy of interactive, motion capture-based rehabilitation on functional outcomes in an inpatient stroke population: a randomized controlled trial. Clinical Rehabilitation, 2018, 32, 191-200.                           | 1.0 | 35        |
| 38 | Spatiotemporal Gait Characteristics Associated with Cognitive Impairment: A Multicenter<br>Cross-Sectional Study, the Intercontinental "Gait, cOgnitiOn & Decline―Initiative. Current<br>Alzheimer Research, 2018, 15, 273-282. | 0.7 | 35        |
| 39 | Gait Characteristics and Cognitive Decline: A Longitudinal Population-Based Study. Journal of<br>Alzheimer's Disease, 2019, 71, S5-S14.   | 1.2 | 35        |
| 40 | Regression to the mean of repeated ambulatory blood pressure monitoring in five studies. Journal of Hypertension, 2019, 37, 24-29.  | 0.3 | 32        |
| 41 | The assessment of abdominal and multifidus muscles and their role in physical function in older adults: a systematic review. Physiotherapy, 2017, 103, 21-39.   | 0.2 | 30        |
| 42 | Go Home, Sit Less: The Impact of Home Versus Hospital Rehabilitation Environment on Activity Levels of<br>Stroke Survivors. Archives of Physical Medicine and Rehabilitation, 2018, 99, 2216-2221.e1.                           | 0.5 | 30        |
| 43 | Genetic and lifestyle risk factors for MRI-defined brain infarcts in a population-based setting.<br>Neurology, 2019, 92, .  | 1.5 | 30        |
| 44 | Alcohol Consumption in Vietnam, and the Use of â€~Standard Drinks' to Measure Alcohol Intake.<br>Alcohol and Alcoholism, 2016, 51, 186-195.   | 0.9 | 29        |
| 45 | Effects of Exercise on Type 2 Diabetes Mellitus-Related Cognitive Impairment andÂDementia. Journal of<br>Alzheimer's Disease, 2017, 59, 503-513.  | 1.2 | 29        |
| 46 | Functional Near-infrared Spectroscopy Reveals the Compensatory Potential of Pre-frontal Cortical Activity for Standing Balance in Young and Older Adults. Neuroscience, 2021, 452, 208-218.                                     | 1.1 | 29        |
| 47 | Physical Activity in Vietnam: Estimates and Measurement Issues. PLoS ONE, 2015, 10, e0140941.   | 1.1 | 29        |
| 48 | Association of Dual Decline in Cognition and Gait Speed With Risk of Dementia in Older Adults. JAMA<br>Network Open, 2022, 5, e2214647.   | 2.8 | 29        |
| 49 | White Matter Lesion Progression. Stroke, 2015, 46, 3048-3057.   | 1.0 | 27        |
| 50 | Abdominal Obesity and Brain Atrophy in Type 2 Diabetes Mellitus. PLoS ONE, 2015, 10, e0142589.  | 1.1 | 25        |
| 51 | Assistive technologies to overcome sarcopenia in ageing. Maturitas, 2018, 112, 78-84.   | 1.0 | 23        |
| 52 | "Connecting patients and therapists remotely using technology is feasible and facilitates exercise<br>adherence after stroke― Topics in Stroke Rehabilitation, 2020, 27, 93-102.  | 1.0 | 23        |
| 53 | Gait initiation time is associated with the risk of multiple falls—A population-based study. Gait and Posture, 2016, 49, 19-24  | 0.6 | 22        |
| 54 | Identifying factors associated with sedentary time after stroke. Secondary analysis of pooled data from nine primary studies Topics in Stroke Rehabilitation, 2019, 26, 327-334.  | 1.0 | 22        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Test-retest reliability of measurements of abdominal and multifidus muscles using ultrasound imaging<br>in adults aged 50–79 years. Musculoskeletal Science and Practice, 2017, 28, 79-84.  | 0.6 | 21        |
| 56 | The complex genetics of gait speed: genome-wide meta-analysis approach. Aging, 2017, 9, 209-246.  | 1.4 | 21        |
| 57 | "FIND Technologyâ€; investigating the feasibility, efficacy and safety of controller-free interactive<br>digital rehabilitation technology in an inpatient stroke population: study protocol for a randomized<br>controlled trial. Trials, 2016, 17, 203. | 0.7 | 20        |
| 58 | Diabetes Therapies for Dementia. Current Neurology and Neuroscience Reports, 2019, 19, 58.  | 2.0 | 20        |
| 59 | Declining Prevalence of Tobacco Smoking in Vietnam. Nicotine and Tobacco Research, 2015, 17, 831-838.   | 1.4 | 19        |
| 60 | White Matter Hyperintensities and the Progression of Frailty—The Tasmanian Study of Cognition and<br>Gait. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1545-1550.  | 1.7 | 19        |
| 61 | The association between ambulatory activity, body composition and hip or knee joint replacement due to osteoarthritis: a prospective cohort study. Osteoarthritis and Cartilage, 2018, 26, 671-679.   | 0.6 | 18        |
| 62 | Dementia is Associated With Poorer Quality of Care and Outcomes After Stroke: An Observational Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 851-858.   | 1.7 | 17        |
| 63 | Associations Between the Dietary Inflammatory Index, Brain Volume, Small Vessel Disease, and Global<br>Cognitive Function. Journal of the Academy of Nutrition and Dietetics, 2021, 121, 915-924.e3.  | 0.4 | 17        |
| 64 | Sub-Cortical Infarcts and the Risk of Falls in Older People: Combined Results of TASCOG and Sydney MAS Studies. International Journal of Stroke, 2014, 9, 55-60.  | 2.9 | 16        |
| 65 | Lower limb muscle strength is associated with poor balance in middle-aged women: linear and nonlinear analyses. Osteoporosis International, 2016, 27, 2241-2248.  | 1.3 | 16        |
| 66 | Associations of health literacy with diabetic foot outcomes: a systematic review and metaâ€analysis.<br>Diabetic Medicine, 2018, 35, 1470-1479.   | 1.2 | 16        |
| 67 | Cortical Thickness, Volume, and Surface Area in the Motoric Cognitive Risk Syndrome. Journal of Alzheimer's Disease, 2021, 81, 651-665.   | 1.2 | 16        |
| 68 | Fruit and vegetable consumption in Vietnam, and the use of a â€~standard serving' size to measure intake.<br>British Journal of Nutrition, 2016, 116, 149-157.  | 1.2 | 15        |
| 69 | Heritability and Genome-Wide Association Analyses of Human Gait Suggest Contribution of Common<br>Variants. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 740-746.   | 1.7 | 15        |
| 70 | Medical, Sensorimotor and Cognitive Factors Associated With Gait Variability: A Longitudinal<br>Population-Based Study. Frontiers in Aging Neuroscience, 2018, 10, 419.   | 1.7 | 15        |
| 71 | Prospective associations of low muscle mass and strength with health-related quality of life over 10-year in community-dwelling older adults. Experimental Gerontology, 2019, 118, 65-71.   | 1.2 | 15        |
| 72 | A novel cognitive-motor exercise program delivered via a tablet to improve mobility in older people<br>with cognitive impairment – StandingTall Cognition and Mobility. Experimental Gerontology, 2021, 152,<br>111434.                                   | 1.2 | 15        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Sex differences in risk factors for aneurysmal subarachnoid haemorrhage: Systematic review and meta-analysis. Journal of the Neurological Sciences, 2019, 406, 116446.  | 0.3 | 13        |
| 74 | Sex differences in aneurysmal subarachnoid haemorrhage (aSAH): aneurysm characteristics, neurological complications, and outcome. Acta Neurochirurgica, 2020, 162, 2271-2282.   | 0.9 | 13        |
| 75 | Sedentary time and activity behaviors after stroke rehabilitation: Changes in the first 3 months home.<br>Topics in Stroke Rehabilitation, 2021, 28, 42-51.   | 1.0 | 13        |
| 76 | Gender Differences in Physical Activity Levels of Older People With Type 2 Diabetes Mellitus. Journal of Physical Activity and Health, 2016, 13, 409-415.   | 1.0 | 12        |
| 77 | Both Baseline and Change in Lower Limb Muscle Strength in Younger Women Are Independent<br>Predictors of Balance in Middle Age: A 12â€Year Populationâ€Based Prospective Study. Journal of Bone and<br>Mineral Research, 2017, 32, 1201-1208.                       | 3.1 | 12        |
| 78 | Longitudinal Associations of Serum 25-hydroxyvitamin D, Physical Activity, and Knee Pain and<br>Dysfunction with Muscle Loss in Community-dwelling Older Adults. Journals of Gerontology - Series<br>A Biological Sciences and Medical Sciences, 2018, 73, 526-531. | 1.7 | 12        |
| 79 | Vitamin D supplements for trunk muscle morphology in older adults: secondary analysis of a randomized controlled trial. Journal of Cachexia, Sarcopenia and Muscle, 2019, 10, 177-187.  | 2.9 | 12        |
| 80 | Regional Associations of Cortical Thickness With Gait Variability—The Tasmanian Study of Cognition<br>and Gait. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75,<br>1537-1544.  | 1.7 | 12        |
| 81 | Physical Therapist and Physical Therapist Student Knowledge, Confidence, Attitudes, and Beliefs About<br>Providing Care for People With Dementia: A Mixed-Methods Systematic Review. Physical Therapy, 2022,<br>102, .  | 1.1 | 12        |
| 82 | Cognitive inhibition tasks interfere with dual-task walking and increase prefrontal cortical activity more than working memory tasks in young and older adults. Gait and Posture, 2022, 95, 186-191.  | 0.6 | 12        |
| 83 | Observational Study of Brain Atrophy and Cognitive Decline Comparing a Sample of<br>Community-Dwelling People Taking Angiotensin Converting Enzyme Inhibitors and Angiotensin<br>Receptor Blockers Over Time. Journal of Alzheimer's Disease, 2019, 68, 1479-1488.  | 1.2 | 11        |
| 84 | Longitudinal associations between falls and future risk of cognitive decline, the Motoric Cognitive<br>Risk syndrome and dementia: the Einstein Ageing Study. Age and Ageing, 2022, 51, .   | 0.7 | 11        |
| 85 | Lifestyle modifications to improve musculoskeletal and bone health and reduce disability – A<br>life-course approach. Best Practice and Research in Clinical Rheumatology, 2014, 28, 461-478.   | 1.4 | 10        |
| 86 | The Association of Clinicâ€Based Mobility Tasks and Measures of Community Performance and Risk. PM<br>and R, 2018, 10, 704.   | 0.9 | 10        |
| 87 | Brain aging and gait. Aging Health, 2010, 6, 123-131.   | 0.3 | 9         |
| 88 | Self-Reported Exercise Prevalence and Determinants in the Long Term After Stroke: The North East<br>Melbourne Stroke Incidence Study. Journal of Stroke and Cerebrovascular Diseases, 2017, 26,<br>2855-2863.   | 0.7 | 9         |
| 89 | Dietary Patterns Are Not Associated with Brain Atrophy or Cerebral Small Vessel Disease in Older<br>Adults with and without Type 2 Diabetes. Journal of Nutrition, 2019, 149, 1805-1811.  | 1.3 | 9         |
| 90 | The associations between dual-task walking under three different interference conditions and cognitive function. Gait and Posture, 2020, 82, 174-180.   | 0.6 | 9         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Room for improvement: An online survey of allied health professionals' dementia knowledge.<br>Australasian Journal on Ageing, 2021, 40, 195-201.   | 0.4 | 9         |
| 92  | Longitudinal associations of childhood fitness and obesity profiles with midlife cognitive function: an Australian cohort study. Journal of Science and Medicine in Sport, 2022, 25, 667-672.  | 0.6 | 9         |
| 93  | Case-Fatality and Functional Outcome after Subarachnoid Hemorrhage (SAH) in INternational STRoke<br>oUtComes sTudy (INSTRUCT). Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106201.   | 0.7 | 8         |
| 94  | The Association Between Physical Activity Intensity, Cognition, and Brain Structure in People With<br>Type 2 Diabetes. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76,<br>2047-2053.                | 1.7 | 7         |
| 95  | Frailty Is Associated With Cognitive Decline Independent of Cerebral Small Vessel Disease and Brain<br>Atrophy. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77,<br>1819-1826.                       | 1.7 | 7         |
| 96  | Associations of health literacy with risk factors for diabetic foot disease: a cross-sectional analysis<br>of the Southern Tasmanian Health Literacy and Foot Ulcer Development in Diabetes Mellitus Study.<br>BMJ Open, 2019, 9, e025349. | 0.8 | 6         |
| 97  | Adherence to the Australian Dietary Guidelines Is Not Associated with Brain Structure or Cognitive Function in Older Adults. Journal of Nutrition, 2020, 150, 1529-1534.   | 1.3 | 6         |
| 98  | "Factors influencing sedentary time and physical activity early after stroke: a qualitative study―<br>Disability and Rehabilitation, 2022, 44, 3501-3509.  | 0.9 | 6         |
| 99  | The Associations Between Grey Matter Volume Covariance Patterns and Gait Variability—The Tasmanian<br>Study of Cognition and Gait. Brain Topography, 2021, 34, 478-488.  | 0.8 | 6         |
| 100 | Rapid implementation of telehealth in geriatric outpatient clinics due to COVIDâ€19. Internal Medicine<br>Journal, 2021, 51, 1151-1155.  | 0.5 | 6         |
| 101 | Comparison of manual and automated auscultatory blood pressure during graded exercise among people with type 2 diabetes. Journal of Clinical Hypertension, 2019, 21, 1872-1878.  | 1.0 | 5         |
| 102 | New Horizons—Cognitive Dysfunction Associated With Type 2 Diabetes. Journal of Clinical<br>Endocrinology and Metabolism, 2022, 107, 929-942.   | 1.8 | 5         |
| 103 | Longitudinal associations between serum 25-hydroxyvitamin D, physical activity, knee pain and<br>dysfunction and physiological falls risk in community-dwelling older adults. Experimental<br>Gerontology, 2018, 104, 72-77.               | 1.2 | 4         |
| 104 | Exploring patterns of personal alarm system use and impacts on outcomes. Australasian Journal on<br>Ageing, 2021, 40, 252-260.   | 0.4 | 4         |
| 105 | Sedentary time and physical activity patterns of stroke survivors during the inpatient rehabilitation week. International Journal of Rehabilitation Research, 2021, 44, 131-137.   | 0.7 | 4         |
| 106 | Protocol of a 12-month multifactorial eHealth programme targeting balance, dual-tasking and mood<br>to prevent falls in older people: the <i>StandingTall</i> + randomised controlled trial. BMJ Open, 2021,<br>11, e051085.               | 0.8 | 4         |
| 107 | Sex differences in total cholesterol of Vietnamese adults. PLoS ONE, 2021, 16, e0256589.   | 1.1 | 4         |
| 108 | Misclassification of blood pressure of Vietnamese adults when only a single measurement is used.<br>Journal of the American Society of Hypertension, 2018, 12, 671-680.  | 2.3 | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Activity Monitors for Increasing Physical Activity in Adult Stroke Survivors. Stroke, 2019, 50, STROKEAHA118023088.  | 1.0 | 3         |
| 110 | The association between simple reaction time variability and gait variability: The Tasmanian Study of Cognition and Gait. Gait and Posture, 2021, 89, 206-210.   | 0.6 | 3         |
| 111 | Adherence to evidence-based processes of care reduces one-year mortality after aneurysmal subarachnoid hemorrhage (aSAH). Journal of the Neurological Sciences, 2021, 428, 117613.   | 0.3 | 3         |
| 112 | Cognition, educational attainment and diabetes distress predict poor health literacy in diabetes: A cross-sectional analysis of the SHELLED study. PLoS ONE, 2022, 17, e0267265.   | 1.1 | 3         |
| 113 | Neither Leg Muscle Strength Nor Balance Is Associated With the Incidence of Falls in Middle-Aged<br>Women: A 5-Year Population-Based Prospective Study. Journals of Gerontology - Series A Biological<br>Sciences and Medical Sciences, 2021, 76, e187-e193. | 1.7 | 2         |
| 114 | Uncovering healthcare staff attitudes to the rapid deployment of telehealth in Victoria, 2020–2021: a<br>12â€month telehealth experience. Internal Medicine Journal, 2023, 53, 1018-1026.  | 0.5 | 2         |
| 115 | Prospective associations between pain at multiple sites and falls among communityâ€dwelling older<br>Australians. Internal Medicine Journal, 2023, 53, 503-509.  | 0.5 | 2         |
| 116 | Times are changing; researchers need to change too. European Journal of Neurology, 2016, 23, e10-e10.  | 1.7 | 1         |
| 117 | Activity monitors for increasing physical activity in adult stroke survivors. The Cochrane Library, 0, , .   | 1.5 | 1         |
| 118 | Identifying subgroups of community-dwelling older adults and their prospective associations with long-term knee osteoarthritis outcomes. Clinical Rheumatology, 2020, 39, 1429-1437.   | 1.0 | 1         |
| 119 | Association between socioeconomic status and joint replacement of the hip and knee: a<br>populationâ€based cohort study of older adults in Tasmania. Internal Medicine Journal, 2022, 52, 265-271.   | 0.5 | 1         |
| 120 | The Interdependence of Blood Pressure and Glucose in Vietnam. High Blood Pressure and Cardiovascular Prevention, 2021, 28, 141-150.  | 1.0 | 1         |
| 121 | COVIDâ€19 restrictions increased perceptions of social isolation for older people discharged home after rehabilitation: A mixedâ€methods study. Australasian Journal on Ageing, 2022, , .  | 0.4 | 1         |
| 122 | OP0143â€The Effect of Physical Activity on The Risk of Total Joint Replacement for Severe Knee or Hip<br>Osteoarthritis: A Population-Based Prospective Cohort Study. Annals of the Rheumatic Diseases, 2016,<br>75, 110.1-110.                              | 0.5 | 0         |
| 123 | PS 17-22 SIX MONTHS EXERCISE INTERVENTION SIGNIFICANTLY IMPROVES ALBUMIN-CREATININE RATIO IN PATIENTS WITH TYPE 2 DIABETES. Journal of Hypertension, 2016, 34, e479-e480.  | 0.3 | 0         |
| 124 | P3â€578: THE RELATIONSHIP BETWEEN DIETARY PATTERNS AND BRAIN HEALTH IN OLDER PEOPLE WITH AND WITHOUT TYPE 2 DIABETES. Alzheimer's and Dementia, 2018, 14, P1345.   | 0.4 | 0         |
| 125 | Pharmacological and Nonpharmacological Interventions for Cognitive Impairment and Dementia Related to Type 2 Diabetes and Metabolic Disturbances in Aging. , 2018, , 231-253.  |     | 0         |
| 126 | A multi ountry, multi ohort examination of cortical volume, thickness, and surface area in the motoric cognitive risk (MCR) syndrome. Alzheimer's and Dementia, 2020, 16, e039445.   | 0.4 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Maintaining and improving physical function in dementia. , 2021, , 57-79.  |     | 0         |
| 128 | The Tasmanian electronic falls ascertainment tool—A pilot study. Australasian Journal on Ageing,<br>2021, 40, 328-333.   | 0.4 | 0         |
| 129 | SAT0563â€Identification and validation of physical activity phenotypes for knee osteoarthritis: a population-based cohort study. , 2018, , .   |     | 0         |
| 130 | SAT0562â€Hip shape predicts knee osteoarthritis outcomes over a decade in older-adults. , 2018, , .  |     | 0         |
| 131 | FRI0541â€Increasing a person's own physical activity and strength can minimise cartilage volume loss in older-adults: a between- and within- person analysis on a population-based prospective cohort. , 2018, , . |     | 0         |
| 132 | Gait and dementia. , 2020, , 95-109.   |     | 0         |
| 133 | Brain Function and Falls. , 2021, , 130-143.   |     | 0         |