

Michele Callisaya

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8196899/michele-callisaya-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

3,191
citations

29
h-index

54
g-index

140
ext. papers

4,147
ext. citations

4.1
avg. IF

5.19
L-index

#	Paper	IF	Citations
122	Cognition, educational attainment and diabetes distress predict poor health literacy in diabetes: A cross-sectional analysis of the SHELLED study.. <i>PLoS ONE</i> , 2022 , 17, e0267265	3.7	
121	Cognitive inhibition tasks interfere with dual-task walking and increase prefrontal cortical activity more than working memory tasks in young and older adults.. <i>Gait and Posture</i> , 2022 , 95, 186-191	2.6	0
120	Association of Dual Decline in Cognition and Gait Speed With Risk of Dementia in Older Adults. <i>JAMA Network Open</i> , 2022 , 5, e2214647	10.4	3
119	Room for improvement: An online survey of allied health professionals' dementia knowledge. <i>Australasian Journal on Ageing</i> , 2021 , 40, 195-201	1.5	3
118	Brain Function and Falls 2021 , 130-143		
117	Case-Fatality and Functional Outcome after Subarachnoid Hemorrhage (SAH) in International STroke oUtcomes sTudy (INSTRUCT). <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 31, 106201	2.8	1
116	Exploring patterns of personal alarm system use and impacts on outcomes. <i>Australasian Journal on Ageing</i> , 2021 , 40, 252-260	1.5	2
115	The Association Between Physical Activity Intensity, Cognition, and Brain Structure in People With Type 2 Diabetes. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 2047-2053	6.4	1
114	Sedentary time and physical activity patterns of stroke survivors during the inpatient rehabilitation week. <i>International Journal of Rehabilitation Research</i> , 2021 , 44, 131-137	1.8	0
113	Protocol of a 12-month multifactorial eHealth programme targeting balance, dual-tasking and mood to prevent falls in older people: the + randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e051085	3	0
112	Neither Leg Muscle Strength Nor Balance Is Associated With the Incidence of Falls in Middle-Aged Women: A 5-Year Population-Based Prospective Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, e187-e193	6.4	1
111	The Associations Between Grey Matter Volume Covariance Patterns and Gait Variability-The Tasmanian Study of Cognition and Gait. <i>Brain Topography</i> , 2021 , 34, 478-488	4.3	1
110	Cortical Thickness, Volume, and Surface Area in the Motoric Cognitive Risk Syndrome. <i>Journal of Alzheimers Disease</i> , 2021 , 81, 651-665	4.3	4
109	Rapid implementation of telehealth in geriatric outpatient clinics due to COVID-19. <i>Internal Medicine Journal</i> , 2021 , 51, 1151-1155	1.6	1
108	Dementia is Associated With Poorer Quality of Care and Outcomes After Stroke: An Observational Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 851-858	6.4	6
107	Sedentary time and activity behaviors after stroke rehabilitation: Changes in the first 3 months home. <i>Topics in Stroke Rehabilitation</i> , 2021 , 28, 42-51	2.6	5
106	Functional Near-infrared Spectroscopy Reveals the Compensatory Potential of Pre-frontal Cortical Activity for Standing Balance in Young and Older Adults. <i>Neuroscience</i> , 2021 , 452, 208-218	3.9	9

105	Associations Between the Dietary Inflammatory Index, Brain Volume, Small Vessel Disease, and Global Cognitive Function. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2021 , 121, 915-924.e3	3.9	3
104	Maintaining and improving physical function in dementia 2021 , 57-79		
103	"Factors influencing sedentary time and physical activity early after stroke: a qualitative study". <i>Disability and Rehabilitation</i> , 2021 , 1-9	2.4	3
102	The Interdependence of Blood Pressure and Glucose in Vietnam. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2021 , 28, 141-150	2.9	1
101	The Tasmanian electronic falls ascertainment tool-A pilot study. <i>Australasian Journal on Ageing</i> , 2021 , 40, 328-333	1.5	
100	Sex differences in total cholesterol of Vietnamese adults. <i>PLoS ONE</i> , 2021 , 16, e0256589	3.7	
99	The association between simple reaction time variability and gait variability: The Tasmanian Study of Cognition and Gait. <i>Gait and Posture</i> , 2021 , 89, 206-210	2.6	0
98	A novel cognitive-motor exercise program delivered via a tablet to improve mobility in older people with cognitive impairment - StandingTall Cognition and Mobility. <i>Experimental Gerontology</i> , 2021 , 152, 111434	4.5	1
97	Adherence to evidence-based processes of care reduces one-year mortality after aneurysmal subarachnoid hemorrhage (aSAH). <i>Journal of the Neurological Sciences</i> , 2021 , 428, 117613	3.2	0
96	A multi-country, multi-cohort examination of cortical volume, thickness, and surface area in the motoric cognitive risk (MCR) syndrome. <i>Alzheimers and Dementia</i> , 2020 , 16, e039445	1.2	
95	Regional Associations of Cortical Thickness With Gait Variability-The Tasmanian Study of Cognition and Gait. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1537-1544	6.4	5
94	Adherence to the Australian Dietary Guidelines Is Not Associated with Brain Structure or Cognitive Function in Older Adults. <i>Journal of Nutrition</i> , 2020 , 150, 1529-1534	4.1	3
93	Sex differences in aneurysmal subarachnoid haemorrhage (aSAH): aneurysm characteristics, neurological complications, and outcome. <i>Acta Neurochirurgica</i> , 2020 , 162, 2271-2282	3	4
92	White Matter Hyperintensities and the Progression of Frailty-The Tasmanian Study of Cognition and Gait. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1545-1550	6.4	9
91	Gait and dementia 2020 , 95-109		
90	Identifying subgroups of community-dwelling older adults and their prospective associations with long-term knee osteoarthritis outcomes. <i>Clinical Rheumatology</i> , 2020 , 39, 1429-1437	3.9	0
89	"Connecting patients and therapists remotely using technology is feasible and facilitates exercise adherence after stroke". <i>Topics in Stroke Rehabilitation</i> , 2020 , 27, 93-102	2.6	6
88	The associations between dual-task walking under three different interference conditions and cognitive function. <i>Gait and Posture</i> , 2020 , 82, 174-180	2.6	1

87	Sex differences in risk factors for aneurysmal subarachnoid haemorrhage: Systematic review and meta-analysis. <i>Journal of the Neurological Sciences</i> , 2019 , 406, 116446	3.2	6
86	Prospective associations of low muscle mass and strength with health-related quality of life over 10-year in community-dwelling older adults. <i>Experimental Gerontology</i> , 2019 , 118, 65-71	4.5	10
85	Type 2 diabetes mellitus, brain atrophy, and cognitive decline. <i>Neurology</i> , 2019 , 92, e823-e830	6.5	50
84	Prospective associations of osteosarcopenia and osteodynopenia with incident fracture and mortality over 10 years in community-dwelling older adults. <i>Archives of Gerontology and Geriatrics</i> , 2019 , 82, 67-73	4	27
83	Diet and Nutrition, and their Influence on Alzheimer's Disease and other Neurodegenerative Diseases 2019 , 117-147		
82	Identifying factors associated with sedentary time after stroke. Secondary analysis of pooled data from nine primary studies. <i>Topics in Stroke Rehabilitation</i> , 2019 , 26, 327-334	2.6	13
81	Observational Study of Brain Atrophy and Cognitive Decline Comparing a Sample of Community-Dwelling People Taking Angiotensin Converting Enzyme Inhibitors and Angiotensin Receptor Blockers Over Time. <i>Journal of Alzheimer's Disease</i> , 2019 , 68, 1479-1488	4.3	5
80	Regression to the mean of repeated ambulatory blood pressure monitoring in five studies. <i>Journal of Hypertension</i> , 2019 , 37, 24-29	1.9	24
79	Gait Characteristics and Cognitive Decline: A Longitudinal Population-Based Study. <i>Journal of Alzheimer's Disease</i> , 2019 , 71, S5-S14	4.3	17
78	Diabetes Therapies for Dementia. <i>Current Neurology and Neuroscience Reports</i> , 2019 , 19, 58	6.6	10
77	Dietary Patterns Are Not Associated with Brain Atrophy or Cerebral Small Vessel Disease in Older Adults with and without Type 2 Diabetes. <i>Journal of Nutrition</i> , 2019 , 149, 1805-1811	4.1	4
76	Comparison of manual and automated auscultatory blood pressure during graded exercise among people with type 2 diabetes. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1872-1878	2.3	1
75	Associations of health literacy with risk factors for diabetic foot disease: a cross-sectional analysis of the Southern Tasmanian Health Literacy and Foot Ulcer Development in Diabetes Mellitus Study. <i>BMJ Open</i> , 2019 , 9, e025349	3	3
74	Vitamin D supplements for trunk muscle morphology in older adults: secondary analysis of a randomized controlled trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 177-187	10.3	9
73	Genetic and lifestyle risk factors for MRI-defined brain infarcts in a population-based setting. <i>Neurology</i> , 2019 ,	6.5	17
72	Type 2 diabetes mellitus, brain atrophy and cognitive decline in older people: a longitudinal study. <i>Diabetologia</i> , 2019 , 62, 448-458	10.3	39
71	Gray matter volume covariance patterns associated with gait speed in older adults: a multi-cohort MRI study. <i>Brain Imaging and Behavior</i> , 2019 , 13, 446-460	4.1	22
70	The association between ambulatory activity, body composition and hip or knee joint replacement due to osteoarthritis: a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 671-679	6.2	14

69	Assistive technologies to overcome sarcopenia in ageing. <i>Maturitas</i> , 2018 , 112, 78-84	5	9
68	The Association of Clinic-Based Mobility Tasks and Measures of Community Performance and Risk. <i>PM and R</i> , 2018 , 10, 704-711.e1	2.2	5
67	Longitudinal associations between serum 25-hydroxyvitamin D, physical activity, knee pain and dysfunction and physiological falls risk in community-dwelling older adults. <i>Experimental Gerontology</i> , 2018 , 104, 72-77	4.5	3
66	The efficacy of interactive, motion capture-based rehabilitation on functional outcomes in an inpatient stroke population: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2018 , 32, 191-200	3.3	21
65	Frailty and Cerebral Small Vessel Disease: A Cross-Sectional Analysis of the Tasmanian Study of Cognition and Gait (TASCOG). <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 255-260	6.4	24
64	Activity monitors for increasing physical activity in adult stroke survivors. <i>The Cochrane Library</i> , 2018 , 7, CD012543	5.2	15
63	The importance of waist circumference and body mass index in cross-sectional relationships with risk of cardiovascular disease in Vietnam. <i>PLoS ONE</i> , 2018 , 13, e0198202	3.7	24
62	Associations of health literacy with diabetic foot outcomes: a systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2018 , 35, 1470-1479	3.5	9
61	Spatiotemporal Gait Characteristics Associated with Cognitive Impairment: A Multicenter Cross-Sectional Study, the Intercontinental "Gait, cOgnitiOn & Decline" Initiative. <i>Current Alzheimer Research</i> , 2018 , 15, 273-282	3	18
60	Activity Monitors for Increasing Physical Activity in Adult Stroke Survivors. <i>Stroke</i> , 2018 , STROKEAHA118073088	3.7	20
59	Longitudinal Associations of Serum 25-hydroxyvitamin D, Physical Activity, and Knee Pain and Dysfunction with Muscle Loss in Community-dwelling Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 526-531	6.4	7
58	Medical, Sensorimotor and Cognitive Factors Associated With Gait Variability: A Longitudinal Population-Based Study. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 419	5.3	6
57	P3-578: THE RELATIONSHIP BETWEEN DIETARY PATTERNS AND BRAIN HEALTH IN OLDER PEOPLE WITH AND WITHOUT TYPE 2 DIABETES 2018 , 14, P1345-P1346		
56	Go Home, Sit Less: The Impact of Home Versus Hospital Rehabilitation Environment on Activity Levels of Stroke Survivors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 2216-2221.e1	2.8	16
55	Pharmacological and Nonpharmacological Interventions for Cognitive Impairment and Dementia Related to Type 2 Diabetes and Metabolic Disturbances in Aging 2018 , 231-253		
54	Misclassification of blood pressure of Vietnamese adults when only a single measurement is used. <i>Journal of the American Society of Hypertension</i> , 2018 , 12, 671-680		2
53	The assessment of abdominal and multifidus muscles and their role in physical function in older adults: a systematic review. <i>Physiotherapy</i> , 2017 , 103, 21-39	3	15
52	Test-retest reliability of measurements of abdominal and multifidus muscles using ultrasound imaging in adults aged 50-79 years. <i>Musculoskeletal Science and Practice</i> , 2017 , 28, 79-84	2.4	15

51	Prospective Associations of Low Muscle Mass and Function with 10-Year Falls Risk, Incident Fracture and Mortality in Community-Dwelling Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 843-848	5.2	59
50	Effects of Exercise on Type 2 Diabetes Mellitus-Related Cognitive Impairment and Dementia. <i>Journal of Alzheimers Disease</i> , 2017 , 59, 503-513	4.3	16
49	Cognitive status, fast walking speed and walking speed reserve-the Gait and Alzheimer Interactions Tracking (GAIT) study. <i>GeroScience</i> , 2017 , 39, 231-239	8.9	37
48	Activity monitors for increasing physical activity in adult stroke survivors. <i>The Cochrane Library</i> , 2017 ,	5.2	1
47	Both Baseline and Change in Lower Limb Muscle Strength in Younger Women Are Independent Predictors of Balance in Middle Age: A 12-Year Population-Based Prospective Study. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 1201-1208	6.3	7
46	Falls, Cognitive Impairment, and Gait Performance: Results From the GOOD Initiative. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 335-340	5.9	69
45	Feasibility of a multi-modal exercise program on cognition in older adults with Type 2 diabetes - a pilot randomised controlled trial. <i>BMC Geriatrics</i> , 2017 , 17, 237	4.1	27
44	Self-Reported Exercise Prevalence and Determinants in the Long Term After Stroke: The North East Melbourne Stroke Incidence Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017 , 26, 2855-2863	2.8	7
43	Guidelines for Assessment of Gait and Reference Values for Spatiotemporal Gait Parameters in Older Adults: The Biomathics and Canadian Gait Consortiums Initiative. <i>Frontiers in Human Neuroscience</i> , 2017 , 11, 353	3.3	74
42	The complex genetics of gait speed: genome-wide meta-analysis approach. <i>Aging</i> , 2017 , 9, 209-246	5.6	16
41	Alcohol Consumption in Vietnam, and the Use of Standard Drinks to Measure Alcohol Intake. <i>Alcohol and Alcoholism</i> , 2016 , 51, 186-95	3.5	22
40	Gender Differences in Physical Activity Levels of Older People With Type 2 Diabetes Mellitus. <i>Journal of Physical Activity and Health</i> , 2016 , 13, 409-15	2.5	10
39	OP0143 The Effect of Physical Activity on The Risk of Total Joint Replacement for Severe Knee or Hip Osteoarthritis: A Population-Based Prospective Cohort Study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 110.1-110	2.4	
38	PS 17-22 SIX MONTHS EXERCISE INTERVENTION SIGNIFICANTLY IMPROVES ALBUMIN-CREATININE RATIO IN PATIENTS WITH TYPE 2 DIABETES. <i>Journal of Hypertension</i> , 2016 , 34, e479-e480	1.9	
37	Gait phenotype from mild cognitive impairment to moderate dementia: results from the GOOD initiative. <i>European Journal of Neurology</i> , 2016 , 23, 527-41	6	81
36	Times are changing; researchers need to change too. <i>European Journal of Neurology</i> , 2016 , 23, e10	6	1
35	Gait initiation time is associated with the risk of multiple falls-A population-based study. <i>Gait and Posture</i> , 2016 , 49, 19-24	2.6	18
34	"FIND Technology": investigating the feasibility, efficacy and safety of controller-free interactive digital rehabilitation technology in an inpatient stroke population: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 203	2.8	17

33	Heritability and Genome-Wide Association Analyses of Human Gait Suggest Contribution of Common Variants. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 740-6	6.4	12
32	Measuring ultrasound images of abdominal and lumbar multifidus muscles in older adults: A reliability study. <i>Manual Therapy</i> , 2016 , 23, 114-9		34
31	Poor Gait Performance and Prediction of Dementia: Results From a Meta-Analysis. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 482-90	5.9	138
30	Lower limb muscle strength is associated with poor balance in middle-aged women: linear and nonlinear analyses. <i>Osteoporosis International</i> , 2016 , 27, 2241-2248	5.3	12
29	Accuracy, Validity, and Reliability of an Electronic Visual Analog Scale for Pain on a Touch Screen Tablet in Healthy Older Adults: A Clinical Trial. <i>Interactive Journal of Medical Research</i> , 2016 , 5, e3	2.1	31
28	National survey of risk factors for non-communicable disease in Vietnam: prevalence estimates and an assessment of their validity. <i>BMC Public Health</i> , 2016 , 16, 498	4.1	20
27	Fruit and vegetable consumption in Vietnam, and the use of a standard serving size to measure intake. <i>British Journal of Nutrition</i> , 2016 , 116, 149-57	3.6	11
26	Motoric Cognitive Risk Syndrome and Falls Risk: A Multi-Center Study. <i>Journal of Alzheimer's Disease</i> , 2016 , 53, 1043-52	4.3	48
25	GWAS analysis of handgrip and lower body strength in older adults in the CHARGE consortium. <i>Aging Cell</i> , 2016 , 15, 792-800	9.9	33
24	Longitudinal Relationships Between Cognitive Decline and Gait Slowing: The Tasmanian Study of Cognition and Gait. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 1226-32	6.4	58
23	White Matter Lesion Progression: Genome-Wide Search for Genetic Influences. <i>Stroke</i> , 2015 , 46, 3048-57	6.7	18
22	Type 2 diabetes mellitus and biomarkers of neurodegeneration. <i>Neurology</i> , 2015 , 85, 1123-30	6.5	172
21	Declining Prevalence of Tobacco Smoking in Vietnam. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 831-8	4.9	17
20	Progression of white matter hyperintensities of presumed vascular origin increases the risk of falls in older people. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 360-6	6.4	34
19	Physical Activity in Vietnam: Estimates and Measurement Issues. <i>PLoS ONE</i> , 2015 , 10, e0140941	3.7	21
18	Abdominal Obesity and Brain Atrophy in Type 2 Diabetes Mellitus. <i>PLoS ONE</i> , 2015 , 10, e0142589	3.7	23
17	Sub-cortical infarcts and the risk of falls in older people: combined results of TASCOC and Sydney MAS studies. <i>International Journal of Stroke</i> , 2014 , 9 Suppl A100, 55-60	6.3	11
16	Greater daily defined dose of antihypertensive medication increases the risk of falls in older people--a population-based study. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1527-33	5.6	46

15	Lifestyle modifications to improve musculoskeletal and bone health and reduce disability--a life-course approach. <i>Best Practice and Research in Clinical Rheumatology</i> , 2014 , 28, 461-78	5.3	9
14	Motoric cognitive risk syndrome: multicountry prevalence and dementia risk. <i>Neurology</i> , 2014 , 83, 718-26.5		233
13	Global and regional associations of smaller cerebral gray and white matter volumes with gait in older people. <i>PLoS ONE</i> , 2014 , 9, e84909	3.7	39
12	Cognitive function modifies the effect of physiological function on the risk of multiple falls--a population-based study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 1091-7	6.4	56
11	Cognitive function, gait, and gait variability in older people: a population-based study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 726-32	6.4	129
10	Brain structural change and gait decline: a longitudinal population-based study. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1074-9	5.6	95
9	Risk of falls in older people during fast-walking--the TASCOC study. <i>Gait and Posture</i> , 2012 , 36, 510-5	2.6	61
8	Silent infarcts and cerebral microbleeds modify the associations of white matter lesions with gait and postural stability: population-based study. <i>Stroke</i> , 2012 , 43, 1505-10	6.7	55
7	Gait, gait variability and the risk of multiple incident falls in older people: a population-based study. <i>Age and Ageing</i> , 2011 , 40, 481-7	3	191
6	Ageing and gait variability--a population-based study of older people. <i>Age and Ageing</i> , 2010 , 39, 191-7	3	186
5	Brain aging and gait. <i>Aging Health</i> , 2010 , 6, 123-131		7
4	Sensorimotor factors affecting gait variability in older people--a population-based study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010 , 65, 386-92	6.4	51
3	Cerebral white matter lesions, gait, and the risk of incident falls: a prospective population-based study. <i>Stroke</i> , 2009 , 40, 175-80	6.7	180
2	A population-based study of sensorimotor factors affecting gait in older people. <i>Age and Ageing</i> , 2009 , 38, 290-5	3	66
1	Sex modifies the relationship between age and gait: a population-based study of older adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008 , 63, 165-70	6.4	93