Ezgi KalaycıoÄ**K**u

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8196909/publications.pdf

Version: 2024-02-01



Εζαι Κλι ΑναӒ+οӒΫιμ

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Impaired left atrial mechanical functions as indicators for increased aortic root diameter in hypertensive and diabetic patients. Herz, 2021, 46, 272-279. | 1.1 | 0 |
| 2 | Serum osteoprotegerin level is independently related to subclinical left atrial mechanical function in patients with hypertension and diabetes. Herz, 2021, 46, 277-284. | 1.1 | 1 |
| 3 | Epicardial adipose tissue is associated with increased systolic pulmonary artery pressure in patients with chronic obstructive pulmonary disease. Clinical Respiratory Journal, 2021, 15, 406-412. | 1.6 | 5 |
| 4 | Assessment of cardio-ankle vascular index in patients with abdominal aortic aneurysm: An observational study. Vascular, 2021, 29, 190-195. | 0.9 | 1 |
| 5 | Efeitos da Terapia com Anti-TNF alfa na Pressão Arterial em Pacientes com Hipertensão Resistente: Um Estudo Piloto Randomizado, Duplo-Cego e Controlado por Placebo. Arquivos Brasileiros De Cardiologia, 2021, 116, 443-451. | 0.8 | 4 |
| 6 | The effect of cardiac rehabilitation on kinesiophobia in patients with coronary artery disease. Turkish Journal of Physical Medicine and Rehabilitation, 2021, 67, 203-210. | 0.9 | 19 |
| 7 | Paradoxical association between lipoprotein cholesterol levels and left atrial function in hypertensive diabetic patients: A speckle tracking study. Journal of Clinical Ultrasound, 2021, 49, 667-673. | 0.8 | 0 |
| 8 | Left ventricular global longitudinal strain in low cardiac risk outpatients who recently recovered from coronavirus disease 2019. International Journal of Cardiovascular Imaging, 2021, 37, 2979-2989. | 1.5 | 13 |
| 9 | FEV1 is independently related with impaired left atrial strain in chronic obstructive pulmonary disease patients: A speckle tracking study. Clinical Respiratory Journal, 2021, 15, 1359-1367. | 1.6 | 0 |
| 10 | Endothelial dysfunction, subclinical atherosclerosis and LDL cholesterol are the independent predictors of left atrial functions in hypertension. International Journal of Cardiovascular Imaging, 2020, 36, 69-77. | 1.5 | 10 |
| 11 | Endothelial dysfunction predicted increased left atrial volume index in newly diagnosed nondiabetic hypertensive patients. Blood Pressure Monitoring, 2020, 25, 75-81. | 0.8 | 2 |
| 12 | Assessment of cardiac mechanics and biomarkers during headache attack in migraine patients with aura: a prospective study. International Journal of Cardiovascular Imaging, 2020, 36, 1321-1331. | 1.5 | 1 |
| 13 | Relation of presystolic wave on doppler examination to syntax score in patients with acute myocardial infarction. International Journal of Cardiovascular Imaging, 2018, 34, 569-576. | 1.5 | 8 |
| 14 | Assessment of arterial stiffness in patients with venous thromboembolism: Separate or continuous circuits?. Phlebology, 2017, 32, 316-321. | 1.2 | 3 |
| 15 | Realâ€world stroke prevention strategies in nonvalvular atrial fibrillation in patients with renal impairment. European Journal of Clinical Investigation, 2017, 47, 428-438. | 3.4 | 5 |
| 16 | Impact of valvular heart disease on oral anticoagulant therapy in non-valvular atrial fibrillation: results from the RAMSES study. Journal of Thrombosis and Thrombolysis, 2017, 43, 157-165. | 2.1 | 3 |
| 17 | Gender-Related Differences in Presentation and Treatment of Patients With Non-Valvular Atrial Fibrillation: Results from RAMSES study. Turk Kardiyoloji Dernegi Arsivi, 2017, 45, 16-25. | 0.5 | 1 |
| 18 | Assessment of Silent Neuronal Injury Following Coronary Angiography and Intervention in Patients With Acute Coronary Syndrome. Clinical and Applied Thrombosis/Hemostasis, 2016, 22, 52-59. | 1.7 | 7 |

Ezgi KalaycıoÄŸlu

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Coronary artery disease in outpatients with nonvalvular atrial fibrillation. Coronary Artery Disease, 2016, 27, 497-503. | 0.7 | 2 |
| 20 | Suboptimal use of non-vitamin K antagonist oral anticoagulants. Medicine (United States), 2016, 95, e4672. | 1.0 | 28 |
| 21 | Assessment of arterial stiffness in patients with chronic lower extremity venous disease: An observational study. Phlebology, 2016, 31, 349-355. | 1.2 | 5 |
| 22 | ReAl-life Multicenter Survey Evaluating Stroke prevention strategies in non-valvular atrial fibrillation (RAMSES study). Anatolian Journal of Cardiology, 2016, 16, 734-741. | 0.9 | 17 |
| 23 | Low-Level Vitamin D Is Associated with Atrial Fibrillation in Patients with Chronic Heart Failure. Advances in Clinical and Experimental Medicine, 2016, 25, 51-57. | 1.4 | 20 |
| 24 | The Relationship between GRACE Score and Epicardial Fat Thickness in non-STEMI Patients. Arquivos Brasileiros De Cardiologia, 2016, 106, 194-200. | 0.8 | 13 |
| 25 | The change in right ventricular systolic function according to the revascularisation method used, following acute ST -segment elevation myocardial infarction. Cardiovascular Journal of Africa, 2016, 27, 37-44. | 0.4 | 4 |
| 26 | Association of Mitral Annular Calcification with Left Ventricular Mechanics: A Speckle Tracking Study. Echocardiography, 2015, 32, 1374-1383. | 0.9 | 10 |
| 27 | The Association between Subclinical Hypothyroidism and Epicardial Adipose Tissue Thickness. Korean Circulation Journal, 2015, 45, 210. | 1.9 | 10 |
| 28 | Comparison of low dose versus standard dose heparin for radial approach in elective coronary angiography?. International Journal of Cardiology, 2015, 187, 389-392. | 1.7 | 27 |
| 29 | The Reliability of Computed Tomography-Derived SYNTAX Score Measurement. Angiology, 2015, 66, 150-154. | 1.8 | 11 |
| 30 | Assessment of vascular dysfunction after transradial coronary angiography. Herz, 2015, 40, 997-1003. | 1.1 | 5 |
| 31 | Evaluation of Left Ventricular Function and its Relationship With Multidimensional Grading System (BODE Index) in Patients With COPD. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2015, 12, 568-574. | 1.6 | 4 |
| 32 | Relation of Epicardial Fat Thickness to Subclinical Right Ventricular Dysfunction Assessed by Strain and Strain Rate Imaging in Subjects with Metabolic Syndrome: A Twoâ€Đimensional Speckle Tracking Echocardiography Study. Echocardiography, 2015, 32, 248-256. | 0.9 | 12 |
| 33 | Complexity of lower extremity peripheral artery disease reflects the complexity of coronary artery disease. Vascular, 2015, 23, 366-373. | 0.9 | 13 |
| 34 | Ambulatory arterial stiffness index is associated with impaired left atrial mechanical functions in hypertensive diabetic patients: A speckle tracking study. Anatolian Journal of Cardiology, 2015, 15, 807-813. | 0.9 | 12 |
| 35 | Neutrophil-to-lymphocyte ratio may be a marker of peripheral artery disease complexity. Anatolian Journal of Cardiology, 2015, 16, 497-503. | 0.9 | 18 |
| 36 | Prediction of radial artery diameter in candidates for transradial coronary angiography: is occupation a factor?. Turk Kardiyoloji Dernegi Arsivi, 2015, 43, 450-6. | 0.5 | 5 |

Ezgi Kalaycä±oäŸlu

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Cardio-ankle vascular index may be an important marker of silent neuronal injury after percutaneous coronary angiography and intervention: a prospective observational study on diagnostic accuracy. Anatolian Journal of Cardiology, 2014, 14, 606-611. | 0.4 | 6 |
| 38 | The relationship between C-reactive protein and the lapse of time since the onset of the symptoms after acute myocardial infarction: an prospective-observational study. Anatolian Journal of Cardiology, 2014, 14, 599-605. | 0.4 | 1 |
| 39 | Osteoprotegerin Is Associated With Subclinical Left Ventricular Systolic Dysfunction in Diabetic Hypertensive Patients: A Speckle Tracking Study. Canadian Journal of Cardiology, 2014, 30, 1529-1534. | 1.7 | 10 |
| 40 | The BODE Index, a Multidimensional Grading System, Reflects Impairment of Right Ventricle Functions in Patients with Chronic Obstructive Pulmonary Disease: A Speckle-Tracking Study. Respiration, 2014, 88, 223-233. | 2.6 | 12 |
| 41 | The influence of dipper/nondipper blood pressure patterns on global left ventricular systolic function in hypertensive diabetic patients. Blood Pressure Monitoring, 2014, 19, 263-270. | 0.8 | 14 |
| 42 | SYNTAX Score Predicts the Left Ventricle Thrombus Development in Patients Undergoing Primary Percutaneous Coronary Intervention for First Anterior Myocardial Infarction. Clinical and Applied Thrombosis/Hemostasis, 2014, 20, 698-705. | 1.7 | 9 |
| 43 | Ankle Brachial Index Intensifies the Diagnostic Accuracy of Epicardial Fat Thickness for the Prediction of Coronary Artery Disease Complexity. Heart Lung and Circulation, 2014, 23, 764-771. | 0.4 | 13 |
| 44 | Evaluation of right ventricle functions and serotonin levels during headache attacks in migraine patients with aura. International Journal of Cardiovascular Imaging, 2014, 30, 1255-1263. | 1.5 | 7 |
| 45 | Effects of non-dipper blood pressure pattern on left ventricular rotational mechanics in hypertensive patients with type 2 diabetes mellitus: a speckle tracking study. International Journal of Cardiovascular Imaging, 2014, 30, 57-65. | 1.5 | 8 |
| 46 | Clinical staging in chronic heart failure associated with low vitamin D and elevated parathormone levels. Acta Cardiologica, 2014, 69, 665-671. | 0.9 | 7 |
| 47 | Is metabolic syndrome related with coronary artery disease severity and complexity: An observational study about IDF and AHA/NHLBI metabolic syndrome definitions. Cardiology Journal, 2014, 21, 245-251. | 1.2 | 10 |
| 48 | Comparison of neutrophil to lymphocyte ratio in patients with coronary artery ectasia versus patients with obstructive coronary artery disease. Kardiologia Polska, 2014, 72, 372-380. | 0.6 | 16 |
| 49 | Is Coronary Artery Disease Complexity Valuable in the Prediction of Contrast Induced Nephropathy Besides Mehran Risk Score, in Patients with ST Elevation Myocardial Infarction Treated with Primary Percutaneous Coronary Intervention?. Heart Lung and Circulation, 2013, 22, 836-843. | 0.4 | 14 |
| 50 | The relationship between dipper/nondipper pattern and cardioankle vascular index in hypertensive diabetic patients. Blood Pressure Monitoring, 2013, 18, 188-194. | 0.8 | 11 |
| 51 | Value of Coronary Artery Calcium Score to Predict Severity or Complexity of Coronary Artery Disease. Arquivos Brasileiros De Cardiologia, 2013, 102, 120-7. | 0.8 | 11 |
| 52 | Relationship Between Duke Treadmill Score and Coronary Artery Lesion Complexity. Clinical and Investigative Medicine, 2012, 35, 365. | 0.6 | 7 |
| 53 | P-wave duration and dispersion in patients with coronary slow flow and its relationship with Thrombolysis in Myocardial Infarction frame count. Journal of Electrocardiology, 2008, 41, 55-59. | 0.9 | 16 |