

# Jean-michel Roger

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8197554/jean-michel-roger-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130  
papers

3,301  
citations

29  
h-index

53  
g-index

140  
ext. papers

3,999  
ext. citations

5  
avg, IF

5.74  
L-index

#	Paper	IF	Citations
130	Potential of Multiway PLS (N-PLS) Regression Method to Analyse Time-Series of Multispectral Images: A Case Study in Agriculture. <i>Remote Sensing</i> , <b>2022</b> , 14, 216	5	2
129	Pre-processing ensembles with response oriented sequential alternation calibration (PROSAC): A step towards ending the pre-processing search and optimization quest for near-infrared spectral modelling. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2022</b> , 222, 104497	3.8	3
128	Domain invariant covariate selection (Di-CovSel) for selecting generalized features across domains. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2022</b> , 222, 104499	3.8	1
127	Is It Possible to Assess Heatwave Impact on Grapevines at the Regional Level with Time Series of Satellite Images?. <i>Agronomy</i> , <b>2022</b> , 12, 563	3.6	0
126	A novel methodology for determining effectiveness of preprocessing methods in reducing undesired spectral variability in near infrared spectra. <i>Journal of Near Infrared Spectroscopy</i> , <b>2022</b> , 30, 74-88	1.5	0
125	Diesel cetane number estimation from NIR spectra of hydrocracking total effluent. <i>Fuel</i> , <b>2022</b> , 324, 124647	4.7	1
124	Unveiling non-linear water effects in near infrared spectroscopy: A study on organic wastes during drying using chemometrics. <i>Waste Management</i> , <b>2021</b> , 122, 36-48	8.6	6
123	Relating Near-Infrared Light Path-Length Modifications to the Water Content of Scattering Media in Near-Infrared Spectroscopy: Toward a New Bouguer-Beer-Lambert Law. <i>Analytical Chemistry</i> , <b>2021</b> , 93, 6817-6823	7.8	4
122	Recent trends in multi-block data analysis in chemometrics for multi-source data integration. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2021</b> , 137, 116206	14.6	24
121	Fast at-line characterization of solid organic waste: Comparing analytical performance of different compact near infrared spectroscopic systems with different measurement configurations. <i>Waste Management</i> , <b>2021</b> , 126, 664-673	8.6	4
120	On-site substrate characterization in the anaerobic digestion context: A dataset of near infrared spectra acquired with four different optical systems on freeze-dried and ground organic waste. <i>Data in Brief</i> , <b>2021</b> , 36, 107126	1.2	
119	A short note on achieving similar performance to deep learning with practical chemometrics. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2021</b> , 214, 104336	3.8	3
118	Improved prediction of tablet properties with near-infrared spectroscopy by a fusion of scatter correction techniques. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2021</b> , 192, 113684	3.5	6
117	Improved prediction of fuel properties with near-infrared spectroscopy using a complementary sequential fusion of scatter correction techniques. <i>Talanta</i> , <b>2021</b> , 223, 121693	6.2	9
116	Multi-block classification of chocolate and cocoa samples into sensory poles. <i>Food Chemistry</i> , <b>2021</b> , 340, 127904	8.5	7
115	FRUITNIR-GUI: A graphical user interface for correcting external influences in multi-batch near infrared experiments related to fruit quality prediction. <i>Postharvest Biology and Technology</i> , <b>2021</b> , 175, 111414	6.2	7
114	Parallel pre-processing through orthogonalization (PORTO) and its application to near-infrared spectroscopy. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2021</b> , 212, 104190	3.8	11

113	Sequential fusion of information from two portable spectrometers for improved prediction of moisture and soluble solids content in pear fruit. <i>Talanta</i> , <b>2021</b> , 223, 121733	6.2	28
112	Chemometric pre-processing can negatively affect the performance of near-infrared spectroscopy models for fruit quality prediction. <i>Talanta</i> , <b>2021</b> , 229, 122303	6.2	16
111	Monte Carlo methods for estimating Mallows's Cp and AIC criteria for PLSR models. Illustration on agronomic spectroscopic NIR data. <i>Journal of Chemometrics</i> , <b>2021</b> , 35, e3369	1.6	1
110	A novel robust PLS regression method inspired from boosting principles: RoBoost-PLSR. <i>Analytica Chimica Acta</i> , <b>2021</b> , 1179, 338823	6.6	3
109	Are standard sample measurements still needed to transfer multivariate calibration models between near-infrared spectrometers? The answer is not always. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2021</b> , 143, 116331	14.6	13
108	Potential of high-spectral resolution for field phenotyping in plant breeding: Application to maize under water stress. <i>Computers and Electronics in Agriculture</i> , <b>2021</b> , 189, 106385	6.5	2
107	Untargeted analysis of TD-NMR signals using a multivariate curve resolution approach: Application to the water-imbibition kinetics of Arabidopsis seeds. <i>Talanta</i> , <b>2021</b> , 233, 122525	6.2	1
106	Postharvest ripeness assessment of Hass Avocado based on development of a new ripening index and Vis-NIR spectroscopy. <i>Postharvest Biology and Technology</i> , <b>2021</b> , 181, 111683	6.2	2
105	Two standard-free approaches to correct for external influences on near-infrared spectra to make models widely applicable. <i>Postharvest Biology and Technology</i> , <b>2020</b> , 170, 111326	6.2	23
104	A Big-data Algorithm for KNN-PLS. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2020</b> , 203, 104076	3.8	7
103	SPORT pre-processing can improve near-infrared quality prediction models for fresh fruits and agro-materials. <i>Postharvest Biology and Technology</i> , <b>2020</b> , 168, 111271	6.2	25
102	A note on spectral data simulation. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2020</b> , 200, 103979	3.8	4
101	Fault detection with moving window PCA using NIRS spectra for monitoring the anaerobic digestion process. <i>Water Science and Technology</i> , <b>2020</b> , 81, 367-382	2.2	2
100	Pre-processing Methods <b>2020</b> , 1-75		4
99	Sequential preprocessing through ORThogonalization (SPORT) and its application to near infrared spectroscopy. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2020</b> , 199, 103975	3.8	38
98	Comparison of locally weighted PLS strategies for regression and discrimination on agronomic NIR data. <i>Journal of Chemometrics</i> , <b>2020</b> , 34, e3209	1.6	8
97	Subpixel detection of peanut in wheat flour using a matched subspace detector algorithm and near-infrared hyperspectral imaging. <i>Talanta</i> , <b>2020</b> , 216, 120993	6.2	7
96	Detection of early imbalances in semi-continuous anaerobic co-digestion process based on instantaneous biogas production rate. <i>Water Research</i> , <b>2020</b> , 171, 115444	12.5	9

95	Reduction of repeatability error for analysis of variance-Simultaneous Component Analysis (REP-ASCA): Application to NIR spectroscopy on coffee sample. <i>Analytica Chimica Acta</i> , <b>2020</b> , 1101, 23-31	6.6	8
94	A partial least squares-based approach to assess the light penetration depth in wheat flour by near infrared hyperspectral imaging. <i>Journal of Near Infrared Spectroscopy</i> , <b>2020</b> , 28, 25-36	1.5	6
93	Visible and Near-Infrared Multispectral Features in Conjunction with Artificial Neural Network and Partial Least Squares for Predicting Biochemical and Micro-Structural Features of Beef Muscles. <i>Foods</i> , <b>2020</b> , 9,	4.9	3
92	MBA-GUI: A chemometric graphical user interface for multi-block data visualisation, regression, classification, variable selection and automated pre-processing. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2020</b> , 205, 104139	3.8	20
91	Utilising variable sorting for normalisation to correct illumination effects in close-range spectral images of potato plants. <i>Biosystems Engineering</i> , <b>2020</b> , 197, 318-323	4.8	7
90	New data preprocessing trends based on ensemble of multiple preprocessing techniques. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2020</b> , 132, 116045	14.6	60
89	Dataset of visible-near infrared handheld and micro-spectrometers - comparison of the prediction accuracy of sugarcane properties. <i>Data in Brief</i> , <b>2020</b> , 31, 106013	1.2	6
88	Multiblock Analysis Applied to TD-NMR of Butters and Related Products. <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 5317	2.6	1
87	Multiblock Analysis to Relate Polyphenol Targeted Mass Spectrometry and Sensory Properties of Chocolates and Cocoa Beans. <i>Metabolites</i> , <b>2020</b> , 10,	5.6	3
86	SO-CovSel: A novel method for variable selection in a multiblock framework. <i>Journal of Chemometrics</i> , <b>2020</b> , 34, e3120	1.6	26
85	VSN: Variable sorting for normalization. <i>Journal of Chemometrics</i> , <b>2020</b> , 34, e3164	1.6	33
84	Using spatial information for evaluating the quality of prediction maps from hyperspectral images: A geostatistical approach. <i>Analytica Chimica Acta</i> , <b>2019</b> , 1077, 116-128	6.6	5
83	Potential of VIS-NIR spectroscopy to characterize and discriminate topsoils of different soil types in the Triffa plain (Morocco). <i>Soil Science Annual</i> , <b>2019</b> , 70, 54-63	2	4
82	Early detection of the fungal disease "apple scab" using SWIR hyperspectral imaging <b>2019</b> ,		10
81	Automatic de-noising of close-range hyperspectral images with a wavelength-specific shearlet-based image noise reduction method. <i>Sensors and Actuators B: Chemical</i> , <b>2019</b> , 281, 1034-1044	8.5	16
80	Volatile compounds profiling by using proton transfer reaction-time of flight-mass spectrometry (PTR-ToF-MS). The case study of dark chocolates organoleptic differences. <i>Journal of Mass Spectrometry</i> , <b>2019</b> , 54, 92-119	2.2	24
79	Near-Infrared Spectrum Analysis to Determine Relationships between Biochemical Composition and Anaerobic Digestion Performances. <i>Chemical Engineering and Technology</i> , <b>2018</b> , 41, 727-738	2	4
78	Near infrared hyperspectral dataset of healthy and infected apple tree leaves images for the early detection of apple scab disease. <i>Data in Brief</i> , <b>2018</b> , 16, 967-971	1.2	9

77	Test of sampling methods to optimize the calibration of vine water status spatial models. <i>Precision Agriculture</i> , <b>2018</b> , 19, 365-378	5.6	5
76	Chemometrics in analytical chemistry-part II: modeling, validation, and applications. <i>Analytical and Bioanalytical Chemistry</i> , <b>2018</b> , 410, 6691-6704	4.4	62
75	A review of orthogonal projections for calibration. <i>Journal of Chemometrics</i> , <b>2018</b> , 32, e3045	1.6	5
74	Sensitivity of clay content prediction to spectral configuration of VNIR/SWIR imaging data, from multispectral to hyperspectral scenarios. <i>Remote Sensing of Environment</i> , <b>2018</b> , 204, 18-30	13.2	38
73	Potential of vis-NIR spectroscopy to monitor the silica precipitation reaction. <i>Analytical and Bioanalytical Chemistry</i> , <b>2017</b> , 409, 785-796	4.4	4
72	Curve fitting in Fourier transform near infrared spectroscopy used for the analysis of bacterial cells. <i>Journal of Near Infrared Spectroscopy</i> , <b>2017</b> , 25, 151-164	1.5	6
71	Fast Fluorescence Spectroscopy Methodology to Monitor the Evolution of Extra Virgin Olive Oils Under Illumination. <i>Food and Bioprocess Technology</i> , <b>2017</b> , 10, 949-961	5.1	21
70	Clay content mapping from airborne hyperspectral Vis-NIR data by transferring a laboratory regression model. <i>Geoderma</i> , <b>2017</b> , 298, 54-66	6.7	27
69	Chemometrics in analytical chemistry-part I: history, experimental design and data analysis tools. <i>Analytical and Bioanalytical Chemistry</i> , <b>2017</b> , 409, 5891-5899	4.4	59
68	Predictive ability of soil properties to spectral degradation from laboratory Vis-NIR spectroscopy data. <i>Geoderma</i> , <b>2017</b> , 288, 143-153	6.7	46
67	Application of independent components analysis with the JADE algorithm and NIR hyperspectral imaging for revealing food adulteration. <i>Journal of Food Engineering</i> , <b>2016</b> , 168, 7-15	6	46
66	An Investigation into the Effects of Pressure on Gas Detection Using an Integrating Sphere as Multipass Gas Absorption Cell: Analysis and Discussion. <i>Journal of Near Infrared Spectroscopy</i> , <b>2016</b> , 24, 405-412	1.5	2
65	A new optical method coupling light polarization and VisNIR spectroscopy to improve the measurement of soil carbon content. <i>Soil and Tillage Research</i> , <b>2016</b> , 155, 461-470	6.5	9
64	An iterative approach for compound detection in an unknown pharmaceutical drug product: Application on Raman microscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2016</b> , 120, 342-51	3.5	7
63	Hyperspectral Imaging to Evaluate the Effect of Irrigation Water Salinity in Lettuce. <i>Applied Sciences (Switzerland)</i> , <b>2016</b> , 6, 412	2.6	13
62	Simulation Method Linking Dense Microalgal Culture Spectral Properties in the 400-750 nm Range to the Physiology of the Cells. <i>Applied Spectroscopy</i> , <b>2016</b> , 70, 1018-33	3.1	2
61	Application-Dedicated Selection of Filters (ADSF) using covariance maximization and orthogonal projection. <i>Analytica Chimica Acta</i> , <b>2016</b> , 921, 1-12	6.6	0
60	DROP-D: Dimension reduction by orthogonal projection for discrimination. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2015</b> , 146, 221-231	3.8	4

59	Setting local rank constraints by orthogonal projections for image resolution analysis: application to the determination of a low dose pharmaceutical compound. <i>Analytica Chimica Acta</i> , <b>2015</b> , 892, 49-58	6.6	2
58	Combining linear polarization spectroscopy and the Representative Layer Theory to measure the Beer-Lambert law absorbance of highly scattering materials. <i>Analytica Chimica Acta</i> , <b>2015</b> , 853, 486-494	6.6	50
57	Distribution of a low dose compound within pharmaceutical tablet by using multivariate curve resolution on Raman hyperspectral images. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 103, 35-43	3.5	28
56	Analysis of the uncertainties affecting predictions of clay contents from VNIR/SWIR hyperspectral data. <i>Remote Sensing of Environment</i> , <b>2015</b> , 156, 58-70	13.2	22
55	Detection and Quantification of Peanut Traces in Wheat Flour by near Infrared Hyperspectral Imaging Spectroscopy Using Principal-Component Analysis. <i>Journal of Near Infrared Spectroscopy</i> , <b>2015</b> , 23, 15-22	1.5	38
54	Improvement of the chemical content prediction of a model powder system by reducing multiple scattering using polarized light spectroscopy. <i>Applied Spectroscopy</i> , <b>2015</b> , 69, 95-102	3.1	8
53	Application of independent component analysis on Raman images of a pharmaceutical drug product: pure spectra determination and spatial distribution of constituents. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 90, 78-84	3.5	48
52	Comparison of the efficacy of spectral pre-treatments for wheat and weed discrimination in outdoor conditions. <i>Computers and Electronics in Agriculture</i> , <b>2014</b> , 108, 242-249	6.5	17
51	A simple, projection-based geometric model for several linear pretreatment and calibration methods. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2014</b> , 138, 48-56	3.8	3
50	Potential of a spectroscopic measurement method using adding-doubling to retrieve the bulk optical properties of dense microalgal media. <i>Applied Spectroscopy</i> , <b>2014</b> , 68, 1154-67	3.1	10
49	Major Issues of Diffuse Reflectance NIR Spectroscopy in the Specific Context of Soil Carbon Content Estimation. <i>Advances in Agronomy</i> , <b>2014</b> , 123, 145-175	7.7	27
48	3D front face solid-phase fluorescence spectroscopy combined with Independent Components Analysis to characterize organic matter in model soils. <i>Talanta</i> , <b>2014</b> , 125, 146-52	6.2	14
47	Raman model development for the protein conformational state classification in different freeze-dried formulations. <i>Analytica Chimica Acta</i> , <b>2014</b> , 825, 42-50	6.6	9
46	Calibration transfer of intact olive NIR spectra between a pre-dispersive instrument and a portable spectrometer. <i>Computers and Electronics in Agriculture</i> , <b>2013</b> , 96, 202-208	6.5	48
45	A family of regression methods derived from standard PLSR. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2013</b> , 120, 116-125	3.8	9
44	Raman spectroscopy and multivariate analysis for the rapid discrimination between native-like and non-native states in freeze-dried protein formulations. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , <b>2013</b> , 85, 263-71	5.7	28
43	Monitoring spinach shelf-life with hyperspectral image through packaging films. <i>Journal of Food Engineering</i> , <b>2013</b> , 119, 353-361	6	31
42	Examination of the quality of spinach leaves using hyperspectral imaging. <i>Postharvest Biology and Technology</i> , <b>2013</b> , 85, 8-17	6.2	44



41	Applicability of Vis-NIR hyperspectral imaging for monitoring wood moisture content (MC). <i>Holzforschung</i> , <b>2013</b> , 67, 307-314	2	40
40	Comparative study of two methods (hexane extraction and NMR) for the determination of oil content in an individual olive fruit. <i>European Journal of Lipid Science and Technology</i> , <b>2013</b> , 115, 1070-1077	3.7	4
39	Combination of optical and non-destructive mechanical techniques for the measurement of maturity in peach. <i>Journal of Food Engineering</i> , <b>2012</b> , 108, 150-157	6	30
38	Pretreatments by means of orthogonal projections. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2012</b> , 117, 61-69	3.8	31
37	An iterative hyperspectral image segmentation method using a cross analysis of spectral and spatial information. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2012</b> , 117, 213-223	3.8	12
36	Detection of abnormal fermentations in wine process by multivariate statistics and pattern recognition techniques. <i>Journal of Biotechnology</i> , <b>2012</b> , 159, 336-41	3.7	12
35	A new formulation to estimate the variance of model prediction. Application to near infrared spectroscopy calibration. <i>Analytica Chimica Acta</i> , <b>2012</b> , 721, 28-34	6.6	7
34	Application of direct calibration in multivariate image analysis of heterogeneous materials. <i>Analytica Chimica Acta</i> , <b>2012</b> , 734, 45-53	6.6	4
33	Removing the effect of soil moisture from NIR diffuse reflectance spectra for the prediction of soil organic carbon. <i>Geoderma</i> , <b>2011</b> , 167-168, 118-124	6.7	173
32	Discrimination of corn from monocotyledonous weeds with ultraviolet (UV) induced fluorescence. <i>Applied Spectroscopy</i> , <b>2011</b> , 65, 10-9	3.1	14
31	A technical opportunity index adapted to zone-specific management. <i>Precision Agriculture</i> , <b>2011</b> , 12, 130-145	5.6	16
30	Predictive power of LDA to discriminate abnormal wine fermentations. <i>Journal of Chemometrics</i> , <b>2011</b> , 25, 382-388	1.6	4
29	How to build a robust model against perturbation factors with only a few reference values: A chemometric challenge at ChimioMerie 2007. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2011</b> , 106, 152-159	3.8	13
28	Comparison of multispectral indexes extracted from hyperspectral images for the assessment of fruit ripening. <i>Journal of Food Engineering</i> , <b>2011</b> , 104, 612-620	6	49
27	Autofluorescence of grape berries following Botrytis cinerea infection. <i>International Journal of Remote Sensing</i> , <b>2011</b> , 32, 3835-3849	3.1	4
26	Evaluation of oil-palm fungal disease infestation with canopy hyperspectral reflectance data. <i>Sensors</i> , <b>2010</b> , 10, 734-47	3.8	55
25	Improved discrimination between monocotyledonous and dicotyledonous plants for weed control based on the blue-green region of ultraviolet-induced fluorescence spectra. <i>Applied Spectroscopy</i> , <b>2010</b> , 64, 30-6	3.1	9
24	Improvement of direct calibration in spectroscopy. <i>Analytica Chimica Acta</i> , <b>2010</b> , 668, 130-6	6.6	10

23	Assessing yeast viability from cell size measurements?. <i>Journal of Biotechnology</i> , <b>2010</b> , 149, 74-80	3.7	26
22	Critical review of chemometric indicators commonly used for assessing the quality of the prediction of soil attributes by NIR spectroscopy. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2010</b> , 29, 1073-1081	14.6	494
21	Improving the transfer of near infrared prediction models by orthogonal methods. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2009</b> , 99, 57-65	3.8	38
20	Effects of preprocessing of ultraviolet-induced fluorescence spectra in plant fingerprinting applications. <i>Applied Spectroscopy</i> , <b>2008</b> , 62, 747-52	3.1	6
19	Removing the Block Effects in Calibration by Means of Dynamic Orthogonal Projection. Application to the Year Effect Correction for Wheat Protein Prediction. <i>Journal of Near Infrared Spectroscopy</i> , <b>2008</b> , 16, 311-315	1.5	17
18	Hyperspectral Imaging System Calibration Using Image Translations and Fourier Transform. <i>Journal of Near Infrared Spectroscopy</i> , <b>2008</b> , 16, 371-380	1.5	1
17	Management zone delineation using a modified watershed algorithm. <i>Precision Agriculture</i> , <b>2008</b> , 9, 233-250	3.5	27
16	Correction of moisture effects on near infrared calibration for the analysis of phenol content in eucalyptus wood extracts. <i>Annals of Forest Science</i> , <b>2008</b> , 65, 803-803	3.1	17
15	Spatial data fusion for qualitative estimation of fuzzy request zones: Application on precision viticulture. <i>Fuzzy Sets and Systems</i> , <b>2007</b> , 158, 535-554	3.7	17
14	An indium phosphide-based near-infrared MOEMS microspectrometer for agri-food and environmental monitoring <b>2007</b> ,		3
13	Non-destructive tests on the prediction of apple fruit flesh firmness and soluble solids content on tree and in shelf life. <i>Journal of Food Engineering</i> , <b>2006</b> , 77, 254-260	6	205
12	Least-squares support vector machines modelization for time-resolved spectroscopy. <i>Applied Optics</i> , <b>2005</b> , 44, 7091-7	1.7	10
11	MADSTRESS: a linear approach for evaluating scattering and absorption coefficients of samples measured using time-resolved spectroscopy in reflection. <i>Applied Spectroscopy</i> , <b>2005</b> , 59, 1229-35	3.1	20
10	Robustness of models developed by multivariate calibration. Part II: The influence of pre-processing methods. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2005</b> , 24, 437-445	14.6	107
9	Robustness of models developed by multivariate calibration. Part I. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2004</b> , 23, 157-170	14.6	83
8	Robustness of Models Based on NIR Spectra for Sugar Content Prediction in Apples. <i>Journal of Near Infrared Spectroscopy</i> , <b>2003</b> , 11, 97-107	1.5	37
7	Authenticating white grape must variety with classification models based on aroma sensors, FT-IR and UV spectrometry. <i>Journal of Food Engineering</i> , <b>2003</b> , 60, 407-419	6	87
6	Fusion of aroma, FT-IR and UV sensor data based on the Bayesian inference. Application to the discrimination of white grape varieties. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2003</b> , 65, 209-219	3.8	69



5	EPOPLS external parameter orthogonalisation of PLS application to temperature-independent measurement of sugar content of intact fruits. <i>Chemometrics and Intelligent Laboratory Systems</i> , <b>2003</b> , 66, 191-204	3.8	182
4	Resample and combine: an approach to improving uncertainty representation in evidential pattern classification. <i>Information Fusion</i> , <b>2003</b> , 4, 75-85	16.7	19
3	Pattern analysis techniques to process fermentation curves: application to discrimination of enological alcoholic fermentations. <i>Biotechnology and Bioengineering</i> , <b>2002</b> , 79, 804-15	4.9	21
2	Intelligent simulation of plant operation in the wine industry. <i>Food Control</i> , <b>1994</b> , 5, 91-95	6.2	8
1	Assessing the potential of a handheld visible-near infrared microspectrometer for sugar beet phenotyping. <i>Journal of Near Infrared Spectroscopy</i> , 096703352210834	1.5	