

# Manuela Gago-Dominguez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/819786/publications.pdf>

Version: 2024-02-01

92  
papers

8,957  
citations

71102

41  
h-index

48315

88  
g-index

103  
all docs

103  
docs citations

103  
times ranked

11394  
citing authors

#	ARTICLE	IF	CITATIONS
1	Intake Patterns of Specific Alcoholic Beverages by Prostate Cancer Status. <i>Cancers</i> , 2022, 14, 1981.	3.7	0
2	Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2021, 113, 329-337.	6.3	45
3	Common Susceptibility Loci for Male Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2021, 113, 453-461.	6.3	12
4	Circulating adipokine concentrations and risk of five obesity-related cancers: A Mendelian randomization study. <i>International Journal of Cancer</i> , 2021, 148, 1625-1636.	5.1	29
5	CYP3A7*1C allele: linking premenopausal oestrogen and progesterone levels with risk of hormone receptor-positive breast cancers. <i>British Journal of Cancer</i> , 2021, 124, 842-854.	6.4	5
6	Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. <i>Nature Genetics</i> , 2021, 53, 65-75.	21.4	264
7	Additional SNPs improve risk stratification of a polygenic hazard score for prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 532-541.	3.9	16
8	A case-only study to identify genetic modifiers of breast cancer risk for BRCA1/BRCA2 mutation carriers. <i>Nature Communications</i> , 2021, 12, 1078.	12.8	19
9	Polygenic hazard score is associated with prostate cancer in multi-ethnic populations. <i>Nature Communications</i> , 2021, 12, 1236.	12.8	40
10	Breast Cancer Risk Genes Association Analysis in More than 113,000 Women. <i>New England Journal of Medicine</i> , 2021, 384, 428-439.	27.0	532
11	Obesity-related genetic determinants of stroke. <i>Brain Communications</i> , 2021, 3, fcab069.	3.3	1
12	LIPG endothelial lipase and breast cancer risk by subtypes. <i>Scientific Reports</i> , 2021, 11, 10436.	3.3	2
13	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , 2021, 108, 1190-1203.	6.2	6
14	Marital status and prostate cancer incidence: a pooled analysis of 12 case-control studies from the PRACTICAL consortium. <i>European Journal of Epidemiology</i> , 2021, 36, 913-925.	5.7	23
15	Genetic insights into biological mechanisms governing human ovarian ageing. <i>Nature</i> , 2021, 596, 393-397.	27.8	183
16	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 623-642.	2.5	19
17	Genetically Predicted Levels of DNA Methylation Biomarkers and Breast Cancer Risk: Data From 228,951 Women of European Descent. <i>Journal of the National Cancer Institute</i> , 2020, 112, 295-304.	6.3	35
18	Evaluation of associations between genetically predicted circulating protein biomarkers and breast cancer risk. <i>International Journal of Cancer</i> , 2020, 146, 2130-2138.	5.1	13

#	ARTICLE	IF	CITATIONS
19	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. <i>Nature Genetics</i> , 2020, 52, 56-73.	21.4	120
20	Cumulative Burden of Colorectal Cancer-associated Genetic Variants Is More Strongly Associated With Early-Onset vs Late-Onset Cancer. <i>Gastroenterology</i> , 2020, 158, 1274-1286.e12.	1.3	110
21	Neutrophil to lymphocyte ratio and breast cancer risk: analysis by subtype and potential interactions. <i>Scientific Reports</i> , 2020, 10, 13203.	3.3	32
22	Breast Cancer Polygenic Risk Score and Contralateral Breast Cancer Risk. <i>American Journal of Human Genetics</i> , 2020, 107, 837-848.	6.2	39
23	The CHEK2 Variant C.349A>G Is Associated with Prostate Cancer Risk and Carriers Share a Common Ancestor. <i>Cancers</i> , 2020, 12, 3254.	3.7	16
24	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses. <i>Nature Genetics</i> , 2020, 52, 572-581.	21.4	265
25	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , 2020, 10, 9688.	3.3	2
26	A network analysis to identify mediators of germline-driven differences in breast cancer prognosis. <i>Nature Communications</i> , 2020, 11, 312.	12.8	30
27	Runs of homozygosity and testicular cancer risk. <i>Andrology</i> , 2019, 7, 555-564.	3.5	5
28	The FANCM:p.Arg658* truncating variant is associated with risk of triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2019, 5, 38.	5.2	28
29	Re-evaluating genetic variants identified in candidate gene studies of breast cancer risk using data from nearly 280,000 women of Asian and European ancestry. <i>EBioMedicine</i> , 2019, 48, 203-211.	6.1	14
30	Two truncating variants in FANCC and breast cancer risk. <i>Scientific Reports</i> , 2019, 9, 12524.	3.3	5
31	Shared heritability and functional enrichment across six solid cancers. <i>Nature Communications</i> , 2019, 10, 431.	12.8	88
32	Obesity-Related Genetic Determinants of Heart Failure Prognosis. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 415-424.	2.6	5
33	Genome-wide association and transcriptome studies identify target genes and risk loci for breast cancer. <i>Nature Communications</i> , 2019, 10, 1741.	12.8	90
34	Genome-wide association study of germline variants and breast cancer-specific mortality. <i>British Journal of Cancer</i> , 2019, 120, 647-657.	6.4	52
35	The association between weight at birth and breast cancer risk revisited using Mendelian randomisation. <i>European Journal of Epidemiology</i> , 2019, 34, 591-600.	5.7	16
36	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. <i>American Journal of Human Genetics</i> , 2019, 104, 21-34.	6.2	711

#	ARTICLE	IF	CITATIONS
37	Breast Cancer Mortality in Older and Younger Patients in California. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 303-310.	2.5	16
38	Associations of obesity and circulating insulin and glucose with breast cancer risk: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2019, 48, 795-806.	1.9	81
39	Joint associations of a polygenic risk score and environmental risk factors for breast cancer in the Breast Cancer Association Consortium. <i>International Journal of Epidemiology</i> , 2018, 47, 526-536.	1.9	88
40	Germline variation at 8q24 and prostate cancer risk in men of European ancestry. <i>Nature Communications</i> , 2018, 9, 4616.	12.8	43
41	Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. <i>Nature Genetics</i> , 2018, 50, 928-936.	21.4	652
42	Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. <i>Nature Communications</i> , 2018, 9, 2256.	12.8	88
43	A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , 2018, 50, 968-978.	21.4	184
44	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017, 551, 92-94.	27.8	1,099
45	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , 2017, 49, 1767-1778.	21.4	289
46	Gene-environment interactions involving functional variants: Results from the Breast Cancer Association Consortium. <i>International Journal of Cancer</i> , 2017, 141, 1830-1840.	5.1	20
47	Alcohol and breast cancer tumor subtypes in a Spanish Cohort. <i>SpringerPlus</i> , 2016, 5, 39.	1.2	13
48	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , 2016, 25, 1203-1214.	2.9	38
49	Investigation of gene-environment interactions between 47 newly identified breast cancer susceptibility loci and environmental risk factors. <i>International Journal of Cancer</i> , 2015, 136, E685-96.	5.1	34
50	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	2.9	90
51	Dietary sources of Nitroso compounds and bladder cancer risk: Findings from the Los Angeles bladder cancer study. <i>International Journal of Cancer</i> , 2014, 134, 125-135.	5.1	63
52	Genome-wide interaction study of smoking and bladder cancer risk. <i>Carcinogenesis</i> , 2014, 35, 1737-1744.	2.8	50
53	Genome-wide association study identifies multiple loci associated with bladder cancer risk. <i>Human Molecular Genetics</i> , 2014, 23, 1387-1398.	2.9	137
54	Comprehensive analyses of DNA repair pathways, smoking and bladder cancer risk in Los Angeles and Shanghai. <i>International Journal of Cancer</i> , 2014, 135, 335-347.	5.1	22

#	ARTICLE	IF	CITATIONS
55	The 19q12 Bladder Cancer GWAS Signal: Association with Cyclin E Function and Aggressive Disease. <i>Cancer Research</i> , 2014, 74, 5808-5818.	0.9	24
56	Alcohol Consumption and Survival after a Breast Cancer Diagnosis: A Literature-Based Meta-analysis and Collaborative Analysis of Data for 29,239 Cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 934-945.	2.5	37
57	Hypothesized role of pregnancy hormones on HER2+ breast tumor development. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 237-246.	2.5	20
58	Genetic Variations in SMAD7 Are Associated with Colorectal Cancer Risk in the Colon Cancer Family Registry. <i>PLoS ONE</i> , 2013, 8, e60464.	2.5	17
59	Elevated 4-Aminobiphenyl and 2,6-Dimethylaniline Hemoglobin Adducts and Increased Risk of Bladder Cancer among Lifelong Nonsmokers—The Shanghai Bladder Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 937-945.	2.5	20
60	Genome-wide association study identifies a common variant in RAD51B associated with male breast cancer risk. <i>Nature Genetics</i> , 2012, 44, 1182-1184.	21.4	99
61	Breast Feeding, Parity and Breast Cancer Subtypes in a Spanish Cohort. <i>PLoS ONE</i> , 2012, 7, e40543.	2.5	39
62	Personal hair dye use and the risk of bladder cancer: a case-control study from The Netherlands. <i>Cancer Causes and Control</i> , 2012, 23, 1139-1148.	1.8	33
63	Cigarette smoking and subtypes of bladder cancer. <i>International Journal of Cancer</i> , 2012, 130, 896-901.	5.1	53
64	Family History and Breast Cancer Hormone Receptor Status in a Spanish Cohort. <i>PLoS ONE</i> , 2012, 7, e29459.	2.5	19
65	Lower Risk in Parous Women Suggests That Hormonal Factors Are Important in Bladder Cancer Etiology. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1156-1170.	2.5	44
66	Genetic variations on chromosomes 5p15 and 15q25 and bladder cancer risk: findings from the Los Angeles—Shanghai bladder case-control study. <i>Carcinogenesis</i> , 2011, 32, 197-202.	2.8	52
67	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. <i>Nature Genetics</i> , 2010, 42, 978-984.	21.4	493
68	Risk of Urinary Bladder Cancer Is Associated with 8q24 Variant rs9642880[T] in Multiple Racial/Ethnic Groups: Results from the Los Angeles—Shanghai Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 3150-3156.	2.5	16
69	Hypertension, diuretics and antihypertensives in relation to bladder cancer. <i>Carcinogenesis</i> , 2010, 31, 1964-1971.	2.8	31
70	Urinary tract infections and reduced risk of bladder cancer in Los Angeles. <i>British Journal of Cancer</i> , 2009, 100, 834-839.	6.4	44
71	Polymorphisms in DNA Repair Genes, Smoking, and Bladder Cancer Risk: Findings from the International Consortium of Bladder Cancer. <i>Cancer Research</i> , 2009, 69, 6857-6864.	0.9	107
72	Sequence Variant on 3q28 and Urinary Bladder Cancer Risk: Findings from the Los Angeles-Shanghai Bladder Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3057-3061.	2.5	12

#	ARTICLE	IF	CITATIONS
73	Role of lipid peroxidation and oxidative stress in the association between thyroid diseases and breast cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2008, 68, 107-114.	4.4	21
74	Water intake and bladder cancer risk in Los Angeles County. <i>International Journal of Cancer</i> , 2008, 123, 1649-1656.	5.1	42
75	Risk factors for cardiovascular disease in women: Relationship to lipid peroxidation and oxidative stress. <i>Medical Hypotheses</i> , 2008, 71, 39-44.	1.5	62
76	Lipid peroxidation and the protective effect of physical exercise on breast cancer. <i>Medical Hypotheses</i> , 2007, 68, 1138-1143.	1.5	17
77	Lipid peroxidation, oxidative stress genes and dietary factors in breast cancer protection: a hypothesis. <i>Breast Cancer Research</i> , 2007, 9, 201.	5.0	86
78	Alcohol consumption and risk of bladder cancer in Los Angeles County. <i>International Journal of Cancer</i> , 2007, 121, 839-845.	5.1	30
79	Lipid peroxidation and renal cell carcinoma: further supportive evidence and new mechanistic insights. <i>Free Radical Biology and Medicine</i> , 2006, 40, 721-733.	2.9	74
80	Alkylaniline-Hemoglobin Adducts and Risk of Non-Smoking-Related Bladder Cancer. <i>Journal of the National Cancer Institute</i> , 2004, 96, 1425-1431.	6.3	72
81	Carotenoids/vitamin C and smoking-related bladder cancer. <i>International Journal of Cancer</i> , 2004, 110, 417-423.	5.1	74
82	Marine n-3 fatty acid intake, glutathione S-transferase polymorphisms and breast cancer risk in post-menopausal Chinese women in Singapore. <i>Carcinogenesis</i> , 2004, 25, 2143-2147.	2.8	42
83	Opposing effects of dietary n-3 and n-6 fatty acids on mammary carcinogenesis: The Singapore Chinese Health Study. <i>British Journal of Cancer</i> , 2003, 89, 1686-1692.	6.4	164
84	Permanent hair dyes and bladder cancer: risk modification by cytochrome P4501A2 and N-acetyltransferases 1 and 2. <i>Carcinogenesis</i> , 2003, 24, 483-489.	2.8	111
85	Lipid peroxidation: a novel and unifying concept of the etiology of renal cell carcinoma (United) Tj ETQq1 1 0.784314 rgBT /Overlock 148	1.8	148
86	Phenobarbital use and bladder cancer risk. <i>European Journal of Epidemiology</i> , 2002, 18, 659-664.	5.7	5
87	Use of permanent hair dyes and bladder-cancer risk. <i>International Journal of Cancer</i> , 2001, 91, 575-579.	5.1	190
88	Gender- and Smoking-Related Bladder Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2001, 93, 538-545.	6.3	228
89	Non-steroidal anti-inflammatory drugs and bladder cancer prevention. <i>British Journal of Cancer</i> , 2000, 82, 1364-1369.	6.4	192
90	Regular use of analgesics is a risk factor for renal cell carcinoma. <i>British Journal of Cancer</i> , 1999, 81, 542-548.	6.4	100

#	ARTICLE	IF	CITATIONS
91	Hypertension, obesity and their medications in relation to renal cell carcinoma. British Journal of Cancer, 1998, 77, 1508-1513.	6.4	128
92	Cruciferous vegetables in relation to renal cell carcinoma. International Journal of Cancer, 1998, 77, 211-216.	5.1	91