

Alexander Bond

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8198600/alexander-bond-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

3,355
citations

32
h-index

54
g-index

146
ext. papers

4,178
ext. citations

4.5
avg, IF

6.09
L-index

#	Paper	IF	Citations
137	Recent Bayesian stable-isotope mixing models are highly sensitive to variation in discrimination factors 2011 , 21, 1017-23		296
136	Exceptional and rapid accumulation of anthropogenic debris on one of the world's most remote and pristine islands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 6052-6055	11.5	227
135	Quantifying ingested debris in marine megafauna: a review and recommendations for standardization. <i>Analytical Methods</i> , 2017 , 9, 1454-1469	3.2	206
134	Plastic ingestion by Flesh-footed Shearwaters (<i>Puffinus carneipes</i>): Implications for fledgling body condition and the accumulation of plastic-derived chemicals. <i>Environmental Pollution</i> , 2014 , 187, 124-9	9.3	163
133	Marine birds and plastic debris in Canada: a national synthesis and a way forward. <i>Environmental Reviews</i> , 2015 , 23, 1-13	4.5	103
132	Total and methyl mercury concentrations in seabird feathers and eggs. <i>Archives of Environmental Contamination and Toxicology</i> , 2009 , 56, 286-91	3.2	95
131	Reporting Stable-Isotope Ratios in Ecology: Recommended Terminology, Guidelines and Best Practices. <i>Waterbirds</i> , 2012 , 35, 324	0.5	93
130	Prevalence of marine debris in marine birds from the North Atlantic. <i>Marine Pollution Bulletin</i> , 2014 , 84, 411-7	6.7	81
129	Rapidly increasing methyl mercury in endangered ivory gull (<i>Pagophila eburnea</i>) feathers over a 130 year record. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015 , 282,	4.4	69
128	Globally important islands where eradicating invasive mammals will benefit highly threatened vertebrates. <i>PLoS ONE</i> , 2019 , 14, e0212128	3.7	60
127	Mercury concentrations in seabird tissues from Machias Seal Island, New Brunswick, Canada. <i>Science of the Total Environment</i> , 2009 , 407, 4340-7	10.2	60
126	Prevalence and composition of fishing gear debris in the nests of northern gannets (<i>Morus bassanus</i>) are related to fishing effort. <i>Marine Pollution Bulletin</i> , 2012 , 64, 907-11	6.7	56
125	Mercury trends in herring gull (<i>Larus argentatus</i>) eggs from Atlantic Canada, 1972-2008: Temporal change or dietary shift?. <i>Environmental Pollution</i> , 2013 , 172, 216-22	9.3	56
124	Ingested plastic as a route for trace metals in Laysan Albatross (<i>Phoebastria immutabilis</i>) and Bonin Petrel (<i>Pterodroma hypoleuca</i>) from Midway Atoll. <i>Marine Pollution Bulletin</i> , 2016 , 110, 493-500	6.7	54
123	Marine foraging birds as bioindicators of mercury in the Gulf of Maine. <i>EcoHealth</i> , 2008 , 5, 409-25	3.1	51
122	Global phenological insensitivity to shifting ocean temperatures among seabirds. <i>Nature Climate Change</i> , 2018 , 8, 313-318	21.4	50
121	Global Review of Beach Debris Monitoring and Future Recommendations. <i>Environmental Science & Technology</i> , 2019 , 53, 12158-12167	10.3	48

120	Trace element concentrations in feathers of flesh-footed Shearwaters (<i>Puffinus carneipes</i>) from across their breeding range. <i>Archives of Environmental Contamination and Toxicology</i> , 2011 , 61, 318-26	3.2	48
119	Factors influencing the detection of beach plastic debris. <i>Marine Environmental Research</i> , 2016 , 119, 245-51	3.5	46
118	Plastic ingestion by fulmars and shearwaters at Sable Island, Nova Scotia, Canada. <i>Marine Pollution Bulletin</i> , 2014 , 87, 68-75	6.7	46
117	Relationships between stable isotopes and metal contaminants in feathers are spurious and biologically uninformative. <i>Environmental Pollution</i> , 2010 , 158, 1182-4	9.3	43
116	Seabirds and marine plastic debris in the northeastern Atlantic: A synthesis and recommendations for monitoring and research. <i>Environmental Pollution</i> , 2017 , 231, 1291-1301	9.3	42
115	Defining fish community structure in Lake Winnipeg using stable isotopes ($\delta^{13}C$, $\delta^{15}N$, $\delta^{34}S$): implications for monitoring ecological responses and trophodynamics of mercury & other trace elements. <i>Science of the Total Environment</i> , 2014 , 497-498, 239-249	10.2	41
114	Ingestion of plastic marine debris by Common and Thick-billed Murres in the northwestern Atlantic from 1985 to 2012. <i>Marine Pollution Bulletin</i> , 2013 , 77, 192-5	6.7	41
113	Extending an indicator: year-round information on seabird trophic ecology from multiple-tissue stable-isotope analyses. <i>Marine Ecology - Progress Series</i> , 2012 , 461, 233-243	2.6	38
112	Recommended best practices for plastic and litter ingestion studies in marine birds: Collection, processing, and reporting. <i>Facets</i> , 2019 , 4, 111-130	2.3	37
111	Geophysical features influence the accumulation of beach debris on Caribbean islands. <i>Marine Pollution Bulletin</i> , 2017 , 121, 45-51	6.7	36
110	Clinical Pathology of Plastic Ingestion in Marine Birds and Relationships with Blood Chemistry. <i>Environmental Science & Technology</i> , 2019 , 53, 9224-9231	10.3	36
109	Using globally threatened pelagic birds to identify priority sites for marine conservation in the South Atlantic Ocean. <i>Biological Conservation</i> , 2017 , 211, 76-84	6.2	32
108	Multi-tissue stable-isotope analyses can identify dietary specialization. <i>Methods in Ecology and Evolution</i> , 2016 , 7, 1428-1437	7.7	32
107	Effects of mouse predation on burrowing petrel chicks at Gough Island. <i>Antarctic Science</i> , 2015 , 27, 543-553	3.2	32
106	High within-individual variation in total mercury concentration in seabird feathers. <i>Environmental Toxicology and Chemistry</i> , 2008 , 27, 2375-7	3.8	31
105	Selectivity of flesh-footed shearwaters for plastic colour: Evidence for differential provisioning in adults and fledglings. <i>Marine Environmental Research</i> , 2016 , 113, 1-6	3.3	30
104	Effectiveness of emetics to study plastic ingestion by Leach's Storm-petrels (<i>Oceanodroma leucorhoa</i>). <i>Marine Pollution Bulletin</i> , 2013 , 70, 171-5	6.7	30
103	Climate change alters the trophic niche of a declining apex marine predator. <i>Global Change Biology</i> , 2014 , 20, 2100-7	11.4	29

102	Feather-based measures of stable isotopes and corticosterone reveal a relationship between trophic position and physiology in a pelagic seabird over a 153-year period. <i>Ibis</i> , 2015 , 157, 273-283	1.9	27
101	Nutrient allocation for egg production in six Atlantic seabirds. <i>Canadian Journal of Zoology</i> , 2010 , 88, 1095-1102	1.5	25
100	Entrapment in plastic debris endangers hermit crabs. <i>Journal of Hazardous Materials</i> , 2020 , 387, 121703	12.8	25
99	The use of anthropogenic marine debris as a nesting material by brown boobies (<i>Sula leucogaster</i>). <i>Marine Pollution Bulletin</i> , 2018 , 137, 96-103	6.7	25
98	Trends and tactics of mouse predation on Tristan Albatross <i>Diomedea dabbenena</i> chicks at Gough Island, South Atlantic Ocean. <i>Avian Conservation and Ecology</i> , 2015 , 10,	1.5	24
97	Foraging segregation in tropical and polar seabirds: Testing the Intersexual Competition Hypothesis. <i>Journal of Experimental Marine Biology and Ecology</i> , 2013 , 449, 186-193	2.1	23
96	Volunteer field technicians are bad for wildlife ecology. <i>Wildlife Society Bulletin</i> , 2015 , 39, 819-821	1.4	23
95	Reproductive success of planktivorous seabirds in the North Pacific is related to ocean climate on decadal scales. <i>Marine Ecology - Progress Series</i> , 2011 , 424, 205-218	2.6	22
94	Perpetuation and reassortment of gull influenza A viruses in Atlantic North America. <i>Virology</i> , 2014 , 456-457, 353-63	3.6	21
93	Biofilm consumption and variable diet composition of western sandpipers (<i>Calidris mauri</i>) during migratory stopover. <i>PLoS ONE</i> , 2015 , 10, e0124164	3.7	21
92	Diet Changes in Breeding Herring Gulls (<i>Larus argentatus</i>) in Witless Bay, Newfoundland and Labrador, Canada, over 40 Years. <i>Waterbirds</i> , 2016 , 39, 152-158	0.5	21
91	The impacts of introduced House Mice on the breeding success of nesting seabirds on Gough Island. <i>Ibis</i> , 2019 , 161, 648-661	1.9	21
90	Plastic ingestion by Newell's (<i>Puffinus newelli</i>) and wedge-tailed shearwaters (<i>Ardenna pacifica</i>) in Hawaii. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 23951-23958	5.1	18
89	Ingestion of marine debris by Wedge-tailed Shearwaters (<i>Ardenna pacifica</i>) on Lord Howe Island, Australia during 2005-2018. <i>Marine Pollution Bulletin</i> , 2018 , 133, 616-621	6.7	17
88	Diet of auklet chicks in the Aleutian Islands, Alaska: similarity among islands, interspecies overlap, and relationships to ocean climate. <i>Journal of Ornithology</i> , 2012 , 153, 115-129	1.5	17
87	Stable Isotopes Confirm Community Patterns in Foraging Among Hawaiian Procellariiformes. <i>Waterbirds</i> , 2010 , 33, 50-58	0.5	17
86	Urbanization of the Silver Gull: Evidence of Anthropogenic Feeding Regimes from Stable Isotope Analyses. <i>Waterbirds</i> , 2011 , 34, 70-76	0.5	17
85	Auklet (Charadriiformes: Alcidae, <i>Aethia</i> spp.) chick meals from the Aleutian Islands, Alaska, have a very low incidence of plastic marine debris. <i>Marine Pollution Bulletin</i> , 2010 , 60, 1346-9	6.7	17

84	Monitoring nest incorporation of anthropogenic debris by Northern Gannets across their range. <i>Environmental Pollution</i> , 2019 , 255, 113152	9.3	16
83	A Horizon Scan of research priorities to inform policies aimed at reducing the harm of plastic pollution to biota. <i>Science of the Total Environment</i> , 2020 , 733, 139381	10.2	15
82	Sex biases in bird and mammal natural history collections. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019 , 286, 20192025	4.4	14
81	A critical review of harm associated with plastic ingestion on vertebrates. <i>Science of the Total Environment</i> , 2020 , 743, 140666	10.2	13
80	Evaluation of seabirds in Newfoundland and Labrador, Canada, as hosts of influenza A viruses. <i>Journal of Wildlife Diseases</i> , 2014 , 50, 98-103	1.3	11
79	Least Auklet (<i>Aethia pusilla</i>) 2013 ,		11
78	Assessing plastic size distribution and quantity on a remote island in the South Pacific. <i>Marine Pollution Bulletin</i> , 2021 , 167, 112366	6.7	11
77	Detection of ultrafine plastics ingested by seabirds using tissue digestion. <i>Marine Pollution Bulletin</i> , 2019 , 142, 470-474	6.7	10
76	Marine hotspots of activity inform protection of a threatened community of pelagic species in a large oceanic jurisdiction. <i>Animal Conservation</i> , 2020 , 23, 585-596	3.2	10
75	Great Black-Backed Gull (<i>Larus marinus</i>) Predation on Seabird Populations at Two Colonies in Eastern Canada. <i>Waterbirds</i> , 2016 , 39, 235-245	0.5	10
74	What's the catch with lumpsuckers? A North Atlantic study of seabird bycatch in lump sucker gillnet fisheries. <i>Biological Conservation</i> , 2019 , 240, 108278	6.2	10
73	Introduction: A Historical Perspective on Trends in Some Gulls in Eastern North America, with Reference to Other Regions. <i>Waterbirds</i> , 2016 , 39, 1-9	0.5	9
72	Uncovering the sub-lethal impacts of plastic ingestion by shearwaters using fatty acid analysis 2019 , 7, coz017		8
71	The chemical basis of a signal of individual identity: shell pigment concentrations track the unique appearance of Common Murre eggs. <i>Journal of the Royal Society Interface</i> , 2019 , 16, 20190115	4.1	8
70	Ingested plastic and trace element concentrations in Short-tailed Shearwaters (<i>Ardenna tenuirostris</i>). <i>Marine Pollution Bulletin</i> , 2020 , 155, 111143	6.7	8
69	Estimating the extinction date of the thylacine with mixed certainty data. <i>Conservation Biology</i> , 2018 , 32, 477-483	6	8
68	Temporary captive population and rapid population recovery of an endemic flightless rail after a rodent eradication operation using aerially distributed poison bait. <i>Biological Conservation</i> , 2016 , 204, 442-448	6.2	8
67	Trace element concentrations in harvested auks from Newfoundland: Toxicological risk of a traditional hunt. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 115, 1-6	7	8

66	Stability of a Seabird Population in the Presence of an Introduced Predator. <i>Avian Conservation and Ecology</i> , 2013 , 8,	1.5	8
65	Linking at-sea mortality of a pelagic shearwater to breeding colonies of origin using biogeochemical markers. <i>Marine Ecology - Progress Series</i> , 2013 , 491, 265-275	2.6	8
64	Differential Declines among Nesting Habitats of Breeding Herring Gulls (<i>Larus argentatus</i>) and Great Black-Backed Gulls (<i>Larus marinus</i>) in Witless Bay, Newfoundland and Labrador, Canada. <i>Waterbirds</i> , 2016 , 39, 143-151	0.5	8
63	Variation in Primary Molt in the Least Auklet. <i>Condor</i> , 2013 , 115, 348-355	2.1	7
62	Seasonal ingestion of anthropogenic debris in an urban population of gulls. <i>Marine Pollution Bulletin</i> , 2020 , 160, 111549	6.7	7
61	Unpaid work and access to science professions. <i>PLoS ONE</i> , 2019 , 14, e0217032	3.7	6
60	Changes in technology and imperfect detection of nest contents impedes reliable estimates of population trends in burrowing seabirds. <i>Global Ecology and Conservation</i> , 2019 , 17, e00579	2.8	6
59	Diagnosing and responding to causes of failure to eradicate invasive rodents. <i>Biological Invasions</i> , 2019 , 21, 2247-2254	2.7	6
58	Trace element concentrations in feathers of seven petrels (<i>Pterodroma</i> spp.). <i>Environmental Science and Pollution Research</i> , 2019 , 26, 9640-9648	5.1	6
57	Blue Petrels <i>Halobaena caerulea</i> discovered breeding on Gough Island. <i>Ostrich</i> , 2015 , 86, 193-194	0.9	6
56	Contaminants in indigenous harvests of apex predators: the Tasmanian Short-tailed Shearwater as a case study. <i>Ecotoxicology and Environmental Safety</i> , 2013 , 95, 78-82	7	6
55	Plastic debris increases circadian temperature extremes in beach sediments. <i>Journal of Hazardous Materials</i> , 2021 , 416, 126140	12.8	6
54	Population status, breeding success and ecology of the Henderson Petrel after a failed rat eradication on Henderson Island. <i>Emu</i> , 2017 , 117, 151-159	1.1	5
53	Extensive browsing by a conventional grazer? Stable carbon isotope analysis reveals extraordinary dietary flexibility among Sanga cattle of North Central Namibia. <i>Isotopes in Environmental and Health Studies</i> , 2013 , 49, 318-24	1.5	5
52	Daytime Spring Migrations of Scoters (<i>Melanitta</i> spp.) in the Bay of Fundy. <i>Waterbirds</i> , 2007 , 30, 566-572	0.5	5
51	Seabird breeding islands as sinks for marine plastic debris. <i>Environmental Pollution</i> , 2021 , 276, 116734	9.3	5
50	Preliminary survival and movement data for a declining population of Flesh-footed Shearwater <i>Ardenna carneipes</i> in Western Australia provides insights into marine threats. <i>Bird Conservation International</i> , 2019 , 29, 327-337	1.7	5
49	Clinical Pathology of the Critically Endangered Gough Bunting (<i>Rowettia goughensis</i>). <i>Journal of Comparative Pathology</i> , 2017 , 156, 264-274	1	4

48	Ineffectiveness of light emitting diodes as underwater deterrents for Long-tailed Ducks <i>Clangula hyemalis</i> . <i>Global Ecology and Conservation</i> , 2020 , 23, e01102	2.8	4
47	Local extinctions of insular avifauna on the most remote inhabited island in the world. <i>Journal of Ornithology</i> , 2019 , 160, 49-60	1.5	4
46	Prey consumption and trace element concentrations in double-crested cormorants (<i>Phalacrocorax auritus</i>) from Lake Winnipeg, Canada. <i>Journal of Great Lakes Research</i> , 2015 , 41, 643-651	3	4
45	Mercury concentrations in multiple tissues of Arctic Iceland Gulls (<i>Larus glaucooides</i>) wintering in Newfoundland. <i>Arctic Science</i> , 2015 , 1, 1-8	2.2	4
44	Mercury concentrations in breast feathers of three upper trophic level marine predators from the western Aleutian Islands, Alaska. <i>Marine Pollution Bulletin</i> , 2014 , 82, 189-93	6.7	4
43	Why ornithologists should embrace and contribute to Wikipedia. <i>Ibis</i> , 2011 , 153, 640-641	1.9	4
42	Spatial extinction date estimation: a novel method for reconstructing spatiotemporal patterns of extinction and identifying potential zones of rediscovery		4
41	Towards redressing inaccurate, offensive and inappropriate common bird names. <i>Ibis</i> , 2021 , 163, 1492-1499	1.9	4
40	Reducing the primary exposure risk of Henderson crakes (<i>Zapornia atra</i>) during aerial broadcast eradication by selecting appropriate bait colour. <i>Wildlife Research</i> , 2016 , 43, 298	1.8	4
39	Resource partitioning among five species of waterfowl (<i>Anas</i> spp.) at an autumn migratory stopover: combining stable isotope and mercury biomarkers. <i>Canadian Journal of Zoology</i> , 2017 , 95, 279-286	1.5	3
38	Assessing gaps in reporting non-target mortality in island rodent eradication operations. <i>Biological Invasions</i> , 2019 , 21, 3101-3108	2.7	3
37	Thickness of Common Murre (<i>Uria aalge</i>) eggshells in Atlantic Canada. <i>Canadian Field-Naturalist</i> , 2014 , 128, 72	0.8	3
36	Georeferenced sighting and specimen occurrence data of the extinct Carolina Parakeet () from 1564 - 1944. <i>Biodiversity Data Journal</i> , 2018 , e25280	1.8	3
35	Trace element concentrations in feathers from three seabird species breeding in the Timor Sea. <i>Marine Pollution Bulletin</i> , 2020 , 151, 110876	6.7	3
34	Straight-washing ecological legacies. <i>Nature Ecology and Evolution</i> , 2019 , 3, 1611	12.3	3
33	Population status of four endemic land bird species after an unsuccessful rodent eradication on Henderson Island. <i>Bird Conservation International</i> , 2019 , 29, 124-135	1.7	3
32	A standardised method for estimating the level of visible debris in bird nests. <i>Marine Pollution Bulletin</i> , 2021 , 172, 112889	6.7	3
31	Relaying propensity and characteristics of replacement clutches of Leach's Storm-Petrels (<i>Oceanodroma leucorhoa</i>). <i>Canadian Journal of Zoology</i> , 2015 , 93, 181-185	1.5	2

30	Biological archives reveal contrasting patterns in trace element concentrations in pelagic seabird feathers over more than a century. <i>Environmental Pollution</i> , 2020 , 263, 114631	9.3	2
29	Mercury concentrations in multiple tissues of Kittlitz's murrelets (<i>Brachyramphus brevirostris</i>). <i>Marine Pollution Bulletin</i> , 2018 , 129, 675-680	6.7	2
28	Sexual size dimorphism and discriminant functions for predicting the sex of Atlantic Puffins (<i>Fratercula arctica</i>). <i>Journal of Ornithology</i> , 2016 , 157, 875-883	1.5	2
27	Reevaluating sighting models and moving beyond them to test and contextualize the extinction of the thylacine. <i>Conservation Biology</i> , 2018 , 32, 1198-1199	6	2
26	Sexual and geographic dimorphism in northern rockhopper penguins breeding in the South Atlantic Ocean. <i>Endangered Species Research</i> , 2019 , 39, 293-302	2.5	2
25	Temporal trends and interannual variation in plastic ingestion by Flesh-footed Shearwaters (<i>Ardenna carneipes</i>) using different sampling strategies. <i>Environmental Pollution</i> , 2021 , 290, 118086	9.3	2
24	New Record of the Non-Native Long-Legged Fly <i>Thambemyia borealis</i> (Takagi 1965) (Diptera: Dolichopodidae) in North America and an Example of Twitter's Utility for Natural History Documentation. <i>Proceedings of the Entomological Society of Washington</i> , 2017 , 119, 151-156	0.2	1
23	Application of a non-invasive indexing method for introduced Norway rats (<i>Rattus norvegicus</i>) in the Aleutian Islands, Alaska. <i>Biodiversity and Conservation</i> , 2015 , 24, 2551-2563	3.4	1
22	Severe impact of introduced scale insects on Island Trees threatens endemic finches at the Tristan da Cunha archipelago. <i>Biological Conservation</i> , 2020 , 251, 108761	6.2	1
21	No change in Atlantic Yellow-nosed Albatross (<i>Thalassarche chlororhynchos</i>) egg size over 160 years. <i>Emu</i> , 2020 , 120, 142-149	1.1	1
20	The efficacy of scale sampling for monitoring trace element concentrations and stable isotopes in commercially harvested walleye (<i>Sander vitreus</i>). <i>Isotopes in Environmental and Health Studies</i> , 2015 , 51, 359-71	1.5	1
19	Avian Mortality Associated with a Volcanic Gas Seep at Kiska Island, Aleutian Islands, Alaska. <i>Wilson Journal of Ornithology</i> , 2012 , 124, 146-151	0.4	1
18	Oil Vulnerability Index, Impact on Arctic Bird Populations (Proposing a Method for Calculating an Oil Vulnerability Index for the Arctic Seabirds). <i>Springer Polar Sciences</i> , 2020 , 73-94	0.4	1
17	Clinical Pathology of the Vulnerable Gough Moorhen (<i>Gallinula comeri</i>). <i>Journal of Comparative Pathology</i> , 2017 , 157, 246-255	1	1
16	Intentional killing and extensive aggressive handling of albatrosses and petrels at sea in the southwestern Atlantic Ocean. <i>Biological Conservation</i> , 2020 , 252, 108817	6.2	1
15	The two extinctions of the Carolina Parakeet <i>Conuropsis carolinensis</i> . <i>Bird Conservation International</i> , 1-8	1.7	1
14	Aberrant Colouration in the Atlantic Puffin (<i>Fratercula arctica</i>), the Common Murre (<i>Uria aalge</i>), and the Thick-billed Murre (<i>U. lomvia</i>) from Atlantic Canada. <i>Canadian Field-Naturalist</i> , 2016 , 130, 140	0.8	1
13	Plastics in regurgitated Flesh-footed Shearwater (<i>Ardenna carneipes</i>) boluses as a monitoring tool. <i>Marine Pollution Bulletin</i> , 2021 , 168, 112428	6.7	1

12	Diet of the introduced Gough Moorhen <i>Gallinula comeri</i> on Tristan da Cunha. <i>Ornis Svecica</i> , 31, 107-112	0	1
11	Measuring nest incorporation of anthropogenic debris by seabirds: An opportunistic approach increases geographic scope and reduces costs. <i>Marine Pollution Bulletin</i> , 2021, 171, 112706	6.7	1
10	Important marine areas for the conservation of northern rockhopper penguins within the Tristan da Cunha Exclusive Economic Zone. <i>Endangered Species Research</i> , 2020, 43, 409-420	2.5	0
9	Earth observation data for seabirds and their habitats: An introduction. <i>Remote Sensing Applications: Society and Environment</i> , 2021, 24, 100619	2.8	0
8	Relationships between mercury burden, sex, and sexually selected feather ornaments in crested auklet (<i>Aethia cristatella</i>). <i>Environmental Science and Pollution Research</i> , 2020, 27, 16640-16645	5.1	
7	Flesh-footed Shearwaters (<i>Puffinus carneipes</i>) in the northeastern Pacific Ocean: summary and synthesis of records from Canada and Alaska. <i>Canadian Field-Naturalist</i> , 2015, 129, 263	0.8	
6	Abandoned Seabird Eggs as a Calcium Source for Terrestrial Gastropods. <i>Canadian Field-Naturalist</i> , 2007, 121, 433	0.8	
5	A juvenile Tristan albatross (<i>Diomedea dabbenena</i>) on land at the Crozet Islands. <i>Polar Biology</i> , 2021, 44, 229-233	2	
4	Abundance, distribution and breeding success of the endemic Gough Island Finch <i>Rowettia goughensis</i> between 2009 and 2018. <i>Emu</i> , 2020, 120, 230-238	1.1	
3	Using measurements to predict laying order in harvested Northern Rockhopper Penguin (<i>Eudyptes moseleyi</i>) eggs. <i>Emu</i> , 2016, 116, 467-471	1.1	
2	Evaluation and recommendations for greater accessibility of colour figures in ornithology. <i>Ibis</i> , 2021, 163, 292-295	1.9	
1	Long-term stability in the volume of Atlantic Puffin (<i>Fratercula arctica</i>) eggs in the western North Atlantic. <i>Canadian Journal of Zoology</i> , 2021, 99, 653-657	1.5	