

# Shin Nishiumi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8198877/shin-nishiumi-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138  
papers

4,462  
citations

37  
h-index

61  
g-index

141  
ext. papers

5,045  
ext. citations

4  
avg, IF

5.1  
L-index

#	Paper	IF	Citations
138	Itraconazole Inhibits Intracellular Cholesterol Trafficking and Decreases Phosphatidylserine Level in Cervical Cancer Cells. <i>Anticancer Research</i> , <b>2021</b> , 41, 5477-5480	2.3	0
137	Effect of a High-Fat Diet on the Small-Intestinal Environment and Mucosal Integrity in the Gut-Liver Axis. <i>Cells</i> , <b>2021</b> , 10,	7.9	2
136	Tumor resistance to ferroptosis driven by Stearoyl-CoA Desaturase-1 (SCD1) in cancer cells and Fatty Acid Biding Protein-4 (FABP4) in tumor microenvironment promote tumor recurrence. <i>Redox Biology</i> , <b>2021</b> , 43, 102006	11.3	12
135	Possible Involvement of Lipids in the Effectiveness of Kombu in Individuals with Abnormally High Serum Triglyceride Levels. <i>Journal of Nutritional Science and Vitaminology</i> , <b>2020</b> , 66, 185-190	1.1	1
134	Detection of Novel Amino Acid Polymorphisms in the East Asian CagA of Helicobacter Pylori with Full Sequencing Data. <i>Kobe Journal of Medical Sciences</i> , <b>2020</b> , 66, E22-E31	0.6	
133	Possibility of detecting intraductal papillary mucinous neoplasms using metabolite biomarkers for pancreatic cancer. <i>Biomarkers in Medicine</i> , <b>2020</b> , 14, 1009-1020	2.3	1
132	Effects of differences in pre-analytical processing on blood protein profiles determined with SWATH-MS. <i>Journal of Proteomics</i> , <b>2020</b> , 223, 103824	3.9	4
131	Adrenic acid induces oxidative stress in hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , <b>2020</b> , 532, 620-625	3.4	5
130	Prospective Study Using Plasma Apolipoprotein A2-Isoforms to Screen for High-Risk Status of Pancreatic Cancer. <i>Cancers</i> , <b>2020</b> , 12,	6.6	4
129	Effects of Helicobacter pylori on the glutathione-related pathway in gastric epithelial cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2020</b> , 526, 1118-1124	3.4	3
128	Hydroxybutyrate protects hepatocytes against endoplasmic reticulum stress in a sirtuin 1-independent manner. <i>Archives of Biochemistry and Biophysics</i> , <b>2019</b> , 663, 220-227	4.1	3
127	GC/MS and LC/MS-based Tissue Metabolomic Analysis Detected Increased Levels of Antioxidant Metabolites in Colorectal Cancer. <i>Kobe Journal of Medical Sciences</i> , <b>2019</b> , 65, E19-E27	0.6	3
126	A Pilot Study: Effects of Kombu Intake on Lifestyle-related Diseases -Possibility that Kombu Intake is Effective in Individuals with Abnormally High Serum Triglyceride Levels-. <i>Food Science and Technology Research</i> , <b>2019</b> , 25, 827-834	0.8	2
125	Metabolomics-based Discovery of Serum Biomarkers to Predict the Side-effects of Neoadjuvant Chemoradiotherapy for Esophageal Squamous Cell Carcinoma. <i>Anticancer Research</i> , <b>2019</b> , 39, 519-526	2.3	6
124	Comparative proteomics of Helicobacter pylori strains reveals geographical features rather than genomic variations. <i>Genes To Cells</i> , <b>2019</b> , 24, 139-150	2.3	3
123	Comparison of venous and fingertip plasma using non-targeted proteomics and metabolomics. <i>Talanta</i> , <b>2019</b> , 192, 182-188	6.2	7
122	Serum level of octanoic acid predicts the efficacy of chemotherapy for colorectal cancer. <i>Oncology Letters</i> , <b>2019</b> , 17, 831-842	2.6	7

121	Serum apolipoprotein A2 isoforms in autoimmune pancreatitis. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 497, 903-907	3.4	5
120	Differences in metabolite profiles caused by pre-analytical blood processing procedures. <i>Journal of Bioscience and Bioengineering</i> , <b>2018</b> , 125, 613-618	3.3	22
119	Metabolome analysis for pancreatic cancer risk in nested case-control study: Japan Public Health Center-based prospective Study. <i>Cancer Science</i> , <b>2018</b> , 109, 1672-1681	6.9	7
118	Alterations in Docosahexaenoic Acid-Related Lipid Cascades in Inflammatory Bowel Disease Model Mice. <i>Digestive Diseases and Sciences</i> , <b>2018</b> , 63, 1485-1496	4	12
117	Identification of serum biomarkers of chemoradiosensitivity in esophageal cancer via the targeted metabolomics approach. <i>Biomarkers in Medicine</i> , <b>2018</b> , 12, 827-840	2.3	9
116	Alterations in metabolic pathways in gastric epithelial cells infected with <i>Helicobacter pylori</i> . <i>Microbial Pathogenesis</i> , <b>2018</b> , 124, 122-129	3.8	15
115	Exploring a Novel Screening Method for Patients with Oral Squamous Cell Carcinoma: A plasma Metabolomics Analysis. <i>Kobe Journal of Medical Sciences</i> , <b>2018</b> , 64, E26-E35	0.6	4
114	Increased Levels of Branched-Chain Amino Acid Associated With Increased Risk of Pancreatic Cancer in a Prospective Case-Control Study of a Large Cohort. <i>Gastroenterology</i> , <b>2018</b> , 155, 1474-1482.e13-3	13.3	33
113	Identification of highly sensitive biomarkers that can aid the early detection of pancreatic cancer using GC/MS/MS-based targeted metabolomics. <i>Clinica Chimica Acta</i> , <b>2017</b> , 468, 98-104	6.2	27
112	Indigo Naturalis Ameliorates Oxazolone-Induced Dermatitis but Aggravates Colitis by Changing the Composition of Gut Microflora. <i>International Archives of Allergy and Immunology</i> , <b>2017</b> , 173, 23-33	3.7	11
111	Adrenic acid as an inflammation enhancer in non-alcoholic fatty liver disease. <i>Archives of Biochemistry and Biophysics</i> , <b>2017</b> , 623-624, 64-75	4.1	19
110	Genetic variants of type IV secretion system components CagL and CagI and their association with clinical outcomes. <i>Gut Pathogens</i> , <b>2017</b> , 9, 21	5.4	15
109	Alterations in metabolic pathways in stomach of mice infected with <i>Helicobacter pylori</i> . <i>Microbial Pathogenesis</i> , <b>2017</b> , 109, 78-85	3.8	9
108	Novel serum metabolomics-based approach by gas chromatography/triple quadrupole mass spectrometry for detection of human skin cancers: Candidate biomarkers. <i>Journal of Dermatology</i> , <b>2017</b> , 44, 1268-1275	1.6	3
107	Astilbin from <i>Engelhardtia chrysolepis</i> enhances intestinal barrier functions in Caco-2 cell monolayers. <i>European Journal of Pharmacology</i> , <b>2017</b> , 804, 46-51	5.3	6
106	Use of on-line supercritical fluid extraction-supercritical fluid chromatography/tandem mass spectrometry to analyze disease biomarkers in dried serum spots compared with serum analysis using liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2017</b> , 31, 886-894	2.2	33
105	Evaluation of a novel system for analyzing hydrophilic blood metabolites. <i>Journal of Bioscience and Bioengineering</i> , <b>2017</b> , 123, 754-759	3.3	4
104	Differences in elongation of very long chain fatty acids and fatty acid metabolism between triple-negative and hormone receptor-positive breast cancer. <i>BMC Cancer</i> , <b>2017</b> , 17, 589	4.8	30

103	Metabolomics for the early detection of cisplatin-induced nephrotoxicity. <i>Toxicology Research</i> , <b>2017</b> , 6, 843-853	2.6	16
102	Investigations in the possibility of early detection of colorectal cancer by gas chromatography/triple-quadrupole mass spectrometry. <i>Oncotarget</i> , <b>2017</b> , 8, 17115-17126	3.3	41
101	Population Evolution of <i>Helicobacter pylori</i> through Diversification in DNA Methylation and Interstrain Sequence Homogenization. <i>Molecular Biology and Evolution</i> , <b>2016</b> , 33, 2848-2859	8.3	18
100	Exosomes as nanocarriers for systemic delivery of the <i>Helicobacter pylori</i> virulence factor CagA. <i>Scientific Reports</i> , <b>2016</b> , 6, 18346	4.9	77
99	Postmortem interval estimation: a novel approach utilizing gas chromatography/mass spectrometry-based biochemical profiling. <i>Analytical and Bioanalytical Chemistry</i> , <b>2016</b> , 408, 3103-12	4.4	25
98	Pancreatic cancer screening using a multiplatform human serum metabolomics system. <i>Biomarkers in Medicine</i> , <b>2016</b> , 10, 577-86	2.3	31
97	LCMS/MS-based metabolome analysis detected changes in the metabolic profiles of small and large intestinal adenomatous polyps in Apc Min/+ mice. <i>Metabolomics</i> , <b>2016</b> , 12, 1	4.7	7
96	Rapid Preparation of a Plasma Membrane Fraction: Western Blot Detection of Translocated Glucose Transporter 4 from Plasma Membrane of Muscle and Adipose Cells and Tissues. <i>Current Protocols in Protein Science</i> , <b>2016</b> , 85, 29.18.1-29.18.12	3.1	17
95	Interferon- $\gamma$ -producing B cells induce the formation of gastric lymphoid follicles after <i>Helicobacter suis</i> infection. <i>Mucosal Immunology</i> , <b>2015</b> , 8, 279-95	9.2	18
94	Profiling of volatile compounds in APC(Min/+) mice blood by dynamic headspace extraction and gas chromatography/mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2015</b> , 1003, 35-40	3.2	8
93	Multi-Component Profiling of Trace Volatiles in Blood by Gas Chromatography/Mass Spectrometry with Dynamic Headspace Extraction. <i>Mass Spectrometry</i> , <b>2015</b> , 4, A0034	1.7	3
92	Rikkunshito Ameliorates Cancer Cachexia Partly through Elevation of Glucarate in Plasma. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2015</b> , 2015, 871832	2.3	7
91	Catechins in tea suppress the activity of cytochrome P450 1A1 through the aryl hydrocarbon receptor activation pathway in rat livers. <i>International Journal of Food Sciences and Nutrition</i> , <b>2015</b> , 66, 300-7	3.7	10
90	Identification of Lipid Species Linked to the Progression of Non-Alcoholic Fatty Liver Disease. <i>Current Drug Targets</i> , <b>2015</b> , 16, 1293-300	3	15
89	Metabolome analysis for discovering biomarkers of gastroenterological cancer. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2014</b> , 966, 59-69	3.2	32
88	Supercritical fluid extraction as a preparation method for mass spectrometry of dried blood spots. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2014</b> , 969, 199-204	3.2	18
87	Whole-genome sequencing of clarithromycin resistant <i>Helicobacter pylori</i> characterizes unidentified variants of multidrug resistant efflux pump genes. <i>Gut Pathogens</i> , <b>2014</b> , 6, 27	5.4	30
86	Metabolomics-based search for therapeutic agents for non-alcoholic steatohepatitis. <i>Archives of Biochemistry and Biophysics</i> , <b>2014</b> , 555-556, 55-65	4.1	10

85	Metabolomics evaluation of serum markers for cachexia and their intra-day variation in patients with advanced pancreatic cancer. <i>PLoS ONE</i> , <b>2014</b> , 9, e113259	3.7	29
84	Metabolomics for biomarker discovery in gastroenterological cancer. <i>Metabolites</i> , <b>2014</b> , 4, 547-71	5.6	20
83	Protective effects of oral administration of yeast thioredoxin against gastric mucosal injury. <i>Bioscience, Biotechnology and Biochemistry</i> , <b>2014</b> , 78, 1221-30	2.1	4
82	Thioesterase superfamily member 2 (Them2) and phosphatidylcholine transfer protein (PC-TP) interact to promote fatty acid oxidation and control glucose utilization. <i>Molecular and Cellular Biology</i> , <b>2014</b> , 34, 2396-408	4.8	19
81	Anti-CXCL13 antibody can inhibit the formation of gastric lymphoid follicles induced by Helicobacter infection. <i>Mucosal Immunology</i> , <b>2014</b> , 7, 1244-54	9.2	41
80	The influences of pepsin concentrations and pH levels on the disinfective activity of ozone nanobubble water against helicobacter pylori. <i>Digestion</i> , <b>2014</b> , 90, 10-7	3.6	5
79	A novel gas chromatography mass spectrometry-based serum diagnostic and assessment approach to ulcerative colitis. <i>Journal of Crohn's and Colitis</i> , <b>2014</b> , 8, 1010-21	1.5	18
78	Highly sensitive and selective analysis of widely targeted metabolomics using gas chromatography/triple-quadrupole mass spectrometry. <i>Journal of Bioscience and Bioengineering</i> , <b>2014</b> , 117, 122-8	3.3	47
77	GC/MS-based metabolomic analysis of cerebrospinal fluid (CSF) from glioma patients. <i>Journal of Neuro-Oncology</i> , <b>2013</b> , 113, 65-74	4.8	63
76	Simultaneous profiling of polar lipids by supercritical fluid chromatography/tandem mass spectrometry with methylation. <i>Journal of Chromatography A</i> , <b>2013</b> , 1279, 98-107	4.5	78
75	Claudin-2 regulates colorectal inflammation via myosin light chain kinase-dependent signaling. <i>Digestive Diseases and Sciences</i> , <b>2013</b> , 58, 1546-59	4	29
74	Linoleoyl ethanolamide reduces lipopolysaccharide-induced inflammation in macrophages and ameliorates 2,4-dinitrofluorobenzene-induced contact dermatitis in mice. <i>European Journal of Pharmacology</i> , <b>2013</b> , 699, 6-13	5.3	19
73	Metabolic profiling of oxidized lipid-derived volatiles in blood by gas chromatography/mass spectrometry with in-tube extraction. <i>Mass Spectrometry</i> , <b>2013</b> , 2, A0018	1.7	3
72	Microbiota-derived lactate accelerates colon epithelial cell turnover in starvation-refed mice. <i>Nature Communications</i> , <b>2013</b> , 4, 1654	17.4	86
71	Metabolomics analysis of umbilical cord blood clarifies changes in saccharides associated with delivery method. <i>Early Human Development</i> , <b>2013</b> , 89, 315-20	2.2	14
70	Supercritical fluid chromatography/Orbitrap mass spectrometry based lipidomics platform coupled with automated lipid identification software for accurate lipid profiling. <i>Journal of Chromatography A</i> , <b>2013</b> , 1301, 237-42	4.5	86
69	Serum metabolomic analysis of pancreatic cancer--response. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 1922	4	3
68	A novel serum metabolomics-based diagnostic approach to pancreatic cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2013</b> , 22, 571-9	4	137

67	Inhibition of repair-related DNA polymerases by vitamin Ks, their related quinone derivatives and associated inflammatory activity (Review). <i>International Journal of Oncology</i> , <b>2013</b> , 42, 793-802	4.4	9
66	Butyrate attenuates inflammation and lipolysis generated by the interaction of adipocytes and macrophages. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2013</b> , 20, 425-42	4	109
65	Predominant mucosal IL-8 mRNA expression in non-cagA Thais is risk for gastric cancer. <i>World Journal of Gastroenterology</i> , <b>2013</b> , 19, 2941-9	5.6	28
64	Highly sensitive and rapid profiling method for carotenoids and their epoxidized products using supercritical fluid chromatography coupled with electrospray ionization-triple quadrupole mass spectrometry. <i>Journal of Bioscience and Bioengineering</i> , <b>2012</b> , 113, 782-7	3.3	52
63	Regulation of the metabolite profile by an APC gene mutation in colorectal cancer. <i>Cancer Science</i> , <b>2012</b> , 103, 1010-21	6.9	26
62	AP1B plays an important role in intestinal tumorigenesis with the truncating mutation of an APC gene. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 1011-20	7.5	9
61	Diagnosis of gastroenterological diseases by metabolome analysis using gas chromatography-mass spectrometry. <i>Journal of Gastroenterology</i> , <b>2012</b> , 47, 9-20	6.9	68
60	Identification of biomarkers of stent restenosis with serum metabolomic profiling using gas chromatography/mass spectrometry. <i>Circulation Journal</i> , <b>2012</b> , 76, 1864-73	2.9	15
59	Suppression of lipopolysaccharide and galactosamine-induced hepatic inflammation by red grape pomace. <i>Journal of Agricultural and Food Chemistry</i> , <b>2012</b> , 60, 9315-20	5.7	26
58	Autophagy in the intestinal epithelium regulates <i>Citrobacter rodentium</i> infection. <i>Archives of Biochemistry and Biophysics</i> , <b>2012</b> , 521, 95-101	4.1	35
57	Metabolomic analysis to discover candidate therapeutic agents against acute pancreatitis. <i>Archives of Biochemistry and Biophysics</i> , <b>2012</b> , 522, 107-20	4.1	16
56	Autophagy in the intestinal epithelium is not involved in the pathogenesis of intestinal tumors. <i>Biochemical and Biophysical Research Communications</i> , <b>2012</b> , 421, 768-72	3.4	5
55	Development of oxidized phosphatidylcholine isomer profiling method using supercritical fluid chromatography/tandem mass spectrometry. <i>Journal of Chromatography A</i> , <b>2012</b> , 1250, 205-11	4.5	40
54	A novel serum metabolomics-based diagnostic approach for colorectal cancer. <i>PLoS ONE</i> , <b>2012</b> , 7, e40459.7	5.7	184
53	Serum metabolomics as a novel diagnostic approach for gastrointestinal cancer. <i>Biomedical Chromatography</i> , <b>2012</b> , 26, 548-58	1.7	110
52	Antagonistic effect of the Ainu-selected traditional beneficial plants on the transformation of an aryl hydrocarbon receptor. <i>Journal of Food Science</i> , <b>2012</b> , 77, C420-9	3.4	2
51	Inhibitory effects of glycyrrhetic Acid on DNA polymerase and inflammatory activities. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2012</b> , 2012, 650514	2.3	31
50	Neonatal Fc receptor for IgG (FcRn) expressed in the gastric epithelium regulates bacterial infection in mice. <i>Mucosal Immunology</i> , <b>2012</b> , 5, 87-98	9.2	37



49	A metabolomic approach to lung cancer. <i>Lung Cancer</i> , <b>2011</b> , 74, 284-92	5.9	142
48	Autophagy in the intestinal epithelium reduces endotoxin-induced inflammatory responses by inhibiting NF- $\kappa$ B activation. <i>Archives of Biochemistry and Biophysics</i> , <b>2011</b> , 506, 223-35	4.1	70
47	Effects of quinone derivatives, such as 1,4-naphthoquinone, on DNA polymerase inhibition and anti-inflammatory action. <i>Medicinal Chemistry</i> , <b>2011</b> , 7, 37-44	1.8	23
46	Anti-inflammatory Lipid Mediators Derived from $\omega$ -6 and $\omega$ -3 Polyunsaturated Fatty Acids as a Treatment Option for IBD. <i>Anti-Inflammatory and Anti-Allergy Agents in Medicinal Chemistry</i> , <b>2011</b> , 10, 66-71	2	
45	Vitamin K3 attenuates cerulein-induced acute pancreatitis through inhibition of the autophagic pathway. <i>Pancreas</i> , <b>2011</b> , 40, 84-94	2.6	20
44	Inhibitory effects of vitamin K derivatives on DNA polymerase and inflammatory activity. <i>International Journal of Molecular Medicine</i> , <b>2011</b> , 28, 937-45	4.4	9
43	Concentration of Catechins and Caffeine in Black Tea Affects Suppression of Fat Accumulation and Hyperglycemia in High-fat Diet-fed Mice. <i>Food Science and Technology Research</i> , <b>2011</b> , 17, 353-359	0.8	7
42	IFN- $\gamma$ plays an essential role in the pathogenesis of gastric lymphoid follicles formation caused by <i>Helicobacter suis</i> infection. <i>FEMS Immunology and Medical Microbiology</i> , <b>2011</b> , 63, 25-34		9
41	Practical non-targeted gas chromatography/mass spectrometry-based metabolomics platform for metabolic phenotype analysis. <i>Journal of Bioscience and Bioengineering</i> , <b>2011</b> , 112, 292-8	3.3	94
40	A role of the aryl hydrocarbon receptor in attenuation of colitis. <i>Digestive Diseases and Sciences</i> , <b>2011</b> , 56, 2532-44	4	103
39	GC/MS-based profiling of amino acids and TCA cycle-related molecules in ulcerative colitis. <i>Inflammation Research</i> , <b>2011</b> , 60, 831-40	7.2	86
38	GCMS-based metabolomic study in mice with colitis induced by dextran sulfate sodium. <i>Inflammatory Bowel Diseases</i> , <b>2011</b> , 17, 2261-74	4.5	80
37	<i>Helicobacter suis</i> KB1 derived from pig gastric lymphoid follicles induces the formation of gastric lymphoid follicles in mice through the activation of B cells and CD4 positive cells. <i>Microbes and Infection</i> , <b>2011</b> , 13, 697-708	9.3	8
36	Serum fatty acid profiling of colorectal cancer by gas chromatography/mass spectrometry. <i>Biomarkers in Medicine</i> , <b>2011</b> , 5, 451-60	2.3	32
35	Effects of intermediates between vitamins K(2) and K(3) on mammalian DNA polymerase inhibition and anti-inflammatory activity. <i>International Journal of Molecular Sciences</i> , <b>2011</b> , 12, 1115-32	6.3	8
34	Dietary flavonoids as cancer-preventive and therapeutic biofactors. <i>Frontiers in Bioscience - Scholar</i> , <b>2011</b> , 3, 1332-62	2.4	64
33	<i>Helicobacter heilmannii</i> can induce gastric lymphoid follicles in mice via a Peyer's patch-independent pathway. <i>FEMS Immunology and Medical Microbiology</i> , <b>2010</b> , 60, 156-64		15
32	Lipoxin A(4) reduces lipopolysaccharide-induced inflammation in macrophages and intestinal epithelial cells through inhibition of nuclear factor-kappaB activation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2010</b> , 332, 541-8	4.7	62

31	Gamma interferon produced by antigen-specific CD4+ T cells regulates the mucosal immune responses to <i>Citrobacter rodentium</i> infection. <i>Infection and Immunity</i> , <b>2010</b> , 78, 2653-66	3-7	57
30	2,3,7,8-tetrachlorodibenzo-p-dioxin impairs an insulin signaling pathway through the induction of tumor necrosis factor-alpha in adipocytes. <i>Toxicological Sciences</i> , <b>2010</b> , 115, 482-91	4-4	38
29	Green and black tea suppress hyperglycemia and insulin resistance by retaining the expression of glucose transporter 4 in muscle of high-fat diet-fed C57BL/6J mice. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 12916-23	5-7	55
28	The CagA protein of <i>Helicobacter pylori</i> suppresses the functions of dendritic cell in mice. <i>Archives of Biochemistry and Biophysics</i> , <b>2010</b> , 498, 35-42	4-1	36
27	Suppression mechanisms of flavonoids on aryl hydrocarbon receptor-mediated signal transduction. <i>Archives of Biochemistry and Biophysics</i> , <b>2010</b> , 501, 134-41	4-1	41
26	Activation of the aryl hydrocarbon receptor induces hepatic steatosis via the upregulation of fatty acid transport. <i>Archives of Biochemistry and Biophysics</i> , <b>2010</b> , 504, 221-7	4-1	45
25	Vitamin K3 attenuates lipopolysaccharide-induced acute lung injury through inhibition of nuclear factor-kappaB activation. <i>Clinical and Experimental Immunology</i> , <b>2010</b> , 160, 283-92	6.2	31
24	Monoacetylcurcumin strongly regulates inflammatory responses through inhibition of NF-kappaB activation. <i>International Journal of Molecular Medicine</i> , <b>2010</b> , 25, 761-7	4-4	26
23	Serum metabolomics as a novel diagnostic approach for pancreatic cancer. <i>Metabolomics</i> , <b>2010</b> , 6, 518-528	4-7	97
22	Resolvin E1, an endogenous lipid mediator derived from eicosapentaenoic acid, prevents dextran sulfate sodium-induced colitis. <i>Inflammatory Bowel Diseases</i> , <b>2010</b> , 16, 87-95	4-5	120
21	Structure-activity relationships of anthraquinones on the suppression of DNA-binding activity of the aryl hydrocarbon receptor induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>Journal of Bioscience and Bioengineering</i> , <b>2009</b> , 107, 296-300	3-3	12
20	Involvement of SREBPs in 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced disruption of lipid metabolism in male guinea pig. <i>Toxicology and Applied Pharmacology</i> , <b>2008</b> , 229, 281-9	4-6	14
19	Antagonistic and agonistic effects of indigoids on the transformation of an aryl hydrocarbon receptor. <i>Archives of Biochemistry and Biophysics</i> , <b>2008</b> , 470, 187-99	4-1	30
18	Epigallocatechin gallate promotes GLUT4 translocation in skeletal muscle. <i>Biochemical and Biophysical Research Communications</i> , <b>2008</b> , 377, 286-90	3-4	95
17	Cacao polyphenol extract suppresses transformation of an aryl hydrocarbon receptor in C57BL/6 mice. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 10399-405	5-7	13
16	An update on the dietary ligands of the AhR. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2008</b> , 4, 1429-47	5-5	36
15	Inhibitory effects of caffeine and its metabolites on intracellular lipid accumulation in murine 3T3-L1 adipocytes. <i>BioFactors</i> , <b>2008</b> , 34, 293-302	6-1	35
14	Inositol Derivatives Stimulate Glucose Transport in Muscle Cells <b>2008</b> , 217-222		1



13	Cyanidin 3-glucoside ameliorates hyperglycemia and insulin sensitivity due to downregulation of retinol binding protein 4 expression in diabetic mice. <i>Biochemical Pharmacology</i> , <b>2007</b> , 74, 1619-27	6	225
12	Rat L6 myotubes as an in vitro model system to study GLUT4-dependent glucose uptake stimulated by inositol derivatives. <i>Cytotechnology</i> , <b>2007</b> , 55, 103-8	2.2	58
11	Rapid preparation of a plasma membrane fraction from adipocytes and muscle cells: application to detection of translocated glucose transporter 4 on the plasma membrane. <i>Bioscience, Biotechnology and Biochemistry</i> , <b>2007</b> , 71, 2343-6	2.1	128
10	Curcumin suppresses the transformation of an aryl hydrocarbon receptor through its phosphorylation. <i>Archives of Biochemistry and Biophysics</i> , <b>2007</b> , 466, 267-73	4.1	45
9	Molokhia ( <i>Corchorus olitorius</i> L.) extract suppresses transformation of the aryl hydrocarbon receptor induced by dioxins. <i>Food and Chemical Toxicology</i> , <b>2006</b> , 44, 250-60	4.7	31
8	TCDD-induced CYP1A1 expression, an index of dioxin toxicity, is suppressed by flavonoids permeating the human intestinal Caco-2 cell monolayers. <i>Journal of Agricultural and Food Chemistry</i> , <b>2006</b> , 54, 8891-8	5.7	38
7	Screening of indigenous plants from Japan for modulating effects on transformation of the aryl hydrocarbon receptor. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2006</b> , 7, 208-20	1.7	3
6	Anthocyanins fail to suppress transformation of aryl hydrocarbon receptor induced by dioxin. <i>Bioscience, Biotechnology and Biochemistry</i> , <b>2005</b> , 69, 896-903	2.1	11
5	Suppressive effects of ethanolic extracts from propolis and its main botanical origin on dioxin toxicity. <i>Journal of Agricultural and Food Chemistry</i> , <b>2005</b> , 53, 10306-9	5.7	22
4	A new southwestern chemistry-based ELISA for detection of aryl hydrocarbon receptor transformation: application to the screening of its receptor agonists and antagonists. <i>Journal of Immunological Methods</i> , <b>2004</b> , 287, 187-201	2.5	19
3	Anthocyan does not suppress transformation of aryl hydrocarbon receptor induced by dioxin. <i>BioFactors</i> , <b>2004</b> , 21, 371-3	6.1	1
2	Suppression of dioxin mediated aryl hydrocarbon receptor transformation by ethanolic extracts of propolis. <i>Bioscience, Biotechnology and Biochemistry</i> , <b>2004</b> , 68, 935-8	2.1	12
1	Pigments in green tea leaves ( <i>Camellia sinensis</i> ) suppress transformation of the aryl hydrocarbon receptor induced by dioxin. <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 2499-506	5.7	41