

Hongbing Jia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8199405/publications.pdf>

Version: 2024-02-01

30
papers

1,107
citations

430874

18
h-index

454955

30
g-index

30
all docs

30
docs citations

30
times ranked

1247
citing authors

#	ARTICLE	IF	CITATIONS
1	Tailoring the Mechanical Performance of Carbon Nanotubes Buckypaper by Aramid Nanofibers towards Robust and Compact Supercapacitor Electrode. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	32
2	Adhesive and high-sensitivity modified Ti ₃ C ₂ TX (MXene)-based organohydrogels with wide work temperature range for wearable sensors. <i>Journal of Colloid and Interface Science</i> , 2022, 613, 94-102.	9.4	34
3	Sensitivity enhanced, highly stretchable, and mechanically robust strain sensors based on reduced graphene oxide-aramid nanofibers hybrid fillers. <i>Chemical Engineering Journal</i> , 2022, 443, 136468.	12.7	17
4	Ultra-sensitive flexible strain sensors based on hybrid conductive networks for monitoring human activities. <i>Sensors and Actuators A: Physical</i> , 2022, 342, 113627.	4.1	4
5	High strength and flexible aramid nanofiber conductive hydrogels for wearable strain sensors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 575-583.	5.5	60
6	Mechanically Strong Double-Layered Aramid Nanofibers/MWCNTs/PANI Film Electrode for Flexible Supercapacitor. <i>Journal of the Electrochemical Society</i> , 2021, 168, 020513.	2.9	18
7	Highly sensitive and flexible strain sensors based on natural rubber/graphene foam composites: the role of pore sizes of graphene foam. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 125-133.	2.2	14
8	Water-Dispersible Hydrothermal Aramid Nanofibers Reinforced Styrene-Butadiene Rubber with Enhanced Mechanical Behaviour and Solvent Resistance. <i>Fibers and Polymers</i> , 2020, 21, 1808-1815.	2.1	4
9	Highly flexible and mechanically strong polyaniline nanostructure @ aramid nanofiber films for free-standing supercapacitor electrodes. <i>Nanoscale</i> , 2020, 12, 5507-5520.	5.6	40
10	Ultrasensitive and wearable strain sensors based on natural rubber/graphene foam. <i>Journal of Alloys and Compounds</i> , 2019, 785, 1001-1008.	5.5	60
11	Tailoring the structure of Kevlar nanofiber and its effects on the mechanical property and thermal stability of carboxylated acrylonitrile butadiene rubber. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47698.	2.6	16
12	Water-induced mechanically adaptive behavior of carboxylated acrylonitrile-butadiene rubber reinforced by bacterial cellulose whiskers. <i>Polymer Engineering and Science</i> , 2019, 59, 58-65.	3.1	9
13	The crystallization behaviors and rheological properties of polypropylene/graphene nanocomposites: The role of surface structure of reduced graphene oxide. <i>Thermochimica Acta</i> , 2018, 661, 124-136.	2.7	21
14	Water-induced modulus changes of bio-based uncured nanocomposite film based on natural rubber and bacterial cellulose nanocrystals. <i>Industrial Crops and Products</i> , 2018, 113, 240-248.	5.2	24
15	Impact of blend ratio on the properties of graphene oxide-filled carboxylated acrylonitrile-butadiene rubber/styrene-butadiene rubber blends. <i>Polymer International</i> , 2018, 67, 463-470.	3.1	3
16	Enhanced mechanical properties of styrene-butadiene rubber with low content of bacterial cellulose nanowhiskers. <i>Advances in Polymer Technology</i> , 2018, 37, 1323-1334.	1.7	12
17	Effect of oxygen functional groups of reduced graphene oxide on the mechanical and thermal properties of polypropylene nanocomposites. <i>Polymer International</i> , 2018, 67, 1401-1409.	3.1	6
18	Tailoring rubber-filler interfacial interaction and multifunctional rubber nanocomposites by usage of graphene oxide with different oxidation degrees. <i>Composites Part B: Engineering</i> , 2017, 124, 250-259.	12.0	38

#	ARTICLE	IF	CITATIONS
19	Thermal stability and non-isothermal crystallization kinetics of metallocene poly (ethylene-butene-hexene) /high fluid polypropylene copolymer blends. <i>Thermochimica Acta</i> , 2017, 647, 55-61.	2.7	20
20	Enhanced compatibility and mechanical properties of carboxylated acrylonitrile butadiene rubber/styrene butadiene rubber by using graphene oxide as reinforcing filler. <i>Composites Part B: Engineering</i> , 2017, 111, 243-250.	12.0	50
21	Highly Stretchable, Ultrasensitive, and Wearable Strain Sensors Based on Facilely Prepared Reduced Graphene Oxide Woven Fabrics in an Ethanol Flame. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 32054-32064.	8.0	156
22	High mechanical properties, thermal conductivity and solvent resistance in graphene oxide/styrene-butadiene rubber nanocomposites by engineering carboxylated acrylonitrile-butadiene rubber. <i>Composites Part B: Engineering</i> , 2017, 130, 257-266.	12.0	49
23	Enhancing mechanical and thermal properties of styrene-butadiene rubber/carboxylated acrylonitrile butadiene rubber blend by the usage of graphene oxide with diverse oxidation degrees. <i>Applied Surface Science</i> , 2017, 423, 584-591.	6.1	45
24	Enhanced mechanical, dielectric, electrical and thermal conductive properties of HXNBR/HNBR blends filled with ionic liquid-modified multiwalled carbon nanotubes. <i>Journal of Materials Science</i> , 2017, 52, 10814-10828.	3.7	28
25	Ionic liquid functionalized graphene oxide for enhancement of styrene-butadiene rubber nanocomposites. <i>Polymers for Advanced Technologies</i> , 2017, 28, 293-302.	3.2	50
26	Enhanced mechanical properties and thermal conductivity of styrene-butadiene rubber reinforced with polyvinylpyrrolidone-modified graphene oxide. <i>Journal of Materials Science</i> , 2016, 51, 5724-5737.	3.7	50
27	Bacterial cellulose whisker as a reinforcing filler for carboxylated acrylonitrile-butadiene rubber. <i>Journal of Materials Science</i> , 2014, 49, 6093-6101.	3.7	35
28	Enhancements of the mechanical properties and thermal conductivity of carboxylated acrylonitrile butadiene rubber with the addition of graphene oxide. <i>Journal of Materials Science</i> , 2013, 48, 1571-1577.	3.7	107
29	Oxygen evolution: the mechanism of formation of porous anodic alumina. <i>Monatshefte für Chemie</i> , 2009, 140, 595-600.	1.8	12
30	Oxygen bubble mould effect: serrated nanopore formation and porous alumina growth. <i>Monatshefte für Chemie</i> , 2008, 139, 999-1003.	1.8	93