

Shelly C Lu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8199971/shelly-c-lu-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

225
papers

15,527
citations

64
h-index

117
g-index

240
ext. papers

17,815
ext. citations

6.9
avg, IF

7.11
L-index

#	Paper	IF	Citations
225	Depletion of mitochondrial methionine adenosyltransferase β triggers mitochondrial dysfunction in alcohol-associated liver disease.. <i>Nature Communications</i> , 2022 , 13, 557	17.4	0
224	Metabolic subtypes of nonalcoholic fatty liver disease patients exhibit distinctive cardiovascular risk profiles.. <i>Hepatology</i> , 2022 ,	11.2	2
223	Metabolic Landscape of the Mouse Liver by Quantitative P Nuclear Magnetic Resonance Analysis of the Phosphorome. <i>Hepatology</i> , 2021 , 74, 148-163	11.2	6
222	Incidence of Pancreatic Cancer by Age and Sex in the US, 2000-2018. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 2075-2077	27.4	11
221	Oral administration of PEGylated TLR7 ligand ameliorates alcohol-associated liver disease via the induction of IL-22. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	9
220	Comparison of Surgical Resection and Systemic Treatment for Hepatocellular Carcinoma with Vascular Invasion: National Cancer Database Analysis. <i>Liver Cancer</i> , 2021 , 10, 407-418	9.1	0
219	Anti-miR-518d-5p overcomes liver tumor cell death resistance through mitochondrial activity. <i>Cell Death and Disease</i> , 2021 , 12, 555	9.8	2
218	Boosting mitochondria activity by silencing MCJ overcomes cholestasis-induced liver injury. <i>JHEP Reports</i> , 2021 , 3, 100276	10.3	0
217	State-Level HCC Incidence and Association With Obesity and Physical Activity in the United States. <i>Hepatology</i> , 2021 , 74, 1384-1394	11.2	6
216	The Mortality and Overall Survival Trends of Primary Liver Cancer in the United States. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 1531-1541	9.7	6
215	Detection of Circulating Tumor Cells and Their Implications as a Biomarker for Diagnosis, Prognostication, and Therapeutic Monitoring in Hepatocellular Carcinoma. <i>Hepatology</i> , 2021 , 73, 422-436	11.2	68
214	A molecular signature for the metabolic syndrome by urine metabolomics. <i>Cardiovascular Diabetology</i> , 2021 , 20, 155	8.7	4
213	Modeling alcohol-associated liver disease in a human Liver-Chip. <i>Cell Reports</i> , 2021 , 36, 109393	10.6	6
212	Deregulated 14-3-3 β and methionine adenosyltransferase β interplay promotes liver cancer tumorigenesis in mice and humans. <i>Oncogene</i> , 2021 , 40, 5866-5879	9.2	0
211	S-Adenosylmethionine Inhibits La Ribonucleoprotein Domain Family Member 1 in Murine Liver and Human Liver Cancer Cells. <i>Hepatology</i> , 2021 ,	11.2	3
210	PINE: An Automation Tool to Extract and Visualize Protein-Centric Functional Networks. <i>Journal of the American Society for Mass Spectrometry</i> , 2020 , 31, 1410-1421	3.5	3
209	Chemotherapy-associated liver injury in colorectal cancer. <i>Therapeutic Advances in Gastroenterology</i> , 2020 , 13, 1756284820924194	4.7	11

208	Dysregulation of glutathione synthesis in liver disease. <i>Liver Research</i> , 2020 , 4, 64-73	4.1	14
207	Reciprocal Regulation Between Forkhead Box M1/NF- κ B and Methionine Adenosyltransferase 1A Drives Liver Cancer. <i>Hepatology</i> , 2020 , 72, 1682-1700	11.2	19
206	Targeting Hepatic Glutaminase 1 Ameliorates Non-alcoholic Steatohepatitis by Restoring Very-Low-Density Lipoprotein Triglyceride Assembly. <i>Cell Metabolism</i> , 2020 , 31, 605-622.e10	24.6	24
205	Prohibitin 1 in liver injury and cancer. <i>Experimental Biology and Medicine</i> , 2020 , 245, 385-394	3.7	4
204	The Prolyl Isomerase PIN1 Impairs Methionine Adenosyltransferase κ Mitochondrial Targeting in Alcoholic Liver Disease. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
203	Arachidyl amido cholanoic acid improves liver glucose and lipid homeostasis in nonalcoholic steatohepatitis AMPK and mTOR regulation. <i>World Journal of Gastroenterology</i> , 2020 , 26, 5101-5117	5.6	10
202	Factors Associated With Detection and Survival of T1 Hepatocellular Carcinoma in the United States: National Cancer Database Analysis. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 1210-1220	7.3	3
201	Increase in Alcoholic Hepatitis as an Etiology for Liver Transplantation in the United States: A 2004-2018 Analysis. <i>Transplantation Direct</i> , 2020 , 6, e612	2.3	1
200	SARS-CoV-2 Infection Dysregulates the Metabolomic and Lipidomic Profiles of Serum. <i>iScience</i> , 2020 , 23, 101645	6.1	74
199	Lysine and Arginine Protein Post-translational Modifications by Enhanced DIA Libraries: Quantification in Murine Liver Disease. <i>Journal of Proteome Research</i> , 2020 , 19, 4163-4178	5.6	7
198	Current status of hepatocellular carcinoma detection: screening strategies and novel biomarkers. <i>Therapeutic Advances in Medical Oncology</i> , 2019 , 11, 1758835919869120	5.4	36
197	Hyaluronan synthase 2-mediated hyaluronan production mediates Notch1 activation and liver fibrosis. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	42
196	Methionine Adenosyltransferase κ Is Targeted to the Mitochondrial Matrix and Interacts with Cytochrome P450 2E1 to Lower Its Expression. <i>Hepatology</i> , 2019 , 70, 2018-2034	11.2	9
195	Emerging Circulating Biomarkers for The Diagnosis and Assessment of Treatment Responses in Patients with Hepatic Fat Accumulation, Nash and Liver Fibrosis 2019 , 423-448		4
194	NOD-like receptor C4 Inflammasome Regulates the Growth of Colon Cancer Liver Metastasis in NAFLD. <i>Hepatology</i> , 2019 , 70, 1582-1599	11.2	31
193	miR-873-5p targets mitochondrial GNMT-Complex II interface contributing to non-alcoholic fatty liver disease. <i>Molecular Metabolism</i> , 2019 , 29, 40-54	8.8	17
192	Biomarkers and subtypes of deranged lipid metabolism in non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2019 , 25, 3009-3020	5.6	47
191	Methionine adenosyltransferases in liver cancer. <i>World Journal of Gastroenterology</i> , 2019 , 25, 4300-4319	5.6	20

190	The mitochondrial chaperone Prohibitin 1 negatively regulates interleukin-8 in human liver cancers. <i>Journal of Biological Chemistry</i> , 2019 , 294, 1984-1996	5.4	11
189	NASH Leading Cause of Liver Transplant in Women: Updated Analysis of Indications For Liver Transplant and Ethnic and Gender Variances. <i>American Journal of Gastroenterology</i> , 2018 , 113, 1649-1659	6.7	230
188	Fatty liver in hepatitis C patients post-sustained virological response with direct-acting antivirals. <i>World Journal of Gastroenterology</i> , 2018 , 24, 1269-1277	5.6	27
187	Methionine adenosyltransferases in cancers: Mechanisms of dysregulation and implications for therapy. <i>Experimental Biology and Medicine</i> , 2018 , 243, 107-117	3.7	38
186	Prohibitin 1 Acts As a Negative Regulator of Wnt/Wingless/Integrated-Beta-Catenin Signaling in Murine Liver and Human Liver Cancer Cells. <i>Hepatology Communications</i> , 2018 , 2, 1583-1600	6	8
185	MiR-873-5p acts as an epigenetic regulator in early stages of liver fibrosis and cirrhosis. <i>Cell Death and Disease</i> , 2018 , 9, 958	9.8	28
184	Liver cancer-associated changes to the proteome: what deserves clinical focus?. <i>Expert Review of Proteomics</i> , 2018 , 15, 749-756	4.2	6
183	Mechanisms of MAFG Dysregulation in Cholestatic Liver Injury and Development of Liver Cancer. <i>Gastroenterology</i> , 2018 , 155, 557-571.e14	13.3	41
182	Metabolomic-based noninvasive serum test to diagnose nonalcoholic steatohepatitis: Results from discovery and validation cohorts. <i>Hepatology Communications</i> , 2018 , 2, 807-820	6	64
181	Metabolomic Identification of Subtypes of Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2017 , 152, 1449-1461.e7	13.3	139
180	Coffee Drinking and Alcoholic and Nonalcoholic Fatty Liver Diseases and Viral Hepatitis in the Multiethnic Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2017 , 15, 1305-1307	6.9	17
179	Prohibitin 1 suppresses liver cancer tumorigenesis in mice and human hepatocellular and cholangiocarcinoma cells. <i>Hepatology</i> , 2017 , 65, 1249-1266	11.2	32
178	Role of Aramchol in steatohepatitis and fibrosis in mice. <i>Hepatology Communications</i> , 2017 , 1, 911-927	6	61
177	S-adenosylmethionine and methylthioadenosine inhibit cancer metastasis by targeting microRNA 34a/b-methionine adenosyltransferase 2A/2B axis. <i>Oncotarget</i> , 2017 , 8, 78851-78869	3.3	21
176	Reply to High hepatocellular carcinoma risk among US-born Hispanics. <i>Cancer</i> , 2017 , 123, 358-359	6.4	
175	Methionine adenosyltransferases in liver health and diseases. <i>Liver Research</i> , 2017 , 1, 103-111	4.1	25
174	Deregulated neddylation in liver fibrosis. <i>Hepatology</i> , 2017 , 65, 694-709	11.2	28
173	The mitochondrial negative regulator MCJ is a therapeutic target for acetaminophen-induced liver injury. <i>Nature Communications</i> , 2017 , 8, 2068	17.4	45

172	A morphological method for ammonia detection in liver. <i>PLoS ONE</i> , 2017 , 12, e0173914	3.7	18
171	Methionine and S-adenosylmethionine levels are critical regulators of PP2A activity modulating lipophagy during steatosis. <i>Journal of Hepatology</i> , 2016 , 64, 409-418	13.4	43
170	Disparity in liver cancer incidence and chronic liver disease mortality by nativity in Hispanics: The Multiethnic Cohort. <i>Cancer</i> , 2016 , 122, 1444-52	6.4	30
169	Crystallography captures catalytic steps in human methionine adenosyltransferase enzymes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 2104-9	11.5	24
168	Sex and Ethnic Differences in the Association of Obesity With Risk of Hepatocellular Carcinoma. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 309-16	6.9	31
167	Prevalence of chronic liver disease and cirrhosis by underlying cause in understudied ethnic groups: The multiethnic cohort. <i>Hepatology</i> , 2016 , 64, 1969-1977	11.2	175
166	Deregulated methionine adenosyltransferase β , c-Myc, and Maf proteins together promote cholangiocarcinoma growth in mice and humans. <i>Hepatology</i> , 2016 , 64, 439-55	11.2	27
165	MicroRNA-mediated regulation of glutathione and methionine metabolism and its relevance for liver disease. <i>Free Radical Biology and Medicine</i> , 2016 , 100, 66-72	7.8	26
164	Prohibitin 1 Regulates the H19-Igf2 Axis and Proliferation in Hepatocytes. <i>Journal of Biological Chemistry</i> , 2016 , 291, 24148-24159	5.4	17
163	Methionine adenosyltransferase 2B-GIT1 complex serves as a scaffold to regulate Ras/Raf/MEK1/2 activity in human liver and colon cancer cells. <i>American Journal of Pathology</i> , 2015 , 185, 1135-44	5.8	32
162	Nonalcoholic fatty liver disease: update on pathogenesis, diagnosis, treatment and the role of S-adenosylmethionine. <i>Experimental Biology and Medicine</i> , 2015 , 240, 809-20	3.7	67
161	S-Adenosylmethionine and methylthioadenosine inhibit β -catenin signaling by multiple mechanisms in liver and colon cancer. <i>Molecular Pharmacology</i> , 2015 , 87, 77-86	4.3	19
160	Association of coffee intake with reduced incidence of liver cancer and death from chronic liver disease in the US multiethnic cohort. <i>Gastroenterology</i> , 2015 , 148, 118-25; quiz e15	13.3	109
159	Histone deacetylase 4 promotes cholestatic liver injury in the absence of prohibitin-1. <i>Hepatology</i> , 2015 , 62, 1237-48	11.2	25
158	Methionine adenosyltransferase β sumoylation positively regulate Bcl-2 expression in human colon and liver cancer cells. <i>Oncotarget</i> , 2015 , 6, 37706-23	3.3	19
157	Stabilization of LKB1 and Akt by neddylation regulates energy metabolism in liver cancer. <i>Oncotarget</i> , 2015 , 6, 2509-23	3.3	55
156	Activation of a novel c-Myc-miR27-prohibitin 1 circuitry in cholestatic liver injury inhibits glutathione synthesis in mice. <i>Antioxidants and Redox Signaling</i> , 2015 , 22, 259-74	8.4	47
155	TRAIL-producing NK cells contribute to liver injury and related fibrogenesis in the context of GNMT deficiency. <i>Laboratory Investigation</i> , 2015 , 95, 223-36	5.9	21

154	S-Adenosylmethionine increases circulating very-low density lipoprotein clearance in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2015 , 62, 673-81	13.4	31
153	Quantitative proteomic analysis of hepatocyte-secreted extracellular vesicles reveals candidate markers for liver toxicity. <i>Journal of Proteomics</i> , 2014 , 103, 227-40	3.9	50
152	Systems biology for hepatologists. <i>Hepatology</i> , 2014 , 60, 736-43	11.2	9
151	Molecular mechanisms of lipopolysaccharide-mediated inhibition of glutathione synthesis in mice. <i>Free Radical Biology and Medicine</i> , 2014 , 68, 148-58	7.8	24
150	Glycine N-methyltransferase expression in the hippocampus and its role in neurogenesis and cognitive performance. <i>Hippocampus</i> , 2014 , 24, 840-52	3.5	17
149	S-adenosylmethionine levels regulate the schwann cell DNA methylome. <i>Neuron</i> , 2014 , 81, 1024-1039	13.9	56
148	Structure and function study of the complex that synthesizes S-adenosylmethionine. <i>IUCrJ</i> , 2014 , 1, 240-9	4.7	31
147	Diabetes and racial/ethnic differences in hepatocellular carcinoma risk: the multiethnic cohort. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	34
146	Glutathione synthesis. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 3143-53	4	978
145	MAT2B-GIT1 interplay activates MEK1/ERK 1 and 2 to induce growth in human liver and colon cancer. <i>Hepatology</i> , 2013 , 57, 2299-313	11.2	64
144	Polyamine and methionine adenosyltransferase 2A crosstalk in human colon and liver cancer. <i>Experimental Cell Research</i> , 2013 , 319, 1902-1911	4.2	29
143	Excess S-adenosylmethionine reroutes phosphatidylethanolamine towards phosphatidylcholine and triglyceride synthesis. <i>Hepatology</i> , 2013 , 58, 1296-305	11.2	81
142	Methionine adenosyltransferase 2B, HuR, and sirtuin 1 protein cross-talk impacts on the effect of resveratrol on apoptosis and growth in liver cancer cells. <i>Journal of Biological Chemistry</i> , 2013 , 288, 23161-70	5.4	27
141	S-adenosylmethionine metabolism and liver disease. <i>Annals of Hepatology</i> , 2013 , 12, 183-189	3.1	116
140	MicroRNAs regulate methionine adenosyltransferase 1A expression in hepatocellular carcinoma. <i>Journal of Clinical Investigation</i> , 2013 , 123, 285-98	15.9	104
139	Alcohol, DNA methylation, and cancer 2013 , 35, 25-35		81
138	S-adenosylmethionine metabolism and liver disease. <i>Annals of Hepatology</i> , 2013 , 12, 183-9	3.1	56
137	Proteomic analysis of human hepatoma cells expressing methionine adenosyltransferase I/III: Characterization of DDX3X as a target of S-adenosylmethionine. <i>Journal of Proteomics</i> , 2012 , 75, 2855-68	3.9	10

136	Inhibition of human methionine adenosyltransferase 1A transcription by coding region methylation. <i>Journal of Cellular Physiology</i> , 2012 , 227, 1583-91	7	24
135	Human antigen R contributes to hepatic stellate cell activation and liver fibrosis. <i>Hepatology</i> , 2012 , 56, 1870-82	11.2	62
134	The RNA-binding protein human antigen R controls global changes in gene expression during Schwann cell development. <i>Journal of Neuroscience</i> , 2012 , 32, 4944-58	6.6	9
133	Serum UPLC-MS/MS metabolic profiling in an experimental model for acute-liver injury reveals potential biomarkers for hepatotoxicity. <i>Metabolomics</i> , 2012 , 8, 997-1011	4.7	55
132	Hepatoma cells from mice deficient in glycine N-methyltransferase have increased RAS signaling and activation of liver kinase B1. <i>Gastroenterology</i> , 2012 , 143, 787-798.e13	13.3	34
131	Murine double minute 2 regulates Hu antigen R stability in human liver and colon cancer through NEDDylation. <i>Hepatology</i> , 2012 , 55, 1237-48	11.2	89
130	Inhibition of natural killer cells protects the liver against acute injury in the absence of glycine N-methyltransferase. <i>Hepatology</i> , 2012 , 56, 747-59	11.2	47
129	S-adenosyl methionine regulates ubiquitin-conjugating enzyme 9 protein expression and sumoylation in murine liver and human cancers. <i>Hepatology</i> , 2012 , 56, 982-93	11.2	56
128	Effects of S-adenosylmethionine and methylthioadenosine on inflammation-induced colon cancer in mice. <i>Carcinogenesis</i> , 2012 , 33, 427-35	4.6	58
127	Mechanism and significance of changes in glutamate-cysteine ligase expression during hepatic fibrogenesis. <i>Journal of Biological Chemistry</i> , 2012 , 287, 36341-55	5.4	43
126	S-adenosylmethionine in liver health, injury, and cancer. <i>Physiological Reviews</i> , 2012 , 92, 1515-42	47.9	313
125	Methionine Adenosyltransferase 2A Positively Regulates Bcl-2 Expression in a Ubiquitin-Conjugating Enzyme 9-Dependent Manner. <i>FASEB Journal</i> , 2012 , 26, 145.10	0.9	
124	Role of AMP-activated protein kinase in the control of hepatocyte priming and proliferation during liver regeneration. <i>Experimental Biology and Medicine</i> , 2011 , 236, 402-8	3.7	17
123	Insulin-like growth factor 1 activates methionine adenosyltransferase 2A transcription by multiple pathways in human colon cancer cells. <i>Biochemical Journal</i> , 2011 , 436, 507-16	3.8	23
122	The hepatocarcinogenic effect of methionine and choline deficient diets: an adaptation to the Warburg effect?. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 811-4	3.7	12
121	S-Adenosylmethionine regulates connexins sub-types expressed by hepatocytes. <i>European Journal of Cell Biology</i> , 2011 , 90, 312-22	6.1	9
120	Methionine adenosyltransferase 1A gene deletion disrupts hepatic very low-density lipoprotein assembly in mice. <i>Hepatology</i> , 2011 , 54, 1975-86	11.2	63
119	Where are we in the search for noninvasive nonalcoholic steatohepatitis biomarkers?. <i>Hepatology</i> , 2011 , 54, 1115-7	11.2	8

118	High-frequency ultrasound imaging for longitudinal evaluation of non-alcoholic fatty liver disease progression in mice. <i>Ultrasound in Medicine and Biology</i> , 2011 , 37, 1161-9	3.5	14
117	Role of methionine adenosyltransferase genes in hepatocarcinogenesis. <i>Cancers</i> , 2011 , 3, 1480-97	6.6	26
116	Novel function and intracellular localization of methionine adenosyltransferase 2beta splicing variants. <i>Journal of Biological Chemistry</i> , 2010 , 285, 20015-21	5.4	25
115	Liquid chromatography-mass spectrometry-based parallel metabolic profiling of human and mouse model serum reveals putative biomarkers associated with the progression of nonalcoholic fatty liver disease. <i>Journal of Proteome Research</i> , 2010 , 9, 4501-12	5.6	119
114	HuR/methyl-HuR and AUF1 regulate the MAT expressed during liver proliferation, differentiation, and carcinogenesis. <i>Gastroenterology</i> , 2010 , 138, 1943-53	13.3	95
113	Forced expression of methionine adenosyltransferase 1A in human hepatoma cells suppresses in vivo tumorigenicity in mice. <i>American Journal of Pathology</i> , 2010 , 176, 2456-66	5.8	39
112	Overview of extracellular microvesicles in drug metabolism. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2010 , 6, 543-54	5.5	29
111	Changes in the expression of methionine adenosyltransferase genes and S-adenosylmethionine homeostasis during hepatic stellate cell activation. <i>Hepatology</i> , 2010 , 51, 986-95	11.2	46
110	Induction of avian musculoaponeurotic fibrosarcoma proteins by toxic bile acid inhibits expression of glutathione synthetic enzymes and contributes to cholestatic liver injury in mice. <i>Hepatology</i> , 2010 , 51, 1291-301	11.2	26
109	S-adenosylmethionine regulates dual-specificity mitogen-activated protein kinase phosphatase expression in mouse and human hepatocytes. <i>Hepatology</i> , 2010 , 51, 2152-61	11.2	29
108	Fatty liver and fibrosis in glycine N-methyltransferase knockout mice is prevented by nicotinamide. <i>Hepatology</i> , 2010 , 52, 105-14	11.2	64
107	Epithelial-to-mesenchymal transition of murine liver tumor cells promotes invasion. <i>Hepatology</i> , 2010 , 52, 945-53	11.2	125
106	Activation of LKB1-Akt pathway independent of phosphoinositide 3-kinase plays a critical role in the proliferation of hepatocellular carcinoma from nonalcoholic steatohepatitis. <i>Hepatology</i> , 2010 , 52, 1621-31	11.2	52
105	Liver-specific deletion of prohibitin 1 results in spontaneous liver injury, fibrosis, and hepatocellular carcinoma in mice. <i>Hepatology</i> , 2010 , 52, 2096-108	11.2	84
104	Candidate biomarkers in exosome-like vesicles purified from rat and mouse urine samples. <i>Proteomics - Clinical Applications</i> , 2010 , 4, 416-25	3.1	99
103	Non-alcoholic fatty liver disease proteomics. <i>Proteomics - Clinical Applications</i> , 2010 , 4, 362-71	3.1	38
102	Sub-proteome approach to the knowledge of liver. <i>Proteomics - Clinical Applications</i> , 2010 , 4, 407-15	3.1	8
101	S-Adenosylmethionine 2010 , 1-6		1

100	Nonalcoholic steatohepatitis, animal models, and biomarkers: what is new?. <i>Methods in Molecular Biology</i> , 2010 , 593, 109-36	1.4	20
99	S-Adenosylmethionine and methylthioadenosine inhibit cellular FLICE inhibitory protein expression and induce apoptosis in colon cancer cells. <i>Molecular Pharmacology</i> , 2009 , 76, 192-200	4.3	48
98	Betaine prevents Mallory-Denk body formation in drug-primed mice by epigenetic mechanisms. <i>Experimental and Molecular Pathology</i> , 2009 , 86, 77-86	4.4	39
97	Evidence for LKB1/AMP-activated protein kinase/ endothelial nitric oxide synthase cascade regulated by hepatocyte growth factor, S-adenosylmethionine, and nitric oxide in hepatocyte proliferation. <i>Hepatology</i> , 2009 , 49, 608-17	11.2	57
96	Switch from Mnt-Max to Myc-Max induces p53 and cyclin D1 expression and apoptosis during cholestasis in mouse and human hepatocytes. <i>Hepatology</i> , 2009 , 49, 860-70	11.2	40
95	CD133+ liver cancer stem cells from methionine adenosyl transferase 1A-deficient mice demonstrate resistance to transforming growth factor (TGF)-beta-induced apoptosis. <i>Hepatology</i> , 2009 , 49, 1277-86	11.2	79
94	Dysregulation of glutathione synthesis during cholestasis in mice: molecular mechanisms and therapeutic implications. <i>Hepatology</i> , 2009 , 49, 1982-91	11.2	69
93	S-adenosylmethionine in the chemoprevention and treatment of hepatocellular carcinoma in a rat model. <i>Hepatology</i> , 2009 , 50, 462-71	11.2	73
92	Reply:. <i>Hepatology</i> , 2009 , 49, 2131-2131	11.2	
91	Impaired liver regeneration in mice lacking glycine N-methyltransferase. <i>Hepatology</i> , 2009 , 50, 443-52	11.2	31
90	Identification and characterization of an Nrf2-mediated ARE upstream of the rat glutamate cysteine ligase catalytic subunit gene (GCLC). <i>Journal of Cellular Biochemistry</i> , 2009 , 107, 944-54	4.7	21
89	Non-alcoholic steatohepatitis and animal models: understanding the human disease. <i>International Journal of Biochemistry and Cell Biology</i> , 2009 , 41, 969-76	5.6	88
88	Regulation of glutathione synthesis. <i>Molecular Aspects of Medicine</i> , 2009 , 30, 42-59	16.7	1225
87	S-adenosylmethionine regulates apurinic/apyrimidinic endonuclease 1 stability: implication in hepatocarcinogenesis. <i>Gastroenterology</i> , 2009 , 136, 1025-36	13.3	30
86	Changes in S-adenosylmethionine and GSH homeostasis during endotoxemia in mice. <i>Laboratory Investigation</i> , 2008 , 88, 1121-9	5.9	44
85	Emerging role of epigenetics in the actions of alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 1525-34	3.7	169
84	S-Adenosylmethionine in cell growth, apoptosis and liver cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23 Suppl 1, S73-7	4	141
83	Alcohol, cofactors and the genetics of hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23 Suppl 1, S92-7	4	43

82	Effects of hepatocyte growth factor on glutathione synthesis, growth, and apoptosis is cell density-dependent. <i>Experimental Cell Research</i> , 2008 , 314, 398-412	4.2	16
81	Characterization and comprehensive proteome profiling of exosomes secreted by hepatocytes. <i>Journal of Proteome Research</i> , 2008 , 7, 5157-66	5.6	427
80	Expression pattern, regulation, and functions of methionine adenosyltransferase 2beta splicing variants in hepatoma cells. <i>Gastroenterology</i> , 2008 , 134, 281-91	13.3	56
79	Methionine metabolism and liver disease. <i>Annual Review of Nutrition</i> , 2008 , 28, 273-93	9.9	210
78	Epigallocatechin-3-gallate inhibits growth of activated hepatic stellate cells by enhancing the capacity of glutathione synthesis. <i>Molecular Pharmacology</i> , 2008 , 73, 1465-73	4.3	38
77	S-adenosylmethionine and proliferation: new pathways, new targets. <i>Biochemical Society Transactions</i> , 2008 , 36, 848-52	5.1	40
76	Leptin's mitogenic effect in human liver cancer cells requires induction of both methionine adenosyltransferase 2A and 2beta. <i>Hepatology</i> , 2008 , 47, 521-31	11.2	68
75	Expansion of liver cancer stem cells during aging in methionine adenosyltransferase 1A-deficient mice. <i>Hepatology</i> , 2008 , 47, 1288-97	11.2	74
74	Loss of the glycine N-methyltransferase gene leads to steatosis and hepatocellular carcinoma in mice. <i>Hepatology</i> , 2008 , 47, 1191-9	11.2	220
73	S-adenosylmethionine inhibits lipopolysaccharide-induced gene expression via modulation of histone methylation. <i>Hepatology</i> , 2008 , 47, 1655-66	11.2	88
72	Antioxidants in the treatment of chronic liver diseases: why is the efficacy evidence so weak in humans?. <i>Hepatology</i> , 2008 , 48, 1359-61	11.2	13
71	Requirement of RIZ1 for cancer prevention by methyl-balanced diet. <i>PLoS ONE</i> , 2008 , 3, e3390	3.7	22
70	Role of methionine adenosyltransferase 2A and S-adenosylmethionine in mitogen-induced growth of human colon cancer cells. <i>Gastroenterology</i> , 2007 , 133, 207-18	13.3	72
69	Effect of hepatocyte growth factor on methionine adenosyltransferase genes and growth is cell density-dependent in HepG2 cells. <i>Journal of Cellular Physiology</i> , 2007 , 210, 766-73	7	25
68	Role of S-adenosyl-L-methionine in liver health and injury. <i>Hepatology</i> , 2007 , 45, 1306-12	11.2	224
67	Genetic polymorphisms in the methylenetetrahydrofolate reductase and thymidylate synthase genes and risk of hepatocellular carcinoma. <i>Hepatology</i> , 2007 , 46, 749-58	11.2	67
66	Inhibition of human betaine-homocysteine methyltransferase expression by S-adenosylmethionine and methylthioadenosine. <i>Biochemical Journal</i> , 2007 , 401, 87-96	3.8	58
65	Role of S-adenosylmethionine, folate, and betaine in the treatment of alcoholic liver disease: summary of a symposium. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 14-24	7	140

64	Identification of a gene-pathway associated with non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2007 , 46, 708-18	13.4	44
63	S-adenosylmethionine stabilizes cystathionine beta-synthase and modulates redox capacity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 6489-94	11.5	176
62	Molecular profiling of hepatocellular carcinoma in mice with a chronic deficiency of hepatic s-adenosylmethionine: relevance in human liver diseases. <i>Journal of Proteome Research</i> , 2006 , 5, 944-53	5.6	18
61	S-adenosylmethionine regulates cytoplasmic HuR via AMP-activated kinase. <i>Gastroenterology</i> , 2006 , 131, 223-32	13.3	81
60	Role of S-Adenosyl-L-Methionine in Alcohol-Associated Liver Cancer 2006 , 160-174		
59	Methionine adenosyltransferase and S-adenosylmethionine in alcoholic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006 , 21 Suppl 3, S61-4	4	20
58	S-Adenosylmethionine and Methionine Adenosyltransferase Genes 2006 , 93-111		
57	Tumour necrosis factor alpha induces co-ordinated activation of rat GSH synthetic enzymes via nuclear factor kappaB and activator protein-1. <i>Biochemical Journal</i> , 2005 , 391, 399-408	3.8	64
56	Cloning and characterization of the human glutathione synthetase 5Qflanking region. <i>Biochemical Journal</i> , 2005 , 390, 521-8	3.8	57
55	Role of methionine adenosyltransferase and S-adenosylmethionine in alcohol-associated liver cancer. <i>Alcohol</i> , 2005 , 35, 227-34	2.7	119
54	Keratin mutation primes mouse liver to oxidative injury. <i>Hepatology</i> , 2005 , 41, 517-25	11.2	36
53	Oxidation of specific methionine and tryptophan residues of apolipoprotein A-I in hepatocarcinogenesis. <i>Proteomics</i> , 2005 , 5, 4964-72	4.8	30
52	Nrf1 and Nrf2 regulate rat glutamate-cysteine ligase catalytic subunit transcription indirectly via NF-kappaB and AP-1. <i>Molecular and Cellular Biology</i> , 2005 , 25, 5933-46	4.8	185
51	15-Deoxy-Delta12,14-prostaglandin J(2) protects against nitrosative PC12 cell death through up-regulation of intracellular glutathione synthesis. <i>Journal of Biological Chemistry</i> , 2004 , 279, 46263-70	5.4	46
50	Retinoid X receptor alpha regulates glutathione homeostasis and xenobiotic detoxification processes in mouse liver. <i>Molecular Pharmacology</i> , 2004 , 65, 550-7	4.3	59
49	Impaired liver regeneration in mice lacking methionine adenosyltransferase 1A. <i>FASEB Journal</i> , 2004 , 18, 914-6	0.9	64
48	Inhibition of lipopolysaccharide-stimulated TNF-alpha promoter activity by S-adenosylmethionine and 5Qmethylthioadenosine. <i>American Journal of Physiology - Renal Physiology</i> , 2004 , 287, G352-62	5.1	56
47	Abnormal hepatic methionine and glutathione metabolism in patients with alcoholic hepatitis. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 173-81	3.7	126

46	5-methylthioadenosine modulates the inflammatory response to endotoxin in mice and in rat hepatocytes. <i>Hepatology</i> , 2004 , 39, 1088-98	11.2	71
45	S-adenosylmethionine and its metabolite induce apoptosis in HepG2 cells: Role of protein phosphatase 1 and Bcl-x(S). <i>Hepatology</i> , 2004 , 40, 221-31	11.2	74
44	Methylthioadenosine. <i>International Journal of Biochemistry and Cell Biology</i> , 2004 , 36, 2125-30	5.6	137
43	S-Adenosylmethionine 2004 , 1-6		1
42	Role of S-adenosylmethionine in two experimental models of pancreatitis. <i>FASEB Journal</i> , 2003 , 17, 56-80.9		28
41	RXRalpha-regulated liver SAME and GSH levels influence susceptibility to alcohol-induced hepatotoxicity. <i>Experimental and Molecular Pathology</i> , 2003 , 75, 194-200	4.4	20
40	Functional proteomics of nonalcoholic steatohepatitis: mitochondrial proteins as targets of S-adenosylmethionine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 3065-70	11.5	140
39	L-methionine availability regulates expression of the methionine adenosyltransferase 2A gene in human hepatocarcinoma cells: role of S-adenosylmethionine. <i>Journal of Biological Chemistry</i> , 2003 , 278, 19885-90	5.4	61
38	Induction of human methionine adenosyltransferase 2A expression by tumor necrosis factor alpha. Role of NF-kappa B and AP-1. <i>Journal of Biological Chemistry</i> , 2003 , 278, 50887-96	5.4	43
37	Role of abnormal methionine metabolism in alcoholic liver injury. <i>Alcohol</i> , 2002 , 27, 155-62	2.7	78
36	S-adenosylmethionine and methylthioadenosine are antiapoptotic in cultured rat hepatocytes but proapoptotic in human hepatoma cells. <i>Hepatology</i> , 2002 , 35, 274-80	11.2	111
35	S-Adenosylmethionine: a control switch that regulates liver function. <i>FASEB Journal</i> , 2002 , 16, 15-26	0.9	346
34	Role of AP-1 in the coordinate induction of rat glutamate-cysteine ligase and glutathione synthetase by tert-butylhydroquinone. <i>Journal of Biological Chemistry</i> , 2002 , 277, 35232-9	5.4	32
33	Spontaneous oxidative stress and liver tumors in mice lacking methionine adenosyltransferase 1A. <i>FASEB Journal</i> , 2002 , 16, 1292-4	0.9	236
32	Cloning and characterization of the 5'-flanking region of the rat glutamate-cysteine ligase catalytic subunit. <i>Biochemical Journal</i> , 2001 , 357, 447-55	3.8	36
31	The role of c-Myb in the up-regulation of methionine adenosyltransferase 2A expression in activated Jurkat cells. <i>Biochemical Journal</i> , 2001 , 353, 163-168	3.8	13
30	Cloning and characterization of the 5'-flanking region of the rat glutamate-cysteine ligase catalytic subunit. <i>Biochemical Journal</i> , 2001 , 357, 447-455	3.8	45
29	Mechanism and significance of increased glutathione level in human hepatocellular carcinoma and liver regeneration. <i>FASEB Journal</i> , 2001 , 15, 19-21	0.9	157

28	The role of c-Myb and Sp1 in the up-regulation of methionine adenosyltransferase 2A gene expression in human hepatocellular carcinoma. <i>FASEB Journal</i> , 2001 , 15, 1507-16	0.9	57
27	Cloning and analysis of the rat glutamate-cysteine ligase modifier subunit promoter. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 285, 476-82	3.4	14
26	Current concepts in the pathogenesis of alcoholic liver injury. <i>FASEB Journal</i> , 2001 , 15, 1335-49	0.9	306
25	Role of promoter methylation in increased methionine adenosyltransferase 2A expression in human liver cancer. <i>American Journal of Physiology - Renal Physiology</i> , 2001 , 280, G184-90	5.1	43
24	Hepatocyte growth factor induces MAT2A expression and histone acetylation in rat hepatocytes: role in liver regeneration. <i>FASEB Journal</i> , 2001 , 15, 1248-50	0.9	53
23	Cloning and functional characterization of the 5'-flanking region of human methionine adenosyltransferase 1A gene. <i>Biochemical Journal</i> , 2000 , 346, 475	3.8	4
22	Cloning and functional characterization of the 5'-flanking region of human methionine adenosyltransferase 1A gene. <i>Biochemical Journal</i> , 2000 , 346, 475-482	3.8	19
21	Inducers of gamma-glutamylcysteine synthetase and their effects on glutathione synthetase expression. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2000 , 1493, 48-55		50
20	Liver-specific methionine adenosyltransferase MAT1A gene expression is associated with a specific pattern of promoter methylation and histone acetylation: implications for MAT1A silencing during transformation. <i>FASEB Journal</i> , 2000 , 14, 95-102	0.9	79
19	Changes in methionine adenosyltransferase and S-adenosylmethionine homeostasis in alcoholic rat liver. <i>American Journal of Physiology - Renal Physiology</i> , 2000 , 279, G178-85	5.1	135
18	S-Adenosylmethionine. <i>International Journal of Biochemistry and Cell Biology</i> , 2000 , 32, 391-5	5.6	330
17	Reduced mRNA abundance of the main enzymes involved in methionine metabolism in human liver cirrhosis and hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2000 , 33, 907-14	13.4	273
16	Regulation of glutathione synthesis. <i>Current Topics in Cellular Regulation</i> , 2000 , 36, 95-116		167
15	Regulation of hepatic glutathione synthesis: current concepts and controversies. <i>FASEB Journal</i> , 1999 , 13, 1169-1183	0.9	665
14	Effect of thioacetamide on the hepatic expression of gamma-glutamylcysteine synthetase subunits in the Rat. <i>Toxicology and Applied Pharmacology</i> , 1999 , 159, 161-8	4.6	55
13	Differential effect of thioacetamide on hepatic methionine adenosyltransferase expression in the rat. <i>Hepatology</i> , 1999 , 29, 1471-8	11.2	50
12	Effect of ethanol and high-fat feeding on hepatic gamma-glutamylcysteine synthetase subunit expression in the rat. <i>Hepatology</i> , 1999 , 30, 209-14	11.2	57
11	Changes in glutathione homeostasis during liver regeneration in the rat. <i>Hepatology</i> , 1998 , 27, 147-53	11.2	78

10	Cloning and functional characterization of the 5' flanking region of human methionine adenosyltransferase 2A gene. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 248, 479-84	3-4	23
9	Regulation of hepatic glutathione synthesis. <i>Seminars in Liver Disease</i> , 1998 , 18, 331-43	7-3	71
8	Changes in methionine adenosyltransferase during liver regeneration in the rat. <i>American Journal of Physiology - Renal Physiology</i> , 1998 , 275, G14-21	5-1	50
7	Differential regulation of gamma-glutamylcysteine synthetase heavy and light subunit gene expression. <i>Biochemical Journal</i> , 1997 , 326 (Pt 1), 167-72	3-8	114
6	Regulation of gamma-glutamylcysteine synthetase by protein phosphorylation. <i>Biochemical Journal</i> , 1996 , 320 (Pt 1), 321-8	3-8	95
5	Comparison of sulfur amino acid utilization for GSH synthesis between HepG2 cells and cultured rat hepatocytes. <i>Biochemical Pharmacology</i> , 1994 , 47, 859-69	6	43
4	Cystic Diseases of the Liver and Biliary Tract 2009-2021		1
3	Targeting Hepatic Glutaminase 1 Ameliorates Non-Alcoholic Steatohepatitis by Restoring Disrupted Hepatic Very-Low Density Lipoproteins Triglyceride Assembly. <i>SSRN Electronic Journal</i> ,	1	1
2	Cystic Diseases of the Liver and Biliary Tract 361-367		1
1	Cystic Diseases of the Liver and Biliary Tract 599-605		