

# Kimberley Good

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8200300/publications.pdf>

Version: 2024-02-01

36  
papers

1,375  
citations

394286

19  
h-index

345118

36  
g-index

38  
all docs

38  
docs citations

38  
times ranked

1395  
citing authors

#	ARTICLE	IF	CITATIONS
1	Olfactory Dysfunction in Neuropsychiatric Disorders: Review and Methodological Considerations. <i>Biological Psychiatry</i> , 1997, 42, 721-732.	0.7	146
2	Diffusion tensor imaging and olfactory identification testing in early-stage Parkinson's disease. <i>Journal of Neurology</i> , 2011, 258, 1254-1260.	1.8	133
3	Olfactory hallucinations and olfactory identification ability in patients with schizophrenia and other psychiatric disorders. <i>Schizophrenia Research</i> , 1994, 12, 205-211.	1.1	113
4	Extrapyramidal Signs and Clinical Symptoms in First-Episode Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 1997, 17, 308-313.	0.7	95
5	Impaired Olfactory Identification in Relatives of Patients With Familial Schizophrenia. <i>American Journal of Psychiatry</i> , 2001, 158, 1286-1290.	4.0	81
6	Olfactory deficits in schizophrenia are not a function of task complexity. <i>Schizophrenia Research</i> , 1995, 17, 195-199.	1.1	61
7	Symptoms in neuroleptic-naïve, first-episode schizophrenia: response to risperidone. <i>Biological Psychiatry</i> , 1996, 39, 296-298.	0.7	58
8	Olfactory identification ability in pre- and postmenopausal women with schizophrenia. <i>Biological Psychiatry</i> , 1995, 38, 57-63.	0.7	56
9	The relationship of neuropsychological test performance with the PANSS in antipsychotic naïve, first-episode psychosis patients. <i>Schizophrenia Research</i> , 2004, 68, 11-19.	1.1	55
10	Olfactory Identification Deficits in First-Episode Psychosis May Predict Patients at Risk for Persistent Negative and Disorganized or Cognitive Symptoms. <i>American Journal of Psychiatry</i> , 2006, 163, 932-933.	4.0	52
11	Improvement in cognitive functioning in patients with first-episode psychosis during treatment with quetiapine: An interim analysis. <i>British Journal of Psychiatry</i> , 2002, 181, s45-s49.	1.7	51
12	Olfactory Function in Monozygotic Twins Discordant for Schizophrenia. <i>American Journal of Psychiatry</i> , 1998, 155, 134-136.	4.0	48
13	Treatment of a first episode of psychotic illness with quetiapine: An analysis of 2 year outcomes. <i>Schizophrenia Research</i> , 2006, 81, 29-39.	1.1	39
14	Unirhinal olfactory identification deficits in young male patients with schizophrenia and related disorders: association with impaired memory function. <i>Schizophrenia Research</i> , 2002, 56, 211-223.	1.1	37
15	Left nostril olfactory identification impairment in a subgroup of male patients with schizophrenia. <i>Schizophrenia Research</i> , 1998, 33, 35-43.	1.1	33
16	An investigation of a possible relationship between olfactory identification deficits at first episode and four-year outcomes in patients with psychosis. <i>Schizophrenia Research</i> , 2010, 124, 60-65.	1.1	28
17	Unirhinal Norms for the University of Pennsylvania Smell Identification Test. <i>Clinical Neuropsychologist</i> , 2003, 17, 226-234.	1.5	25
18	Addictive behaviors across the menstrual cycle: a systematic review. <i>Archives of Women's Mental Health</i> , 2021, 24, 529-542.	1.2	25

#	ARTICLE	IF	CITATIONS
19	Olfactory function in psychotic disorders: Insights from neuroimaging studies. <i>World Journal of Psychiatry</i> , 2015, 5, 210.	1.3	25
20	Olfactory deficits in patients with schizophrenia and severe polydipsia. <i>Biological Psychiatry</i> , 1998, 43, 497-502.	0.7	22
21	The impact of nicotine lozenges and stimulus expectancies on cigarette craving. <i>Journal of Psychopharmacology</i> , 2014, 28, 773-779.	2.0	20
22	Olfaction and schizophrenia clinical risk status: Just the facts. <i>Schizophrenia Research</i> , 2012, 139, 260-261.	1.1	19
23	Olfactory identification ability in patients with panic disorder. <i>Journal of Psychiatry and Neuroscience</i> , 1996, 21, 340-2.	1.4	17
24	Lateralized microstructural changes in early-stage Parkinson's disease in anterior olfactory structures, but not in substantia nigra. <i>Journal of Neurology</i> , 2017, 264, 1497-1505.	1.8	16
25	Unilateral olfactory sensitivity in multiple sclerosis. <i>Physiology and Behavior</i> , 2017, 168, 24-30.	1.0	16
26	Smoking cue reactivity in current smokers, former smokers and never smokers. <i>Addictive Behaviors</i> , 2015, 45, 26-29.	1.7	14
27	Sex differences in olfactory function in young patients with psychotic disorders. <i>Schizophrenia Research</i> , 2007, 97, 97-102.	1.1	13
28	The impacts of actual and perceived nicotine administration on insula functional connectivity with the anterior cingulate cortex and nucleus accumbens. <i>Journal of Psychopharmacology</i> , 2019, 33, 1600-1609.	2.0	10
29	Clinical features of schizophrenia in a woman with hyperandrogenism. <i>Journal of Psychiatry and Neuroscience</i> , 1997, 22, 56-60.	1.4	10
30	Caffeine effects and schizophrenia: Is there a need for more research?. <i>Schizophrenia Research</i> , 2019, 211, 34-35.	1.1	9
31	The impact of depressed mood and coping motives on cannabis use quantity across the menstrual cycle in those with and without premenstrual dysphoric disorder. <i>Addiction</i> , 2021, 116, 2746-2758.	1.7	8
32	Deterioration of Olfactory Identification Abilities in Patients With Schizophrenia. <i>American Journal of Psychiatry</i> , 1998, 155, 1463-1463.	4.0	7
33	The impact of anticipated and unanticipated smoking opportunities on cigarette smoking and nicotine lozenge responses. <i>Drug and Alcohol Dependence</i> , 2015, 147, 97-102.	1.6	6
34	Sex Differences and Olfactory Function. , 2006, , 183-202.		5
35	Olfactory Function and Diffusion Tensor Imaging as Markers of Mild Cognitive Impairment in Early Stages of Parkinson's Disease. <i>Clinical EEG and Neuroscience</i> , 2023, 54, 91-97.	0.9	5
36	Microsmia in postmenopausal women with genetic vulnerability to psychosis. <i>Schizophrenia Research</i> , 2003, 61, 327-328.	1.1	2