

Jianxiong Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8200599/publications.pdf>

Version: 2024-02-01

32
papers

492
citations

840776

11
h-index

752698

20
g-index

36
all docs

36
docs citations

36
times ranked

670
citing authors

#	ARTICLE	IF	CITATIONS
1	Integrated analysis of circulating tumour cells and circulating tumour DNA to detect minimal residual disease in hepatocellular carcinoma. <i>Clinical and Translational Medicine</i> , 2022, 12, e793.	4.0	6
2	Impact of perioperative allogeneic blood transfusion on the long-term prognosis of patients with different stage tumors after radical resection for hepatocellular carcinoma. <i>European Journal of Surgical Oncology</i> , 2021, 47, 620-627.	1.0	7
3	Nutritional assessment and risk factors associated to malnutrition in patients with esophageal cancer. <i>Current Problems in Cancer</i> , 2021, 45, 100638.	2.0	50
4	Differences of intraoperative outcomes and postoperative complications between intrahepatic cholangiocarcinoma and colorectal liver metastasis in different surgical methods. <i>Translational Cancer Research</i> , 2021, 10, 4020-4032.	1.0	4
5	A practical nomogram from the SEER database to predict the prognosis of hepatocellular carcinoma in patients with lymph node metastasis. <i>Annals of Palliative Medicine</i> , 2021, 10, 3847-3863.	1.2	8
6	Integrated analysis of the rhesus monkey liver transcriptome during development and human primary HCC AFP-related gene expression. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 25, 406-415.	5.1	4
7	Resection Combined with TKI Therapy for Resectable Liver Metastases of Gastrointestinal Stromal Tumours: Results from Three National Centres in China. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1330-1341.	1.7	4
8	Neo-adjuvant Chemotherapy-Induced Neutropenia Is Associated with Histological Responses and Outcomes after the Resection of Colorectal Liver Metastases. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 659-670.	1.7	13
9	Lymphoepithelioma-like carcinoma in liver not associated with Epstein-Barr virus: a report of 3 cases and literature review. <i>Diagnostic Pathology</i> , 2020, 15, 115.	2.0	20
10	Nutritional status and survival of 8247 cancer patients with or without diabetes mellitus—results from a prospective cohort study. <i>Cancer Medicine</i> , 2020, 9, 7428-7439.	2.8	8
11	Postoperative adjuvant treatment strategy for hepatocellular carcinoma with microvascular invasion: a non-randomized interventional clinical study. <i>BMC Cancer</i> , 2020, 20, 614.	2.6	24
12	The combination of preoperative D-dimer and CA19-9 predicts lymph node metastasis and survival in intrahepatic cholangiocarcinoma patients after curative resection. <i>Annals of Translational Medicine</i> , 2020, 8, 192-192.	1.7	9
13	Adjuvant radiotherapy in central hepatocellular carcinoma after narrow-margin hepatectomy: A 10-year real-world evidence. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2020, 32, 645-653.	2.2	14
14	Prognostic value of the controlling nutritional status (CONUT) score in intrahepatic cholangiocarcinoma patients especially who had long-time alcohol consumption. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2020, 67, 323-331.	1.4	11
15	Enhanced recovery after surgery strategy for cirrhosis patients undergoing hepatectomy: experience in a single research center. <i>Annals of Surgical Treatment and Research</i> , 2020, 98, 224.	1.0	8
16	Possible local treatment for liver metastases of adenoid cystic carcinoma (ACC): single-centre experience and literature review. <i>Translational Cancer Research</i> , 2020, 9, 4573-4582.	1.0	0
17	Hypervascular hepatic mass in a patient with breast cancer. <i>Turkish Journal of Gastroenterology</i> , 2020, 31, 825-828.	1.1	0
18	Post-surgical resection prognostic value of combined OPN, MMP7, and PSG9 plasma biomarkers in hepatocellular carcinoma. <i>Frontiers of Medicine</i> , 2019, 13, 250-258.	3.4	16

#	ARTICLE	IF	CITATIONS
19	Preoperative D-dimer and Gamma-Glutamyltranspeptidase Predict Major Complications and Survival in Colorectal Liver Metastases Patients After Resection. <i>Translational Oncology</i> , 2019, 12, 996-1004.	3.7	11
20	Nomogram to Assist in Surgical Plan for Hepatocellular Carcinoma: a Prediction Model for Microvascular Invasion. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 2372-2382.	1.7	34
21	High Beclin-1 and ARID1A expression correlates with poor survival and high recurrence in intrahepatic cholangiocarcinoma: a histopathological retrospective study. <i>BMC Cancer</i> , 2019, 19, 213.	2.6	17
22	<p>Optimal postoperative adjuvant treatment strategy for HBV-related hepatocellular carcinoma with microvascular invasion: a propensity score analysis</p>. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 1237-1247.	2.0	21
23	Regional Ischemic Preconditioning Has Clinical Value in Cirrhotic HCC Through MAPK Pathways. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 1767-1777.	1.7	4
24	Surgical outcomes of hand-assisted laparoscopic liver resection vs. open liver resection: A retrospective propensity score-matched cohort study. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2019, 31, 818-824.	2.2	5
25	A comprehensive nutritional survey of hospitalized patients: Results from nutritionDay 2016 in China. <i>PLoS ONE</i> , 2018, 13, e0194312.	2.5	15
26	Multi-omics study revealing the complexity and spatial heterogeneity of tumor-infiltrating lymphocytes in primary liver carcinoma. <i>Oncotarget</i> , 2017, 8, 34844-34857.	1.8	31
27	Postoperative adjuvant radiotherapy is associated with improved survival in hepatocellular carcinoma with microvascular invasion. <i>Oncotarget</i> , 2017, 8, 79971-79981.	1.8	46
28	Synchronous primary breast cancer and hepatocellular carcinoma in a male patient: a case report. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 11722-8.	0.5	1
29	Adjuvant Radiotherapy in Centrally Located Hepatocellular Carcinomas after Hepatectomy with Narrow Margin (<1 cm): A Prospective Randomized Study. <i>Journal of the American College of Surgeons</i> , 2014, 218, 381-392.	0.5	55
30	Elevated Pretherapy Serum IL17 in Primary Hepatocellular Carcinoma Patients Correlate to Increased Risk of Early Recurrence after Curative Hepatectomy. <i>PLoS ONE</i> , 2012, 7, e50035.	2.5	37
31	Assessment of resectability of pancreatic carcinoma by endoscopic ultrasonography. <i>Chinese Journal of Clinical Oncology</i> , 2004, 1, 393-397.	0.0	0
32	Expression of cytochrome P4502E1 in human liver: Relationship between genotype and phenotype in Chinese. <i>Science in China Series C: Life Sciences</i> , 2001, 44, 356-364.	1.3	8