

# Paolo Fabbietti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8200798/publications.pdf>

Version: 2024-02-01

66  
papers

973  
citations

516710

16  
h-index

552781

26  
g-index

66  
all docs

66  
docs citations

66  
times ranked

1624  
citing authors

#	ARTICLE	IF	CITATIONS
1	Regimen complexity and medication nonadherence in elderly patients. <i>Therapeutics and Clinical Risk Management</i> , 2009, 5, 209.	2.0	70
2	Effects of hyperpolypharmacy and potentially inappropriate medications (PIMs) on functional decline in older patients discharged from acute care hospitals. <i>Archives of Gerontology and Geriatrics</i> , 2018, 77, 158-162.	3.0	70
3	Leukocyte telomere length and mortality risk in patients with type 2 diabetes. <i>Oncotarget</i> , 2016, 7, 50835-50844.	1.8	44
4	Impact of potentially inappropriate medications and polypharmacy on 3-month readmission among older patients discharged from acute care hospital: a prospective study. <i>Aging Clinical and Experimental Research</i> , 2018, 30, 977-984.	2.9	41
5	Potentially Inappropriate Medication in Elderly Hospitalized Patients. <i>Drugs and Aging</i> , 2009, 26, 31-39.	2.7	40
6	Inappropriate use of proton pump inhibitors in elderly patients discharged from acute care hospitals. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 665-670.	3.3	37
7	Physical performance measures and polypharmacy among hospitalized older adults: Results from the crime study. <i>Journal of Nutrition, Health and Aging</i> , 2014, 18, 616-621.	3.3	31
8	Quality of life and burden in family caregivers of patients with advanced cancer in active treatment settings and hospice care: A comparative study. <i>Death Studies</i> , 2017, 41, 276-283.	2.7	31
9	Exploring the associations between spiritual well-being, burden, and quality of life in family caregivers of cancer patients. <i>Palliative and Supportive Care</i> , 2019, 17, 294-299.	1.0	30
10	Perceived qualities of older workers and age management in companies. <i>Personnel Review</i> , 2015, 44, 801-820.	2.7	28
11	Effectiveness of Intervention Based on End-effector Gait Trainer in Older Patients With Stroke: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1036-1044.	2.5	25
12	Pattern of Medication Use Among Older Inpatients in Seven Hospitals in Italy: Results from the Criteria to Assess Appropriate Medication Use Among Elderly Complex Patients (CRIME) Project. <i>Current Drug Safety</i> , 2013, 8, 98-103.	0.6	24
13	Predictors of rehospitalization among older adults: Results of the CRIME Study. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1588-1592.	1.5	21
14	Benefits for Older People Engaged in Environmental Volunteering and Socializing Activities in City Parks: Preliminary Results of a Program in Italy. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3772.	2.6	21
15	Prevalence of sarcopenia in community-dwelling older adults using the updated EWGSOP2 definition according to kidney function and albuminuria. <i>BMC Geriatrics</i> , 2020, 20, 327.	2.7	20
16	Effect of a Comprehensive Intervention on Plasma BDNF in Patients with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017, 57, 37-43.	2.6	19
17	Spiritual well-being associated with personality traits and quality of life in family caregivers of cancer patients. <i>Supportive Care in Cancer</i> , 2018, 26, 2633-2640.	2.2	19
18	Impact of the Outbreak of the COVID-19 Pandemic on Formal and Informal Care of Community-Dwelling Older Adults: Cross-National Clustering of Empirical Evidence from 23 Countries. <i>Sustainability</i> , 2021, 13, 7277.	3.2	18

#	ARTICLE	IF	CITATIONS
19	Estimated glomerular filtration rate and functional status among older people: A systematic review. <i>European Journal of Internal Medicine</i> , 2018, 56, 39-48.	2.2	17
20	Anticholinergic Burden is Associated With Increased Mortality in Older Patients With Dependency Discharged From Hospital. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 942-947.	2.5	17
21	Cognitive Stimulation Modulates Platelet Total Phospholipases A2 Activity in Subjects with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2016, 50, 957-962.	2.6	16
22	Large-Scale Postmarketing Surveillance of Biological Drugs for Immune-Mediated Inflammatory Diseases Through an Italian Distributed Multi-Database Healthcare Network: The VALORE Project. <i>BioDrugs</i> , 2021, 35, 749-764.	4.6	16
23	Evidences of +896 A/G TLR4 Polymorphism as an Indicative of Prevalence of Complications in T2DM Patients. <i>Mediators of Inflammation</i> , 2014, 2014, 1-8.	3.0	15
24	The Report-AGE project: a permanent epidemiological observatory to identify clinical and biological markers of health outcomes in elderly hospitalized patients in Italy. <i>Aging Clinical and Experimental Research</i> , 2015, 27, 893-901.	2.9	15
25	Chronic kidney disease in the context of multimorbidity patterns: the role of physical performance. <i>BMC Geriatrics</i> , 2020, 20, 350.	2.7	15
26	A pilot programme evaluation of social farming horticultural and occupational activities for older people in Italy. <i>Health and Social Care in the Community</i> , 2019, 27, 207-214.	1.6	14
27	Association between kidney function, nutritional status and anthropometric measures in older people. <i>BMC Geriatrics</i> , 2020, 20, 366.	2.7	14
28	Preadmission Functional Decline Predicts Functional Improvement Among Older Patients Admitted to Acute Care Hospital. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1363-1369.	3.6	13
29	Cerebrospinal fluid biomarkers and cognitive status in differential diagnosis of frontotemporal dementia and Alzheimer's disease. <i>Journal of International Medical Research</i> , 2019, 47, 4968-4980.	1.0	13
30	The excess mortality risk associated with anticholinergic burden among older patients discharged from acute care hospital with depressive symptoms. <i>European Journal of Internal Medicine</i> , 2019, 61, 69-74.	2.2	13
31	Impaired kidney function is associated with lower quality of life among community-dwelling older adults. <i>BMC Geriatrics</i> , 2020, 20, 340.	2.7	13
32	Impact of the COVID-19 Pandemic on Family Carers of Older People Living with Dementia in Italy and Hungary. <i>Sustainability</i> , 2021, 13, 7107.	3.2	13
33	Validation of the Italian translation of the Revised Temperament and Character Inventory "TCI-140" in adult participants and in participants with medical diseases. <i>Comprehensive Psychiatry</i> , 2015, 59, 129-134.	3.1	12
34	Does Family Caregiver Burden Differ Between Elderly and Younger Caregivers in Supporting Dying Patients With Cancer? An Italian Study. <i>American Journal of Hospice and Palliative Medicine</i> , 2020, 37, 576-581.	1.4	11
35	Is Blood Brain-Derived Neurotrophic Factor a Useful Biomarker to Monitor Mild Cognitive Impairment Patients?. <i>Rejuvenation Research</i> , 2020, 23, 411-419.	1.8	10
36	Factors Worsening and Mitigating the Consequences of the COVID-19 Outbreak on the Overall Health of Informal Caregivers of Older People with Long-Term Care Needs Living in Germany and in Italy. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1694.	2.6	10

#	ARTICLE	IF	CITATIONS
37	Diabetes, sarcopenia and chronic kidney disease; the Screening for CKD among Older People across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2022, 22, 254.	2.7	10
38	Diabetes-related quality of life is enhanced by glycaemic improvement in older people. <i>Diabetic Medicine</i> , 2015, 32, 243-249.	2.3	9
39	Aged rats with different performances at environmental enrichment onset display different modulation of habituation and aversive memory. <i>Neurobiology of Learning and Memory</i> , 2019, 161, 83-91.	1.9	9
40	Subjective memory complaints in Italian elderly with mild cognitive impairment: implication of psychological status. <i>Neurological Sciences</i> , 2016, 37, 1153-1157.	1.9	8
41	Oxidative Stress in Elderly with Different Cognitive Status: My Mind Project. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 1405-1414.	2.6	8
42	Prognosis and Interplay of Cognitive Impairment and Sarcopenia in Older Adults Discharged from Acute Care Hospitals. <i>Journal of Clinical Medicine</i> , 2019, 8, 1693.	2.4	8
43	Migrant care workers and rehospitalization among older patients discharged from acute care hospitals. <i>Geriatrics and Gerontology International</i> , 2015, 15, 196-203.	1.5	7
44	Validation of Brief Multidimensional Spirituality/Religiousness Inventory (BMMRS) in Italian Adult Participants and in Participants with Medical Diseases. <i>Journal of Religion and Health</i> , 2017, 56, 907-915.	1.7	7
45	Combination of Multiparametric Magnetic Resonance Imaging With Elastic-fusion Biopsy Has a High Sensitivity in Detecting Clinically Significant Prostate Cancer in Daily Practice. <i>Clinical Genitourinary Cancer</i> , 2020, 18, e501-e509.	1.9	7
46	Endovascular treatment of diabetic peripheral arterial disease in older and oldest old patients: a retrospective study. <i>Aging Clinical and Experimental Research</i> , 2018, 30, 205-207.	2.9	5
47	The Psychosomatic Perspective. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 1-152.	8.8	5
48	Kidney function and other factors and their association with falls. <i>BMC Geriatrics</i> , 2020, 20, 320.	2.7	5
49	The impact of the absorbent products distribution system on family caregivers of older people with incontinence in Italy: perception of the support received. <i>BMC Geriatrics</i> , 2019, 19, 239.	2.7	4
50	Personality (at Intrapsychic and Interpersonal Level) Associated With Quality of Life in Patients With Cancer (Lung and Colon). <i>Cancer Control</i> , 2019, 26, 107327481988056.	1.8	4
51	Is kidney function associated with cognition and mood in late life?. <i>BMC Geriatrics</i> , 2020, 20, 297.	2.7	4
52	Hand Grip Strength May Affect the Association Between Anticholinergic Burden and Mortality Among Older Patients Discharged from Hospital. <i>Drugs and Aging</i> , 2020, 37, 447-455.	2.7	4
53	Association between care burden, depression and personality traits in Alzheimer's caregiver: A pilot study. <i>PLoS ONE</i> , 2021, 16, e0251813.	2.5	4
54	Dyadic associations between perceived social support and psychological well-being in caregivers and older care recipients.. <i>Journal of Family Psychology</i> , 2022, 36, 1397-1406.	1.3	4

#	ARTICLE	IF	CITATIONS
55	Analysis of mitochondrial DNA allelic changes in Parkinson's disease: a preliminary study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 345-349.	2.9	3
56	Effect of a Cognitive Training Program on the Platelet APP Ratio in Patients with Alzheimer's Disease. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5110.	4.1	3
57	Study of the effects of adapted Tango and multidimensional intervention in prevention of dementia in aging: developing healthy lifestyle programs (STRENGTH Project) – the experimental protocol of a prospective randomised controlled trial. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2529-2537.	2.9	3
58	Socio-Economic Predictors of Hiring Live-In Migrant Care Workers to Support Community Dwelling Older Adults with Long-Term Care Needs: Recent Evidence from a Central Italian Region. <i>Sustainability</i> , 2021, 13, 5349.	3.2	3
59	Elderly Helping Other Elderly: A Comparative Study of Family Caregiver Burden Between Patients With Dementia or Cancer at the End of Life. <i>Journal of Social Work in End-of-Life and Palliative Care</i> , 2022, 18, 96-108.	0.6	3
60	The Impact of COVID-19 on the Health and Experience of the Carers of Older Family Members Living with Dementia: An Italian-Hungarian Comparative Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5329.	2.6	3
61	Study of the effects of mindfulness training on quality of life of patients with Alzheimer's disease and their caregivers (Dyad Mindfulness Project). <i>Aging Clinical and Experimental Research</i> , 2022, 34, 65-71.	2.9	2
62	Design and methodology of the chronic kidney disease as a dysmetabolic determinant of disability among older people (CKD-3D) study: a multicenter cohort observational study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 2445-2451.	2.9	2
63	Does being assisted by care workers affect antipsychotics prescription among older people discharged from hospital?. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1707-1713.	1.5	1
64	OGTT reproducibility in adults with impaired fasting glucose is nearly 65% with adoption of Italian SIBioC-SIPMeL recommendations. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, e341-e343.	2.3	1
65	Contribution of clinical severity and geriatric risk factors in predicting short-term mortality of older hospitalized pneumonia patients: the Pneumonia in Italian Acute Care for Elderly units (PIACE) study. <i>Aging Clinical and Experimental Research</i> , 2022, , 1.	2.9	1
66	Does trail making test predict long-term prognosis in older patients with COPD?. <i>Aging Clinical and Experimental Research</i> , 2020, 33, 1699-1703.	2.9	0