

Pierre Cochat

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8201516/publications.pdf>

Version: 2024-02-01

265
papers

15,001
citations

17776

65
h-index

27587

110
g-index

335
all docs

335
docs citations

335
times ranked

13227
citing authors

#	ARTICLE	IF	CITATIONS
1	Safety, pharmacodynamics, and exposure-response modeling results from a first-in-human phase 1 study of nedosiran (PHYOX1) in primary hyperoxaluria. <i>Kidney International</i> , 2022, 101, 626-634.	2.6	47
2	Long-Term Transplantation Outcomes in Patients With Primary Hyperoxaluria Type 1 Included in the European Hyperoxaluria Consortium (OxalEurope) Registry. <i>Kidney International Reports</i> , 2022, 7, 210-220.	0.4	19
3	Phase 3 trial of lumasiran for primary hyperoxaluria type 1: A new RNAi therapeutic in infants and young children. <i>Genetics in Medicine</i> , 2022, 24, 654-662.	1.1	30
4	Are plasma proteins a valid alternative for assessing nephrotic syndrome in children from low-income countries?. <i>Archives De Pediatrie</i> , 2022, , .	0.4	0
5	Improved Outcome of Infantile Oxalosis Over Time in Europe: Data From the OxalEurope Registry. <i>Kidney International Reports</i> , 2022, 7, 1608-1618.	0.4	7
6	Jean-Pierre Guignard. <i>Pediatric Nephrology</i> , 2022, , .	0.9	0
7	Adherence to cysteamine in nephropathic cystinosis: A unique electronic monitoring experience for a better understanding. A prospective cohort study: CrYSTobs. <i>Pediatric Nephrology</i> , 2021, 36, 581-589.	0.9	7
8	Lumasiran, an RNAi Therapeutic for Primary Hyperoxaluria Type 1. <i>New England Journal of Medicine</i> , 2021, 384, 1216-1226.	13.9	265
9	Phase 1/2 Study of Lumasiran for Treatment of Primary Hyperoxaluria Type 1. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1025-1036.	2.2	48
10	Plasma oxalate and eGFR are correlated in primary hyperoxaluria patients with maintained kidney function—data from three placebo-controlled studies. <i>Pediatric Nephrology</i> , 2021, 36, 1785-1793.	0.9	7
11	Hyperoxaluria. , 2021, , 1-16.		0
12	A stone in the bone. <i>JIMD Reports</i> , 2021, 62, 6-8.	0.7	1
13	School level of children carrying a HNF1B variant or a deletion. <i>European Journal of Human Genetics</i> , 2020, 28, 56-63.	1.4	9
14	Transplantation for Primary Hyperoxaluria Type 1: Designing New Strategies in the Era of Promising Therapeutic Perspectives. <i>Kidney International Reports</i> , 2020, 5, 2136-2145.	0.4	35
15	Long-term outcomes of peritoneal dialysis started in infants below 6 months of age: An experience from two tertiary centres. <i>Nephrologie Et Therapeutique</i> , 2020, 16, 424-430.	0.2	3
16	Establishing core outcome domains in pediatric kidney disease: report of the Standardized Outcomes in Nephrology—Children and Adolescents (SONG-KIDS) consensus workshops. <i>Kidney International</i> , 2020, 98, 553-565.	2.6	58
17	Cytomegalovirus infection in the first year after pediatric kidney transplantation. <i>Nephrologie Et Therapeutique</i> , 2019, 15, 44-50.	0.2	4
18	Patients with primary hyperoxaluria type 2 have significant morbidity and require careful follow-up. <i>Kidney International</i> , 2019, 96, 1389-1399.	2.6	61

#	ARTICLE	IF	CITATIONS
19	A safety and efficacy study of lumasiran, an investigational RNA interference (RNAi) therapeutic, in adult and pediatric patients with primary hyperoxaluria type 1. <i>European Urology Supplements</i> , 2019, 18, e388-e389.	0.1	6
20	Adverse events associated with currently used medical treatments for cystinuria and treatment goals: results from a series of 442 patients in France. <i>BJU International</i> , 2019, 124, 849-861.	1.3	30
21	Skin microvascular dysfunction as an early cardiovascular marker in primary hyperoxaluria type I. <i>Pediatric Nephrology</i> , 2019, 34, 319-327.	0.9	4
22	Towards adulthood with a solitary kidney. <i>Pediatric Nephrology</i> , 2019, 34, 2311-2323.	0.9	28
23	Pediatric renal transplantation: A retrospective single-center study on epidemiology and morbidity due to EBV. <i>Pediatric Transplantation</i> , 2018, 22, e13151.	0.5	12
24	Teenagers and young adults with nephropathic cystinosis display significant bone disease and cortical impairment. <i>Pediatric Nephrology</i> , 2018, 33, 1165-1172.	0.9	16
25	Renal transplantation in children under 3 years of age: Experience from a single-center study. <i>Pediatric Transplantation</i> , 2018, 22, e13116.	0.5	7
26	Bone disease in nephropathic cystinosis is related to cystinosis-induced osteoclastic dysfunction. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1525-1532.	0.4	16
27	Clinical and genetic heterogeneity in familial steroid-sensitive nephrotic syndrome. <i>Pediatric Nephrology</i> , 2018, 33, 473-483.	0.9	34
28	Standardization of pediatric urological terms: a multidisciplinary European glossary. <i>Pediatric Radiology</i> , 2018, 48, 291-303.	1.1	11
29	Renal Replacement Therapy in children with severe developmental disability: guiding questions for decision-making. <i>European Journal of Pediatrics</i> , 2018, 177, 1735-1743.	1.3	14
30	Association between glomerular filtration rate (measured by high-performance liquid) and cardiovascular mortality in children with end-stage renal disease. <i>Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2018, 40, 73-76.	0.4	7
31	Congenital Cases of Concomitant Harlequin and Horner Syndromes. <i>Journal of Pediatrics</i> , 2017, 182, 389-392.	0.9	9
32	Trajectories and Predictors of Allograft Dysfunction after Renal Transplantation in Children. <i>American Journal of Nephrology</i> , 2017, 45, 63-68.	1.4	5
33	Munchausen syndrome by proxy and pediatric nephrology. <i>Nephrologie Et Therapeutique</i> , 2017, 13, 482-484.	0.2	5
34	Anti-C1q autoantibodies as markers of renal involvement in childhood-onset systemic lupus erythematosus. <i>Pediatric Nephrology</i> , 2017, 32, 1537-1545.	0.9	5
35	A randomised Phase I/II trial to evaluate the efficacy and safety of orally administered <i>Oxalobacter formigenes</i> to treat primary hyperoxaluria. <i>Pediatric Nephrology</i> , 2017, 32, 781-790.	0.9	66
36	Evidence for Bone and Mineral Metabolism Alterations in Children With Autosomal Dominant Polycystic Kidney Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 4210-4217.	1.8	15

#	ARTICLE	IF	CITATIONS
37	Age-Dependent Risk of Graft Failure in Young Kidney Transplant Recipients. <i>Transplantation</i> , 2017, 101, 1327-1335.	0.5	43
38	Primary Hyperoxaluria. , 2017, , 315-323.		0
39	Lâ€™hyperoxalurie primitive, aujourdâ€™hui et demain. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2017, 201, 1361-1375.	0.0	1
40	Comparison of the Schwartz and CKD-EPI Equations for Estimating Glomerular Filtration Rate in Children, Adolescents, and Adults: A Retrospective Cross-Sectional Study. <i>PLoS Medicine</i> , 2016, 13, e1001979.	3.9	56
41	Pediatric combined liverâ€“kidney transplantation: a single-center experience of 18 cases. <i>Pediatric Nephrology</i> , 2016, 31, 1517-1529.	0.9	36
42	Neonatal transient hypophosphatemic hypercalciuric rickets in dizygous twins: A role for maternal alendronate therapy before pregnancy or antireflux medications?. <i>Archives De Pediatrie</i> , 2016, 23, 957-962.	0.4	6
43	AnÃ¡lisis de orina con tira reactiva: interÃ©s en nefrologÃ­a pediÃ¡trica. <i>EMC - Tratado De Medicina</i> , 2016, 20, 1-5.	0.0	0
44	Microalbuminuria among HIV-infected antiretroviral therapy-naive children in the Democratic Republic of Congo. <i>Pediatric Nephrology</i> , 2016, 31, 769-772.	0.9	6
45	Observations of a large Dent disease cohort. <i>Kidney International</i> , 2016, 90, 430-439.	2.6	71
46	Bone impairment in primary hyperoxaluria: a review. <i>Pediatric Nephrology</i> , 2016, 31, 1-6.	0.9	34
47	Oral drug dosage forms administered to hospitalized children: Analysis of 117,665 oral administrations in a French paediatric hospital over a 1-year period.. <i>International Journal of Pharmaceutics</i> , 2016, 500, 336-344.	2.6	23
48	Does pre-emptive transplantation versus post start of dialysis transplantation with a kidney from a living donor improve outcomes after transplantation? A systematic literature review and position statement by the Descartes Working Group and ERBP. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 691-697.	0.4	62
49	Primary Hyperoxaluria in Children. , 2016, , 1389-1406.		1
50	TubulopatÃ­as. <i>EMC Pediatria</i> , 2015, 50, 1-16.	0.0	2
51	Earlyâ€‘onset hypoparathyroidism and chronic keratitis revealing <sc>APECED</sc>. <i>Clinical Case Reports (discontinued)</i> , 2015, 3, 809-813.	0.2	4
52	Recurrence of Crystalline Nephropathy after Kidney Transplantation in APRT Deficiency and Primary Hyperoxaluria. <i>Canadian Journal of Kidney Health and Disease</i> , 2015, 2, 69.	0.6	17
53	THU0503â€‘...Anti-C1Q Antibody as Marker of Renal Involvement in Childhood-Onset Systemic Lupus Erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 382.1-382.	0.5	0
54	Corticosteroid-free Kidney Transplantation Improves Growth. <i>Transplantation</i> , 2015, 99, 1178-1185.	0.5	47

#	ARTICLE	IF	CITATIONS
55	Overview of pediatric organ transplantation. <i>Current Opinion in Organ Transplantation</i> , 2015, 20, 527-535.	0.8	9
56	Renal function can be impaired in children with primary hyperoxaluria type 3. <i>Pediatric Nephrology</i> , 2015, 30, 1807-1813.	0.9	29
57	Accuracy of Different Equations in Estimating GFR in Pediatric Kidney Transplant Recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 463-470.	2.2	30
58	Bone impairment in oxalosis: An ultrastructural bone analysis. <i>Bone</i> , 2015, 81, 161-167.	1.4	23
59	Mutation Update of the <i>CLCN5</i> Gene Responsible for Dent Disease 1. <i>Human Mutation</i> , 2015, 36, 743-752.	1.1	66
60	Primary disease recurrence effects on paediatric renal transplantation outcomes. <i>Nature Reviews Nephrology</i> , 2015, 11, 371-384.	4.1	34
61	Can the height-independent Pottel eGFR equation be used as a screening tool for chronic kidney disease in children?. <i>European Journal of Pediatrics</i> , 2015, 174, 1225-1235.	1.3	13
62	CKD and Its Risk Factors among Patients with Cystinuria. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 842-851.	2.2	71
63	Should patients with CKD stage 5D and biochemical evidence of secondary hyperparathyroidism be prescribed calcimimetic therapy? An ERA-EDTA position statement. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 698-700.	0.4	23
64	Different treatment benefits were estimated by clinical trials performed in adults compared with those performed in children. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1221-1231.	2.4	14
65	Calcium balance in pediatric online hemodiafiltration: Beware of sodium and bicarbonate in the dialysate. <i>Nephrologie Et Therapeutique</i> , 2015, 11, 483-486.	0.2	4
66	European Renal Best Practice Guideline on kidney donor and recipient evaluation and perioperative care: FIGURE 1. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1790-1797.	0.4	229
67	A European Renal Best Practice (ERBP) position statement on the Kidney Disease: Improving Global Outcomes (KDIGO) Clinical Practice Guideline for the Management of Blood Pressure in Non-dialysis-dependent Chronic Kidney Disease: an endorsement with some caveats for real-life application. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 490-496.	0.4	76
68	Nephropathic Cystinosis – A Gap between Developing and Developed Nations. <i>New England Journal of Medicine</i> , 2014, 370, 1366-1367.	13.9	27
69	Survival and clinical outcomes of children starting renal replacement therapy in the neonatal period. <i>Kidney International</i> , 2014, 86, 168-174.	2.6	158
70	A new equation to estimate the glomerular filtration rate in children, adolescents and young adults. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1082-1091.	0.4	132
71	Nephropathic cystinosis: an international consensus document. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, iv87-iv94.	0.4	164
72	Fludrocortisone as a new tool for managing tubulopathy after pediatric renal transplantation: a series of cases. <i>Pediatric Nephrology</i> , 2014, 29, 2061-2064.	0.9	6

#	ARTICLE	IF	CITATIONS
73	Eculizumab in neonatal hemolytic uremic syndrome with homozygous factor H deficiency. <i>Pediatric Nephrology</i> , 2014, 29, 2415-2419.	0.9	18
74	Primary Hyperoxaluria. <i>New England Journal of Medicine</i> , 2013, 369, 649-658.	13.9	438
75	Recurrent Disease in Pediatric Renal Transplantation. <i>Current Pediatrics Reports</i> , 2013, 1, 60-67.	1.7	1
76	A European Renal Best Practice (ERBP) position statement on the Kidney Disease Improving Global Outcomes (KDIGO) Clinical Practice Guidelines on Acute Kidney Injury: part 2: renal replacement therapy. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2940-2945.	0.4	70
77	Kidney Disease: Improving Global Outcomes guidelines on anaemia management in chronic kidney disease: a European Renal Best Practice position statement. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1346-1359.	0.4	628
78	Long-term critical issues in pediatric renal transplant recipients: a single-center experience. <i>Transplant International</i> , 2013, 26, 154-161.	0.8	28
79	Primary hyperoxaluria type 1: practical and ethical issues. <i>Pediatric Nephrology</i> , 2013, 28, 2273-2281.	0.9	33
80	Fabry nephropathy: indications for screening and guidance for diagnosis and treatment by the European Renal Best Practice. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 505-517.	0.4	79
81	Primary Hyperoxaluria. <i>New England Journal of Medicine</i> , 2013, 369, 2162-2163.	13.9	28
82	Protein Kinase C δ Deficiency Causes Mendelian Systemic Lupus Erythematosus With B Cell λ Defective Apoptosis and Hyperproliferation. <i>Arthritis and Rheumatism</i> , 2013, 65, 2161-2171.	6.7	155
83	Successful Immunotherapy in Life-threatening Parvovirus B19 Infection in a Child. <i>Pediatric Infectious Disease Journal</i> , 2013, 32, 789-792.	1.1	15
84	ADCK4 mutations promote steroid-resistant nephrotic syndrome through CoQ10 biosynthesis disruption. <i>Journal of Clinical Investigation</i> , 2013, 123, 5179-5189.	3.9	275
85	What about the renal function during childhood of children born from dialysed mothers?. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2365-2369.	0.4	24
86	GFR Estimation in Adolescents and Young Adults. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 989-996.	3.0	74
87	Familial Hypomagnesemia with Hypercalciuria and Nephrocalcinosis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 801-809.	2.2	82
88	The consequences of chronic kidney disease on bone metabolism and growth in children. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3063-3071.	0.4	88
89	Primary hyperoxaluria Type 1: indications for screening and guidance for diagnosis and treatment. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1729-1736.	0.4	266
90	Characteristics and Outcomes of Children with Primary Oxalosis Requiring Renal Replacement Therapy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 458-465.	2.2	121

#	ARTICLE	IF	CITATIONS
91	Transplantation rénale chez l'enfant : résultats à long terme. Archives De Pédiatrie, 2012, 19, H102-H103.	0.4	0
92	Deferasirox-induced renal impairment in children: an increasing concern for pediatricians. Pediatric Nephrology, 2012, 27, 2115-2122.	0.9	38
93	Early renal abnormalities in children with postnatally diagnosed autosomal dominant polycystic kidney disease. Pediatric Nephrology, 2012, 27, 1589-1593.	0.9	33
94	A Randomized Controlled Crossover Trial with Delayed-Release Cysteamine Bitartrate in Nephropathic Cystinosis. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 1112-1120.	2.2	74
95	Cystinosis is a melanosomal protein that regulates melanin synthesis. FASEB Journal, 2012, 26, 3779-3789.	0.2	41
96	Cysteamine therapy delays the progression of nephropathic cystinosis in late adolescents and adults. Kidney International, 2012, 81, 179-189.	2.6	162
97	Comparison of Cystatin C and Creatinine-Based Glomerular Filtration Rate Formulas With Inulin Clearance in Pediatric Renal Transplantation. Transplantation Proceedings, 2012, 44, 2357-2359.	0.3	4
98	Early angiotensin-converting enzyme inhibition in Alport syndrome delays renal failure and improves life expectancy. Kidney International, 2012, 81, 494-501.	2.6	275
99	Schwartz Formula: Is One k-Coefficient Adequate for All Children?. PLoS ONE, 2012, 7, e53439.	1.1	72
100	Uric acid and IGF1 as possible determinants of FGF23 metabolism in children with normal renal function. Pediatric Nephrology, 2012, 27, 1131-1138.	0.9	31
101	Pediatric <i>en bloc</i> kidney transplantation into pediatric recipients: The French experience. Pediatric Transplantation, 2012, 16, 183-186.	0.5	29
102	Update of PAX2 mutations in renal coloboma syndrome and establishment of a locus-specific database. Human Mutation, 2012, 33, 457-466.	1.1	109
103	Interstitial Nephritis and Primary Hyperoxaluria. , 2012, , 2879-2881.		0
104	Recurrence of a dysgerminoma in Frasier syndrome. Pediatric Transplantation, 2011, 15, e53-5.	0.5	7
105	Efficacy and safety of Oxalobacter formigenes to reduce urinary oxalate in primary hyperoxaluria. Nephrology Dialysis Transplantation, 2011, 26, 3609-3615.	0.4	139
106	Bone assessment in children with chronic kidney disease: data from two new bone imaging techniques in a single-center pilot study. Pediatric Nephrology, 2011, 26, 587-595.	0.9	36
107	Bilateral renal artery stenosis and epidermal nevus syndrome in a child. Pediatric Nephrology, 2011, 26, 2081-2084.	0.9	6
108	FGF23 and paediatric transplantation: a single-centre French experience. Nephrology Dialysis Transplantation, 2011, 26, 3421-3422.	0.4	5

#	ARTICLE	IF	CITATIONS
109	Congenital versus acquired solitary kidney: is the difference relevant?. Nephrology Dialysis Transplantation, 2011, 26, 2188-2194.	0.4	66
110	Which Creatinine and Cystatin C Equations Can Be Reliably Used in Children?. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 552-560.	2.2	114
111	Long-term effects of cyclophosphamide therapy in steroid-dependent or frequently relapsing idiopathic nephrotic syndrome. Nephrology Dialysis Transplantation, 2011, 26, 178-184.	0.4	37
112	Screening for NPHS2 Mutations May Help Predict FSGS Recurrence after Transplantation. Journal of the American Society of Nephrology: JASN, 2011, 22, 579-585.	3.0	82
113	Pediatric Behçet's Disease and Thromboses. Journal of Rheumatology, 2011, 38, 387-390.	1.0	35
114	Primary Hyperoxaluria. International Journal of Nephrology, 2011, 2011, 1-11.	0.7	76
115	Primary hyperoxaluria type 1: strategy for organ transplantation. Current Opinion in Organ Transplantation, 2010, 15, 590-593.	0.8	47
116	Nephrolithiasis related to inborn metabolic diseases. Pediatric Nephrology, 2010, 25, 415-424.	0.9	77
117	Bone metabolism in oxalosis: a single-center study using new imaging techniques and biomarkers. Pediatric Nephrology, 2010, 25, 1081-1089.	0.9	31
118	Pediatric-Onset Relapsing Polychondritis: Case Series and Systematic Review. Journal of Pediatrics, 2010, 156, 484-489.	0.9	52
119	A Randomized Trial to Assess the Impact of Early Steroid Withdrawal on Growth in Pediatric Renal Transplantation: The TWIST Study. American Journal of Transplantation, 2010, 10, 828-836.	2.6	156
120	Mutations in the human laminin Î2 (LAMB2) gene and the associated phenotypic spectrum. Human Mutation, 2010, 31, 992-1002.	1.1	184
121	New ocular phenotype associated with a mutation in the PAX2 gene. Eye, 2010, 24, 1293-1294.	1.1	2
122	The Influence of Glomerular Filtration Rate and Age on Fibroblast Growth Factor 23 Serum Levels in Pediatric Chronic Kidney Disease. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 1741-1748.	1.8	112
123	Population Pharmacokinetics and Pharmacogenetics of Mycophenolic Acid Following Administration of Mycophenolate Mofetil in De Novo Pediatric Renal Transplant Patients. Journal of Clinical Pharmacology, 2010, 50, 1280-1291.	1.0	61
124	The Case of Severe voiding dysfunction: ask the child to smile. Kidney International, 2010, 78, 225-226.	2.6	3
125	Familial Nephrogenic Syndrome of Inappropriate Antidiuresis: Dissociation between Aquaporin-2 and Vasopressin Excretion. Journal of Clinical Endocrinology and Metabolism, 2010, 95, E37-E43.	1.8	27
126	Genotype-phenotype correlation in primary hyperoxaluria type 1: the p.Gly170Arg AGXT mutation is associated with a better outcome. Kidney International, 2010, 77, 443-449.	2.6	117

#	ARTICLE	IF	CITATIONS
127	Malignancy incidence after renal transplantation in children: a 20-year single-centre experience. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 611-616.	0.4	54
128	Mutations of NPHP2 and NPHP3 in infantile nephronophthisis. <i>Kidney International</i> , 2009, 75, 839-847.	2.6	101
129	Effect of conservative treatment on the renal outcome of children with primary hyperoxaluria type 1. <i>Kidney International</i> , 2009, 76, 767-773.	2.6	57
130	Phenotype-genotype correlation in antenatal and neonatal variants of Bartter syndrome. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 1455-1464.	0.4	137
131	Both extrauterine and intrauterine growth restriction impair renal function in children born very preterm. <i>Kidney International</i> , 2009, 76, 445-452.	2.6	119
132	Precocious puberty and unlicensed paediatric drugs for severe hyperparathyroidism. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2595-2598.	0.4	13
133	Varicella as a trigger of atypical haemolytic uraemic syndrome associated with complement dysfunction: two cases. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2752-2754.	0.4	37
134	Growth after renal transplantation. <i>Pediatric Nephrology</i> , 2009, 24, 1297-1306.	0.9	66
135	A position statement on kidney disease from powdered infant formula-based melamine exposure in Chinese infants. <i>Pediatric Nephrology</i> , 2009, 24, 1263-1266.	0.9	42
136	Disease recurrence in paediatric renal transplantation. <i>Pediatric Nephrology</i> , 2009, 24, 2097-2108.	0.9	135
137	Long-term outcome of idiopathic steroid-resistant nephrotic syndrome: a multicenter study. <i>Pediatric Nephrology</i> , 2009, 24, 1525-1532.	0.9	165
138	Non-drug-induced nephrotoxicity. <i>Pediatric Nephrology</i> , 2009, 24, 2291-2300.	0.9	21
139	HHV-6 infection in a pediatric kidney transplant patient. <i>Pediatric Nephrology</i> , 2009, 24, 2445-2448.	0.9	7
140	Population Pharmacokinetics and Pharmacogenetics of Tacrolimus in De Novo Pediatric Kidney Transplant Recipients. <i>Clinical Pharmacology and Therapeutics</i> , 2009, 86, 609-618.	2.3	142
141	Interleukin 17 acts in synergy with B cell-activating factor to influence B cell biology and the pathophysiology of systemic lupus erythematosus. <i>Nature Immunology</i> , 2009, 10, 778-785.	7.0	415
142	Long-lasting extracorporeal albumin dialysis in a child with end-stage renal disease and severe cholestasis. <i>Pediatric Transplantation</i> , 2009, 13, 235-239.	0.5	8
143	Paraneoplastic glomerular diseases and malignancies. <i>Critical Reviews in Oncology/Hematology</i> , 2009, 70, 39-58.	2.0	165
144	Survey of First-Year Medical Students to Assess Their Knowledge and Attitudes Toward Organ Transplantation and Donation. <i>Transplantation Proceedings</i> , 2009, 41, 634-638.	0.3	52

#	ARTICLE	IF	CITATIONS
145	Maximizing Growth in Children After Renal Transplantation. <i>Transplantation</i> , 2009, 88, 1321-1322.	0.5	6
146	Primary Hyperoxaluria. , 2009, , 1069-1079.		1
147	Report of a family with two different hereditary diseases leading to early nephrocalcinosis. <i>Pediatric Nephrology</i> , 2008, 23, 149-153.	0.9	16
148	Renal hypersensitivity to inulin and IgA nephropathy. <i>Pediatric Nephrology</i> , 2008, 23, 1883-1885.	0.9	7
149	Long-term results of rhGH treatment in children with renal failure: experience of the French Society of Pediatric Nephrology. <i>Pediatric Nephrology</i> , 2008, 23, 2031-2038.	0.9	42
150	Nephronophthisis-like nephritis associated with fibrous dysplasia of bone. <i>Pediatric Nephrology</i> , 2008, 23, 1559-1563.	0.9	2
151	Inherited renal tubular dysgenesis: the first patients surviving the neonatal period. <i>European Journal of Pediatrics</i> , 2008, 167, 311-316.	1.3	28
152	Hyperuricemia after liver transplantation in children. <i>Pediatric Transplantation</i> , 2008, 12, 847-853.	0.5	10
153	Hypersensitivity to Inulin: A Rare and Mostly Benign Event. <i>American Journal of Kidney Diseases</i> , 2008, 52, 632-633.	2.1	6
154	Nefrotoxicidad. <i>EMC Pediatria</i> , 2008, 43, 1-15.	0.0	0
155	European best practice quo vadis? From European best practice guidelines (EBPG) to European renal best practice (ERBP). <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2162-2166.	0.4	59
156	Pseudohypoaldosteronisms, report on a 10-patient series. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 1636-1641.	0.4	69
157	Renal Function in Pediatric Liver Transplantation: A Long-Term Follow-Up Study. <i>Transplantation</i> , 2008, 86, 1028-1034.	0.5	61
158	Efficacy and Safety of Basiliximab in Pediatric Renal Transplant Patients Receiving Cyclosporine, Mycophenolate Mofetil, and Steroids. <i>Transplantation</i> , 2008, 86, 1241-1248.	0.5	63
159	Demographics of Pediatric Renal Transplantation. , 2008, , 895-904.		0
160	IgACE: A Placebo-Controlled, Randomized Trial of Angiotensin-Converting Enzyme Inhibitors in Children and Young People with IgA Nephropathy and Moderate Proteinuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 1880-1888.	3.0	218
161	Overexpression of the antiapoptotic gene Bfl-1 in B cells from patients with familial systemic lupus erythematosus. <i>Lupus</i> , 2007, 16, 95-100.	0.8	21
162	Neurodevelopmental deficits in Pierson (microcoria-congenital nephrosis) syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2007, 143A, 311-319.	0.7	52

#	ARTICLE	IF	CITATIONS
163	Schimke immunoosseous dysplasia: suggestions of genetic diversity. <i>Human Mutation</i> , 2007, 28, 273-283.	1.1	49
164	Safety of computerized drug management: a case report. <i>British Journal of Clinical Pharmacology</i> , 2007, 63, 245-246.	1.1	2
165	Hypertensive crisis, hepatitis B virus and polyarteritis nodosa in a child. <i>Pediatric Nephrology</i> , 2007, 22, 97-100.	0.9	3
166	The challenge of renal function in heart transplant children. <i>Pediatric Nephrology</i> , 2007, 22, 333-342.	0.9	22
167	Body Growth after Combined Liver-Kidney Transplantation in Children with Primary Hyperoxaluria Type 1. <i>Transplantation</i> , 2006, 82, 48-54.	0.5	27
168	Four-year follow-up of oral health surveillance in renal transplant children. <i>Pediatric Nephrology</i> , 2006, 21, 851-855.	0.9	7
169	Longitudinal growth in children following kidney transplantation: from conservative to pharmacological strategies. <i>Pediatric Nephrology</i> , 2006, 21, 903-909.	0.9	27
170	Primary hyperoxaluria type 1: still challenging!. <i>Pediatric Nephrology</i> , 2006, 21, 1075-1081.	0.9	135
171	Genetic Investigation of Autosomal Recessive Distal Renal Tubular Acidosis: Evidence for Early Sensorineural Hearing Loss Associated with Mutations in the ATP6VOA4 Gene. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1437-1443.	3.0	119
172	Maternal isodisomy of the telomeric end of chromosome 2 is responsible for a case of primary hyperoxaluria type 1. <i>American Journal of Medical Genetics, Part A</i> , 2005, 132A, 80-83.	0.7	21
173	Switch from cyclosporine A to mycophenolate mofetil in nephrotic children. <i>Pediatric Nephrology</i> , 2005, 20, 482-485.	0.9	58
174	Neurogenic bladder in an infant due to spinal arachnoid cyst. <i>Pediatric Nephrology</i> , 2005, 20, 1195-1197.	0.9	4
175	Triamcinolone acetonide: a new management of noncompliance in nephrotic children. <i>Pediatric Nephrology</i> , 2005, 20, 759-762.	0.9	13
176	Neonatal hemolytic uremic syndrome after mother-to-child transmission of Escherichia coli O157. <i>Pediatric Nephrology</i> , 2005, 20, 1334-1335.	0.9	22
177	Recurrence of nephrotic syndrome after renal transplantation: influence of increased immunosuppression. <i>Pediatric Nephrology</i> , 2005, 20, 1801-1804.	0.9	25
178	Long-term follow-up of metachronous marrow-kidney transplantation in severe type II sialidosis: what does success mean?. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2563-2565.	0.4	15
179	Decision making concerning life-sustaining treatment in paediatric nephrology: professionals' experiences and values. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2746-2750.	0.4	9
180	Initial presentation of childhood-onset systemic lupus erythematosus: A French multicenter study. <i>Journal of Pediatrics</i> , 2005, 146, 648-653.	0.9	206

#	ARTICLE	IF	CITATIONS
181	Fatal neurologic involvement in pediatric Wegener's granulomatosis. <i>Pediatric Neurology</i> , 2005, 32, 278-281.	1.0	11
182	Decisions concerning potentially life-sustaining treatments in paediatric nephrology: a multicentre study in French-speaking countries. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1252-1257.	0.4	29
183	Two cases of subcutaneous phaeohyphomycosis due to <i>Exophiala jeanselmei</i> , in cardiac transplant and renal transplant patients. <i>British Journal of Dermatology</i> , 2004, 150, 597-598.	1.4	24
184	Acute renal failure in a patient with phosphofructokinase deficiency. <i>Pediatric Nephrology</i> , 2004, 19, 111-113.	0.9	12
185	Munchausen syndrome by proxy with massive proteinuria and gastrointestinal hemorrhage. <i>Pediatric Nephrology</i> , 2004, 19, 798-800.	0.9	19
186	Current management of infants with fetal renal pelvis dilation: a survey by French-speaking pediatric nephrologists and urologists. <i>Pediatric Nephrology</i> , 2004, 19, 966-71.	0.9	58
187	Bilateral urinary calculi after treatment with a silicate-containing milk thickener. <i>European Journal of Pediatrics</i> , 2004, 163, 239-240.	1.3	14
188	Renal outcome of children exposed to cyclosporine in utero. <i>Transplantation Proceedings</i> , 2004, 36, S208-S210.	0.3	47
189	Human laminin $\alpha 2$ deficiency causes congenital nephrosis with mesangial sclerosis and distinct eye abnormalities. <i>Human Molecular Genetics</i> , 2004, 13, 2625-2632.	1.4	443
190	Skin Cancers Following Pediatric Organ Transplantation. <i>Dermatologic Surgery</i> , 2004, 30, 616-621.	0.4	32
191	Quality of life of children and adolescents after kidney or liver transplantation: Child, parents and caregiver's point of view. <i>Pediatric Transplantation</i> , 2003, 7, 228-235.	0.5	85
192	Is decreased bone mineral density in pediatric transplant recipients really a problem?. <i>Pediatric Transplantation</i> , 2003, 7, 342-344.	0.5	10
193	A Cluster of Mutations in the UMOD Gene Causes Familial Juvenile Hyperuricemic Nephropathy with Abnormal Expression of Uromodulin. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 2883-2893.	3.0	201
194	Ear and kidney malformations with renal failure in an infant: what is the link?. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 1673-1674.	0.4	0
195	A multicenter, open-label, pharmacokinetic/pharmacodynamic safety, and tolerability study of basiliximab (Simulect) in pediatric de novo renal transplant recipients. <i>Transplantation</i> , 2002, 74, 961-966.	0.5	35
196	A rational dosing algorithm for basiliximab (Simulect) in pediatric renal transplantation based on pharmacokinetic-dynamic evaluations. <i>Transplantation</i> , 2002, 74, 966-971.	0.5	44
197	Identification of 14 novel CTNS mutations and characterization of seven splice site mutations associated with cystinosis. <i>Human Mutation</i> , 2002, 20, 439-446.	1.1	54
198	Toxicity of chloroacetaldehyde is similar in adult and pediatric kidney tubules. <i>Pediatric Nephrology</i> , 2002, 17, 97-103.	0.9	18

#	ARTICLE	IF	CITATIONS
199	Transient hyperphosphatasemia after organ transplantation in children. <i>Pediatric Transplantation</i> , 2002, 6, 308-312.	0.5	13
200	Better long-term functional adaptation to the child's size with pediatric compared to adult kidney donors. <i>Kidney International</i> , 2002, 62, 1454-1460.	2.6	79
201	Skin diseases in children with organ transplants. <i>Journal of the American Academy of Dermatology</i> , 2001, 44, 932-939.	0.6	104
202	Fading renal hyperfiltration in children following liver transplantation. <i>Pediatric Transplantation</i> , 2001, 5, 51-55.	0.5	7
203	Is there a need for a multicenter study to determine the optimal approach to recurrent nephrotic syndrome following renal transplantation?. <i>Pediatric Transplantation</i> , 2001, 5, 394-397.	0.5	15
204	Body composition in children after renal transplantation. <i>American Journal of Kidney Diseases</i> , 2001, 38, 366-370.	2.1	19
205	Characterization of a Putative Founder Mutation that Accounts for the High Incidence of Cystinosis in Brittany. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 2170-2174.	3.0	29
206	Human Kidney Tubules Detoxify Chloroacetaldehyde, a Presumed Nephrotoxic Metabolite of Ifosfamide. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 1615-1623.	3.0	78
207	MULTICENTER STUDY OF THE SAFETY AND TOLERABILITY OF BASILIXIMAB (SIMULECT [®]) IN DE NOVO PEDIATRIC RENAL TRANSPLANTATION.. <i>Transplantation</i> , 2000, 69, S258-S259.	0.5	4
208	Partial deletion of the AGXT gene (EX1_EX7del): A new genotype in hyperoxaluria type 1. <i>Human Mutation</i> , 2000, 15, 384-385.	1.1	27
209	Identification of 5 novel mutations in the AGXT gene. <i>Human Mutation</i> , 2000, 15, 577-577.	1.1	68
210	Familial hypomagnesaemia with hypercalciuria and nephrocalcinosis maps to chromosome 3q27 and is associated with mutations in the PCLN-1 gene. <i>European Journal of Human Genetics</i> , 2000, 8, 414-422.	1.4	84
211	Antenatal expression of multiple acyl-CoA dehydrogenase deficiency. <i>Journal of Inherited Metabolic Disease</i> , 2000, 23, 345-348.	1.7	8
212	Bone mineral density in children after renal transplantation. <i>Pediatric Nephrology</i> , 2000, 14, 654-657.	0.9	14
213	Membranous nephropathy and orbital malignant tumor. <i>Pediatric Nephrology</i> , 2000, 14, 53-55.	0.9	19
214	Evolution of secondary hyperparathyroidism after renal transplantation. <i>Pediatric Nephrology</i> , 2000, 14, 342-346.	0.9	47
215	Current topic: Current approaches to the management of primary hyperoxaluria. <i>Archives of Disease in Childhood</i> , 2000, 82, 470-473.	1.0	28
216	Renal function of children exposed to cyclosporin in utero. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1575-1579.	0.4	40

#	ARTICLE	IF	CITATIONS
217	Drug holiday: a challenging childâ€‘adult interface in kidney transplantation. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1924-1927.	0.4	7
218	Vesicoureteral reflux after kidney transplantation in children. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1852-1858.	0.4	70
219	Duration of action of a chimeric interleukin-2 receptor monoclonal antibody, basiliximab, in pediatric kidney transplant recipients. <i>Transplantation Proceedings</i> , 2000, 32, 2757-2759.	0.3	22
220	CYTOMEGALOVIRUS INFECTION MAY CAUSE URETERAL NECROSIS. <i>Transplantation</i> , 2000, 69, 670-672.	0.5	11
221	Primary hyperoxaluria type 1. <i>Kidney International</i> , 1999, 55, 2533-2547.	2.6	99
222	<i>Mycoplasma pneumoniae</i> - associated nephritis in children. <i>Pediatric Nephrology</i> , 1999, 13, 39-44.	0.9	59
223	REVIEW ARTICLE: Enuresis: Pathophysiology and treatment. <i>Sleep Medicine Reviews</i> , 1999, 3, 313-324.	3.8	10
224	Primary hyperoxaluria in infants: Medical, ethical, and economic issues. <i>Journal of Pediatrics</i> , 1999, 135, 746-750.	0.9	73
225	Successful renal transplantation in Jeune syndrome type 2. <i>Pediatric Nephrology</i> , 1998, 12, 293-294.	0.9	38
226	Recombinant human growth hormone treatment of children on hemodialysis. <i>Pediatric Nephrology</i> , 1998, 12, 304-310.	0.9	42
227	Long-term nephrotoxicity of cisplatin, ifosfamide, and methotrexate in osteosarcoma. <i>Pediatric Nephrology</i> , 1998, 12, 572-575.	0.9	59
228	Kidney transplantation after a severe form of pseudotumor cerebri. <i>Pediatric Nephrology</i> , 1998, 12, 709-711.	0.9	12
229	Body composition in children receiving recombinant human growth hormone after renal transplantation. <i>Kidney International</i> , 1998, 54, 951-955.	2.6	10
230	Determination of the Genomic Structure of the COL4A4 Gene and of Novel Mutations Causing Autosomal Recessive Alport Syndrome. <i>American Journal of Human Genetics</i> , 1998, 63, 1329-1340.	2.6	127
231	Serum oxalate microassay using chemiluminescence detection. <i>Kidney International</i> , 1997, 52, 1700-1703.	2.6	12
232	Outcome of preemptive renal transplantation and pretransplantation dialysis in children. <i>Pediatric Nephrology</i> , 1997, 11, 537-541.	0.9	44
233	Multicystic dysplastic kidney associated with Waardenburg syndrome type 1. <i>Pediatric Nephrology</i> , 1997, 11, 744-745.	0.9	10
234	Chemiluminescent measurement of oxalate in serum by detection of hydrogen peroxide generated through oxalate oxidase. , 1997, 12, 295-298.		7

#	ARTICLE	IF	CITATIONS
235	Risk factors for chronic rejection in pediatric renal allograft recipients. <i>Pediatric Nephrology</i> , 1996, 10, 723-727.	0.9	34
236	Body composition in children with renal disease: use of dual energy X-ray absorptiometry. <i>Pediatric Nephrology</i> , 1996, 10, 264-268.	0.9	34
237	Ear buzzing and lumbar pain revealing a late arteriovenous fistula of the kidney. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 1150-2.	0.4	2
238	Management of recurrent nephrotic syndrome after kidney transplantation in children. <i>Clinical Nephrology</i> , 1996, 46, 17-20.	0.4	27
239	Acute anuric renal failure related to oxalosis in identical twin infants. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 537-539.	0.4	1
240	Epidemiology of primary hyperoxaluria type 1. <i>Nephrology Dialysis Transplantation</i> , 1995, 10, 3-7.	0.4	163
241	Renal function following unilateral nephrectomy for neuroblastoma and Wilms' tumour. <i>Pediatric Nephrology</i> , 1995, 9, 579-582.	0.9	24
242	Deletions of both $\alpha 5(\text{IV})$ and $\alpha 6(\text{IV})$ collagen genes in Alport syndrome and in Alport syndrome associated with smooth muscle tumours. <i>Human Molecular Genetics</i> , 1995, 4, 99-108.	1.4	96
243	Primary hyperoxaluria type 1: the therapeutic dilemma. <i>Advances in Nephrology From the Necker Hospital</i> , 1995, 24, 227-42.	0.2	3
244	Transplantation in primary hyperoxaluria type 1. <i>Nephrology Dialysis Transplantation</i> , 1995, 10, 1293-6.	0.4	1
245	Survey of the attitudes to management of acute pyelonephritis in children. <i>Pediatric Nephrology</i> , 1994, 8, 275-277.	0.9	29
246	Bone mineral density after renal transplantation in children. <i>Journal of Pediatrics</i> , 1994, 125, 870-875.	0.9	66
247	Short-term niflumic-acid-induced acute renal failure in children. <i>Nephrology Dialysis Transplantation</i> , 1994, 9, 1234-9.	0.4	24
248	Nocturnal enuresis: social aspects and treatment perspectives in France. <i>Scandinavian Journal of Urology and Nephrology, Supplement</i> , 1994, 163, 15-9.	0.0	2
249	Recurrent nephrotic syndrome after transplantation: Early treatment with plasmapheresis and cyclophosphamide. <i>Pediatric Nephrology</i> , 1993, 7, 50-54.	0.9	124
250	Should liver transplantation be performed before advanced renal insufficiency in primary hyperoxaluria type 1?. <i>Pediatric Nephrology</i> , 1993, 7, 212-218.	0.9	57
251	Interleukin-2 and Lymphokine-Activated Killer Cells in 15 Children With Advanced Metastatic Neuroblastoma. <i>Journal of Clinical Oncology</i> , 1992, 10, 1026-1026.	0.8	0
252	Alport syndrome and diffuse leiomyomatosis: Deletions in the 5' end of the COL4A5 collagen gene. <i>Kidney International</i> , 1992, 42, 1178-1183.	2.6	91

#	ARTICLE	IF	CITATIONS
253	Streptococcal toxic shock syndrome in children. Intensive Care Medicine, 1992, 18, 175-176.	3.9	13
254	Acute Renal Failure in a Child after Chewing of Match Heads. Nephron, 1991, 57, 225-226.	0.9	18
255	Renal effects of continuous infusion of recombinant interleukin-2 in children. Pediatric Nephrology, 1991, 5, 33-37.	0.9	7
256	Decreased factor XII activity in a child with nephrotic syndrome and thromboembolic complications. Thrombosis and Haemostasis, 1991, 66, 512-3.	1.8	0
257	Ceftriaxone-Associated Nephrolithiasis. Nephrology Dialysis Transplantation, 1990, 5, 974-976.	0.4	39
258	Familial infantile nephrotic syndrome with ocular abnormalities. Pediatric Nephrology, 1990, 4, 340-342.	0.9	33
259	Measurement of Bone Mineral Content of the Lumbar Spine by Dual Energy X-Ray Absorptiometry in Normal Children: Correlations with Growth Parameters. Journal of Clinical Endocrinology and Metabolism, 1990, 70, 1330-1333.	1.8	570
260	Relapsing urinary ascites. Child Nephrology and Urology, 1990, 10, 56-7.	0.2	2
261	LIVER TRANSPLANTATION IN PRIMARY HYPEROXALURIA TYPE 1. Lancet, The, 1989, 333, 1142-1143.	6.3	40
262	CEREBELLAR INFARCTION AS A COMPLICATION OF PNEUMOCOCCUS MENINGITIS. Pediatric Infectious Disease Journal, 1989, 8, 57.	1.1	18
263	Systemic interleukin-2 therapy in children with progressive neuroblastoma after high dose chemotherapy and bone marrow transplantation. Bone Marrow Transplantation, 1989, 4, 499-503.	1.3	28
264	Diffuse leiomyomatosis in alport syndrome. Journal of Pediatrics, 1988, 113, 339-343.	0.9	74
265	Cyclosporine A nephrotoxicity: evidence for mesangial foam-cells in dogs. Journal of Submicroscopic Cytology, 1987, 19, 149-54.	0.3	3