Alexandro Jose Martagón

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8203349/publications.pdf

Version: 2024-02-01

686830 713013 21 908 13 21 citations h-index g-index papers 21 21 21 1466 docs citations citing authors all docs times ranked

#	Article	IF	Citations
1	METS-IR, a novel score to evaluate insulin sensitivity, is predictive of visceral adiposity and incident type 2 diabetes. European Journal of Endocrinology, 2018, 178, 533-544.	1.9	173
2	Overview of the current status of familial hypercholesterolaemia care in over 60 countries - The EAS Familial Hypercholesterolaemia Studies Collaboration (FHSC). Atherosclerosis, 2018, 277, 234-255.	0.4	163
3	Pharmacological Activation of Thyroid Hormone Receptors Elicits a Functional Conversion of White to Brown Fat. Cell Reports, 2015, 13, 1528-1537.	2.9	96
4	Distinct signatures of diversifying selection revealed by genome analysis of respiratory tract and invasive bacterial populations. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 5039-5044.	3.3	90
5	Group A Streptococcus emm Gene Types in Pharyngeal Isolates, Ontario, Canada, 2002–2010. Emerging Infectious Diseases, 2011, 17, 2010-7.	2.0	65
6	Thyroid Hormone Receptor Agonists Reduce Serum Cholesterol Independent of the LDL Receptor. Endocrinology, 2012, 153, 6136-6144.	1.4	56
7	<p>Empowerment of patients with type 2 diabetes: current perspectives</p> . Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2019, Volume 12, 1311-1321.	1.1	40
8	Metabolic Score for Visceral Fat (METS-VF), a novel estimator of intra-abdominal fat content and cardio-metabolic health. Clinical Nutrition, 2020, 39, 1613-1621.	2.3	37
9	Prediction of incident hypertension and arterial stiffness using the non–insulinâ€based metabolic score for insulin resistance (METSâ€IR) index. Journal of Clinical Hypertension, 2019, 21, 1063-1070.	1.0	34
10	The Amelioration of Hepatic Steatosis by Thyroid Hormone Receptor Agonists Is Insufficient to Restore Insulin Sensitivity in Ob/Ob Mice. PLoS ONE, 2015, 10, e0122987.	1.1	29
11	The panorama of familial hypercholesterolemia in Latin America: a systematic review. Journal of Lipid Research, 2016, 57, 2115-2129.	2.0	24
12	The SLC16A11 risk haplotype is associated with decreased insulin action, higher transaminases and large-size adipocytes. European Journal of Endocrinology, 2019, 180, 99-107.	1.9	19
13	Increased visceral fat accumulation modifies the effect of insulin resistance on arterial stiffness and hypertension risk. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 506-517.	1.1	18
14	Mexican Carriers of the <i>HNF1A</i> p.E508K Variant Do Not Experience an Enhanced Response to Sulfonylureas. Diabetes Care, 2018, 41, 1726-1731.	4.3	14
15	LCAT deficiency: a systematic review with the clinical and genetic description of Mexican kindred. Lipids in Health and Disease, 2021, 20, 70.	1.2	13
16	Familial hypercholesterolemia in Mexico: Initial insights from the national registry. Journal of Clinical Lipidology, 2021, 15, 124-133.	0.6	12
17	Identification of a threshold to discriminate fasting hypertriglyceridemia with postprandial values. Lipids in Health and Disease, 2018, 17, 156.	1.2	9
18	Noncholestatic acute hepatocellular injury following candesartan administration. British Journal of Clinical Pharmacology, 2018, 84, 204-207.	1.1	7

#	Article	IF	CITATIONS
19	Evaluation of a Web Platform to Record Lifestyle Habits in Subjects at Risk of Developing Type 2 Diabetes in a Middle-Income Population: Prospective Interventional Study. JMIR Diabetes, 2022, 7, e25105.	0.9	4
20	The development of the Mexican Familial Hypercholesterolemia (FH) National Registry. Atherosclerosis, 2018, 277, 517-523.	0.4	3
21	Opening the Black Box: Revealing the Molecular Basis of Thyroid Hormone Transport. Endocrinology, 2013, 154, 2266-2269.	1.4	2