

Francisco J Carrera

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8203484/publications.pdf>

Version: 2024-02-01

153
papers

5,799
citations

61984

43
h-index

85541

71
g-index

158
all docs

158
docs citations

158
times ranked

4184
citing authors

#	ARTICLE	IF	CITATIONS
1	The XMM-Newton serendipitous survey. <i>Astronomy and Astrophysics</i> , 2009, 493, 339-373.	5.1	414
2	The XMM-Newton serendipitous survey. <i>Astronomy and Astrophysics</i> , 2016, 590, A1.	5.1	272
3	On the X-ray, optical emission line and black hole mass properties of local Seyfert galaxies. <i>Astronomy and Astrophysics</i> , 2006, 455, 173-185.	5.1	267
4	Using the Bright Ultrahard XMM-Newton survey to define an IR selection of luminous AGN based on WISE colours. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 3271-3281.	4.4	251
5	The Subaru XMM-Newton Deep Survey (SXDS). III. X-ray Data. <i>Astrophysical Journal, Supplement Series</i> , 2008, 179, 124-141.	7.7	160
6	The bolometric luminosity of type 2 AGN from extinction-corrected [OIII]. <i>Astronomy and Astrophysics</i> , 2009, 504, 73-79.	5.1	141
7	The X-ray and radio connection in low-luminosity active nuclei. <i>Astronomy and Astrophysics</i> , 2007, 467, 519-527.	5.1	120
8	The XMM Deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2011, 526, L9.	5.1	119
9	The XMM-Newton Serendipitous Survey. <i>Astronomy and Astrophysics</i> , 2001, 365, L51-L59.	5.1	112
10	Practical guidelines for the use of NESP in treating renal anaemia. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 22-28.	0.7	110
11	An improved method of constructing binned luminosity functions. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000, 311, 433-440.	4.4	109
12	The Evolutionary Sequence of Active Galactic Nuclei and Galaxy Formation Revealed. <i>Astrophysical Journal</i> , 2004, 611, L85-L88.	4.5	108
13	Exploring the X-ray sky with the XMM-Newton bright serendipitous survey. <i>Astronomy and Astrophysics</i> , 2004, 428, 383-399.	5.1	99
14	GOODS-Herschel: ultra-deep XMM-Newton observations reveal AGN/star-formation connection. <i>Astronomy and Astrophysics</i> , 2012, 546, A58.	5.1	94
15	The XMM-Newton serendipitous survey. <i>Astronomy and Astrophysics</i> , 2009, 493, 55-69.	5.1	92
16	XMM-Newton observations reveal AGN in apparently normal galaxies. <i>Astronomy and Astrophysics</i> , 2003, 406, 483-492.	5.1	89
17	The cosmological properties of AGN in the XMM-Newton Hard Bright Survey. <i>Astronomy and Astrophysics</i> , 2008, 487, 119-130.	5.1	84
18	The origin of the cosmic soft X-ray background: optical identification of an extremely deep ROSAT survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 295, 641-671.	4.4	81

#	ARTICLE	IF	CITATIONS
19	Uncovering obscured luminous AGN with WISE. Monthly Notices of the Royal Astronomical Society, 2013, 434, 941-955.	4.4	80
20	XMM-Newton observations of the Lockman Hole IV: spectra of the brightest AGN. Astronomy and Astrophysics, 2005, 444, 79-99.	5.1	79
21	Revisiting the relationship between $6\frac{1}{4}\mu\text{m}$ and $2\text{--}10\text{keV}$ continuum luminosities of AGN. Monthly Notices of the Royal Astronomical Society, 2015, 449, 1422-1440.	4.4	79
22	The ROSAT International X-ray/Optical Survey (RIXOS): source catalogue. Monthly Notices of the Royal Astronomical Society, 2000, 311, 456-484.	4.4	75
23	Submillimeter Evidence for the Coeval Growth of Massive Black Holes and Galaxy Bulges. Science, 2001, 294, 2516-2518.	12.6	75
24	The XMM-Newton HBS28 sample: Studying the obscuration in hard X-ray selected AGNs. Astronomy and Astrophysics, 2004, 416, 901-915.	5.1	72
25	High precision X-ray $\log N \text{--} \log S$ distributions: implications for the obscured AGN population. Astronomy and Astrophysics, 2008, 492, 51-69.	5.1	72
26	The MIXR sample: AGN activity versus star formation across the cross-correlation of WISE, 3XMM, and FIRST/NVSS. Monthly Notices of the Royal Astronomical Society, 2016, 462, 2631-2667.	4.4	71
27	The X-ray spectral properties of the AGN population in the XMM-Newton bright serendipitous survey. Astronomy and Astrophysics, 2011, 530, A42.	5.1	70
28	Submillimetre photometry of X-ray absorbed quasi-stellar objects: their formation and evolutionary status. Monthly Notices of the Royal Astronomical Society, 2005, 360, 610-618.	4.4	64
29	Authentication of green coffee varieties according to their sterolic profile. Analytica Chimica Acta, 1998, 370, 131-139.	5.4	60
30	The XMM-Newton serendipitous survey. Astronomy and Astrophysics, 2007, 469, 27-46.	5.1	59
31	Elusive AGN in the XMM-Newton bright serendipitous survey. Astronomy and Astrophysics, 2007, 470, 557-570.	5.1	58
32	The XMM-Newton serendipitous survey. Astronomy and Astrophysics, 2002, 382, 522-536.	5.1	58
33	Cross-correlation of the 2XMMi catalogue with Data Release 7 of the Sloan Digital Sky Survey. Astronomy and Astrophysics, 2011, 527, A126.	5.1	56
34	The XMM deep survey in the CDF-S. Astronomy and Astrophysics, 2013, 555, A43.	5.1	56
35	NGC 3147: a true^{TM} type 2 Seyfert galaxy without the broad-line region. Monthly Notices of the Royal Astronomical Society, 0, 385, 195-199.	4.4	55
36	The XMM deep survey in the CDF-S. Astronomy and Astrophysics, 2013, 555, A42.	5.1	54

#	ARTICLE	IF	CITATIONS
37	X-ray spectra of XMM-Newton serendipitous medium flux sources. <i>Astronomy and Astrophysics</i> , 2005, 433, 855-873.	5.1	54
38	Probabilistic multi-catalogue positional cross-match. <i>Astronomy and Astrophysics</i> , 2017, 597, A89.	5.1	53
39	The XMM-Newton Wide Angle Survey (XWAS): the X-ray spectrum of type-1 AGN. <i>Astronomy and Astrophysics</i> , 2010, 510, A35.	5.1	49
40	Deficit of distant X-ray-emitting galaxy clusters and implications for cluster evolution. <i>Nature</i> , 1995, 377, 39-41.	27.8	47
41	Simultaneous X-ray and optical observations of true type 2 Seyfert galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 3225-3240.	4.4	47
42	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2012, 546, A84.	5.1	45
43	Studying the relationship between X-ray emission and accretion in AGN using the XMM-Newton Bright Serendipitous Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 433, 648-658.	4.4	45
44	X-RAY ABSORPTION, NUCLEAR INFRARED EMISSION, AND DUST COVERING FACTORS OF AGNs: TESTING UNIFICATION SCHEMES. <i>Astrophysical Journal</i> , 2016, 819, 166.	4.5	43
45	The XMM-Newton serendipitous survey. <i>Astronomy and Astrophysics</i> , 2007, 476, 1191-1203.	5.1	40
46	The XMM-Newton bright serendipitous survey. <i>Astronomy and Astrophysics</i> , 2008, 477, 735-746.	5.1	40
47	Unabsorbed Seyfert 2 galaxies: the case of "naked" AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 398, 1951-1960.	4.4	39
48	Survival of the Obscuring Torus in the Most Powerful Active Galactic Nuclei. <i>Astrophysical Journal Letters</i> , 2017, 841, L18.	8.3	39
49	The evolution of QSOs derived from soft X-ray surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 291, 324-336.	4.4	38
50	H1320+551: a type 1.8/1.9 Seyfert galaxy with an unabsorbed X-ray spectrum. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 339, 757-764.	4.4	34
51	The XMM large scale structure survey: optical vs. X-ray classifications of active galactic nuclei and the unified scheme. <i>Astronomy and Astrophysics</i> , 2007, 474, 473-489.	5.1	34
52	Average Fe $K\alpha$ emission from distant AGN. <i>Astronomy and Astrophysics</i> , 2008, 492, 71-80.	5.1	33
53	Galaxy Evolution Studies with the SPace IR Telescope for Cosmology and Astrophysics (SPICA): The Power of IR Spectroscopy. <i>Publications of the Astronomical Society of Australia</i> , 2017, 34, .	3.4	32
54	A survey of hard spectrum ROSAT sources - II. Optical identification of hard sources. <i>Monthly Notices of the Royal Astronomical Society</i> , 2001, 325, 575-583.	4.4	31

#	ARTICLE	IF	CITATIONS
55	<i>HST</i> unveils a compact mildly relativistic broad-line region in the candidate true type 2 NGC 3147. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 488, L1-L5.	3.3	31
56	Optical and X-ray properties of the RIXOS AGN -- II. Emission lines. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 291, 177-202.	4.4	30
57	A Filamentary Structure of Massive Star-forming Galaxies Associated with an X-Ray-absorbed QSO at $z = 1.8$. <i>Astrophysical Journal</i> , 2004, 604, L17-L20.	4.5	30
58	High-precision multi-band measurements of the angular clustering of X-ray sources. <i>Astronomy and Astrophysics</i> , 2009, 500, 749-762.	5.1	30
59	The X-ray source content of the XMM-Newton Galactic plane survey. <i>Astronomy and Astrophysics</i> , 2010, 523, A92.	5.1	30
60	Clustering of X-ray selected active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 299, 229-236.	4.4	29
61	Optical and X-ray properties of the RIXOS active galactic nuclei -- I.: The continua. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996, 281, 1243-1266.	4.4	26
62	<i>Herschel</i> -ATLAS: <i>Planck</i> sources in the phase 1 fields. <i>Astronomy and Astrophysics</i> , 2013, 549, A31.	5.1	26
63	<i>XMM-Newton</i> observations of the Lockman Hole. <i>Astronomy and Astrophysics</i> , 2007, 473, 105-120.	5.1	26
64	The luminosity function evolution of soft X-ray-selected active galactic nuclei in the RIXOS survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996, 281, 579-590.	4.4	25
65	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015, 583, A141.	5.1	25
66	The variable XMM-Newton spectrum of Markarian 766. <i>Astronomy and Astrophysics</i> , 2001, 365, L152-L157.	5.1	25
67	The UK Deep and Medium Surveys with Rosat: log N-Log S relation. <i>Monthly Notices of the Royal Astronomical Society</i> , 1994, 270, 947-957.	4.4	23
68	X-ray spectra of the RIXOS source sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999, 308, 233-256.	4.4	23
69	X-ray absorption in distant type II QSOs. <i>Astronomy and Astrophysics</i> , 2008, 483, 415-424.	5.1	23
70	ROSAT PSPC spectra of X-ray-selected narrow-emission-line galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996, 282, 94-98.	4.4	22
71	The nature of X-ray-absorbed quasi-stellar objects. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 416, 2792-2801.	4.4	22
72	The <i>XMM-Newton</i> serendipitous survey. <i>Astronomy and Astrophysics</i> , 2019, 624, A77.	5.1	22

#	ARTICLE	IF	CITATIONS
73	Exploring X-ray and radio emission of type 1 AGN up to $z \sim 2.3$. <i>Astronomy and Astrophysics</i> , 2012, 545, A66.	5.1	21
74	The 2×10 keV unabsorbed luminosity function of AGN from the LSS, CDFS, and COSMOS surveys. <i>Astronomy and Astrophysics</i> , 2016, 590, A80.	5.1	21
75	Exploring the diversity of Type 1 active galactic nuclei identified in SDSS-IV/SPIDERS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 492, 3580-3601.	4.4	21
76	Spectral energy distribution of hyperluminous infrared galaxies. <i>Astronomy and Astrophysics</i> , 2010, 515, A99.	5.1	20
77	A revision of the X-ray absorption nature of BALQSOs. <i>Astronomy and Astrophysics</i> , 2010, 515, A2.	5.1	20
78	The XMM-Newton SSC survey of the Galactic plane. <i>Astronomy and Astrophysics</i> , 2013, 553, A12.	5.1	20
79	An XMM-Newton study of hyper-luminous infrared galaxies. <i>Astronomy and Astrophysics</i> , 2007, 471, 775-786.	5.1	19
80	Mining the Herschel-Astrophysical Terahertz Large Area Survey: submillimetre-selected blazars in equatorial fields. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 430, 1566-1577.	4.4	17
81	Analysis of Spitzer-IRS spectra of hyperluminous infrared galaxies. <i>Astronomy and Astrophysics</i> , 2013, 549, A125.	5.1	17
82	The XMM-Newton survey in the H-ATLAS field. <i>Astronomy and Astrophysics</i> , 2015, 577, A121.	5.1	17
83	A significant contribution to the cosmic X-ray background from sources associated with nearby galaxies. <i>Nature</i> , 1993, 364, 693-695.	27.8	16
84	The connection between star formation and supermassive black hole activity in the local Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 506, 2619-2637.	4.4	16
85	Estimating photometric redshifts for X-ray sources in the X-ATLAS field using machine-learning techniques. <i>Astronomy and Astrophysics</i> , 2017, 608, A39.	5.1	16
86	Simultaneous X-ray and optical spectroscopy of the Seyfert galaxy Mrk 993. <i>Astronomy and Astrophysics</i> , 2005, 431, 97-102.	5.1	16
87	A survey of hard spectrum ROSAT sources – I. X-ray source catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000, 318, 1073-1085.	4.4	15
88	An X-ray bright ERO hosting a type 2 QSO. <i>Astronomy and Astrophysics</i> , 2006, 451, 859-864.	5.1	15
89	An excess of star-forming galaxies in the fields of high-redshift QSOs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, , no-no.	4.4	15
90	Relativistic reflection in the average X-ray spectrum of active galactic nuclei in the V° ron-Cetty and V° ron catalogue. <i>Astronomy and Astrophysics</i> , 2014, 568, A15.	5.1	15

#	ARTICLE	IF	CITATIONS
91	The XMM Deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2013, 555, A79.	5.1	15
92	Fluctuations in the diffuse X-ray background observed with Ginga. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 291, 437-445.	4.4	14
93	Measuring the power spectrum of density fluctuations at intermediate redshift with X-ray background observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 1998, 293, 60-70.	4.4	14
94	Averaging the AGN X-ray spectra from deep Chandra fields. <i>Astronomy and Astrophysics</i> , 2012, 538, A83.	5.1	14
95	The X-ray luminous galaxies optically classified as star forming are mostly narrow line Seyfert 1s. <i>Astronomy and Astrophysics</i> , 2012, 544, A48.	5.1	14
96	Feedback and Feeding in the Context of Galaxy Evolution with SPICA: Direct Characterisation of Molecular Outflows and Inflows. <i>Publications of the Astronomical Society of Australia</i> , 2017, 34, .	3.4	13
97	Soft X-ray spectral variations of the narrow-line Seyfert 1 galaxy Markarian 766. <i>Monthly Notices of the Royal Astronomical Society</i> , 1999, 305, 775-794.	4.4	12
98	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2013, 556, A114.	5.1	12
99	A strongly star-forming group: three massive galaxies associated with a quasi-stellar object. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 413, 2791-2807.	4.4	11
100	Searching for luminous absorbed sources in the WISE AGN catalogue. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 468, 3042-3050.	4.4	11
101	The XMM deep survey in the CDFS. <i>Astronomy and Astrophysics</i> , 2020, 639, A51.	5.1	11
102	The subdegree angular structure of the X-ray sky as seen by the Ginga satellite. <i>Monthly Notices of the Royal Astronomical Society</i> , 1993, 260, 376-384.	4.4	10
103	Soft X-ray background fluctuations and large-scale structure in the Universe. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 285, 820-830.	4.4	10
104	Infrared identification of hard X-ray sources in the Galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 884-901.	4.4	10
105	The correlation function of the 4-12 keV X-ray background intensity measured with the GINGA LAC. <i>Monthly Notices of the Royal Astronomical Society</i> , 1991, 249, 698-703.	4.4	9
106	An extreme EXO: a type 2 QSO at $z=1.87$. <i>Astronomy and Astrophysics</i> , 2009, 493, 445-451.	5.1	9
107	The XMM-Newton Wide Angle Survey (XWAS). <i>Astronomy and Astrophysics</i> , 2013, 557, A123.	5.1	9
108	The host galaxies of luminous type 2 AGNs at $z \sim 0.3-0.4$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 483, 1829-1849.	4.4	9

#	ARTICLE	IF	CITATIONS
109	XEUS: the physics of the hot evolving universe. <i>Experimental Astronomy</i> , 2009, 23, 139-168.	3.7	8
110	The NuSTAR view of the true type 2 Seyfert NGC 3147. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 468, 2740-2744.	4.4	8
111	XMM-Newton spectra of hard spectrum Rosat AGN: X-ray absorption and optical reddening. <i>Astronomy and Astrophysics</i> , 2004, 420, 163-172.	5.1	8
112	The spatial distribution of cosmic X-ray sources from the isotropy of the soft X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , 1992, 257, 507-512.	4.4	7
113	Degradation profile and identification of the major degradation products of dobutride under several conditions by GC/MS and HPLC-particle beam/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1995, 13, 987-993.	2.8	7
114	Nearby galaxies and the Ginga X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , 1995, 275, 22-30.	4.4	7
115	The warm absorber of the type 1 Seyfert galaxy H1419+480. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 346, 897-904.	4.4	7
116	EURECA: European-Japanese Microcalorimeter Array. <i>Journal of Low Temperature Physics</i> , 2008, 151, 733-739.	1.4	7
117	The XMM-Newton Bright Survey sample of absorbed quasars: X-ray and accretion properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 444, 2580-2598.	4.4	7
118	Submm-bright X-ray-absorbed QSOs at $z \sim 1/4$: insights into the coevolution of AGN and star formation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 448, 75-89.	4.4	7
119	Dependence of the broad Fe K \pm line on the physical parameters of AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 684-695.	4.4	7
120	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015, 574, A144.	5.1	7
121	The XMM-Newton Survey Science Centre Medium Sensitivity Survey. <i>Astronomische Nachrichten</i> , 2003, 324, 44-47.	1.2	6
122	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2017, 608, A32.	5.1	6
123	Double-peaked Balmer line emission in the radio-quiet AGN RX J1042 + 1212. <i>Monthly Notices of the Royal Astronomical Society</i> , 1996, 283, 1311-1321.	4.4	5
124	The UK ROSAT Deep Survey. <i>Astronomische Nachrichten</i> , 1998, 319, 51-54.	1.2	5
125	Exploring the active galactic nuclei population with extreme X-ray-to-optical flux ratios ($f_x/f_o > 50$). <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 447, 3227-3242.	4.4	5
126	Metacarpal Cortical Thickness in Uremic Patients on Regular Hemodialysis. <i>Nephron</i> , 1978, 22, 354-360.	1.8	4

#	ARTICLE	IF	CITATIONS
127	Effectiveness of weekly darbepoetin alfa in the treatment of anaemia of HIV-infected haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3202-3206.	0.7	4
128	X-ray-selected broad absorption line quasi-stellar objects. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 4586-4592.	4.4	4
129	An X-ray-absorbed radio-quiet QSO with an intervening strong metal absorption-line system. <i>Monthly Notices of the Royal Astronomical Society</i> , 2000, 312, 207-210.	4.4	3
130	Tentative detection of warm intervening gas towards PKS 0548-322 with XMM-Newton. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 359, 1549-1556.	4.4	3
131	EURECA: a European-Japanese microcalorimeter array. , 2008, , .		3
132	Serum Ferritin and Hemochromatosis Alleles in Chronic Hemodialysis Patients. <i>Nephron</i> , 1988, 50, 196-198.	1.8	2
133	The evolution of X-ray-selected narrow-emission-line galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 289, 693-699.	4.4	2
134	AGN with discordant optical and X-ray classification are not a physical family: Diverse origin in two AGN. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , .	4.4	2
135	Correlation of the 2×10 keV X-ray background with nearby galaxies. <i>Advances in Space Research</i> , 1995, 16, 111-114.	2.6	1
136	The bi-variate log N-log S. <i>Astronomische Nachrichten</i> , 2003, 324, 157-157.	1.2	1
137	On the origin of the X-ray emission from a narrow-line radio quasar at $z > 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 343, 137-142.	4.4	1
138	The XMM-SSC survey of hard-spectrum XMM-Newton sources $\hat{=}$ I. Optically bright sources. <i>Monthly Notices of the Royal Astronomical Society</i> , 2007, 378, 1335-1355.	4.4	1
139	The Integrated Cluster Finder for the ARCHES project. <i>Astronomy and Astrophysics</i> , 2017, 597, A2.	5.1	1
140	X-RAY SPECTRA OF XMM-NEWTON AGN FROM MEDIUM AND DEEP SURVEYS. , 2004, , .		1
141	Event Detection and Reconstruction Using Neural Networks in TES Devices: a Case Study for Athena/X-IFU. <i>Publications of the Astronomical Society of the Pacific</i> , 2022, 134, 024504.	3.1	1
142	The structure of the 1.3 keV X-ray background. <i>Astrophysics and Space Science</i> , 1990, 171, 49-53.	1.4	0
143	The colour of the deep ROSAT X-ray sky fluctuations. <i>Monthly Notices of the Royal Astronomical Society</i> , 1997, 286, 158-162.	4.4	0
144	X-ray Observations of Active Galactic Nuclei in the Cosmological Context. <i>Astrophysics and Space Science</i> , 1998, 263, 115-118.	1.4	0

#	ARTICLE	IF	CITATIONS
145	Emerging ties between the ERA-EDTA and Latin American nephrology. Nephrology Dialysis Transplantation, 1998, 13, 1146-1147.	0.7	0
146	X-ray spectra of XMM-Newton AXIS serendipitous sources. Astronomische Nachrichten, 2003, 324, 48-51.	1.2	0
147	Multiwavelength and black hole mass properties of Low Luminosity Active Nuclei. , 2007, , .		0
148	QSO winds and galaxy evolution. , 2010, , .		0
149	On the arcmin structure of the X-ray Universe. , 2010, , .		0
150	Unabsorbed Seyfert 2 galaxies: the case of "naked" AGN. , 2010, , .		0
151	A complete X-ray and optical view on the absorption in BALQSOs. , 2010, , .		0
152	Why Are Only High-Redshift Obscured AGN Bright Submillimeter Sources?. Globular Clusters - Guides To Galaxies, 0, , 128-129.	0.1	0
153	Average Iron Line Emission from Distant AGN. Thirty Years of Astronomical Discovery With UKIRT, 2010, , 273-273.	0.3	0