

Arie O Verkerk

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8205829/arie-o-verkerk-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

6,811
citations

46
h-index

78
g-index

192
ext. papers

8,108
ext. citations

8
avg, IF

5.51
L-index

#	Paper	IF	Citations
164	Conditional immortalization of human atrial myocytes for the generation of in vitro models of atrial fibrillation.. <i>Nature Biomedical Engineering</i> , 2022 ,	19	1
163	Istaroxime treatment ameliorates calcium dysregulation in a zebrafish model of phospholamban R14del cardiomyopathy. <i>Nature Communications</i> , 2021 , 12, 7151	17.4	2
162	Dynamic Clamp in Electrophysiological Studies on Stem Cell-Derived Cardiomyocytes-Why and How?. <i>Journal of Cardiovascular Pharmacology</i> , 2021 , 77, 267-279	3.1	2
161	Sulfonylurea antidiabetics are associated with lower risk of out-of-hospital cardiac arrest: Real-world data from a population-based study. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 3588-3598	3.8	4
160	Patch-Clamp Recordings of Action Potentials From Human Atrial Myocytes: Optimization Through Dynamic Clamp. <i>Frontiers in Pharmacology</i> , 2021 , 12, 649414	5.6	2
159	Low human dystrophin levels prevent cardiac electrophysiological and structural remodelling in a Duchenne mouse model. <i>Scientific Reports</i> , 2021 , 11, 9779	4.9	0
158	Chronically elevated branched chain amino acid levels are pro-arrhythmic. <i>Cardiovascular Research</i> , 2021 ,	9.9	6
157	HCN4 current during human sinoatrial node-like action potentials. <i>Progress in Biophysics and Molecular Biology</i> , 2021 , 166, 105-118	4.7	4
156	A Variant Noncoding Region Regulates and Predisposes to Atrial Arrhythmias. <i>Circulation Research</i> , 2021 , 129, 420-434	15.7	4
155	Targeting the Microtubule EB1-CLASP2 Complex Modulates Na1.5 at Intercalated Discs. <i>Circulation Research</i> , 2021 , 129, 349-365	15.7	2
154	The zebrafish mutant uncovers an evolutionarily conserved role for Tmem161b in the control of cardiac rhythm. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	4
153	Variant Intronic Enhancer Controls Expression and Heart Conduction. <i>Circulation</i> , 2021 , 144, 229-242	16.7	1
152	The Linkage Phase of the Polymorphism KCNH2-K897T Influences the Electrophysiological Phenotype in hiPSC Models of LQT2.. <i>Frontiers in Physiology</i> , 2021 , 12, 755642	4.6	0
151	The sodium channel Na 1.5 impacts on early murine embryonic cardiac development, structure and function in a non-electrogenic manner. <i>Acta Physiologica</i> , 2020 , 230, e13493	5.6	2
150	Cryopreservation of human pluripotent stem cell-derived cardiomyocytes is not detrimental to their molecular and functional properties. <i>Stem Cell Research</i> , 2020 , 43, 101698	1.6	17
149	Electrophysiological Abnormalities in VLCAD Deficient hiPSC-Cardiomyocytes Can Be Improved by Lowering Accumulation of Fatty Acid Oxidation Intermediates. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	13
148	Validation of quantitative measure of repolarization reserve as a novel marker of drug induced proarrhythmia. <i>Journal of Molecular and Cellular Cardiology</i> , 2020 , 145, 122-132	5.8	5

147	Self-restoration of cardiac excitation rhythm by anti-arrhythmic ion channel gating. <i>ELife</i> , 2020 , 9,	8.9	7
146	Genome-Wide Analysis Identifies an Essential Human TBX3 Pacemaker Enhancer. <i>Circulation Research</i> , 2020 , 127, 1522-1535	15.7	7
145	Isogenic Sets of hiPSC-CMs Harboring Distinct KCNH2 Mutations Differ Functionally and in Susceptibility to Drug-Induced Arrhythmias. <i>Stem Cell Reports</i> , 2020 , 15, 1127-1139	8	9
144	Ultrarapid Delayed Rectifier K Channelopathies in Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 536	5.7	4
143	Differential effects on out-of-hospital cardiac arrest of dihydropyridines: real-world data from population-based cohorts across two European countries. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 347-355	6.4	9
142	Toward Biological Pacing by Cellular Delivery of Hcn2/SkM1. <i>Frontiers in Physiology</i> , 2020 , 11, 588679	4.6	2
141	Electrophysiological Abnormalities in VLCAD Deficient hiPSC-Cardiomyocytes Do not Improve with Carnitine Supplementation. <i>Frontiers in Pharmacology</i> , 2020 , 11, 616834	5.6	2
140	Acetylcholine Delays Atrial Activation to Facilitate Atrial Fibrillation. <i>Frontiers in Physiology</i> , 2019 , 10, 1105	4.6	7
139	Down the rabbit hole: deciphering the short QT syndrome. <i>European Heart Journal</i> , 2019 , 40, 854-856	9.5	1
138	Cardiomyocyte Progenitor Cells as a Functional Gene Delivery Vehicle for Long-Term Biological Pacing. <i>Molecules</i> , 2019 , 24,	4.8	5
137	Genetic variation in causes bradycardia by augmenting the cholinergic response via increased acetylcholine-activated potassium current (). <i>DMM Disease Models and Mechanisms</i> , 2019 , 12,	4.1	7
136	Aquaporin Channels in the Heart-Physiology and Pathophysiology. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	15
135	Transcriptome analysis of mouse and human sinoatrial node cells reveals a conserved genetic program. <i>Development (Cambridge)</i> , 2019 , 146,	6.6	30
134	PMaturePresting membrane potentials in human-induced pluripotent stem cell-derived cardiomyocytes: fact or artefact?. <i>Europace</i> , 2019 , 21, 1928	3.9	4
133	Absence of Functional Na1.8 Channels in Non-diseased Atrial and Ventricular Cardiomyocytes. <i>Cardiovascular Drugs and Therapy</i> , 2019 , 33, 649-660	3.9	10
132	RBM20 Mutations Induce an Arrhythmogenic Dilated Cardiomyopathy Related to Disturbed Calcium Handling. <i>Circulation</i> , 2018 , 138, 1330-1342	16.7	78
131	Pharmacodynamics and Pharmacokinetics of Lidocaine in a Rodent Model of Diabetic Neuropathy. <i>Anesthesiology</i> , 2018 , 128, 609-619	4.3	6
130	K4.3 Expression Modulates Na1.5 Sodium Current. <i>Frontiers in Physiology</i> , 2018 , 9, 178	4.6	15

129	Identification of an I-dependent and I-mediated proarrhythmic mechanism in cardiomyocytes derived from pluripotent stem cells of a Brugada syndrome patient. <i>Scientific Reports</i> , 2018 , 8, 11246	4.9	20
128	Embryonic Tbx3 cardiomyocytes form the mature cardiac conduction system by progressive fate restriction. <i>Development (Cambridge)</i> , 2018 , 145,	6.6	20
127	P470Microtubule plus-end tracking protein complex: a novel pharmacological target for modulating Nav1.5 trafficking and function. <i>Cardiovascular Research</i> , 2018 , 114, S113-S113	9.9	
126	Disease Modifiers of Inherited Channelopathy. <i>Frontiers in Cardiovascular Medicine</i> , 2018 , 5, 137	5.4	16
125	Neurokinin-3 receptor activation selectively prolongs atrial refractoriness by inhibition of a background K channel. <i>Nature Communications</i> , 2018 , 9, 4357	17.4	6
124	Long QT Syndrome and Sinus Bradycardia-A Mini Review. <i>Frontiers in Cardiovascular Medicine</i> , 2018 , 5, 106	5.4	20
123	Enhanced late sodium current underlies pro-arrhythmic intracellular sodium and calcium dysregulation in murine sodium channelopathy. <i>International Journal of Cardiology</i> , 2018 , 263, 54-62	3.2	10
122	Revised roles of ISL1 in a hES cell-based model of human heart chamber specification. <i>ELife</i> , 2018 , 7,	8.9	21
121	Gain-of-function mutation in SCN5A causes ventricular arrhythmias and early onset atrial fibrillation. <i>International Journal of Cardiology</i> , 2017 , 236, 187-193	3.2	23
120	Anti-arrhythmic potential of the late sodium current inhibitor GS-458967 in murine Scn5a-1798insD ^{+/-} and human SCN5A-1795insD ^{+/-} iPSC-derived cardiomyocytes. <i>Cardiovascular Research</i> , 2017 , 113, 829-838	9.9	28
119	The Brugada Syndrome Susceptibility Gene Modulates Cardiac Transmural Ion Channel Patterning and Electrical Heterogeneity. <i>Circulation Research</i> , 2017 , 121, 537-548	15.7	34
118	Response by Veerman et al to Letter Regarding Article, "The Brugada Syndrome Susceptibility Gene Modulates Cardiac Transmural Ion Channel Patterning and Electrical Heterogeneity". <i>Circulation Research</i> , 2017 , 121, e21	15.7	
117	Human iPSC-Derived Cardiomyocytes for Investigation of Disease Mechanisms and Therapeutic Strategies in Inherited Arrhythmia Syndromes: Strengths and Limitations. <i>Cardiovascular Drugs and Therapy</i> , 2017 , 31, 325-344	3.9	39
116	A COUP-TFII Human Embryonic Stem Cell Reporter Line to Identify and Select Atrial Cardiomyocytes. <i>Stem Cell Reports</i> , 2017 , 9, 1765-1779	8	30
115	Cardiac Subtype-Specific Modeling of K1.5 Ion Channel Deficiency Using Human Pluripotent Stem Cells. <i>Frontiers in Physiology</i> , 2017 , 8, 469	4.6	25
114	Patch-Clamp Recording from Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes: Improving Action Potential Characteristics through Dynamic Clamp. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	35
113	Switch From Fetal to Adult Isoform in Human Induced Pluripotent Stem Cell-Derived Cardiomyocytes Unmasks the Cellular Phenotype of a Conduction Disease-Causing Mutation. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	34
112	hiPSC-derived cardiomyocytes from Brugada Syndrome patients without identified mutations do not exhibit clear cellular electrophysiological abnormalities. <i>Scientific Reports</i> , 2016 , 6, 30967	4.9	50

111	Readthrough-Promoting Drugs Gentamicin and PTC124 Fail to Rescue Nav1.5 Function of Human-Induced Pluripotent Stem Cell-Derived Cardiomyocytes Carrying Nonsense Mutations in the Sodium Channel Gene SCN5A. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016 , 9,	6.4	20
110	Sphingosine-1-Phosphate Receptor 1 Regulates Cardiac Function by Modulating Ca ²⁺ Sensitivity and Na ⁺ /H ⁺ Exchange and Mediates Protection by Ischemic Preconditioning. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	35
109	TECRL, a new life-threatening inherited arrhythmia gene associated with overlapping clinical features of both LQTS and CPVT. <i>EMBO Molecular Medicine</i> , 2016 , 8, 1390-1408	12	68
108	Expansion and patterning of cardiovascular progenitors derived from human pluripotent stem cells. <i>Nature Biotechnology</i> , 2015 , 33, 970-9	44.5	137
107	Ion channelopathies in human induced pluripotent stem cell derived cardiomyocytes: a dynamic clamp study with virtual IK1. <i>Frontiers in Physiology</i> , 2015 , 6, 7	4.6	70
106	Ca ²⁺ cycling properties are conserved despite bradycardic effects of heart failure in sinoatrial node cells. <i>Frontiers in Physiology</i> , 2015 , 6, 18	4.6	7
105	Pacemaker activity of the human sinoatrial node: an update on the effects of mutations in HCN4 on the hyperpolarization-activated current. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 3071-94	6.3	61
104	Dyscholesterolemia Protects Against Ischemia-Induced Ventricular Arrhythmias. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2015 , 8, 1481-90	6.4	17
103	Reply to Christ et al.: LQT1 and JLNS phenotypes in hiPSC-derived cardiomyocytes are due to KCNQ1 mutations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E1969	11.5	4
102	Orphan nuclear receptor Nur77 affects cardiomyocyte calcium homeostasis and adverse cardiac remodelling. <i>Scientific Reports</i> , 2015 , 5, 15404	4.9	25
101	Atrial-like cardiomyocytes from human pluripotent stem cells are a robust preclinical model for assessing atrial-selective pharmacology. <i>EMBO Molecular Medicine</i> , 2015 , 7, 394-410	12	212
100	Chemokine ligand 9 modulates cardiac repolarization via Cxcr3 receptor binding. <i>International Journal of Cardiology</i> , 2015 , 201, 49-52	3.2	2
99	Immaturity of human stem-cell-derived cardiomyocytes in culture: fatal flaw or soluble problem?. <i>Stem Cells and Development</i> , 2015 , 24, 1035-52	4.4	182
98	Coxsackie and adenovirus receptor is a modifier of cardiac conduction and arrhythmia vulnerability in the setting of myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 549-59	15.1	45
97	PDZ domain-binding motif regulates cardiomyocyte compartment-specific NaV1.5 channel expression and function. <i>Circulation</i> , 2014 , 130, 147-60	16.7	77
96	HCN4 mutations in multiple families with bradycardia and left ventricular noncompaction cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 745-56	15.1	133
95	Pacemaker activity of the human sinoatrial node: effects of HCN4 mutations on the hyperpolarization-activated current. <i>Europace</i> , 2014 , 16, 384-95	3.9	23
94	Recessive cardiac phenotypes in induced pluripotent stem cell models of Jervell and Lange-Nielsen syndrome: disease mechanisms and pharmacological rescue. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E5383-92	11.5	119

93	Dynamic clamp as a tool to study the functional effects of individual membrane currents. <i>Methods in Molecular Biology</i> , 2014 , 1183, 309-26	1.4	6
92	Common variants at SCN5A-SCN10A and HEY2 are associated with Brugada syndrome, a rare disease with high risk of sudden cardiac death. <i>Nature Genetics</i> , 2013 , 45, 1044-9	36.3	345
91	Acetylsalicylic acid prevents platelet-induced proarrhythmic effects on intracellular Ca ²⁺ homeostasis in ventricular myocytes. <i>International Journal of Cardiology</i> , 2013 , 167, 303-5	3.2	2
90	Electrophysiological changes in heart failure and their implications for arrhythmogenesis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013 , 1832, 2432-41	6.9	63
89	Intracardiac Origin of Heart Rate Variability, Pacemaker Funny Current and their Possible Association with Critical Illness. <i>Current Cardiology Reviews</i> , 2013 , 9, 82-96	2.4	40
88	Sodium current inhibition by nanosecond pulsed electric field (nsPEF)--fact or artifact?. <i>Bioelectromagnetics</i> , 2013 , 34, 162-4	1.6	3
87	Early repolarization in mice causes overestimation of ventricular activation time by the QRS duration. <i>Cardiovascular Research</i> , 2013 , 97, 182-91	9.9	31
86	Unique cardiac Purkinje fiber transient outward current β subunit composition: a potential molecular link to idiopathic ventricular fibrillation. <i>Circulation Research</i> , 2013 , 112, 1310-22	15.7	61
85	Hyperpolarization-activated current, I _f , in mathematical models of rabbit sinoatrial node pacemaker cells. <i>BioMed Research International</i> , 2013 , 2013, 872454	3	16
84	Slow delayed rectifier potassium current blockade contributes importantly to drug-induced long QT syndrome. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013 , 6, 1002-9	6.4	34
83	Intracardiac origin of heart rate variability, pacemaker funny current and their possible association with critical illness. <i>Current Cardiology Reviews</i> , 2013 , 9, 82-96	2.4	29
82	Calcium transient and sodium-calcium exchange current in human versus rabbit sinoatrial node pacemaker cells. <i>Scientific World Journal, The</i> , 2013 , 2013, 507872	2.2	16
81	The chemical compound PTC124 does not affect cellular electrophysiology of cardiac ventricular myocytes. <i>Cardiovascular Drugs and Therapy</i> , 2012 , 26, 41-5	3.9	7
80	A diet rich in unsaturated fatty acids prevents progression toward heart failure in a rabbit model of pressure and volume overload. <i>Circulation: Heart Failure</i> , 2012 , 5, 376-84	7.6	20
79	Electrophysiologic remodeling of the left ventricle in pressure overload-induced right ventricular failure. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 2193-202	15.1	39
78	Functional Nav1.8 channels in intracardiac neurons: the link between SCN10A and cardiac electrophysiology. <i>Circulation Research</i> , 2012 , 111, 333-43	15.7	107
77	Induced pluripotent stem cell derived cardiomyocytes as models for cardiac arrhythmias. <i>Frontiers in Physiology</i> , 2012 , 3, 346	4.6	134
76	Dietary Omega-3 Polyunsaturated Fatty Acids Suppress NHE-1 Upregulation in a Rabbit Model of Volume- and Pressure-Overload. <i>Frontiers in Physiology</i> , 2012 , 3, 76	4.6	5

75	Cardiomyocytes derived from pluripotent stem cells recapitulate electrophysiological characteristics of an overlap syndrome of cardiac sodium channel disease. <i>Circulation</i> , 2012 , 125, 3079-91	16.7	200
74	Zebrafish: a novel research tool for cardiac (patho)electrophysiology and ion channel disorders. <i>Frontiers in Physiology</i> , 2012 , 3, 255	4.6	62
73	Effects of acetylcholine and noradrenalin on action potentials of isolated rabbit sinoatrial and atrial myocytes. <i>Frontiers in Physiology</i> , 2012 , 3, 174	4.6	19
72	T-box transcription factor TBX3 reprogrammes mature cardiac myocytes into pacemaker-like cells. <i>Cardiovascular Research</i> , 2012 , 94, 439-49	9.9	109
71	Intercalated disc abnormalities, reduced Na(+) current density, and conduction slowing in desmoglein-2 mutant mice prior to cardiomyopathic changes. <i>Cardiovascular Research</i> , 2012 , 95, 409-18	9.9	145
70	Identification and functional characterization of cardiac pacemaker cells in zebrafish. <i>PLoS ONE</i> , 2012 , 7, e47644	3.7	126
69	Reconstituted high-density lipoprotein shortens cardiac repolarization. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 40-4	15.1	29
68	Pacemaker Activity of the SA Node: Insights from Dynamic-Clamp Experiments 2011 , 101-117		
67	Etiology-dependency of ionic remodeling in cardiomyopathic rabbits. <i>International Journal of Cardiology</i> , 2011 , 148, 154-60	3.2	5
66	Activated human platelet products induce proarrhythmic effects in ventricular myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2011 , 51, 347-56	5.8	4
65	Sex-deparities in cardiac electrophysiology: L-type Ca2+ current and the Na+-Ca2+ exchanger go hand in hand. <i>Journal of Physiology</i> , 2011 , 589, 1247-8	3.9	1
64	Incorporated fish oil fatty acids prevent action potential shortening induced by circulating fish oil fatty acids. <i>Frontiers in Physiology</i> , 2010 , 1, 149	4.6	13
63	Re-evaluation of the action potential upstroke velocity as a measure of the Na+ current in cardiac myocytes at physiological conditions. <i>PLoS ONE</i> , 2010 , 5, e15772	3.7	47
62	Mechanism of right precordial ST-segment elevation in structural heart disease: excitation failure by current-to-load mismatch. <i>Heart Rhythm</i> , 2010 , 7, 238-48	6.7	88
61	Role of the R1135H KCNH2 mutation in Brugada syndrome. <i>International Journal of Cardiology</i> , 2010 , 144, 149-51	3.2	33
60	Relative importance of funny current in human versus rabbit sinoatrial node. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 48, 799-801; author reply 802-3	5.8	17
59	Fever-triggered ventricular arrhythmias in Brugada syndrome and type 2 long-QT syndrome. <i>Netherlands Heart Journal</i> , 2010 , 18, 165-9	2.2	40
58	Effects of muscarinic receptor stimulation on Ca2+ transient, cAMP production and pacemaker frequency of rabbit sinoatrial node cells. <i>Basic Research in Cardiology</i> , 2010 , 105, 73-87	11.8	46

57	Gene expression profiling of the forming atrioventricular node using a novel tbx3-based node-specific transgenic reporter. <i>Circulation Research</i> , 2009 , 105, 61-9	15.7	67
56	Genetically determined differences in sodium current characteristics modulate conduction disease severity in mice with cardiac sodium channelopathy. <i>Circulation Research</i> , 2009 , 104, 1283-92	15.7	63
55	The cardiac sodium channel displays differential distribution in the conduction system and transmural heterogeneity in the murine ventricular myocardium. <i>Basic Research in Cardiology</i> , 2009 , 104, 511-22	11.8	90
54	Fish oil curtails the human action potential dome in a heterogeneous manner: implication for arrhythmogenesis. <i>International Journal of Cardiology</i> , 2009 , 132, 138-40	3.2	7
53	Pacemaker activity of the human sinoatrial node: role of the hyperpolarization-activated current, I(f). <i>International Journal of Cardiology</i> , 2009 , 132, 318-36	3.2	50
52	Genetic Background Determines Magnitude of Late Sodium Current, Extent of Intracellular Na ⁺ and Ca ²⁺ Dysregulation, and Severity of Cardiomyopathy in Murine Sodium Channelopathy. <i>Heart Rhythm</i> , 2009 , 6, 1686	6.7	2
51	Dietary fish oil reduces pacemaker current and heart rate in rabbit. <i>Heart Rhythm</i> , 2009 , 6, 1485-92	6.7	41
50	Intracellular calcium modulation of voltage-gated sodium channels in ventricular myocytes. <i>Cardiovascular Research</i> , 2009 , 81, 72-81	9.9	61
49	Is sodium current present in human sinoatrial node cells?. <i>International Journal of Biological Sciences</i> , 2009 , 5, 201-4	11.2	28
48	Development of a Genetically Engineered Cardiac Pacemaker: Insights from Dynamic Action Potential Clamp Experiments 2009 , 399-415		1
47	Chronic inhibition of the Na ⁺ /H ⁺ - exchanger causes regression of hypertrophy, heart failure, and ionic and electrophysiological remodelling. <i>British Journal of Pharmacology</i> , 2008 , 154, 1266-75	8.6	58
46	Dynamic action potential clamp as a powerful tool in the development of a gene-based bio-pacemaker. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2008 , 2008, 123-7	0.9	0
45	Acute administration of fish oil inhibits triggered activity in isolated myocytes from rabbits and patients with heart failure. <i>Circulation</i> , 2008 , 117, 536-44	16.7	59
44	Effects of heart failure on brain-type Na ⁺ channels in rabbit ventricular myocytes: Reply. <i>Europace</i> , 2008 , 10, 257-258	3.9	2
43	Engineering physiologically controlled pacemaker cells with lentiviral HCN4 gene transfer. <i>Journal of Gene Medicine</i> , 2008 , 10, 487-97	3.5	29
42	Computational model of rabbit SA node pacemaker activity probed with action potential and calcium transient clamp. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007 , 2007, 156-9		3
41	Dietary fish oil reduces the incidence of triggered arrhythmias in pig ventricular myocytes. <i>Heart Rhythm</i> , 2007 , 4, 1452-60	6.7	27
40	Diversity in cardiac sodium channel disease phenotype in transgenic mice carrying a single SCN5A mutation. <i>Netherlands Heart Journal</i> , 2007 , 15, 235-8	2.2	3

39	Gender disparities in torsade de pointes ventricular tachycardia. <i>Netherlands Heart Journal</i> , 2007 , 15, 405-11	2.2	7
38	Pro- and antiarrhythmic properties of a diet rich in fish oil. <i>Cardiovascular Research</i> , 2007 , 73, 316-25	9.9	75
37	Tbx3 controls the sinoatrial node gene program and imposes pacemaker function on the atria. <i>Genes and Development</i> , 2007 , 21, 1098-112	12.6	290
36	Effects of heart failure on brain-type Na ⁺ channels in rabbit ventricular myocytes. <i>Europace</i> , 2007 , 9, 571-7	3.9	35
35	Pacemaker current (I _f) in the human sinoatrial node. <i>European Heart Journal</i> , 2007 , 28, 2472-8	9.5	113
34	Single cells isolated from human sinoatrial node: action potentials and numerical reconstruction of pacemaker current. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007 , 2007, 904-7		19
33	Overlap syndrome of cardiac sodium channel disease in mice carrying the equivalent mutation of human SCN5A-1795insD. <i>Circulation</i> , 2006 , 114, 2584-94	16.7	153
32	Larger cell size in rabbits with heart failure increases myocardial conduction velocity and QRS duration. <i>Circulation</i> , 2006 , 113, 806-13	16.7	86
31	Incorporated sarcolemmal fish oil fatty acids shorten pig ventricular action potentials. <i>Cardiovascular Research</i> , 2006 , 70, 509-20	9.9	72
30	Dietary fish oil reduces the occurrence of early afterdepolarizations in pig ventricular myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2006 , 41, 914-7	5.8	26
29	Cellular basis of sex disparities in human cardiac electrophysiology. <i>Acta Physiologica</i> , 2006 , 187, 459-77	5.6	25
28	Long-QT syndrome-related sodium channel mutations probed by the dynamic action potential clamp technique. <i>Journal of Physiology</i> , 2006 , 570, 237-50	3.9	40
27	Role of sequence variations in the human ether-a-go-go-related gene (HERG, KCNH2) in the Brugada syndrome. <i>Cardiovascular Research</i> , 2005 , 68, 441-53	9.9	51
26	HERG channel (dys)function revealed by dynamic action potential clamp technique. <i>Biophysical Journal</i> , 2005 , 88, 566-78	2.9	80
25	Novel Brugada syndrome-causing mutation in ion-conducting pore of cardiac Na ⁺ channel does not affect ion selectivity properties. <i>Acta Physiologica Scandinavica</i> , 2005 , 185, 291-301		42
24	Gender disparities in cardiac cellular electrophysiology and arrhythmia susceptibility in human failing ventricular myocytes. <i>International Heart Journal</i> , 2005 , 46, 1105-18	1.8	44
23	Right ventricular fibrosis and conduction delay in a patient with clinical signs of Brugada syndrome: a combined electrophysiological, genetic, histopathologic, and computational study. <i>Circulation</i> , 2005 , 112, 2769-77	16.7	338
22	Ca ²⁺ -activated Cl ⁻ current reduces transmural electrical heterogeneity within the rabbit left ventricle. <i>Acta Physiologica Scandinavica</i> , 2004 , 180, 239-47		24

21	Identification of swelling-activated Cl(-) current in rabbit cardiac Purkinje cells. <i>Cellular and Molecular Life Sciences</i> , 2004 , 61, 1106-13	10.3	3
20	Ionic remodeling of sinoatrial node cells by heart failure. <i>Circulation</i> , 2003 , 108, 760-6	16.7	93
19	Conduction slowing by the gap junctional uncoupler carbenoxolone. <i>Cardiovascular Research</i> , 2003 , 60, 288-97	9.9	68
18	Intrinsic heterogeneity in repolarization is increased in isolated failing rabbit cardiomyocytes during simulated ischemia. <i>Cardiovascular Research</i> , 2003 , 59, 705-14	9.9	20
17	A common polymorphism in KCNH2 (HERG) hastens cardiac repolarization. <i>Cardiovascular Research</i> , 2003 , 59, 27-36	9.9	133
16	Role of Ca ²⁺ -activated Cl ⁻ current during proarrhythmic early afterdepolarizations in sheep and human ventricular myocytes. <i>Acta Physiologica Scandinavica</i> , 2003 , 179, 143-8		10
15	Genetic control of sodium channel function. <i>Cardiovascular Research</i> , 2003 , 57, 961-73	9.9	125
14	Ca(2+)-activated Cl(-) current in rabbit sinoatrial node cells. <i>Journal of Physiology</i> , 2002 , 540, 105-17	3.9	22
13	Reduced swelling-activated Cl(-) current densities in hypertrophied ventricular myocytes of rabbits with heart failure. <i>Cardiovascular Research</i> , 2002 , 53, 869-78	9.9	16
12	Limited role of Ca-activated Cl current in early afterdepolarisations. <i>Netherlands Heart Journal</i> , 2002 , 10, 506-511	2.2	2
11	Role of Ca(2+)-activated Cl(-) current in ventricular action potentials of sheep during adrenoceptor stimulation. <i>Experimental Physiology</i> , 2001 , 86, 151-9	2.4	9
10	Ionic mechanism of delayed afterdepolarizations in ventricular cells isolated from human end-stage failing hearts. <i>Circulation</i> , 2001 , 104, 2728-33	16.7	88
9	Effects of cell-to-cell uncoupling and catecholamines on Purkinje and ventricular action potentials: implications for phase-1b arrhythmias. <i>Cardiovascular Research</i> , 2001 , 51, 30-40	9.9	16
8	Norepinephrine induces action potential prolongation and early afterdepolarizations in ventricular myocytes isolated from human end-stage failing hearts. <i>European Heart Journal</i> , 2001 , 22, 955-63	9.5	51
7	Considerations in studying the transient outward K(+) current in cells exhibiting the hyperpolarization-activated current. <i>Cardiovascular Research</i> , 2001 , 52, 517-20	9.9	8
6	Cl current blockade reduces triggered activity based on delayed afterdepolarisations. <i>Netherlands Heart Journal</i> , 2001 , 9, 172-176	2.2	2
5	Injury current modulates afterdepolarizations in single human ventricular cells. <i>Cardiovascular Research</i> , 2000 , 47, 124-32	9.9	20
4	Calcium-activated Cl(-) current contributes to delayed afterdepolarizations in single Purkinje and ventricular myocytes. <i>Circulation</i> , 2000 , 101, 2639-44	16.7	67

3	Two types of action potential configuration in single cardiac Purkinje cells of sheep. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999 , 277, H1299-310	5.2	12
2	Biphasic response of action potential duration to metabolic inhibition in rabbit and human ventricular myocytes: role of transient outward current and ATP-regulated potassium current. <i>Journal of Molecular and Cellular Cardiology</i> , 1996 , 28, 2443-56	5.8	38
1	Effects of the Transient Outward Potassium Current on Action Potential Upstroke Velocities Tested Using the Dynamic Clamp Technique		2