

# Ian J Watson

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8206065/ian-j-watson-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

355  
papers

11,273  
citations

55  
h-index

88  
g-index

373  
ext. papers

13,177  
ext. citations

4.7  
avg, IF

2.79  
L-index

#	Paper	IF	Citations
355	Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , <b>2015</b> , 114, 191803	7.4	709
354	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2518	4.2	276
353	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 299	4.2	202
352	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 17	4.2	194
351	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8TeV in the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 6	4.2	185
350	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , <b>2017</b> , 77, 490	4.2	177
349	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3130	4.2	166
348	The Belle II Physics Book. <i>Progress of Theoretical and Experimental Physics</i> , <b>2019</b> , 2019,	5.4	163
347	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2941	4.2	160
346	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	160
345	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2306	4.2	153
344	Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 45	4.2	152
343	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text]TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 581	4.2	148
342	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ( $\sqrt{s_{NN}}$ ) = 2.76 TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	143
341	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	124
340	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 8TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	120
339	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ ( $\overline{t}$ ) events using pp collision data at ( $\sqrt{s}$ ) = 7;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	112

338	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , <b>2015</b> , 75, 510	4.2	109
337	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ( $\sqrt{s}=8$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	108
336	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3109	4.2	107
335	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 476	4.2	104
334	Search for doubly charged Higgs bosons in like-sign dilepton final states at ( $\sqrt{s}=7$ mathrm{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	104
333	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 349	4.2	94
332	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	92
331	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	91
330	Phase fractions, transition and ordering temperatures in TiAlNbMo alloys: An in- and ex-situ study. <i>Intermetallics</i> , <b>2010</b> , 18, 1544-1552	3.5	84
329	Measurement of [Formula: see text] production with a veto on additional central jet activity in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2043	4.2	82
328	Measurement of the Z/ $\gamma$ boson transverse momentum distribution in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	79
327	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2039	4.2	78
326	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2056	4.2	78
325	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in ( $\sqrt{s}) = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	76
324	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2465	4.2	76
323	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	74
322	Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 209	4.2	73
321	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	72

320	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2509	4.2	71
319	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ( $\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	70
318	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 5	4.2	68
317	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	67
316	Jet mass and substructure of inclusive jets in ( $\sqrt{s} = 7$ TeV) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	67
315	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 412	4.2	66
314	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-39	5.4	66
313	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at ( $\sqrt{s} = 8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	65
312	Search for the ( $\overline{b}$ ) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	64
311	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at ( $\sqrt{s} = 8$ ) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	64
310	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 291	4.2	63
309	Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 69	4.2	62
308	Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 92	4.2	60
307	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	59
306	The Belle II Physics Book. <i>Progress of Theoretical and Experimental Physics</i> , <b>2020</b> , 2020,	5.4	58
305	A search for ( $\overline{t}$ ) resonances using lepton-plus-jets events in proton-proton collisions at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	57
304	Search for charged Higgs bosons decaying via $H \rightarrow b\overline{b}$ in fully hadronic final states using pp collision data at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	56
303	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 335	4.2	56

302	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	55
301	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at ( $\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4-2	55
300	Summary of the searches for squarks and gluinos using ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	55
299	Measurements of the [Formula: see text] production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 82	4-2	54
298	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	54
297	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in ( $\sqrt{s} = 8$ TeV) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	54
296	Measurement of $W \mp Z$ production in proton-proton collisions at ( $\sqrt{s}=7$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4-2	54
295	Search for new phenomena in events with at least three photons collected in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 210	4-2	53
294	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	53
293	Search for direct top-squark pair production in final states with two leptons in pp collisions at ( $\sqrt{s} = 8$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	52
292	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3157	4-2	52
291	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	52
290	Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 120	4-2	51
289	Measurement of the production cross section of jets in association with a Z boson in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5-4	50
288	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 208	4-2	50
287	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 303	4-2	49
286	Measurement of charged-particle spectra in Pb+Pb collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76$ ) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	49
285	Search for high-mass resonances decaying to dilepton final states in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	49

284	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 538	4.2	48
283	Search for supersymmetry at [Formula: see text] TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 259	4.2	48
282	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb <sup>-1</sup> of ( $\sqrt{s} = 7$ ; TeV) proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	48
281	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	47
280	In Situ Characterization of a Nb and Mo Containing TiAl Based Alloy Using Neutron Diffraction and High-Temperature Microscopy. <i>Advanced Engineering Materials</i> , <b>2009</b> , 11, 932-937	3.5	47
279	Search for a new resonance decaying to a $\gamma$ or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 263	4.2	46
278	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3023	4.2	46
277	Search for lepton-flavour-violating H $\rightarrow$ $\tau\tau$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	46
276	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with ( $\sqrt{s}=8$ ) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	45
275	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	45
274	Measurement of ZZ production in pp collisions at ( $\sqrt{s}=7$ ) TeV and limits on anomalous ZZZ and ZZ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	45
273	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3034	4.2	45
272	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in ( $\sqrt{s}=7$ ; $\text{TeV}$ ) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	45
271	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 318	4.2	44
270	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 154	4.2	44
269	Measurement of isolated-photon pair production in pp collisions at ( $\sqrt{s}=7$ ; TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	44
268	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at ( $\sqrt{s} = 7$ $\text{TeV}$ ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	44
267	Performance of jet substructure techniques for large-R jets in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	43

266	Measurement of the cross section for top-quark pair production in pp collisions at $(\sqrt{s}) = \{7\}, \{\text{TeV}\}$ with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	43
265	Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 283	4-2	42
264	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2046	4-2	42
263	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 [Interpreted in the phenomenological MSSM]. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	42
262	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2883	4-2	41
261	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4-2	41
260	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	40
259	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 199	4-2	39
258	Search for supersymmetry at $(\sqrt{s}) = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	39
257	A search for ( $\overline{t}$ ) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $(\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	39
256	Performance of algorithms that reconstruct missing transverse momentum in [Formula: see text]= 8 TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 241	4-2	38
255	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 229	4-2	38
254	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	38
253	Measurement of the production of a W boson in association with a charm quark in pp collisions at $(\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	37
252	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	37
251	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ decay mode in $(\sqrt{s}) = 7, \{\text{TeV}\}$ pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5-4	37
250	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5-4	36
249	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 322	4-2	35

248	Search for second generation scalar leptoquarks in pp collisions at ( $\sqrt{s}=7\text{ TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	35
247	Search for gluinos in events with two same-sign leptons, jets, and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s}=7\text{ TeV}$ . <i>Physical Review Letters</i> , <b>2012</b> , 108, 241802	7.4	35
246	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	34
245	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ( $\sqrt{s} = 7\text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	34
244	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ( $\sqrt{s} = 7\text{ TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	34
243	Search for charged Higgs bosons in the $H \rightarrow \tau b$ decay channel in pp collisions at ( $\sqrt{s}=8$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	33
242	Measurement of the top quark mass in the $t \rightarrow W b$ and $t \rightarrow Z q$ channels using ATLAS data. <i>European Physical Journal C</i> , <b>2015</b> , 75, 330	4.2	32
241	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ( $\sqrt{s} = 7\text{ TeV}$ ) with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	31
240	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ( $\sqrt{s}=7$ ) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	31
239	Measurement of the production and lepton charge asymmetry of $Z$ bosons in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 23	4.2	31
238	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3134	4.2	31
237	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at ( $\sqrt{s} = 8$ ) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	31
236	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ( $\sqrt{s}=7\text{ TeV}$ ). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	31
235	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ( $\sqrt{s}=7\text{ TeV}$ ) proton-proton collisions. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	31
234	Search for third generation scalar leptoquarks in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	30
233	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ( $\sqrt{s}=8$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	30
232	Measurement of the $t \rightarrow W b$ production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2328	4.2	30
231	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	29



230	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
229	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
228	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 466	4.2	28
227	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 295	4.2	28
226	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 55	4.2	28
225	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	27
224	Measurement of $\chi_1^0$ and $\chi_2^0$ production with ( $\sqrt{s}$ ) = 7 TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
223	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	26
222	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
221	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 658	4.2	26
220	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2362	4.2	25
219	Search for [Formula: see text] decays in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 165	4.2	25
218	Measurement of the inclusive isolated prompt photon cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	25
217	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 75	4.2	24
216	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at ( $\sqrt{s}$ ) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
215	Measurement of the production cross section of prompt J/ $\psi$ mesons in association with a W $\pm$ boson in pp collisions at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
214	Measurement of the differential cross-section of B + meson production in pp collisions at ( $\sqrt{s}=7$ ) TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	24
213	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	24

212	Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 442	4.2	24
211	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P10017-P10017	1	23
210	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	23
209	Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 362	4.2	22
208	A search for prompt lepton-jets in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	22
207	A search for high-mass resonances decaying to $\mu\mu$ in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
206	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
205	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 79	4.2	21
204	Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional -jets in collisions at [Formula: see text]=8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 11	4.2	21
203	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3195	4.2	21
202	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
201	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	20
200	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 565	4.2	20
199	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 403	4.2	19
198	Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7 [Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 228	4.2	18
197	Measurement of the underlying event in jet events from 7 (text {TeV}) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	18
196	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2982	4.2	18
195	Measurement of the low-mass Drell-Yan differential cross section at ( $\sqrt{s}$ ) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	18

194	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2676	4.2	18
193	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
192	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-65	5.4	18
191	Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , <b>2015</b> , 75, 407	4.2	18
190	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at ( $\sqrt{\mathbf{p}_T}=7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	18
189	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	18
188	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 87	4.2	18
187	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	17
186	Measurement of polarization in $t$ -decays with the ATLAS detector in collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2062	4.2	17
185	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3117	4.2	17
184	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 3	4.2	16
183	Search for new phenomena in events with three or more charged leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
182	Measurement of the ( $\overline{t}W$ ) and ( $\overline{t}Z$ ) production cross sections in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
181	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
180	A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3168	4.2	16
179	Measurement of the production cross-section of $(\overline{t}S) \rightarrow b\overline{c} + \text{c.c.}$ in pp collisions at ( $\sqrt{s}$ ) = 7 TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	16
178	Search for anomalous production of prompt like-sign lepton pairs at ( $\sqrt{s}=7; \text{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	16
177	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at ( $\sqrt{\text{TeV}}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	16

176	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , <b>2016</b> , 76, 526	4.2	16
175	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 12	4.2	16
174	Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 231	4.2	15
173	Measurement of the top quark charge in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
172	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at ( $\sqrt{s}=7$ ; $\mathrm{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
171	Determination of the top-quark pole mass using ( $\overline{t}$ ) + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	15
170	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , <b>2013</b> , 15, 043009	2.9	15
169	Measurement of the ( $\overline{t}$ ) production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
168	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
167	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at ( $\sqrt{s}$ ) = 8 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	14
166	Search for charged Higgs bosons through the violation of lepton universality in ( $\overline{t}$ ) events using pp collision data at ( $\sqrt{s}=7$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	14
165	Study of (W/Z)H production and Higgs boson couplings using H-tW $W^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
164	A search for [Formula: see text] resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2083	4.2	14
163	Evidence for Higgs boson decay to a pair of muons. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	14
162	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^*b\bar{b}$ with the ATLAS detector at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
161	Identification of high transverse momentum top quarks in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
160	Addendum to Measurement of the ( $\overline{t}$ ) production cross-section using ( $\mu\mu$ ) events with b-tagged jets in pp collisions at ( $\sqrt{s}$ ) = 7 and 8 ( $\mathrm{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 1	4.2	13
159	Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 4	4.2	13

158	Search for R-parity-violating supersymmetry in events with four or more leptons in ( $\sqrt{s}=7\text{TeV}$ ) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
157	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at ( $\sqrt{s} = 7\text{TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
156	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
155	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	13
154	Measurement of the $W W + W Z$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	12
153	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	12
152	Search for a Narrow Resonance Lighter than 200[GeV] Decaying to a Pair of Muons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2020</b> , 124, 131802	7.4	12
151	Search for new phenomena with photon+jet events in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
150	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
149	Search for strong gravity in multijet final states produced in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
148	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 232	4.2	12
147	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1-46	5.4	12
146	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2895	4.2	12
145	Measurement of the flavour composition of dijet events in pp collisions at ( $\sqrt{s}=7\text{TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	12
144	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	11
143	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11
142	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	11
141	Measurements of differential Z boson production cross sections in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	11

140	Search for new neutral Higgs bosons through the $(\mathrm{H})\to\mathrm{ZA}\to\{\ell\ell^+\ell\ell^-\}\overline{\mathrm{b}}\mathrm{b}$ process in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	10
139	A multi-dimensional search for new heavy resonances decaying to boosted $\tau\tau$ , $W\tau$ , or boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 237	4.2	10
138	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $(\sqrt{s}=8)$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
137	Measurement of the CP-violating phase $\phi_1$ and the $B^0$ meson decay width difference with $B^0 \rightarrow \tau^+\tau^-$ decays in ATLAS. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
136	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	10
135	Measurement of properties of $(\mathrm{B})_{\mathrm{s}}^0 \rightarrow \tau^+\tau^-$ decays and search for $B^0 \rightarrow \tau^+\tau^-$ with the CMS experiment. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	10
134	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
133	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb <sup>-1</sup> of $(\sqrt{s}) = 8$ TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	9
132	Search for a light pseudoscalar Higgs boson in the boosted $\tau\tau$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
131	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
130	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P05013-P05013	1	8
129	Measurement of splitting scales in $\tau$ -events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2432	4.2	8
128	The Belle II SVD data readout system. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2017</b> , 845, 633-638	1.2	8
127	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 158	4.2	8
126	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
125	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
124	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
123	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7

122	The silicon vertex detector of the Belle II experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2016</b> , 824, 406-410 <sup>1,2</sup>	7
121	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4 7
120	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 81	4.2 7
119	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 13	4.2 7
118	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 800	4.2 7
117	Search for a Light Charged Higgs Boson Decaying to a W Boson and a CP-Odd Higgs Boson in Final States with $e\bar{\nu}_\tau$ in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2019</b> , 123, 131802	7.4 6
116	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , <b>2020</b> , 80, 534	4.2 6
115	Constraints on the $\rho_{c1}$ versus $\rho_{c2}$ Polarizations in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , <b>2020</b> , 124, 162002	7.4 6
114	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\bar{\nu}_\tau$ and $e\nu_\tau$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4 6
113	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 238	4.2 6
112	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4 6
111	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4 6
110	Construction and test of the first Belle II SVD ladder implementing the origami chip-on-sensor design. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, C01087-C01087	1 5
109	Measurement of four-jet differential cross sections in $(\sqrt{s}=8)$ TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-76	5.4 5
108	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4 5
107	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 200	4.2 5
106	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 378	4.2 5
105	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 488	4.2 5

104	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	5
103	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 375	4-2	5
102	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 3	4-2	5
101	Evidence for ( $W$ ) production from double-parton interactions in proton-proton collisions at ( $\sqrt{s}$ = 13 TeV). <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4-2	4
100	Measurement of differential cross sections and charge ratios for $W$ -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 370	4-2	4
99	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	4
98	Observation of the $B_s^0 \rightarrow K(3872)^0$ Decay. <i>Physical Review Letters</i> , <b>2020</b> , 125, 152001	7-4	4
97	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	4
96	Search for new physics in top quark production with additional leptons in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV using effective field theory. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	4
95	The very forward CASTOR calorimeter of the CMS experiment. <i>Journal of Instrumentation</i> , <b>2021</b> , 16, P02010-P02010		
94	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 629	4-2	4
93	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 189	4-2	3
92	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	3
91	Belle II Silicon Vertex Detector. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, C02074-C02074	1	3
90	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider <b>2015</b> , 75, 1		3
89	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 970	4-2	3
88	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $\sqrt{s}$ = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	3
87	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}$ =7) TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector <b>2015</b> , 2015, 1		3



86	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	3
85	Investigation into the event-activity dependence of $\eta$ (NS) relative production in proton-proton collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	3
84	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , <b>2020</b> , 4, 10	6	3
83	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	3
82	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	3
81	Quark Gluon Jet Discrimination with Weakly Supervised Learning. <i>Journal of the Korean Physical Society</i> , <b>2019</b> , 75, 652-659	0.6	3
80	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 723	4-2	3
79	Quark-Gluon Jet Discrimination Using Convolutional Neural Networks. <i>Journal of the Korean Physical Society</i> , <b>2019</b> , 74, 219-223	0.6	2
78	Search for decays of the 125 GeV Higgs boson into a Z boson and a $\Upsilon$ meson. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
77	Determination of the strong coupling constant $\alpha_S(m_Z)$ from measurements of inclusive $W\Upsilon$ and Z boson production cross sections in proton-proton collisions at ( $\sqrt{s}$ ) = 7 and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
76	Belle II silicon vertex detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2016</b> , 831, 80-84	1.2	2
75	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	2
74	Measurement of the $\sigma(\overline{t}t)$ production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at ( $\sqrt{s}=7$ ) and 8 TeV with the ATLAS detector <b>2014</b> , 74, 1		2
73	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector <b>2015</b> , 75, 1		2
72	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the $B\bar{b}$ final state at 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	2
71	Observation of the Production of Three Massive Gauge Bosons at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2020</b> , 125, 151802	7-4	2
70	The production of isolated photons in PbPb and pp collisions at ( $\sqrt{s_{\text{NN}}}$ ) = 5.02 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
69	Measurement of the Jet Mass Distribution and Top Quark Mass in Hadronic Decays of Boosted Top Quarks in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2020</b> , 124, 202001	7-4	2

68	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 718	4.2	2
67	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2020</b> , 80, 752	4.2	2
66	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
65	Angular analysis of the decay $B^+ \rightarrow K^*(892)^+ \mu^+ \nu_\mu$ in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
64	First measurement of large area jet transverse momentum spectra in heavy-ion collisions. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
63	Performance of the CMS muon trigger system in proton-proton collisions at $(\sqrt{s}) = 13$ . <i>Journal of Instrumentation</i> , <b>2021</b> , 16, P07001	1	2
62	The Belle II silicon vertex detector assembly and mechanics. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2017</b> , 845, 38-42	1.2	1
61	Evidence for Top Quark Production in Nucleus-Nucleus Collisions. <i>Physical Review Letters</i> , <b>2020</b> , 125, 222001	7.4	1
60	Search for supersymmetry in proton-proton collisions at $(\sqrt{s}) = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
59	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
58	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
57	EMC studies for the vertex detector of the Belle II experiment. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, C01044-C01044	10.44	10.44
56	A search for an excited muon decaying to a muon and two jets in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , <b>2016</b> , 18, 073021	2.9	1
55	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector <b>2015</b> , 75, 1		1
54	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}) = 8$ TeV with the ATLAS detector <b>2016</b> , 76, 1		1
53	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb <sup>-1</sup> of proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
52	Measurements of the pp $\rightarrow W\gamma$ and pp $\rightarrow Z\gamma$ cross sections at $(\sqrt{s}) = 13$ TeV and limits on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
51	Study of the $(B^+ \rightarrow J/\psi \overline{\Lambda} p)$ decay in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	1

50	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
49	Run and slow control system of the Belle II silicon vertex detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 958, 162706	1.2	1
48	Measurement of the cross section for $(\overline{t}t)$ production with additional jets and b jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
47	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
46	Development and validation of HERWIG++ tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , <b>2021</b> , 81, 312	4.2	1
45	Observation of a New Excited Beauty Strange Baryon Decaying to $\Lambda_b^+ \Lambda^0$ . <i>Physical Review Letters</i> , <b>2021</b> , 126, 252003	7.4	1
44	The Belle II silicon vertex detector: Assembly and initial results. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2019</b> , 936, 712-714	1.2	1
43	Search for the lepton flavor violating decay $\mu \rightarrow e \gamma$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
42	Constraints on the Initial State of Pb-Pb Collisions via Measurements of Z-Boson Yields and Azimuthal Anisotropy at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , <b>2021</b> , 127, 102002	7.4	1
41	Observation of Forward Neutron Multiplicity Dependence of Dimuon Acoplanarity in Ultraperipheral Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , <b>2021</b> , 127, 122001	7.4	1
40	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	1
39	Search for a heavy resonance decaying to a top quark and a W boson at $\sqrt{s} = 13$ TeV in the fully hadronic final state. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
38	Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
37	Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
36	Measurements of the Electroweak Diboson Production Cross Sections in Proton-Proton Collisions at $\sqrt{s}=5.02$ TeV Using Leptonic Decays. <i>Physical Review Letters</i> , <b>2021</b> , 127, 191801	7.4	0
35	Observation of $tW$ production in the single-lepton channel in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0
34	Series production testing and commissioning of the Belle II SVD readout system. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 958, 162942	1.2	0
33	HAWC Search for High-mass Microquasars. <i>Astrophysical Journal Letters</i> , <b>2021</b> , 912, L4	7.9	0

32	Measurement of b jet shapes in proton-proton collisions at $(\sqrt{s}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
31	Study of Drell-Yan dimuon production in proton-lead collisions at $(\sqrt{s_{\mathrm{NN}}}) = 8.16$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
30	In-medium modification of dijets in PbPb collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
29	Measurement of the W Production Cross Section in Proton-Proton Collisions at $\sqrt{s}=13$ TeV and Constraints on Effective Field Theory Coefficients. <i>Physical Review Letters</i> , <b>2021</b> , 126, 252002	7.4	○
28	Measurement of the top quark pair production cross section in dilepton final states containing one lepton in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	○
27	Search for a heavy vector resonance decaying to a W boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 688	4.2	○
26	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 852	4.2	○
25	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
24	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 153	4.2	○
23	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 290	4.2	○
22	Measurement of the inclusive and differential $\overline{t}t$ cross sections in the single-lepton channel and EFT interpretation at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
21	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
20	Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
19	Search for Long-Lived Particles Decaying in the CMS End Cap Muon Detectors in Proton-Proton Collisions at $\sqrt{s}=13$ TeV.. <i>Physical Review Letters</i> , <b>2021</b> , 127, 261804	7.4	○
18	Quality control of mass-produced GEM detectors for the CMS GE1/1 muon upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2022</b> , 166716	1.2	○
17	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
16	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
15	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○

14	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5-4	○
13	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5-4	○
12	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5-4	○
11	Belle-II VXD radiation monitoring and beam abort with sCVD diamond sensors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2016</b> , 824, 480-482	1.2	
10	Belle II SVD ladder assembly procedure and electrical qualification. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2016</b> , 824, 381-383	1.2	
9	The Belle-II vertex detector integration. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2019</b> , 936, 616-620	1.2	
8	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P05002-P05002	1	
7	Measurements of the differential cross sections of the production of Z + jets and $\tau$ + jets and of Z boson emission collinear with a jet in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	
6	Measurement of the Z boson differential production cross section using its invisible decay mode (Z $\rightarrow \nu \bar{\nu}$ ) in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	
5	A bonding study toward the quality assurance of Belle-II silicon vertex detector modules. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2016</b> , 831, 213-220	1.2	
4	Commissioning of the Belle II Silicon Vertex Detector. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , <b>2020</b> , 958, 162184 <sup>1,2</sup>	1.2	
3	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5-4	
2	Measurement of prompt open-charm production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	
1	Measurement of the inclusive $\overline{\text{t}}\text{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5-4	