Shin-Ichi Kubo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8206347/publications.pdf

Version: 2024-02-01

1039406 996533 39 282 9 15 citations h-index g-index papers 39 39 39 360 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A validated method for the separation of ethyl glucoside isomers by gas chromatography-tandem mass spectrometry and quantitation in human whole blood and urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2022, 1188, 123074.	1.2	6
2	Effects of putrefaction on the quantitative analyses of diphenhydramine in blood and tissues: model experiments by the routine matrix-matched calibration method and standard addition method with different internal standards. Forensic Toxicology, 2021, 39, 437-450.	1.4	1
3	A comparative study of pleural effusion in water area, water temperature and postmortem interval in forensic autopsy cases of drowning. Scientific Reports, 2021, 11, 21528.	1.6	2
4	A large interhemispheric glioependymal cyst associated with partial defect of the corpus callosum in an elderly man. Neuropathology, 2020, 40, 496-500.	0.7	2
5	VNTR polymorphism in the monoamine oxidase A promoter region and cerebrospinal fluid catecholamine concentrations in forensic autopsy cases. Neuroscience Letters, 2019, 701, 71-76.	1.0	2
6	Organ distribution of endogenous $\langle i \rangle p \langle i \rangle$ -cresol in hemodialysis patients. Journal of Medical Investigation, 2019, 66, 81-85.	0.2	8
7	Fatal accidental asphyxia in the reverse jack-knife position on a chair with wheels. Legal Medicine, 2019, 36, 81-84.	0.6	3
8	Subarachnoid hemorrhage in a Japanese cocaine abuser: Cocaine-related sudden death. Legal Medicine, 2018, 32, 43-47.	0.6	5
9	Effects of PCR inhibitors on mRNA expression for human blood identification. Legal Medicine, 2018, 32, 113-119.	0.6	6
10	A modified direct-heating headspace solid-phase microextraction method for drug screening with urine samples. Forensic Toxicology, 2018, 36, 225-228.	1.4	1
11	Tissue Distribution of Suvorexant in Three Forensic Autopsy Cases. Journal of Analytical Toxicology, 2018, 42, 276-283.	1.7	9
12	Quantitation of tetrodotoxin in postmortem specimens using SPE and HILIC LC-MS/MS: Tissue distribution of a forensic autopsy case. Japanese Journal of Forensic Science and Technology, 2018, 23, 125-131.	0.1	1
13	DRD2/ANKK1 gene polymorphisms in forensic autopsies of methamphetamine intoxication fatalities. Legal Medicine, 2018, 33, 6-9.	0.6	5
14	No association between cardiac ion channel variants and sudden infant death. Pediatrics International, 2018, 60, 483-484.	0.2	5
15	Giant intracranial arteriovenous malformation as the focus of epileptic seizures. Neuropathology, 2018, 38, 185-191.	0.7	2
16	Association between cytochrome P450 2D6 polymorphisms and body fluid methamphetamine concentrations in Japanese forensic autopsy cases. Forensic Science International, 2018, 289, 33-39.	1.3	3
17	Diagnostic meaning of blood p-cresol concentration in forensic autopsy cases. Legal Medicine, 2018, 34, 27-35.	0.6	2
18	An unusual case of suicide by methanol ingestion. Forensic Science International, 2018, 289, e9-e14.	1.3	7

#	Article	IF	CITATIONS
19	Association between cerebrospinal fluid dopamine concentrations and catechol- O -methyltransferase gene polymorphisms in forensic autopsy cases of methamphetamine abusers. Forensic Science International, 2017, 270, 159-164.	1.3	3
20	A report of novel psychoactive substances in forensic autopsy cases and a review of fatal cases in the literature. Legal Medicine, 2017, 26, 79-85.	0.6	13
21	Basal subarachnoid hemorrhage by rupture of arteriovenous malformation at the cerebellopontine angle. Neuropathology, 2017, 37, 441-445.	0.7	4
22	Postmortem genetic analysis of sudden unexpected death in infancy: neonatal genetic screening may enable the prevention of sudden infant death. Journal of Human Genetics, 2017, 62, 989-995.	1.1	18
23	Volatile Hydrocarbon Analysis in Blood by Headspace Solid-Phase Microextraction: The Interpretation of VHC Patterns in Fire-Related Incidents. Journal of Analytical Toxicology, 2017, 41, 300-306.	1.7	8
24	Simple regioisomeric differentiation of 2-, 3- and 4-methyl-α-pyrrolidinobutiophenones by gas chromatography–mass spectrometry using bromination. Forensic Toxicology, 2017, 35, 162-166.	1.4	0
25	Quantification of neuropathological findings by image data for the diagnosis of dementia in forensic autopsy cases. Journal of Medical Investigation, 2016, 63, 114-118.	0.2	2
26	An unexpected death due to massive ascites and a giant mucinous ovarian cystadenoma. Legal Medicine, 2016, 23, 1-4.	0.6	5
27	Development of a preparation method to produce a single sample that can be applied to both LC–MS/MS and GC–MS for the screening of postmortem specimens. Legal Medicine, 2016, 21, 85-92.	0.6	16
28	Quantification of immunohistochemical findings of neurofibrillary tangles and senile plaques for a diagnosis of dementia in forensic autopsy cases. Legal Medicine, 2016, 22, 82-89.	0.6	3
29	Application of <scp>mRNA</scp> Expression Analysis to Human Blood Identification in Degenerated Samples that were Falseâ€negative by Immunochromatography [,] [,] . Journal of Forensic Sciences, 2016, 61, 903-912.	0.9	10
30	GC-PCI-MS/MS and LC-ESI-MS/MS databases for the detection of 104 psychotropic compounds (synthetic) Tj ET	Qq <u>8,</u> 80 rę	gBT ₁ /Overlock
31	The global distribution of the p.R1193Q polymorphism in the SCN5A gene. Legal Medicine, 2016, 19, 72-76.	0.6	9
32	Autopsy report for a caffeine intoxication case and review of the current literature. Journal of Toxicologic Pathology, 2015, 28, 33-36.	0.3	40
33	Direct-heating headspace solid-phase microextraction for the screening of illicit drugs. Forensic Toxicology, 2015, 33, 61-68.	1.4	6
34	Application of high-throughput chiral analysis of amphetamines by GC–MS to whole blood specimens. Forensic Toxicology, 2013, 31, 183-185.	1.4	3
35	Combination of a short middle-bore capillary column with a thicker stationary phase and a short narrow-bore separation column with a thinner stationary phase for the rapid screening of non-volatile drugs by gas chromatography–mass spectrometry. Forensic Toxicology, 2013, 31, 67-69.	1.4	12
36	Diagnostic approach to drug-screening tests for fatal diabetic ketoacidosis: Forensic autopsy of a methamphetamine abuser. Legal Medicine, 2010, 12, 192-194.	0.6	9

Sнім-Існі Киво

#	Article	IF	CITATIONS
37	Solid-phase microextraction for amphetamines in solid tissues: washing the homogenates with ethyl ether enables their measurements by GC-MS after heptafluorobutyryl derivatization. Forensic Toxicology, 2009, 27, 52-53.	1.4	8
38	High throughput chiral analysis of urinary amphetamines by GC-MS using a short narrow-bore capillary column. Forensic Toxicology, 2009, 27, 75-80.	1.4	21
39	Japanese Population Study of a Y-Linked Dinucleotide Repeat DNA Polymorphism. Journal of Forensic Sciences, 1999, 44, 588-591.	0.9	3