
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8207015/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Urinary neutrophil gelatinase-associated lipocalin (NGAL) as an early marker of acute kidney injury in critically ill multiple trauma patients. Clinical Chemistry and Laboratory Medicine, 2009, 47, 79-82.	1.4	170
2	Hyperandrogenism in Women with Polycystic Ovary Syndrome Persists after Menopause. Journal of Clinical Endocrinology and Metabolism, 2011, 96, 623-631.	1.8	87
3	The TyG Index as a Marker of Subclinical Atherosclerosis and Arterial Stiffness in Lean and Overweight Postmenopausal Women. Heart Lung and Circulation, 2018, 27, 716-724.	0.2	85
4	Circulating androgen levels are associated with subclinical atherosclerosis and arterial stiffness in healthy recently menopausal women. Metabolism: Clinical and Experimental, 2012, 61, 193-201.	1.5	78
5	Endogenous sex hormones and risk factors for atherosclerosis in healthy Greek postmenopausal women. European Journal of Endocrinology, 2006, 154, 907-916.	1.9	75
6	Neurophil gelatinase-associated lipocalin as a new biomarker in laboratory medicine. Clinical Chemistry and Laboratory Medicine, 2012, 50, 1519-32.	1.4	68
7	Gestational Diabetes and T-cell (Th1/Th2/Th17/Treg) Immune Profile. In Vivo, 2019, 33, 31-40.	0.6	44
8	Arterial stiffness is increased in asymptomatic nondiabetic postmenopausal women with a polycystic ovary syndrome phenotype. Journal of Hypertension, 2013, 31, 1998-2004.	0.3	38
9	Free androgen index as a predictor of blood pressure progression and accelerated vascular aging in menopause. Atherosclerosis, 2016, 247, 177-183.	0.4	34
10	Menopausal symptoms are associated with subclinical atherosclerosis in healthy recently postmenopausal women. Climacteric, 2012, 15, 350-357.	1.1	32
11	The Prevalence of Non-classical Congenital Adrenal Hyperplasia Due to 21-hydroxylase Deficiency in Greek Women with Hirsutism and Polycystic Ovary Syndrome. Endocrine Journal, 2008, 55, 33-39.	0.7	31
12	Placental growth factor and soluble fms-like tyrosine kinase-1 are useful markers for the prediction of preeclampsia but not for small for gestational age neonates: a longitudinal study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 171, 225-230.	0.5	31
13	Stress urinary incontinence and endogenous sex steroids in postmenopausal women. Neurourology and Urodynamics, 2017, 36, 121-125.	0.8	29
14	Thyroid function and postpartum mood disturbances in Greek women. Journal of Affective Disorders, 2010, 121, 278-282.	2.0	27
15	High normal thyroid-stimulating hormone is associated with arterial stiffness in healthy postmenopausal women. Journal of Hypertension, 2012, 30, 592-599.	0.3	27
16	A Comparative Study of Serum Soluble Vascular Cell Adhesion Molecule-1 and Soluble Intercellular Adhesion Molecule-1 in Preeclampsia. Journal of Perinatology, 2000, 20, 114-119.	0.9	26
17	Levels of asymmetric dimethylarginine throughout normal pregnancy and in pregnancies complicated with preeclampsia or had a small for gestational age baby. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 1311-1315.	0.7	26
18	The European Federation of Clinical Chemistry and Laboratory Medicine syllabus for postgraduate education and training for Specialists in Laboratory Medicine: version 5 – 2018. Clinical Chemistry and Laboratory Medicine, 2018, 56, 1846-1863.	1.4	24

#	Article	IF	CITATIONS
19	The EC4 European Syllabus for Post-Graduate Training in Clinical Chemistry and Laboratory Medicine: version 4 – 2012. Clinical Chemistry and Laboratory Medicine, 2012, 50, 1317-28.	1.4	23
20	Reproductive hormones and postpartum mood disturbances in Greek women. Gynecological Endocrinology, 2011, 27, 543-550.	0.7	22
21	Serum androgen levels and insulin resistance in postmenopausal women: association with hormone therapy, tibolone and raloxifene. Maturitas, 2005, 50, 321-330.	1.0	21
22	Determinants of Secondary Hyperparathyroidism in Bariatric Patients after Roux-en-Y Gastric Bypass or Sleeve Gastrectomy: A Pilot Study. International Journal of Endocrinology, 2015, 2015, 1-7.	0.6	21
23	Indices of adiposity and thyroid hormones in euthyroid postmenopausal women. European Journal of Endocrinology, 2015, 173, 237-245.	1.9	21
24	Maternal serum levels of neutrophil gelatinase-associated lipocalin (NGAL), matrix metalloproteinase-9 (MMP-9) and their complex MMP-9/NGAL in pregnancies with preeclampsia and those with a small for gestational age neonate: a longitudinal study. Prenatal Diagnosis, 2014, 34, 726-733.	1.1	20
25	Greek-origin royal jelly improves the lipid profile of postmenopausal women. Gynecological Endocrinology, 2016, 32, 835-839.	0.7	20
26	EC4 European Syllabus for Post-Graduate Training in Clinical Chemistry and Laboratory Medicine: version 3 – 2005. Clinical Chemistry and Laboratory Medicine, 2006, 44, 110-20.	1.4	19
27	Effect of raloxifene, estrogen, and hormone replacement therapy on serum homocysteine levels in postmenopausal women. Fertility and Sterility, 2003, 79, 455-456.	0.5	18
28	The metabolic syndrome is associated with carotid atherosclerosis and arterial stiffness in asymptomatic, nondiabetic postmenopausal women. Gynecological Endocrinology, 2018, 34, 78-82.	0.7	18
29	The European Register of Specialists in Clinical Chemistry and Laboratory Medicine: Guide to the Register, Version 3-2010. Clinical Chemistry and Laboratory Medicine, 2010, 48, 999-1008.	1.4	17
30	Vitamin D receptor Bsm1 polymorphism, calcium metabolism and bone mineral density in patients with multiple sclerosis: a pilot study. Neurological Sciences, 2013, 34, 1433-1439.	0.9	17
31	Homocysteine and folate levels in postmenopausal women. Maturitas, 2001, 39, 161-167.	1.0	16
32	Free androgen index as a determinant of arterial stiffness in menopause: a mediation analysis. Menopause, 2017, 24, 635-644.	0.8	16
33	Physical activity is associated with lower arterial stiffness in normalâ€weight postmenopausal women. Journal of Clinical Hypertension, 2020, 22, 1682-1690.	1.0	16
34	Effect of hormone replacement therapy and tibolone on serum leptin levels in postmenopausal women. Maturitas, 2004, 48, 107-113.	1.0	15
35	Serum inhibin and leptin: Risk factors for pre-eclampsia?. Clinica Chimica Acta, 2016, 463, 84-87.	0.5	15
36	Thyroid function and autoimmunity are associated with the risk of vertebral fractures in postmenopausal women. Journal of Bone and Mineral Metabolism, 2017, 35, 227-233.	1.3	14

#	Article	IF	CITATIONS
37	Cytokine concentrations during the first days of life. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2007, 131, 32-35.	0.5	13
38	The European Register of Specialists in Clinical Chemistry and Laboratory Medicine: Code of Conduct, Version 2 – 2008. Clinical Chemistry and Laboratory Medicine, 2009, 47, 372-5.	1.4	12
39	The Influence of Total Plasma Homocysteine and Traditional Atherosclerotic Risk Factors on Degree of Abdominal Aortic Aneurysm Tissue Inflammation. Vascular and Endovascular Surgery, 2009, 43, 473-479.	0.3	12
40	Prevalence of vasomotor, psychological, psychosomatic and sexual symptoms in perimenopausal and recently postmenopausal Greek women: association with demographic, life-style and hormonal factors. Gynecological Endocrinology, 2013, 29, 125-128.	0.7	12
41	The Impact of Two Different Transfusion Strategies on Patient Immune Response during Major Abdominal Surgery: A Preliminary Report. Journal of Immunology Research, 2014, 2014, 1-10.	0.9	12
42	Changes of serum sclerostin and Dickkopf-1 levels during the menstrual cycle. A pilot study. Endocrine, 2016, 54, 543-551.	1.1	12
43	Maternal circulating osteoprotegerin and soluble RANKL in pre-eclamptic women. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2011, 154, 141-145.	0.5	11
44	Sex Hormones in Postmenopausal Women Receiving Lowâ€Dose Hormone Therapy: The Effect of BMI. Obesity, 2011, 19, 988-993.	1.5	11
45	The European Register for Specialists in Clinical Chemistry and Laboratory Medicine: Guide to the Register Version 2-2003 and Procedure for Re-registration. Clinical Chemistry and Laboratory Medicine, 2003, 41, 238-47.	1.4	10
46	The intensity of menopausal symptoms is associated with episodic memory in postmenopausal women. Climacteric, 2016, 19, 393-399.	1.1	9
47	S100B as a biomarker of brain injury in premature neonates. A prospective case – control longitudinal study. Clinica Chimica Acta, 2020, 510, 781-786.	0.5	9
48	The Influence of Diabetes on Degree of Abdominal Aortic Aneurysm Tissue Inflammation. Vascular and Endovascular Surgery, 2010, 44, 454-459.	0.3	8
49	An evidence based strategy for follow up after breast conserving treatment for breast cancer. Journal of Surgical Oncology, 2011, 104, 223-227.	0.8	8
50	Bsm1 Vitamin D Receptor Polymorphism and Calcium Homeostasis Following Bariatric Surgery. Journal of Investigative Surgery, 2015, 28, 8-17.	0.6	8
51	The European Register for Specialists in Clinical Chemistry and Laboratory Medicine: Code ofConduct. Clinical Chemistry and Laboratory Medicine, 2004, 42, 563-5.	1.4	7
52	Apolipoprotein E and Paraoxonase 1 polymorphisms are associated with lower serum thyroid hormones in postmenopausal women. Clinical Endocrinology, 2009, 71, 284-290.	1.2	7
53	Free Androgen Index as a Biomarker of Increased Cardiovascular Risk in Postmenopausal Women. Journal of the American College of Cardiology, 2018, 72, 1986.	1.2	6
54	Postpartum human breast milk levels of neutrophil gelatinase-associated lipocalin (NGAL) and matrix metalloproteinase-9 (MMP-9)/NGAL complex in normal and pregnancies complicated with insulin-dependent gestational diabetes mellitus. A prospective pilot case-control study. Journal of Obstetrics and Gynaecology, 2020, 40, 461-467.	0.4	6

#	Article	IF	CITATIONS
55	ESEAP: the national External Quality Assessment Scheme for clinical chemistry in Greece and Cyprus. Clinical Chemistry and Laboratory Medicine, 2006, 44, 1156-7.	1.4	5
56	Endogenous sex hormones and memory performance in middle-aged Greek women with subjective memory complaints. Neurological Sciences, 2018, 39, 259-266.	0.9	5
57	Maternal serum leptin concentration during the second trimester of pregnancy: association with fetal chromosomal abnormalities. Prenatal Diagnosis, 2002, 22, 221-225.	1.1	4
58	The effect of hormone therapy on biochemical and ultrasound parameters associated with atherosclerosis in 46,XY DSD individuals with female phenotype. Gynecological Endocrinology, 2014, 30, 721-725.	0.7	4
59	Psychological but not vasomotor symptoms are associated with temperament and character traits. Climacteric, 2014, 17, 500-509.	1.1	4
60	Variations in glomerular filtration rate are associated with subclinical atherosclerosis in healthy postmenopausal women. Menopause, 2015, 22, 317-324.	0.8	4
61	Association of sex hormones and glucose metabolism with the severity of multiple sclerosis. International Journal of Neuroscience, 2016, 126, 797-804.	0.8	4
62	The Greek way to the Register: the establishment and operation of the Register for Clinical Chemists-Clinical Biochemists in Greece. Clinical Chemistry and Laboratory Medicine, 2011, 49, 1975-8.	1.4	3
63	Serum Activin A as Brain Injury Biomarker in the First Three Days of Life. A Prospective Case—Control Longitudinal Study in Human Premature Neonates. Brain Sciences, 2021, 11, 1243.	1.1	3
64	Inflammatory cytokines and their soluble receptors during delivery and early life. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 817-818.	1.3	2
65	Serum glial fibrillary acidic protein as a biomarker of brain injury in premature neonates. Bosnian Journal of Basic Medical Sciences, 2021, , .	0.6	2
66	Estrogen plus progestin treatment: effect of different progestin components on serum markers of apoptosis in healthy postmenopausal women. Fertility and Sterility, 2010, 94, 2399-2401.	0.5	1
67	Serum prolactin levels interact with menstrual fluctuations of arterial stiffness. Hellenic Journal of Cardiology, 2021, 63, 89-89.	0.4	1
68	Inflammatory cytokines and their soluble receptors during delivery and early life. Acta Obstetricia Et Gynecologica Scandinavica, 2005, 84, 817-818.	1.3	1
69	The organisation of an educational program for specialists in clinical chemistry by the Greek Society of Clinical Chemistry-Clinical Biochemistry. Biochemia Medica, 2011, 21, 30-37.	1.2	1
70	Correlation of serum anti-Müllerian hormone levels with positive in vitro fertilization outcome using a short agonist protocol. Hormones, 2017, 16, 161-170.	0.9	0
71	Prenatal Screening for Chromosomal Abnormalities: Where do We Stand Today in Mediterranean Countries?. Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine, 2018, 29, 274-279.	0.7	0