

Demetrios Rizos

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8207015/demetrios-rizos-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

1,148
citations

19
h-index

30
g-index

71
ext. papers

1,299
ext. citations

3.4
avg, IF

3.68
L-index

#	Paper	IF	Citations
69	Serum prolactin levels interact with menstrual fluctuations of arterial stiffness. <i>Hellenic Journal of Cardiology</i> , 2021 , 63, 89-89	2.1	1
68	S100B as a biomarker of brain injury in premature neonates. A prospective case - control longitudinal study. <i>Clinica Chimica Acta</i> , 2020 , 510, 781-786	6.2	2
67	Physical activity is associated with lower arterial stiffness in normal-weight postmenopausal women. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1682-1690	2.3	6
66	Postpartum human breast milk levels of neutrophil gelatinase-associated lipocalin (NGAL) and matrix metalloproteinase-9 (MMP-9)/NGAL complex in normal and pregnancies complicated with insulin-dependent gestational diabetes mellitus. A prospective pilot case-control study. <i>Journal of Obstetrics and Gynaecology</i> , 2020 , 40, 461-467	1.3	3
65	Gestational Diabetes and T-cell (Th1/Th2/Th17/Treg) Immune Profile. <i>In Vivo</i> , 2019 , 33, 31-40	2.3	25
64	The metabolic syndrome is associated with carotid atherosclerosis and arterial stiffness in asymptomatic, nondiabetic postmenopausal women. <i>Gynecological Endocrinology</i> , 2018 , 34, 78-82	2.4	15
63	The TyG Index as a Marker of Subclinical Atherosclerosis and Arterial Stiffness in Lean and Overweight Postmenopausal Women. <i>Heart Lung and Circulation</i> , 2018 , 27, 716-724	1.8	46
62	Prenatal Screening for Chromosomal Abnormalities: Where do We Stand Today in Mediterranean Countries?. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2018 , 29, 274-279	2.4	
61	Endogenous sex hormones and memory performance in middle-aged Greek women with subjective memory complaints. <i>Neurological Sciences</i> , 2018 , 39, 259-266	3.5	3
60	Free Androgen Index as a Biomarker of Increased Cardiovascular Risk in Postmenopausal Women. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 1986	15.1	3
59	The European Federation of Clinical Chemistry and Laboratory Medicine syllabus for postgraduate education and training for Specialists in Laboratory Medicine: version 5 - 2018. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1846-1863	5.9	21
58	Thyroid function and autoimmunity are associated with the risk of vertebral fractures in postmenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2017 , 35, 227-233	2.9	9
57	Stress urinary incontinence and endogenous sex steroids in postmenopausal women. <i>Neurourology and Urodynamics</i> , 2017 , 36, 121-125	2.3	22
56	Free androgen index as a determinant of arterial stiffness in menopause: a mediation analysis. <i>Menopause</i> , 2017 , 24, 635-644	2.5	12
55	Correlation of serum anti-Müllerian hormone levels with positive in vitro fertilization outcome using a short agonist protocol. <i>Hormones</i> , 2017 , 16, 161-170	3.1	
54	Serum inhibin and leptin: Risk factors for pre-eclampsia?. <i>Clinica Chimica Acta</i> , 2016 , 463, 84-87	6.2	12
53	The intensity of menopausal symptoms is associated with episodic memory in postmenopausal women. <i>Climacteric</i> , 2016 , 19, 393-9	3.1	7

52	Association of sex hormones and glucose metabolism with the severity of multiple sclerosis. <i>International Journal of Neuroscience</i> , 2016 , 126, 797-804	2	2
51	Greek-origin royal jelly improves the lipid profile of postmenopausal women. <i>Gynecological Endocrinology</i> , 2016 , 32, 835-839	2.4	15
50	Free androgen index as a predictor of blood pressure progression and accelerated vascular aging in menopause. <i>Atherosclerosis</i> , 2016 , 247, 177-83	3.1	23
49	Changes of serum sclerostin and Dickkopf-1 levels during the menstrual cycle. A pilot study. <i>Endocrine</i> , 2016 , 54, 543-551	4	10
48	Bsm1 vitamin D receptor polymorphism and calcium homeostasis following bariatric surgery. <i>Journal of Investigative Surgery</i> , 2015 , 28, 8-17	1.2	7
47	Indices of adiposity and thyroid hormones in euthyroid postmenopausal women. <i>European Journal of Endocrinology</i> , 2015 , 173, 237-45	6.5	15
46	Variations in glomerular filtration rate are associated with subclinical atherosclerosis in healthy postmenopausal women. <i>Menopause</i> , 2015 , 22, 317-24	2.5	4
45	Determinants of Secondary Hyperparathyroidism in Bariatric Patients after Roux-en-Y Gastric Bypass or Sleeve Gastrectomy: A Pilot Study. <i>International Journal of Endocrinology</i> , 2015 , 2015, 984935	2.7	16
44	Maternal serum levels of neutrophil gelatinase-associated lipocalin (NGAL), matrix metalloproteinase-9 (MMP-9) and their complex MMP-9/NGAL in pregnancies with preeclampsia and those with a small for gestational age neonate: a longitudinal study. <i>Prenatal Diagnosis</i> , 2014 , 34, 726-33	3.2	15
43	Psychological but not vasomotor symptoms are associated with temperament and character traits. <i>Climacteric</i> , 2014 , 17, 500-9	3.1	3
42	The effect of hormone therapy on biochemical and ultrasound parameters associated with atherosclerosis in 46,XY DSD individuals with female phenotype. <i>Gynecological Endocrinology</i> , 2014 , 30, 721-5	2.4	4
41	The impact of two different transfusion strategies on patient immune response during major abdominal surgery: a preliminary report. <i>Journal of Immunology Research</i> , 2014 , 2014, 945829	4.5	8
40	Placental growth factor and soluble fms-like tyrosine kinase-1 are useful markers for the prediction of preeclampsia but not for small for gestational age neonates: a longitudinal study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013 , 171, 225-30	2.4	27
39	Prevalence of vasomotor, psychological, psychosomatic and sexual symptoms in perimenopausal and recently postmenopausal Greek women: association with demographic, life-style and hormonal factors. <i>Gynecological Endocrinology</i> , 2013 , 29, 125-8	2.4	9
38	Vitamin D receptor Bsm1 polymorphism, calcium metabolism and bone mineral density in patients with multiple sclerosis: a pilot study. <i>Neurological Sciences</i> , 2013 , 34, 1433-9	3.5	14
37	Arterial stiffness is increased in asymptomatic nondiabetic postmenopausal women with a polycystic ovary syndrome phenotype. <i>Journal of Hypertension</i> , 2013 , 31, 1998-2004	1.9	26
36	Circulating androgen levels are associated with subclinical atherosclerosis and arterial stiffness in healthy recently menopausal women. <i>Metabolism: Clinical and Experimental</i> , 2012 , 61, 193-201	12.7	65
35	Levels of asymmetric dimethylarginine throughout normal pregnancy and in pregnancies complicated with preeclampsia or had a small for gestational age baby. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 1311-5	2	24

34	Neutrophil gelatinase-associated lipocalin as a new biomarker in laboratory medicine. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 1519-32	5.9	58
33	The EC4 European syllabus for post-graduate training in clinical chemistry and laboratory medicine: version 4--2012. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 1317-28	5.9	13
32	Menopausal symptoms are associated with subclinical atherosclerosis in healthy recently postmenopausal women. <i>Climacteric</i> , 2012 , 15, 350-7	3.1	24
31	High normal thyroid-stimulating hormone is associated with arterial stiffness in healthy postmenopausal women. <i>Journal of Hypertension</i> , 2012 , 30, 592-9	1.9	23
30	Maternal circulating osteoprotegerin and soluble RANKL in pre-eclamptic women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011 , 154, 141-5	2.4	11
29	Sex hormones in postmenopausal women receiving low-dose hormone therapy: the effect of BMI. <i>Obesity</i> , 2011 , 19, 988-93	8	9
28	An evidence based strategy for follow up after breast conserving treatment for breast cancer. <i>Journal of Surgical Oncology</i> , 2011 , 104, 223-7	2.8	8
27	Reproductive hormones and postpartum mood disturbances in Greek women. <i>Gynecological Endocrinology</i> , 2011 , 27, 543-50	2.4	17
26	The Greek way to the Register: the establishment and operation of the Register for Clinical Chemists-Clinical Biochemists in Greece. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 49, 1975-8	5.9	2
25	Hyperandrogenism in women with polycystic ovary syndrome persists after menopause. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 623-31	5.6	69
24	The organization of an educational program for specialists in clinical chemistry by the Greek Society of Clinical Chemistry-Clinical Biochemistry. <i>Biochemia Medica</i> , 2011 , 21, 30-7	2.5	1
23	The influence of diabetes on degree of abdominal aortic aneurysm tissue inflammation. <i>Vascular and Endovascular Surgery</i> , 2010 , 44, 454-9	1.4	6
22	The European Register of Specialists in Clinical Chemistry and Laboratory Medicine: guide to the Register, version 3-2010. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010 , 48, 999-1008	5.9	9
21	Estrogen plus progestin treatment: effect of different progestin components on serum markers of apoptosis in healthy postmenopausal women. <i>Fertility and Sterility</i> , 2010 , 94, 2399-401	4.8	1
20	Thyroid function and postpartum mood disturbances in Greek women. <i>Journal of Affective Disorders</i> , 2010 , 121, 278-82	6.6	20
19	The European Register of Specialists in Clinical Chemistry and Laboratory Medicine: Code of Conduct, Version 2--2008. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009 , 47, 372-5	5.9	10
18	Urinary neutrophil gelatinase-associated lipocalin (NGAL) as an early marker of acute kidney injury in critically ill multiple trauma patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009 , 47, 79-82	5.9	145
17	The influence of total plasma homocysteine and traditional atherosclerotic risk factors on degree of abdominal aortic aneurysm tissue inflammation. <i>Vascular and Endovascular Surgery</i> , 2009 , 43, 473-9	1.4	10

16	Apolipoprotein E and paraoxonase 1 polymorphisms are associated with lower serum thyroid hormones in postmenopausal women. <i>Clinical Endocrinology</i> , 2009 , 71, 284-90	3.4	5
15	The prevalence of non-classical congenital adrenal hyperplasia due to 21-hydroxylase deficiency in Greek women with hirsutism and polycystic ovary syndrome. <i>Endocrine Journal</i> , 2008 , 55, 33-9	2.9	26
14	Cytokine concentrations during the first days of life. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007 , 131, 32-35	2.4	11
13	Endogenous sex hormones and risk factors for atherosclerosis in healthy Greek postmenopausal women. <i>European Journal of Endocrinology</i> , 2006 , 154, 907-16	6.5	64
12	EC4 European Syllabus for Post-Graduate Training in Clinical Chemistry and Laboratory Medicine: version 3 - 2005. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006 , 44, 110-20	5.9	18
11	ESEAP: the national External Quality Assessment Scheme for clinical chemistry in Greece and Cyprus. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006 , 44, 1156-7	5.9	4
10	Serum androgen levels and insulin resistance in postmenopausal women: association with hormone therapy, tibolone and raloxifene. <i>Maturitas</i> , 2005 , 50, 321-30	5	19
9	Inflammatory cytokines and their soluble receptors during delivery and early life. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005 , 84, 817-8	3.8	2
8	Inflammatory cytokines and their soluble receptors during delivery and early life 2005 , 84, 817		1
7	Effect of hormone replacement therapy and tibolone on serum leptin levels in postmenopausal women. <i>Maturitas</i> , 2004 , 48, 107-13	5	14
6	The European Register for Specialists in Clinical Chemistry and Laboratory Medicine: Code of Conduct. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004 , 42, 563-5	5.9	6
5	Effect of raloxifene, estrogen, and hormone replacement therapy on serum homocysteine levels in postmenopausal women. <i>Fertility and Sterility</i> , 2003 , 79, 455-6	4.8	18
4	The European Register for Specialists in Clinical Chemistry and Laboratory Medicine: guide to the Register Version 2-2003 and procedure for re-registration. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003 , 41, 238-47	5.9	10
3	Maternal serum leptin concentration during the second trimester of pregnancy: association with fetal chromosomal abnormalities. <i>Prenatal Diagnosis</i> , 2002 , 22, 221-5	3.2	4
2	Homocysteine and folate levels in postmenopausal women. <i>Maturitas</i> , 2001 , 39, 161-7	5	14
1	A comparative study of serum soluble vascular cell adhesion molecule-1 and soluble intercellular adhesion molecule-1 in preeclampsia. <i>Journal of Perinatology</i> , 2000 , 20, 114-9	3.1	22