

Jaroslav Vrba

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8208249/publications.pdf>

Version: 2024-02-01

87
papers

2,944
citations

159585

30
h-index

182427

51
g-index

91
all docs

91
docs citations

91
times ranked

2377
citing authors

#	ARTICLE	IF	CITATIONS
1	Negative effects of undesirable fish on common carp production and overall structure and functioning of fishpond ecosystems. <i>Aquaculture</i> , 2022, 549, 737811.	3.5	9
2	<sc>CARD</sc> and prey tracer techniques reveal the role of overlooked flagellate groups as major bacterivores in freshwater hypertrophic shallow lakes. <i>Environmental Microbiology</i> , 2022, 24, 4256-4273.	3.8	7
3	Seasonal Development of Phytoplankton in South Bohemian Fishponds (Czechia). <i>Water (Switzerland)</i> , 2022, 14, 1979.	2.7	3
4	The concept of balanced fish nutrition in temperate European fishponds to tackle eutrophication. <i>Journal of Cleaner Production</i> , 2022, 364, 132584.	9.3	4
5	Drivers of plant species composition of ecotonal vegetation in two fishpond management types. <i>Wetlands Ecology and Management</i> , 2021, 29, 93-110.	1.5	7
6	Feed-based common carp farming and eutrophication: is there a reason for concern?. <i>Reviews in Aquaculture</i> , 2020, 12, 1736-1758.	9.0	22
7	Insight into Unprecedented Diversity of Cyanopeptides in Eutrophic Ponds Using an MS/MS Networking Approach. <i>Toxins</i> , 2020, 12, 561.	3.4	25
8	Nutrient footprint and ecosystem services of carp production in European fishponds in contrast to EU crop and livestock sectors. <i>Journal of Cleaner Production</i> , 2020, 270, 122268.	9.3	27
9	The Ability of <i>Tetrahymena utriculariae</i> (Ciliophora, Oligohymenophorea) to Colonize Traps of Different Species of Aquatic Carnivorous <i>Utricularia</i> . <i>Journal of Eukaryotic Microbiology</i> , 2020, 67, 608-611.	1.7	4
10	Only the adults survive – A long-term resistance of <i>Isoëtes lacustris</i> to acidity and aluminium toxicity stress in a Bohemian Forest lake. <i>Ecological Indicators</i> , 2020, 111, 106026.	6.3	1
11	Planktivorous fish positively select <i>Daphnia</i> bearing advanced embryos. <i>Marine and Freshwater Research</i> , 2020, 71, 505.	1.3	6
12	Macrophyte assemblages in fishponds under different fish farming management. <i>Aquatic Botany</i> , 2019, 159, 103131.	1.6	10
13	Microbial food webs in hypertrophic fishponds: Omnivorous ciliate taxa are major protistan bacterivores. <i>Limnology and Oceanography</i> , 2019, 64, 2295-2309.	3.1	50
14	Effects of tree dieback on lake water acidity in the unmanaged catchment of Plešná Lake, Czech Republic. <i>Limnology and Oceanography</i> , 2019, 64, 1614-1626.	3.1	11
15	Hunters or farmers? Microbiome characteristics help elucidate the diet composition in an aquatic carnivorous plant. <i>Microbiome</i> , 2018, 6, 225.	11.1	29
16	An Experimental Insight into Extracellular Phosphatases – Differential Induction of Cell-Specific Activity in Green Algae Cultured under Various Phosphorus Conditions. <i>Frontiers in Microbiology</i> , 2018, 9, 271.	3.5	13
17	The <i>Utricularia</i> -associated microbiome: composition, function, and ecology. , 2018, , .		5
18	Recovery of brown trout populations in streams exposed to atmospheric acidification in the Bohemian Forest. <i>Folia Zoologica</i> , 2017, 66, 1-10.	0.9	5

#	ARTICLE	IF	CITATIONS
19	Lake water acidification and temperature have a lagged effect on the population dynamics of <i>Isoëtes echinospora</i> via offspring recruitment. <i>Ecological Indicators</i> , 2016, 70, 420-430.	6.3	13
20	Constraints on the biological recovery of the Bohemian Forest lakes from acid stress. <i>Freshwater Biology</i> , 2016, 61, 376-395.	2.4	24
21	Light Availability May Control Extracellular Phosphatase Production in Turbid Environments. <i>Microbial Ecology</i> , 2015, 69, 37-44.	2.8	7
22	Forest Die-Back Modified Plankton Recovery from Acidic Stress. <i>Ambio</i> , 2014, 43, 207-217.	5.5	9
23	Dinitrogen fixation associated with shoots of aquatic carnivorous plants: is it ecologically important?. <i>Annals of Botany</i> , 2014, 114, 125-133.	2.9	16
24	Metal and proton toxicity to lake zooplankton: A chemical speciation based modelling approach. <i>Environmental Pollution</i> , 2014, 186, 115-125.	7.5	25
25	Just how many obstacles are there to creating a National Park? A case study from the Åumava National Park. <i>European Journal of Environmental Sciences</i> , 2014, 4, 30-36.	0.2	11
26	Revitalisation of OrÅk reservoir " case study of a regional restoration project. <i>European Journal of Environmental Sciences</i> , 2014, 4, 77-82.	0.2	1
27	Current standard assays using artificial substrates overestimate phosphodiesterase activity. <i>Soil Biology and Biochemistry</i> , 2013, 56, 75-79.	8.8	7
28	Spatial and temporal changes of benthic macroinvertebrate assemblages in acidified streams in the Bohemian Forest (Czech Republic). <i>Aquatic Insects</i> , 2012, 34, 157-172.	0.9	5
29	Ecological implications of organic carbon dynamics in the traps of aquatic carnivorous <i>Utricularia</i> plants. <i>Functional Plant Biology</i> , 2011, 38, 583.	2.1	15
30	Phosphorus loading of mountain lakes: Terrestrial export and atmospheric deposition. <i>Limnology and Oceanography</i> , 2011, 56, 1343-1354.	3.1	56
31	Contrasting growth effects of prey capture in two aquatic carnivorous plant species. <i>Fundamental and Applied Limnology</i> , 2010, 176, 153-160.	0.7	21
32	Enzyme production in the traps of aquatic <i>Utricularia</i> species. <i>Biologia (Poland)</i> , 2010, 65, 273-278.	1.5	16
33	Spatial and temporal changes in phosphorus partitioning within a freshwater cyanobacterial mat community. <i>Biogeochemistry</i> , 2010, 101, 323-333.	3.5	26
34	CELL-SPECIFIC EXTRACELLULAR PHOSPHATASE ACTIVITY OF DINOFLAGELLATE POPULATIONS IN ACIDIFIED MOUNTAIN LAKES1. <i>Journal of Phycology</i> , 2010, 46, 635-644.	2.3	11
35	<i>Utricularia</i> carnivory revisited: plants supply photosynthetic carbon to traps. <i>Journal of Experimental Botany</i> , 2010, 61, 99-103.	4.8	37
36	Effect of Food Quantity and Quality on Population Growth Rate and Digestive Activity in the Euryhaline Rotifer <i>Brachionus plicatilis</i> MÅller. <i>International Review of Hydrobiology</i> , 2009, 94, 706-719.	0.9	11

#	ARTICLE	IF	CITATIONS
37	Extracellular phosphatases produced by phytoplankton and other sources in shallow eutrophic lakes (Wuhan, China): taxon-specific versus bulk activity. <i>Limnology</i> , 2009, 10, 95-104.	1.5	12
38	Short-term variation in extracellular phosphatase activity: possible limitations for diagnosis of nutrient status in particular algal populations. <i>Aquatic Ecology</i> , 2009, 43, 19-25.	1.5	15
39	Microbial community development in the traps of aquatic <i>Utricularia</i> species. <i>Aquatic Botany</i> , 2009, 90, 129-136.	1.6	77
40	Diet quality impact on growth, reproduction and digestive activity in <i>Brachionus calyciflorus</i> . <i>Journal of Plankton Research</i> , 2008, 30, 1123-1131.	1.8	6
41	The role of cell-surface-bound phosphatases in species competition within natural phytoplankton assemblage: an in situ experiment. <i>Journal of Limnology</i> , 2008, 67, 128.	1.1	15
42	Modulation of microbial predator-prey dynamics by phosphorus availability: Growth patterns and survival strategies of bacterial phylogenetic clades. <i>FEMS Microbiology Ecology</i> , 2007, 60, 40-50.	2.7	45
43	Rotifer digestive enzymes: direct detection using the ELF technique. <i>Hydrobiologia</i> , 2007, 593, 159-165.	2.0	9
44	Biomass reallocation within freshwater bacterioplankton induced by manipulating phosphorus availability and grazing. <i>Aquatic Microbial Ecology</i> , 2007, 49, 223-232.	1.8	13
45	Specific activity of cell-surface acid phosphatase in different bacterioplankton morphotypes in an acidified mountain lake. <i>Environmental Microbiology</i> , 2006, 8, 1271-1279.	3.8	24
46	Maximum growth rates and possible life strategies of different bacterioplankton groups in relation to phosphorus availability in a freshwater reservoir. <i>Environmental Microbiology</i> , 2006, 8, 1613-1624.	3.8	203
47	Biological recovery of the Bohemian Forest lakes from acidification. <i>Biologia (Poland)</i> , 2006, 61, S453-S465.	1.5	36
48	A key role of aluminium in phosphorus availability, food web structure, and plankton dynamics in strongly acidified lakes. <i>Biologia (Poland)</i> , 2006, 61, S441-S451.	1.5	17
49	Integrated ecological research of catchment-lake ecosystems in the Bohemian Forest (Central) Tj ETQq1 1 0.784314_rgBT /Overlock 1	1.5	6
50	Fluorescence Labelling of Phosphatase Activity in Digestive Glands of Carnivorous Plants. <i>Plant Biology</i> , 2006, 8, 813-820.	3.8	63
51	Extracellular enzyme activities in benthic cyanobacterial mats: comparison between nutrient-enriched and control sites in marshes of northern Belize. <i>Aquatic Microbial Ecology</i> , 2006, 44, 11-20.	1.8	26
52	Bacterial and phytoplankton responses to nutrient and pH changes during short term in situ experiments in two acidified lakes. <i>Algological Studies</i> , 2005, 115, 79-99.	0.1	0
53	Extracellular phosphatase activity of freshwater phytoplankton exposed to different in situ phosphorus concentrations. <i>Marine and Freshwater Research</i> , 2005, 56, 417.	1.3	31
54	Direct detection of digestive enzymes in planktonic rotifers using enzyme-labelled fluorescence (ELF). <i>Marine and Freshwater Research</i> , 2005, 56, 189.	1.3	16

#	ARTICLE	IF	CITATIONS
55	Detection of extracellular phosphatases in natural spring phytoplankton of a shallow eutrophic lake (Donghu, China). <i>European Journal of Phycology</i> , 2005, 40, 251-258.	2.0	35
56	Effects of phosphorus loading on interactions of algae and bacteria: reinvestigation of the 'phytoplankton-bacteria paradox' in a continuous cultivation system. <i>Aquatic Microbial Ecology</i> , 2005, 38, 203-213.	1.8	49
57	Soil biochemical activity and phosphorus transformations and losses from acidified forest soils. <i>Soil Biology and Biochemistry</i> , 2004, 36, 1569-1576.	8.8	45
58	Are Bacteria the Major Producers of Extracellular Glycolytic Enzymes in Aquatic Environments?. <i>International Review of Hydrobiology</i> , 2004, 89, 102-117.	0.9	39
59	Nutrient cycling in a strongly acidified mesotrophic lake. <i>Limnology and Oceanography</i> , 2004, 49, 1202-1213.	3.1	46
60	Role of diatom-attached choanoflagellates of the genus <i>Salpingoeca</i> as pelagic bacterivores. <i>Aquatic Microbial Ecology</i> , 2004, 36, 257-269.	1.8	21
61	Long-term studies (1871-2000) on acidification and recovery of lakes in the Bohemian Forest (central Tj ETQq1 1.0.784314 rgBT /Dv	8.0	83
62	Massive occurrence of heterotrophic filaments in acidified lakes: seasonal dynamics and composition. <i>FEMS Microbiology Ecology</i> , 2003, 46, 281-294.	2.7	24
63	Extracellular phosphatase activity of natural plankton studied with ELF97 phosphate: fluorescence quantification and labelling kinetics. <i>Environmental Microbiology</i> , 2003, 5, 462-472.	3.8	82
64	Enzymatic activities in traps of four aquatic species of the carnivorous genus <i>Utricularia</i> . <i>New Phytologist</i> , 2003, 159, 669-675.	7.3	70
65	Seasonal study of extracellular phosphatase expression in the phytoplankton of a eutrophic reservoir. <i>European Journal of Phycology</i> , 2003, 38, 295-306.	2.0	67
66	Hysteresis in Reversal of Central European Mountain Lakes from Atmospheric Acidification. <i>Water, Air and Soil Pollution</i> , 2002, 2, 91-114.	0.8	58
67	Size Selective Feeding in <i>Cyclidium glaucoma</i> (Ciliophora, Scuticociliatida) and Its Effects on Bacterial Community Structure: A Study from a Continuous Cultivation System. <i>Microbial Ecology</i> , 2001, 42, 217-227.	2.8	50
68	Impact of ionic aluminium on extracellular phosphatases in acidified lakes. <i>Environmental Microbiology</i> , 2001, 3, 578-587.	3.8	20
69	Quantification of pelagic filamentous microorganisms in aquatic environments using the line-intercept method. <i>FEMS Microbiology Ecology</i> , 2001, 38, 81-85.	2.7	27
70	Predator-Specific Enrichment of Actinobacteria from a Cosmopolitan Freshwater Clade in Mixed Continuous Culture. <i>Applied and Environmental Microbiology</i> , 2001, 67, 2145-2155.	3.1	125
71	Quantification of pelagic filamentous microorganisms in aquatic environments using the line-intercept method. <i>FEMS Microbiology Ecology</i> , 2001, 38, 81-85.	2.7	0
72	Comment to Sherr and Sherr (1999): 'æls there any appropriate way to distinguish different β -N-acetylhexosaminidase activities in aquatic environments?' <i>FEMS Microbiology Ecology</i> , 2000, 33, 81-84.	2.7	0

#	ARTICLE	IF	CITATIONS
73	Comment to Sherr and Sherr (1999): Are there any appropriate way to distinguish different β -N-acetylhexosaminidase activities in aquatic environments? FEMS Microbiology Ecology, 2000, 33, 81-84.	2.7	3
74	Shifts in bacterial community composition associated with different microzooplankton size fractions in a eutrophic reservoir. Limnology and Oceanography, 1999, 44, 1634-1644.	3.1	119
75	Predator-induced changes of bacterial size-structure and productivity studied on an experimental microbial community. Aquatic Microbial Ecology, 1999, 18, 235-246.	1.8	110
76	Microbial Food Webs in an Artificially Divided Acidic Bog Lake. International Review of Hydrobiology, 1998, 83, 3-18.	0.9	42
77	Extracellular, low-affinity β -N-acetylglucosaminidases linked to the dynamics of diatoms and crustaceans in freshwater systems of different trophic degree. International Review of Hydrobiology, 1997, 82, 277-286.	0.6	17
78	Morphological and compositional shifts in an experimental bacterial community influenced by protists with contrasting feeding modes. Applied and Environmental Microbiology, 1997, 63, 587-595.	3.1	184
79	Contrasting bacterial strategies to coexist with a flagellate predator in an experimental microbial assemblage. Applied and Environmental Microbiology, 1997, 63, 596-601.	3.1	151
80	Community structure, picoplankton grazing and zooplankton control of heterotrophic nanoflagellates in a eutrophic reservoir during the summer phytoplankton maximum. Aquatic Microbial Ecology, 1997, 12, 49-63.	1.8	101
81	Comparison of phosphorus deficiency indices during a spring phytoplankton bloom in a eutrophic reservoir. Freshwater Biology, 1995, 33, 73-81.	2.4	25
82	β -N-acetylglucosamine dynamics in freshwater environments: Concentration of amino sugars, extracellular enzyme activities, and microbial uptake. Limnology and Oceanography, 1994, 39, 1088-1100.	3.1	36
83	Size-selective feeding by Cyclidium sp. on bacterioplankton and various sizes of cultured bacteria. FEMS Microbiology Ecology, 1994, 14, 157-167.	2.7	19
84	Release of dissolved extracellular β -N-acetylglucosaminidase during crustacean moulting. Limnology and Oceanography, 1994, 39, 712-716.	3.1	36
85	Size-selective feeding by Cyclidium sp. on bacterioplankton and various sizes of cultured bacteria. FEMS Microbiology Ecology, 1994, 14, 157-167.	2.7	25
86	4-Methylumbelliferyl- β -N-Acetylglucosaminide Hydrolysis by a High-Affinity Enzyme, a Putative Marker of Protozoan Bacterivory. Applied and Environmental Microbiology, 1993, 59, 3091-3101.	3.1	42
87	Microbial decomposition of polymer organic matter related to plankton development in a reservoir: activity of β -glucosidase, and β -N-acetylglucosaminidase and uptake of N-acetylglucosamine. Archiv für Hydrobiologie, 1992, 126, 193-211.	1.1	28