

Siu Tim Cheung

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8208944/siu-tim-cheung-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82

papers

4,489

citations

34

h-index

66

g-index

94

ext. papers

4,919

ext. citations

7.2

avg, IF

4.85

L-index

#	Paper	IF	Citations
82	Gene expression patterns in human liver cancers. <i>Molecular Biology of the Cell</i> , 2002 , 13, 1929-39	3.5	680
81	Nasopharyngeal carcinoma cell line (C666-1) consistently harbouring Epstein-Barr virus. <i>International Journal of Cancer</i> , 1999 , 83, 121-6	7.5	304
80	Pancreatic cancer risk variant in LINC00673 creates a miR-1231 binding site and interferes with PTPN11 degradation. <i>Nature Genetics</i> , 2016 , 48, 747-57	36.3	187
79	Anterior approach versus conventional approach right hepatic resection for large hepatocellular carcinoma: a prospective randomized controlled study. <i>Annals of Surgery</i> , 2006 , 244, 194-203	7.8	184
78	Distinct pathways of genomic progression to benign and malignant tumors of the liver. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 14771-6	11.5	165
77	Genome-wide association study identifies five loci associated with susceptibility to pancreatic cancer in Chinese populations. <i>Nature Genetics</i> , 2011 , 44, 62-6	36.3	141
76	Octamer 4/microRNA-1246 signaling axis drives Wnt/ β -catenin activation in liver cancer stem cells. <i>Hepatology</i> , 2016 , 64, 2062-2076	11.2	122
75	Granulin-epithelin precursor and ATP-dependent binding cassette (ABC)B5 regulate liver cancer cell chemoresistance. <i>Gastroenterology</i> , 2011 , 140, 344-55	13.3	114
74	Array-based comparative genomic hybridization reveals recurrent chromosomal aberrations and Jab1 as a potential target for 8q gain in hepatocellular carcinoma. <i>Carcinogenesis</i> , 2005 , 26, 2050-7	4.6	113
73	Liver transplantation in Asian patients with chronic hepatitis B using lamivudine prophylaxis. <i>Annals of Surgery</i> , 2001 , 233, 276-81	7.8	110
72	An integrated data analysis approach to characterize genes highly expressed in hepatocellular carcinoma. <i>Oncogene</i> , 2005 , 24, 3737-47	9.2	107
71	Granulin-epithelin precursor overexpression promotes growth and invasion of hepatocellular carcinoma. <i>Clinical Cancer Research</i> , 2004 , 10, 7629-36	12.9	104
70	MicroRNA-494 within an oncogenic microRNA megacluster regulates G1/S transition in liver tumorigenesis through suppression of mutated in colorectal cancer. <i>Hepatology</i> , 2014 , 59, 202-15	11.2	97
69	CTL control of EBV in nasopharyngeal carcinoma (NPC): EBV-specific CTL responses in the blood and tumors of NPC patients and the antigen-processing function of the tumor cells. <i>Journal of Immunology</i> , 2000 , 165, 573-82	5.3	96
68	Overexpression of NDRG1 is an indicator of poor prognosis in hepatocellular carcinoma. <i>Modern Pathology</i> , 2007 , 20, 76-83	9.8	91
67	Granulin-epithelin precursor as a therapeutic target for hepatocellular carcinoma. <i>Hepatology</i> , 2008 , 47, 1524-32	11.2	90
66	Hedgehog signaling in human hepatocellular carcinoma. <i>Cancer Biology and Therapy</i> , 2006 , 5, 111-7	4.6	87

65	Clinical significance of thrombospondin 1 expression in hepatocellular carcinoma. <i>Clinical Cancer Research</i> , 2004 , 10, 4150-7	12.9	86
64	Claudin-10 expression level is associated with recurrence of primary hepatocellular carcinoma. <i>Clinical Cancer Research</i> , 2005 , 11, 551-6	12.9	80
63	Identify metastasis-associated genes in hepatocellular carcinoma through clonality delineation for multinodular tumor. <i>Cancer Research</i> , 2002 , 62, 4711-21	10.1	74
62	Novel endothelial cell markers in hepatocellular carcinoma. <i>Modern Pathology</i> , 2004 , 17, 1198-210	9.8	69
61	SPARC and Hevin expression correlate with tumour angiogenesis in hepatocellular carcinoma. <i>Journal of Pathology</i> , 2006 , 210, 459-68	9.4	65
60	Establishment and characterization of new tumor xenografts and cancer cell lines from EBV-positive nasopharyngeal carcinoma. <i>Nature Communications</i> , 2018 , 9, 4663	17.4	63
59	CD44+ cancer stem-like cells in EBV-associated nasopharyngeal carcinoma. <i>PLoS ONE</i> , 2012 , 7, e52426	3.7	60
58	Development of antibody to hepatitis B surface antigen after liver transplantation for chronic hepatitis B. <i>Hepatology</i> , 2003 , 37, 36-43	11.2	59
57	Specific latent membrane protein 1 gene sequences in type 1 and type 2 Epstein-Barr virus from nasopharyngeal carcinoma in Hong Kong. <i>International Journal of Cancer</i> , 1998 , 76, 399-406	7.5	56
56	Bmi1 functions as an oncogene independent of Ink4A/Arf repression in hepatic carcinogenesis. <i>Molecular Cancer Research</i> , 2009 , 7, 1937-45	6.6	55
55	Novel intertypic recombinants of Epstein-Barr virus in the Chinese population. <i>Journal of Virology</i> , 2000 , 74, 1544-8	6.6	55
54	Prevalence of LMP1 deletion variant of Epstein-Barr virus in nasopharyngeal carcinoma and gastric tumors in Hong Kong. <i>International Journal of Cancer</i> , 1996 , 66, 711-2	7.5	52
53	Atypical localization of membrane type 1-matrix metalloproteinase in the nucleus is associated with aggressive features of hepatocellular carcinoma. <i>Molecular Carcinogenesis</i> , 2007 , 46, 225-30	5	51
52	Granulin-epithelin precursor is an oncofetal protein defining hepatic cancer stem cells. <i>PLoS ONE</i> , 2011 , 6, e28246	3.7	42
51	Inhibiting tumorigenic potential by restoration of p16 in nasopharyngeal carcinoma. <i>British Journal of Cancer</i> , 1999 , 81, 1122-6	8.7	40
50	STAT3: An Emerging Therapeutic Target for Hepatocellular Carcinoma. <i>Cancers</i> , 2019 , 11,	6.6	40
49	Inhibition of hepatocellular carcinoma invasion by suppression of claudin-10 in HLE cells. <i>Molecular Cancer Therapeutics</i> , 2007 , 6, 2858-67	6.1	38
48	Characterization of a new EBV-associated nasopharyngeal carcinoma cell line. <i>Cancer Genetics and Cytogenetics</i> , 1998 , 101, 83-8		34

47	Complete genomic sequence of Epstein-Barr virus in nasopharyngeal carcinoma cell line C666-1. <i>Infectious Agents and Cancer</i> , 2013 , 8, 29	3.5	32
46	Increased expression of glycosyl-phosphatidylinositol anchor attachment protein 1 (GPAA1) is associated with gene amplification in hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2006 , 119, 1330-7	7.5	32
45	Liver intestine-cadherin (CDH17) haplotype is associated with increased risk of hepatocellular carcinoma. <i>Clinical Cancer Research</i> , 2006 , 12, 5248-52	12.9	31
44	A Brief Overview of Progranulin in Health and Disease. <i>Methods in Molecular Biology</i> , 2018 , 1806, 3-15	1.4	29
43	Granulin-epithelin precursor renders hepatocellular carcinoma cells resistant to natural killer cytotoxicity. <i>Cancer Immunology Research</i> , 2014 , 2, 1209-19	12.5	28
42	Albumin mRNA in plasma predicts post-transplant recurrence of patients with hepatocellular carcinoma. <i>Transplantation</i> , 2008 , 85, 81-7	1.8	28
41	Decreased expression of cytochrome P450 2E1 is associated with poor prognosis of hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2004 , 111, 494-500	7.5	27
40	New tools for functional genomic analysis. <i>Drug Discovery Today</i> , 2009 , 14, 754-60	8.8	26
39	Fibrosing cholestatic hepatitis secondary to precore/core promoter hepatitis B variant with lamivudine resistance: successful retransplantation with combination adefovir dipivoxil and hepatitis B immunoglobulin. <i>Liver Transplantation</i> , 2004 , 10, 557-63	4.5	26
38	Liver as an ideal target for gene therapy: expression of CTLA4Ig by retroviral gene transfer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002 , 17, 1008-14	4	24
37	Antibody against granulin-epithelin precursor sensitizes hepatocellular carcinoma to chemotherapeutic agents. <i>Molecular Cancer Therapeutics</i> , 2014 , 13, 3001-12	6.1	23
36	Overexpression of PIN1 Enhances Cancer Growth and Aggressiveness with Cyclin D1 Induction in EBV-Associated Nasopharyngeal Carcinoma. <i>PLoS ONE</i> , 2016 , 11, e0156833	3.7	23
35	Establishment and characterization of a novel primary hepatocellular carcinoma cell line with metastatic ability in vivo. <i>Cancer Cell International</i> , 2014 , 14, 103	6.4	22
34	Hepatic cancer stem cell marker granulin-epithelin precursor and E-catenin expression associate with recurrence in hepatocellular carcinoma. <i>Oncotarget</i> , 2016 , 7, 21644-57	3.3	21
33	Identification and characterization of tropomyosin 3 associated with granulin-epithelin precursor in human hepatocellular carcinoma. <i>PLoS ONE</i> , 2012 , 7, e40324	3.7	20
32	Treatment of advanced hepatocellular carcinoma: immunotherapy from checkpoint blockade to potential of cellular treatment. <i>Translational Gastroenterology and Hepatology</i> , 2018 , 3, 89	5.2	20
31	Identification of common variants in BRCA2 and MAP2K4 for susceptibility to sporadic pancreatic cancer. <i>Carcinogenesis</i> , 2013 , 34, 1001-5	4.6	18
30	Mechanism of metastasis by membrane type 1-matrix metalloproteinase in hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2005 , 11, 6269-76	5.6	18

29	Cancer stem-like cells in Epstein-Barr virus-associated nasopharyngeal carcinoma. <i>Chinese Journal of Cancer</i> , 2014 , 33, 529-38		18
28	Indications for liver transplantation in patients with chronic hepatitis B and C virus infection and hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2000 , 15 Suppl, E181-6 ⁴		18
27	The ATP-binding cassette transporter ABCF1 is a hepatic oncofetal protein that promotes chemoresistance, EMT and cancer stemness in hepatocellular carcinoma. <i>Cancer Letters</i> , 2019 , 457, 98-109	8.9	17
26	Genomic and proteomic biomarkers for diagnosis and prognosis of hepatocellular carcinoma. <i>Biomarkers in Medicine</i> , 2007 , 1, 273-84	2.3	17
25	C-terminal truncated HBx protein activates caveolin-1/LRP6/Ectenin/FRMD5 axis in promoting hepatocarcinogenesis. <i>Cancer Letters</i> , 2019 , 444, 60-69	9.9	16
24	Restoration of natural killer activity in hepatocellular carcinoma by treatment with antibody against granulysin precursor. <i>Oncolmmunology</i> , 2015 , 4, e1016706	7.2	13
23	Granulysin precursor interacts with heparan sulfate on liver cancer cells. <i>Carcinogenesis</i> , 2014 , 35, 2485-94	4.6	13
22	GEP associates with wild-type p53 in hepatocellular carcinoma. <i>Oncology Reports</i> , 2006 , 15, 1507-11	3.5	13
21	Comprehensive characterization of the patient-derived xenograft and the paralleled primary hepatocellular carcinoma cell line. <i>Cancer Cell International</i> , 2016 , 16, 41	6.4	12
20	Clinical application of Albumin-Bilirubin (ALBI) score: The current status. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2020 , 18, 178-186	2.5	11
19	Transcript AA454543 is a novel prognostic marker for hepatocellular carcinoma after curative partial hepatectomy. <i>Neoplasia</i> , 2005 , 7, 91-8	6.4	9
18	Evaluation of quantitative PCR and branched-chain DNA assay for detection of hepatitis B virus DNA in sera from hepatocellular carcinoma and liver transplant patients. <i>Journal of Clinical Microbiology</i> , 2000 , 38, 1977-80	9.7	9
17	Granulysin precursor promotes colorectal carcinogenesis by activating MARK/ERK pathway. <i>Journal of Translational Medicine</i> , 2018 , 16, 150	8.5	9
16	Preoperative plasma transcript AA454543 level is an independent prognostic factor for hepatocellular carcinoma after partial hepatectomy. <i>Neoplasia</i> , 2006 , 8, 696-701	6.4	8
15	Down-regulation of retinol binding protein 5 is associated with aggressive tumor features in hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007 , 133, 929-36	4.9	7
14	Granulysin precursor interacts with 78-kDa glucose-regulated protein in hepatocellular carcinoma. <i>BMC Cancer</i> , 2017 , 17, 409	4.8	6
13	De novo sarcoma of donor origin in a liver allograft determined by microsatellite analysis: a short report. <i>Liver Transplantation</i> , 2004 , 10, 320-3	4.5	5
12	Glioma Association and Balancing Selection of ZFPM2. <i>PLoS ONE</i> , 2015 , 10, e0133003	3.7	5

11	Copy number gain of granulin-epithelin precursor (GEP) at chromosome 17q21 associates with overexpression in human liver cancer. <i>BMC Cancer</i> , 2015 , 15, 264	4.8	4
10	Contaminated and misidentified cell lines commonly use in cancer research. <i>Molecular Carcinogenesis</i> , 2020 , 59, 573-574	5	4
9	Progranulin mediates immune evasion of pancreatic ductal adenocarcinoma through regulation of MHCII expression.. <i>Nature Communications</i> , 2022 , 13, 156	17.4	4
8	Novel biomarkers GEP/ABCB5 regulate response to adjuvant transarterial chemoembolization after curative hepatectomy for hepatocellular carcinoma. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018 , 17, 524-530	2.1	3
7	Genetic variation in ABCB5 associates with risk of hepatocellular carcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 10705-10713	5.6	2
6	Nasopharyngeal carcinoma cell line (C666-1) consistently harbouring Epstein-Barr virus 1999 , 83, 121		2
5	GEP associates with wild-type p53 in hepatocellular carcinoma. <i>Oncology Reports</i> , 2006 , 15, 1507	3.5	1
4	Mouse Monoclonal Antibodies Against Progranulin (PGRN/GEP) as Therapeutics in Preclinical Cancer Models. <i>Methods in Molecular Biology</i> , 2018 , 1806, 131-144	1.4	1
3	Methods to Analyze the Role of Progranulin (PGRN/GEP) on Cancer Stem Cell Features. <i>Methods in Molecular Biology</i> , 2018 , 1806, 145-153	1.4	1
2	Prevalence of LMP1 deletion variant of Epstein-Barr virus in nasopharyngeal carcinoma and gastric tumors in Hong Kong 1996 , 66, 711		1
1	Cyclins and CDKs in Liver Diseases 2005 , 325-331		